Wandsworth Borough Council

Authority Monitoring Report 2014/15 – 2016/17

Sustainable Development & Communities policy performance



Wandsworth Local Plan Authority Monitoring Report

The Authority Monitoring Report forms part of the Local Plan (Formally the Local Development Framework). The requirement for a local authority to produce an Authority Monitoring Report is set out in Section 113 of the Localism Act 2011. The Act requires every authority to produce a report or series of reports containing information on the implementation of the Local Development Scheme, the progress and effectiveness of the Local Plan and the extent to which the planning policies set out in the Local Plan documents are being achieved. The Authority Monitoring Report replaces the Annual Monitoring Reports previously used to monitor the performance of the Local Development Framework.

The Council has committed to monitoring the performance of policies as set out in the Core Strategy (Adopted October 2010):

"5.14 The Council has well established monitoring systems for a range of key planning information. Monitoring the effectiveness of the policies and strategies over time, including targets where appropriate, is essential to ensure that objectives of the Core Strategy are being delivered. Targets and indicators are set out in the Sustainability Appraisal and will be monitored in the Annual Monitoring Report. A thorough review of the indicators contained in the Annual Monitoring Report has been undertaken. New indicators have been added to ensure that the policies contained in the Core Strategy can be directly monitored. The key indicators which will be used to monitor individual policies are set out in Appendix 2. As the Core Strategy is closely linked to the Council's Sustainable Community Strategy, a number of key indicators, e.g. those on the provision of new housing and affordable housing are shared, including indicators used in the Council's Local Area Agreement. The information collected as part of the preparation of the Annual Monitoring Report will also feed into annual monitoring systems set up by the GLA, TfL and the LDA."

The indicators used to monitor the Local Plan have been reviewed as part of the Local Plan Review process and a revised list of indicators has been published in the Core Strategy 2nd Proposed Submission Version. This Authority Monitoring Report uses the revised list of indicators.

This is the third Authority Monitoring Report for Sustainable Development and Communities. It covers the period 1st April 2014 to 31st March 2017.

Where it would appear through monitoring that targets are not being met it may be necessary to review the policies within the Local Plan to see if they need to be amended in order to secure delivery of the spatial vision, consider alternative strategies or take appropriate management action to remedy the cause of underperformance. For borough level targets, e.g. housing targets, any performance below 80% of minimum targets two years in a row will trigger a review of policy. The need to review policies relating to specific areas of the borough or take appropriate management action, will also take account of information on likely future delivery, e.g. information on the granting of planning permissions and feedback from developers on the prospects for the implementation of schemes.

Previous Authority/Annual monitoring reports are available to download from <u>www.wandsworth.gov.uk/amr</u>. Annual Monitoring Reports are available for the period between 2004/05 and 2010/11, with Authority Monitoring Reports available from 2011/12 onwards.

Sustainable Development and Communities Indicators

| Indicator Ref | Description | Indicator Objective / Target | | Performance | | | 2014/15 | 2015/16 | 2016/17 |
|------------------|--|--|---|---------------------|-------------------|---------|--------------|--------------|--------------|
| S 01 | Indices of deprivation in Wandsworth and regeneration area | Improve the borough and ward level IMD rankings | Source: Department for Communities and Local Government Indices of Deprivation | | | | No Data | ~ | No Data |
| | | | In 2015, Wandsworth saw a fall in relativ | ve deprivation in i | ts wards compared | to 2010 | | | |
| S 02 | | Reduce the proportion of | Source: ONS Claimant count by sex and age * Data not available at LSOA level | 2014/15 | 2015/16 | 2016/17 | | | |
| | high ranking indices of deprivation | unemployed residents in areas of high deprivation | Latchmere | 386 | 324 | 310 | \checkmark | \checkmark | \checkmark |
| | | | Queenstown | 310 | 270 | 255 | \checkmark | \checkmark | \checkmark |
| | | | Roehampton and Putney Heath | 288 | 244 | 228 | \checkmark | ✓ | \checkmark |
| | | | St. Mary's Park | 233 | 195 | 179 | ✓ | ✓ | ✓ |
| | | | Tooting | 270 | 210 | 187 | ✓ | ✓ | ✓ |
| S 03 | , , | Improve average life expectancy | Source: ONS Health state life expectancies for Males at birth, United Kingdom, 2013-2015 | 2011-13 | 2012-14 | 2013-15 | | | |
| | | | Male | 79.2 | 79.5 | 79.7 | No Data | ✓ | No Data |
| | | | Female | 83.3 | 83.7 | 83.6 | No Data | \checkmark | No Data |
| S 04 | Standardised Mortality Ratio by all | Reduce the mortality rate for | Source: ONS Births, GFR, Deaths and Death rates, SMR | 2012 | 2013 | 2014 | | | |
| | causes, cancer, coronary heart disease and circulatory disease in | ages under 75 | Latchmere | 120.3 | 95.4 | 102.2 | X | No Data | No Data |
| | Wandsworth and regeneration areas | | Queenstown | 79.3 | 111.4 | 76.3 | \checkmark | No Data | No Data |
| | | | Roehampton and Putney Heath | 82.8 | 121.1 | 103.4 | \checkmark | No Data | No Data |
| | | | Tooting | 106.7 | 89.1 | 106 | X | No Data | No Data |
| | | | Wandsworth Average | 97.8 | 96.7 | 92 | \checkmark | No Data | No Data |
| S 05 | Infant Mortality Rate per 1,000 Live Births (3 year average) in | Reduce infant mortality rate | Source: ONS Childhood mortality in England and Wales publication (National Statistics) | 2012-14 | 2013-15 | 2014-16 | | | |
| | Wandsworth | | | 3.7 | 3.1 | 2.8 | ~ | No Data | No Data |

| Indicator Ref | Description | Indicator Objective / Target | | Performance | | | 2014/15 | 2015/16 | 2016/17 |
|------------------|---|---|---|------------------------------|--------------|--|--------------|--------------|------------|
| S 06 | The percentage of pupils in local | Increase percentage of pupils | Source: Department for Education GCSE and equivalent results in England | * Data not available at Ward | level | | \checkmark | \checkmark | - |
| | authority schools achieving 5 or more A* – C grade GCSEs (or equivalent) including English and Maths in Wandsworth | y schools achieving 5 or more achieving 5 or more A*- C rade GCSEs (or equivalent) grade GCSEs g English and Maths in | | Progress 8 in 2016 | | 2010/11: 61.7% 2011/12: 58.3% 2012/13: 61.3% 2013/14: 57.7% | 58.2% | 69.6% | n/a |
| S 07 | The percentage of Key Stage 2 (KS2) pupils achieving level 4 or better in | Increase percentage of KS2 pupils achieving level 4 or | Source: Department for Education: National curriculum assessments: Key Stage 2 | * Data not available at Ward | level | | 2014 | 2015 | 2016 |
| | tests in Wandsworth | above | * Measure replaced in 2016 | Level 4 or above | | Mathematics Reading | 86% 88% | 90% 91% | n/a n/a |
| S 08 | The percentage of residents (aged 16 - | Increase the percentage of | Source: ONS Qualifications of Working Age Population (NVQ), Borough | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
| | 64) who attained level 4/5 | residents with level 4/5 | | 64.5 | 66.0 | 63.6 | 69.8 | 66.3 | 70.6 |
| | qualifications in Wandsworth | qualifications | * Data not available at Ward level | | \checkmark | x | \checkmark | x | ✓ |
| S 09 | Proportion of young people (16-18 | Reduce the number of young | Source: Department for Education | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
| | year olds) not in full time education | people recorded as NEET | % of Young People classified as NEET | 5.1% | 7.1% | 3.5% | 2.9% | 3% | 2% |
| | employment or training (NEET) in Wandsworth | | | | x | ~ | ✓ | x | ✓ |
| S 10 | Teenage (Under 18) conception rates | Reduce Teenage (Under 18) | Source: ONS quarterly conceptions data | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
| | per 1,000 female population | conception rates | | 25 | 21 | 18 | 17 | 17 | |
| | | | | | | | \checkmark | ✓ | No Data |

| | | Sustainable | Development and Communities Indicators | | | | | | | | |
|------------------|--|---|---|--------------|---------------|----------|---------|--|--|--|--|
| Indicator Ref | Description | cription Indicator Objective / Target Performance | | | 2014/15 | 2015/16 | 2016/17 | | | | |
| | | | Source: King's College London - London Air Quality Network Summary Reports | 2013 | 2014 | 2015 | 2016 | | | | |
| S 11 | Annual mean and number of days | Improve air quality in line with | Annual Mean NO ₂ (objective of 40 μ g/m3) | | | | | | | | |
| | when air pollution (PM10 and NO2) | the Councils Air Quality Action | Wandsworth Town Hall (background location) | 48 | 43 | 36 | 43 | | | | |
| | exceeds acceptable levels | Plan | Felsham Road, Putney | 40 | 41 | 57 | 45 | | | | |
| | | | Putney High Street (façade) | 106 | 95 | 96 | 99 | | | | |
| | | | Putney High Street (kerb side) | 124 | 123 | 123 | 124 | | | | |
| | | | Battersea (Roadside) | 45 | 47 | 43 | 40 | | | | |
| | | | NO2 - Number of exceedances of 200 μg/m3 as a 1-hour mean (not to be exceede | ed more than | 18 times a y | | | | | | |
| | | | Wandsworth Town Hall (background location) | 0 | 0 | 0 | 0 | | | | |
| | | | Felsham Road, Putney | 2 | 0 | 0 | 46 | | | | |
| | | | Putney High Street (façade) | 661 | 505 | 336 | 1248 | | | | |
| | | | Putney High Street (kerb side) | 1580 | 1537 | 1443 | 1248 | | | | |
| | | | Battersea (Roadside) | 0 | 1 | 0 | 1 | | | | |
| | | | Annual Mean PM10 (objective of 40 μg/m3) | | | | | | | | |
| | | | Lavender Hill (Clapham Junction) | n/a | n/a | n/a | 69 | | | | |
| | | | Putney | 24 | 20 | 15 | 18 | | | | |
| | | | Putney High Street | 33 | 24 | 15 | 18 | | | | |
| | | | Tooting High Street | n/a | n/a | 24 | 24 | | | | |
| | | | Battersea | 33 | 28 | 26 | 32 | | | | |
| | | | PM10 Number of exceedances of 50μg/m3 as a 24 hour mean (not to be exceeded | d more than | 35 times a ve | ear) | | | | | |
| | | | Lavender Hill (Clapham Junction) | n/a | n/a | , n/a | 6 | | | | |
| | | | Putney | 3 | 2 | 1 | 6 | | | | |
| | | | Putney High Street | 27 | 5 | 1 | 4 | | | | |
| | | | Tooting High Street | n/a | n/a | 4 | 11 | | | | |
| | | | Battersea | 48 | 28 | 16 | 43 | | | | |
| S 12 | Number of noise abatement notices served | Reduce the number of noise abatement notices served | The number of noise abatement notices served has reduced over the period. | | 49 | 31 | 17 | | | | |
| | | | This does not fully reflect the large numbers of complaints which may be resolved b advice and monitoring. | by providing | ✓ | ✓ | ~ | | | | |

| Indicator Ref | Description | Indicator Objective / Target | Performance | 2014/15 | 2015/16 | 2016/17 |
|------------------|--|---|--|-----------|-----------|---------|
| S 13 | Amount of completed residential developments within the Health and Safety Executive (HSE) contours of hazardous uses | No development within the HSE contours of hazardous uses | No development has been completed within HSE contours against the advice of HSE | 0 | 0 | 0 |
| S 14 | Percentage of new build developments completed and/or | 100% of new development to be located on previously | 2015/16 - 2015/5528 Previously Developed Land 2016/17 - 2017/0425 | 146 | 183 | 201 |
| | granted planning permission on | developed land | Garden Land | 0 | 1 | 1 |
| | brownfield land | | | 0% | 0.5% | 0.5% |
| S 15 | Applications submitted that include Energy Assessments | Energy Assessments to be submitted for all major residential and major non- | Major Residential % with Energy Assessments | 84% | 85% | 76% |
| | | residential developments | Major Non Residential % with Energy Assessments | 60% | % 52% | 56% |
| S 16 | Developments completed with renewable energy installations | Increase the provision of renewable energy provision | Permissions Granted | 46 | 50 | 50 |
| | | | Permissions Completed | 22 | 26 | 30 |
| | | | Developments incorporating Wind | 0 | 0 | 0 |
| | | | renewable energy: Solar Thermal | 13 | 5 | 9 |
| | | | (Permissions Granted) Photovoltaics | 32 | 30 | 34 |
| | | | Biomass - Landfill | 2 | 1 | 1 |
| | | | Ground Source Heating & Cooling | 11 | 4 | 3 |
| | | | Air Source Heating & Cooling | 8 | 3 | 8 |
| | | | Other Renewables | 1 | 0 | 0 |
| S 17 | Percent reduction in carbon dioxide emissions achieved overall through on-site renewable energy generation and energy efficiency measures | | Average percentage reduction in Carbon Dioxide - Planning Permissions | 35% | 29% | 30% |
| S 18 | Code for Sustainable Homes rating for all new dwellings | New dwellings to meet at least Code Level 4 between 2013 and 2016 | The Code for Sustainable Homes was withdrawn in April 2015. Code Level 3 Code Level 4 | 5% 87% | 3% 85% | n/a |

| | | Sustainable | Development and Communities In | dicators | | | |
|------------------|---|--|-----------------------------------|--|---|--------------------------------------|---------|
| Indicator Ref | Description | Indicator Objective / Target | Performance | Performance | | | |
| S 19 | BREEAM rating for major new non- residential development | Major (1,000+ sq. m) non- residential development to achieve at least BREEAM "Excellent" level between 2013 and 2019 | | Excellent Very Good | 4 22 | 14 16 | 12 3 |
| S 20 | Number of developments completed with living roofs and/or walls and average area (m2) per development | Increase the number of schemes incorporating living roofs and/or walls | | Number of developments | 13 | 16 9 307 13 0 7 22 | 24 |
| | | | | Average m2 | 22 16 13 9 13 9 18 307 1 13 0 0 8 7 16 22 | 36 | |
| S 21 | Number of developments completed and or granted planning permission with/or providing a connection to a heating/cooling network and/or onsite combined heat/cooling and power centre | Increase potential of wider neighbourhood heating/ cooling networks. | | Combined Heat and Power | 1 | 13 | 8 |
| | | | | Wider neighbourhood heating/ cooling networks | 0 | 0 | 2 |
| S 22 | Number of planning permissions granted with a waste management plan | Increase the number of permissions with waste management plans. | | | 8 | 7 | 27 |
| S 24 | Number of tall buildings built outside town centres, Nine Elms and focal | All tall buildings granted planning permission should be | Number of tall buildings | Tall Buildings Policy Areas | 16 | 22 | 18 |
| | points | located in town centres, Nine Elms and focal points of activity or on sites identified as suitable | Number of tail buildings | Other Areas | 11 | 13 | 16 |
| | | for tall buildings in the Site Specific Allocations Document | | Tall Buildings Policy Areas | 58 | 28 | 26 |
| | | | Maximum Building Height (Storeys) | Other Areas | 8 | 7 | 7 |
| S 25 | Conservation areas with up to date character appraisals | | | | 100% | 100% | 100% |

| | | Sustainable | Development and Com | munities In | dicators | | | | |
|------------------|---|---|--|--|---|---|---------|---------|---------|
| Indicator Ref | Description | Indicator Objective / Target | | Performance | | | 2014/15 | 2015/16 | 2016/17 |
| S 26 | Number of grants for Conservation Area Improvements | Provide new grants for restoration schemes in conservation areas | Grants budget no longer operational * (£65,000 for the Huguenot Burial Gro | rants budget no longer operational (£65,000 for the Huguenot Burial Ground on East Hill held in abeyance) | | | | | n/a |
| S 27 | Enforcement cases relating to unauthorised works to a listed building or works within a | | | Unauthorised v | vorks to a Listed Bu | uilding | 14 | 3 | 1 |
| | conservation area. | | | Unauthorised v | vorks in a Conserva | ation Area | 178 | 226 | 124 |
| S 28 | Number of Listed Buildings "at risk" | Reduce the number of listed buildings at risk | 2013/14 = 16 on register (15 at risk, 1 v 2012/13 = 18 2011/12 = no data 2010/11 = 20 | ulnerable) | | | 16 | 16 | 15 |
| S 29 | Number of listed buildings lost | No loss of listed buildings | 2013/14 = 1 (St Peter's Church Hall) 2012/13 = 0 2011/12 = 0 | | | | 0 | 0 | 0 |
| S 30 | Percentage of borough (by geographical area) in each PTAL band | Increase the percentage of the borough in the highest PTAL bands % of Borough in each PTAL Band | | | 2014 0 = 1% 1a = 7% 1b = 15% 2 = 31% 3 = 17% 4 = 11% 5 = 8% 6a = 5% 6b = 5% | 2015 0 = 1.1% 1a = 5.9% 1b = 14.0% 2 = 27.8% 3 = 17.5% 4 = 11.7% 5 = 8.4% 6a = 8.1% 6b = 5.5% | No Data | ~ | No Data |
| S 31 | Percentage of journeys by public transport | Increase the % of journeys made by public transport | Source: TfL London Travel Demand Survey NB: 3-year rolling averages ending in year stated | 2010/11 | 2011/12 | 2012/13 | 2013/14 | 2014/15 | 2015/16 |
| | | | National Rail | 7 | 8 | 7 | 8 | 8 | 7 |
| | | | Underground / DLR | 6 | 6 | 7 | 7 | 7 | 6 |
| | | | Bus/tram | 19 | 17 | 16 | 15 | 15 | 15 |

| | | Sustainable | Development and Communities Indicators | | | |
|------------------|---|---|--|--------|-------------|------------|
| Indicator Ref | Description | Indicator Objective / Target | Performance | 2014 | /15 2015/16 | 2016/17 |
| S 32 | Density of traffic / Level of traffic in Wandsworth High Street | Source: DfT Traffic Counts Reduce density of traffic in Wandsworth High Street. Work to transform Wandsworth Town Centre's street network will begin in 2018 following public support for Transport for London's (TfL's) proposals. | Annual average daily flow All Motor Vehicles - Wandsworth High Street 800 750 700 650 600 2010 2011 2012 2013 2014 2015 2016 | 69. | 3 700 | 700 |
| S 33 | Provision of new or enhanced transport infrastructure | Provide new transport links and enhance capacity on rail and underground lines. | See Infrastructure Delivery Schedule | | | |
| \$ 34 | New build residential dwellings completed and granted planning permission by Public Transport Accessibility Level (PTAL) score | Increase the percentage of new dwellings completed in the highest PTAL bands (4-6) | The Northern Line extension will create a new Station at Battersea Power Station which is scheduled to open to passengers in 2020. This will raise the PTAL score for developments in the Vauxhall Nine Elms Battersea Area Permise | | | 40% 30% |
| S 35 | Number of cycle parking spaces secured on completed on residential developments | Provision of cycle parking on all new development | Net add cycle pi spaces | arking | | 1910 |
| S 36 | Number of residential car free developments completed in areas of good PTAL | Increase the number of car free developments. | 1-2 3 3 1 | 4 | 5 | 3 |
| | | | 4-5 2 1 1 6 2 1 1 | | | |

| | | Sustainable | Development and Comr | nunities Indicators | | | |
|------------------|---|---|---|--|---------|---------|---------|
| Indicator Ref | Description | Indicator Objective / Target | | Performance | 2014/15 | 2015/16 | 2016/17 |
| S 37 | Percentage of permitted development complying with the car- | Development complies with maximum parking standards | Of the residential schemes that did not comply with the standards, the | Comply with maximum standards | 82 | 96 | 127 |
| | parking standards set out in the local development framework | | existing number of parking spaces was already over the maximum allowed. | Existing provision over maximum | 5 | 1 | 3 |
| | | | | Percentage of development complying | 94% | 99% | 98% |
| S 38 | Developments approved with a car club parking space | Increase the number of car club spaces | | | 5 | 4 | 5 |
| | | | | | ~ | ✓ | ✓ |
| S 39 | Provision of parking permitted on new development distributed equitably between open market and affordable/ intermediate based on unit size and number of units | | | | No Data | No Data | No Data |
| S 40 | Access to public transport for disabled people | Improve access to stations and bus stops with disabled access | 2015/16 - Improved entrance to Putney station from Putney High Street with lift access and larger ticket hall. Funding has been secured from the Department for Transport to install a lift at Battersea Park Station. The Council continues to invest in improvements to bus stops to ensure they meet the accessibility guidelines recommended by TfL. Wandsworth currently has a high number of bus stops that are fully accessible and will continue this investment until all bus stops are fully accessible. | | | - | - |
| S 41 | Length of cycle routes in the borough along the rivers and the rest of the borough | Increase the total length of cycle routes in borough including along the river Thames and the Wandle | Tooting Common 2015/16 - 0.15 km of new or upgraded o contraflow | n-carriageway segregated routes in Wandsworth and on-carriageway segregated routes at Stapleton Road ndsworth in addition to Cycle Superhighways | ~ | ~ | - |

| | Sustainable Development and Communities Indicators | | | | | | | | | |
|------------------|--|---|---|---------|---------|---------|--|--|--|--|
| Indicator Ref | Description | Indicator Objective / Target | Performance | 2014/15 | 2015/16 | 2016/17 | | | | |
| S 42 | permitted and/or completed on new development along the rivers and the rest of the borough | space in borough including; a) along the river Thames and | a) 1.5km of Thames riverwalk opened up or due to be opened up to the public as part of Wandsworth Riverside Quarter, Battersea Reach, Battersea Power Station, Riverlight and Vauxhall Tower developments b) 190 metres of new Wandle riverwalk consented with Ram Brewery development | - | - | - | | | | |
| S 43 | Length of street (pedestrian) enhancements | | 2014/15 - 4 Protected Crossing Facilities provided Including a new pelican crossing at Clapham Junction 2015/16 - 2 Protected Crossing Facilities provided, 46 km of roads where 20 mph zones / limits have been introduced 2016/17 - 2 Protected Crossing Facilities provided, 204 km of roads where 20 mph zones / limits have been introduced | ~ | ~ | ~ | | | | |
| S 44 | | Increase the number of schools and companies with approved travel plans | Schools and nurseries | 7 | 4 | 1 | | | | |
| | 106 requirements for travel plans | | All other developments | 17 | 17 | 11 | | | | |
| S 45 | and associated facilities on the River | | No loss of moorings or jetties. Plantation Wharf River Bus pier completed in 2014/15 Battersea Power Station River Bus pier completed 2016/17 | ~ | ~ | ~ | | | | |

 \checkmark

 \checkmark

 \checkmark

No development of safeguarded land

S 46

Development on land safeguarded for

transport uses

| Indicator Ref | Description | Indicator Objective / Target | Performance | | 2014/15 | 2015/16 | 2016/17 |
|------------------|--|---|---|--|---------|---------|---------|
| S 47 | | | Riverside Pier at Battersea is used for Northern Line Extension works and other developments, thereby reducing the numbers of heavy good vehicles on the roads. | | No Data | No Data | No Data |
| S 48 | Number of flood investigations and associated reports signed off by the Council. | To sign off a report on all investigations. | 2014/15 - 1 x (Earlsfield Road) 2015/16 - 1 x (Earlsfield Road) 2016/17 - 1 incident investigated (Gambetta Street, sign off anticipated 2018/19) | | 1 | 1 | n/a |
| S 49 | Percentage of New Dwellings Permitted Within 1 in 100 Year Flood Risk Zone (Zone 3) | | | | 55% | 49% | 64% |
| S 50 | Number of planning permissions granted contrary to Environment Agency advice on flooding and water quality grounds | Development will not be permitted where the Environment Agency has an outstanding objection relating to flooding or water quality | 2016/17 Contrary Decisions - | Approved by EA | 8 | 20 | 19 |
| | | | Objection not relevant 2016/6541 | Refused by LPA | 1 | 12 | 9 |
| | | | Objection not relevant 2017/0240 | Withdrawn by Applicant | 3 | 5 | 18 |
| | | | Contrary 2016/5988 | Contrary | 0 | 0 | 4 |
| | | | Contrary (Prior Approval) 2016/2875 | Grand Total | 12 | 37 | 50 |
| S 51 | without a required flood risk sup assessment dev | | Note - some applications meet the requirements for however are for works which would not affect flood | i na supplieu | 111 | 100 | 122 |
| | | | | FRA not supplied | 78 | 66 | 58 |
| | | | | Total | 189 | 166 | 180 |
| | | | | Percentage with FRA | 59% | 60% | 68% |
| S 52 | basements (All basements, basement hi extensions, conversions of basements cl to a higher vulnerability classification in the Technical Guidance in the | higher vulnerability | No self-contained residential basements and bedrooms at basement level were permitted in flood zone 3b. | ms Basements permitted outside Flood Zone 3 | 320 | 293 | 296 |
| | | | | Basements permitted within Flood Zone 3 | 36 | 53 | 52 |
| | | | | Total | 356 | 346 | 348 |

Sustainable Development and Communities Indicators

| Indicator Ref | Description | Indicator Objective / Target | Performance | 2014/15 | 2015/16 | 2016/17 |
|------------------|--|---|---|-----------|----------------|----------------|
| \$ 53 | Number and percentage of developments completed and or granted planning permission with Sustainable Urban Drainage Systems in flood zones 2 and 3 and proposals greater than 1ha in flood zone 1. | Increase the number of schemes secured with SUDS | | 7 | 17 | 29 ✓ |
| S 54 | | Reduce the percentage of the borough in open space deficiency areas | | n/a | n/a | 48% |
| S 55 | Percentage of the borough in Areas of deficiency in access to nature | Reduce the percentage of the borough in Areas of deficiency in access to nature | Areas of deficiency in access to nature are defined as built-up areas more than one kilometre actual walking distance from an accessible Metropolitan or Borough Site of Interest for Nature Conservation (SINC). | 5.9% | n/a | 5.9% |
| S 56 | | Maintain or increase areas and populations of biodiversity importance | 818.9Ha or 23.3% of the borough area is a Site of Importance for Nature Conservation | No Change | No Change ✓ | No Change ✓ |
| S 57 | | Improve condition of SSSI to favourable or recovering | Wimbledon Common (Unit 001 Putney Heath) = unfavourable recovering Wimbledon Common (Unit 006 Woodland) = unfavourable recovering Sites last assessed by Natural England in 2013/14 | No Data | No Data | No Data |
| S 58 | Changes in priority habitats and species (by type) | Maintain or increase priority habitats and species | Area of Priority Habitat (hectares) | No Data | No Data | 292.8 Ha |
| S 59 | | No loss of designated open space | | No Loss | No Loss | No Loss |

| Sustainable Development and Communities Indicators | | | | | | | |
|--|---|---|---|----|--------------|---|--|
| Indicator Ref | Description | Indicator Objective / Target | Performance | | 2015/16 | 2016/17 | |
| S 60 | Area (ha) of public open space completed on new developments by location | Increase the amount of public open space provided on new development; | Developments completed with Gains of Public Open Space 2007/2999 - The Business Village 2010/5483 - Putney Plaza complete 2011/0324 - Battersea Reach | | No Gain | Gain of Parks and Gardens 0.517 Ha | |
| S 61 | Developments permitted and/or completed resulting in a loss or gain of sports and recreation facilities, including playing fields lost | Maintain or increase sports and recreation facilities | One development completed in March 2015 for a sports pavilion involved the loss of 87 sqm of playing fields 2011/1875 - 0.0870 ha - Erection of new sports pavilion | | ~ | ~ | |
| S 62 | Number of planning permissions incorporating ecological impact measures | Increase the percentage of planning permissions incorporating ecological impact measures | Bat Boxes: | 1 | 3 | 0 | |
| | | | Bird Nesting Boxes: | 2 | 5 | 1 | |
| | | | Green roofs/walls: | 13 | 10 | 24 | |
| | | | Creation of new wetland and semi natural habitats: | 0 | 0 | 0 | |
| S 63 | Developments permitted and/or | | Residential Developments Completed | 21 | 24 | 38 | |
| | completed in Areas of deficiency in access to nature | | Bat Boxes: | | 1 | | |
| | | | Bird Nesting Boxes: | | 1 | | |
| | | | Green roofs/walls: | 2 | 6 | 5 | |
| | | | Creation of new wetland and semi natural habitats: | | 2 | 1 | |
| S64 | Number of enforcement cases relating to the loss of trees in | | | 18 | 16 | 17 | |
| | conservation areas or designated TPOs | | | ~ | \checkmark | ~ | |