

BATTERSEA PARK ROAD

41-49 (BOOKERS) AND 49-59 (BMW) BATTERSEA PARK ROAD

DAYLIGHT, SUNLIGHT AND OVERSHADOWING REPORT

CLIENT: WATKINS JONES GROUP

DATE: JANUARY 2024

VERSION: PLANNING ISSUE

PROJECT: P2874

Point 2 Surveyors Limited,
17 Slingsby Place,
London, WC2E 9AB

0207 836 5828
point2.co.uk



Contents

1	Introduction	3
2	Sources of Information & Assumptions	5
3	Methodology.....	9
4	Site Context and Proposed Development.....	14
5	Daylight and Sunlight to Existing Neighbours.....	18
6	Daylight and Sunlight Availability to Neighbouring Outline Consented Developments	27
7	Internal Daylight Within Proposed Development and Sunlight to Proposed Amenity Areas	37
8	Conclusion.....	44

Appendices

Appendix 1: Existing, Proposed and Consented Plan and 3D Drawings

Appendix 2: Daylight and Sunlight Results (Existing v Proposed)

Daylight and Sunlight Results (Existing v Proposed) - Without Balconies

Appendix 3: Daylight and Sunlight Results (Existing v Consented)

Daylight and Sunlight Results (Existing v Consented) - Without Balconies

Appendix 4: Daylight and Sunlight Results (Consented v Proposed)

Daylight and Sunlight Results (Consented v Proposed) - Without Balconies

Appendix 5: VSC and APSH Façade Mapping Study Drawings for Neighbouring Outline Consented Developments

Appendix 6: External Sun on Ground (Overshadowing) Assessment Results

Appendix 7: Internal Daylight and Sunlight Results:

Climate Based Daylight Modelling (CBDM) Results

Average Daylight Factor Results

Sunlight Exposure Results

Appendix 8: Internal Sun on Ground (Overshadowing) Assessment Results

1 Introduction

- 1.1 Watkins Jones Group (the 'Applicant') have instructed Point 2 to undertake a detailed daylight, sunlight and overshadowing assessment for the redevelopment of the 41-49 (Bookers) and 49-59 (BMW) Battersea Park Road site in the London Borough of Wandsworth (the 'Site').
- 1.2 The purpose of this substituted report is to provide an overarching response to all matters which have been raised by LBW, statutory consultees, councillors and other stakeholders, and proposes the following principal amendments to the live application ref: 2022/1835:
- Reduction in height of Building 1 from 14 to 12 storeys, reduction in footprint, and reconfiguration to reduce privacy and overlooking concerns and improving daylight to neighbouring buildings
 - Introduction of second stair core into Buildings 1 & 2
 - Reduction in student bedrooms from 779 to 762
 - Reduction in residential dwellings from 81 to 55
 - Increase in community floorspace
 - Increased student internal amenity space
 - Changes to landscaping, play space and public realm
 - Increase in bio-diversity net gain and Urban Greening Factor
 - Amendments to Sleaford Street including a change from bay parking to parallel parking
 - Retention of all trees along Battersea Park Road and new planting along Sleaford Street and New Covent Garden Market Access Road
 - Redesign of façade to adapt to environmental conditions including improvements in fabric efficiency to increase carbon savings and reduce overheating
 - Additional PV to further increase carbon savings
- 1.3 Point 2 have worked closely with both the Applicant and Glenn Howells Architect to advise on the daylight and sunlight implications of the proposed amendments, in particular the re-design of Building 01. The re-orientation of this Building and alterations in bulk, height and massing have all contributed to limiting the overall daylight and sunlight effects upon the Site's immediate residential neighbour, Viridian Apartments on the opposite side of Sleaford Street.

- 1.4 The 'Proposed Development' comprises the "application for Phased Full Planning Permission for: Demolition of existing building and construction of three new buildings, together comprising Residential (Use Class C3) and Student Accommodation (Sui Generis) along with Commercial, Business and Service (Use Class E) and/or Local Community and Learning (Class F) floorspace. Associated works include hard and soft landscaping, car parking and new vehicular access / servicing, and other ancillary works."
- 1.5 This report will assess the potential daylight, sunlight and overshadowing effects of the Proposed Development on the existing surrounding residential properties (including those more recently completed such as Battersea Power Station Phase 4 and 4a), in addition to assessing residual daylight and sunlight amenity to the surrounding consented outline proposals for the Battersea Power Station Phase 3 and New Covent Garden Market sites.
- 1.6 It will also consider the daylight amenity within the Proposed Development itself and the sunlight availability for the proposed external amenity areas.
- 1.7 The Site already has the benefit of an extant planning permission (planning reference 2015/6813) which has been implemented and is a material planning consideration when reviewing the daylight, sunlight and overshadowing effects arising from the Proposed Development. A comparison against the consented daylight and sunlight position has therefore been undertaken as part of the overall assessment of effects.
- 1.8 The calculations within this report have been based upon a 3D contextual model created from point cloud survey data, alongside the submitted plans, elevations and sections that have been prepared by Glenn Howells Architects.

2 Sources of Information & Assumptions

2.1 In compiling this report, we have used the following sources of information:

Point 2 Surveyors

3D Measured Survey Model
Site Photography
OS Map

Glenn Howells Architects

Proposed Info Received: 08/03/23

Neighbouring Layout Plans

London Borough of Wandsworth (LBW) Planning Records
Estate Agent Sales Details
Land Registry

Valuation Office Agency

Property Uses

- 2.2 To identify which properties are in residential use we have reviewed VOA records. Any properties with a council tax entry have been assumed to be in residential use and any without have been considered as non-residential and therefore not included within our analysis.
- 2.3 Within the properties identified as residential in use, we have made attempts to obtain an understanding of the internal configurations and room uses by reference to publicly available information (such as local authority planning archives, estate agents' sales particulars etc). Some internal inspections were also undertaken as part of the public consultation which have been used to inform the modelling further. Where such information was unavailable, and in the absence of a physical internal inspection, reasonable assumptions have been made where necessary as to the use, (for example a bedroom or living room), and the internal configuration of the rooms (from external observations) behind the fenestration observed.
- 2.4 In such cases, room depths have generally been assumed to be between 4-4.5m, however this is not prescriptive and is dictated by the building form. This is common practice where access to buildings for surveying is unavailable. Where room layouts were available, precise evaluation of the diffuse levels of daylight within each of the rooms via the No Sky Line (NSL) has been established.
- 2.5 Floor levels were assumed for surrounding properties where access has not been obtained. With the working plane located 850mm above the finished floor level, this has the potential to affect the assessment of NSL, as the results may differ slightly if the assessment was carried out based on the true layouts, however this is not considered to affect the overall significance of any VSC or APSH effects.

- 2.6 In respect of the adjoining consented and recently constructed Battersea Power Station Phase 4a development, we have based our modelling on the approved floor plans, elevations and sections obtained via the online planning portal, which we understand are the most recent drawings of this consented development. The external massing form of both the adjoining Battersea Power Station Phase 2 and New Covent Garden Market sites have also been obtained via the outline planning consented drawings available on the LBW planning portal.
- 2.7 Finally, our assessment of the Consented Scheme for the Site is based upon the 3D computer massing model of the scheme prepared by Point 2 in respect of the original planning application (planning reference 2015/6813) constructed using the approved Assael Architecture drawings.

3 Relevant Planning Policy

National Planning Policy

3.1 The following national planning policy is relevant to the Proposed Development:

- National Planning Policy Framework (2023)

3.2 The National Planning Policy Framework (2023) (the “NPPF”) sets out the Government’s approach to planning matters. It is a material consideration in the determination of planning applications. Paragraph 129(c) sets out the relevant guidance in respect of daylight and sunlight considerations as follows:

“129. Area-based character assessments, design guides and codes and masterplans can be used to help ensure that land is used efficiently while also creating beautiful and sustainable places. Where there is an existing or anticipated shortage of land for meeting identified housing needs, it is especially important that planning policies and decisions avoid homes being built at low densities, and ensure that developments make optimal use of the potential of each site. In these circumstances:

c) local planning authorities should refuse applications which they consider fail to make efficient use of land, taking into account the policies in this Framework. In this context, when considering applications for housing, authorities should take a flexible approach in applying policies or guidance relating to daylight and sunlight, where they would otherwise inhibit making efficient use of a site (as long as the resulting scheme would provide acceptable living standards).”

Relevant National Guidance

3.3 The following guidance is relevant to the Proposed Development:

- The Building Research Establishment: Site Layout Planning for Daylight and Sunlight: A guide to good practice (3rd edition, 2022) ;(the ‘BRE Guidelines’)
- BS EN 17037:2019, 'Daylight in buildings

Regional and Local Planning Policy

3.4 The relevant adopted development plan for London Borough of Wandsworth includes the following:

- Wandsworth Local Plan, 2023-3038, adopted July 2023

3.5 Relevant sections of the Local Plan that relate specifically to daylight and sunlight amenity considerations are as follows:

14: Achieving high quality places and design excellence

LP2 General Development Principles (Strategic Policy)

“B. Development proposals must not adversely impact the amenity of existing and future occupiers or that of neighbouring properties or prevent the proper operation of the uses proposed or of neighbouring uses. Proposals will be supported where the development:

1. Avoids unacceptable impacts on levels of daylight and sunlight for the host building or adjoining properties (including their gardens or outdoor spaces);”

“14.11 In assessing whether sunlight and daylight conditions are good, both inside buildings and in gardens and open spaces, the Council will have regard to the most recent Building Research Establishment guidance, both for new development, and for properties affected by new development. In some circumstances, mathematical calculations to assess daylight and sunlight may be an inappropriate measure, and a non-site judgement will often be necessary.”

LP27 Housing Standards

“B. All new residential development will be expected to provide dual-aspect accommodation, unless it can be suitably demonstrated that a single aspect dwelling would provide for a more appropriate design solution than a dual aspect dwelling. Where such circumstances are demonstrated, all single aspect units should:

1. Provide for an acceptable level of daylight for each habitable room, and optimise the opportunity for enabling direct sunlight;”

“17.33 External amenity space of all kinds must be fit for purpose, have sufficient privacy, preferably be of a regular shape and receive as much daylight and sunlight as possible.”

LP28 Purpose-Built Student Accommodation

A. Proposals for Purpose - Built Student Accommodation will be supported where the development:

5. Provides a high-quality living environment, including the provision of adequate functional living spaces and layouts, well-integrated internal and external communal areas, and a high level of amenity (providing good levels of daylight and sunlight, and natural ventilation);

4 Methodology

4.1 It is common practice to assess daylight and sunlight by reference to the guidelines set out in the 2022 Building Research Establishment (BRE) Report 'Site layout planning for daylight and sunlight - A guide to good practice' by Paul Littlefair (the 'BRE Guidelines'). This document is widely accepted by planning authorities as the means by which to consider the effect of development on the daylight and sunlight enjoyed by neighbouring buildings. It is also used to assess daylight and sunlight within new development.

4.2 The BRE Guidelines is a document that is applied across the country. Due to its national application, the framework for designers, practitioners, and planning officials to refer to is a 'one size fits all' approach to the assessment of daylight and sunlight. Theoretically, the methodology and subsequent technical specification offered by the BRE Guidelines is applicable to all manner of built environments, ranging from villages to dense city centres, to areas where significant regeneration is taking place. Notwithstanding the stark disparity between these environments, the suggested target daylight and sunlight values remain consistent despite a suburban setting having very little in common with inner urban locations.

4.3 The BRE Guidelines repeatedly emphasise to the user, whether that be designers, consultants or planning officials to apply the guidelines in a manner that is appropriate for a particular situation. For example, in the introductory summary it states:

"This guide as a comprehensive revision of the 2011 edition of site layout planning for daylight and sunlight. It is purely advisory and the numerical target values within it may be varied to meet the needs of the development and its location. Appendix F explains how this can be done in a logical way while retaining consistency with the British Standard Recommendations on interior lighting."

4.4 In Section 1: Introduction, at paragraph 1.6 it states:

"the guide is intended for building designers and their clients, consultants and planning officials. The advice given here is not mandatory and the guide should not be seen as an instrument of planning policy; its aim is to help rather than constrain the designer. Although it gives numerical guidelines, these should be interpreted flexibly since natural lighting is only one of the many factors in site layout design. In special circumstances the developer or planning authority may wish to use different target values. For example, in historic city centres or in an area with modern high-rise buildings, a higher degree of obstruction may be unavoidable if new developments are to match the height and proportions of existing buildings."

4.5 At paragraph 2.2.3 (Existing Buildings), it states;

"Note that the numerical values given here are purely advisory. Different criteria may be used based on the requirement for daylighting viewed against other site layout constraints. Another important issue is whether the existing building is itself a good neighbour, standing a reasonable distance from the boundary and taking no more than its fair share of light. Appendix F gives further guidance"

4.6 In Appendix F it states at section F1:

*“Sections 2.1 and 2.2 and 2.3 give numerical target values in assessing how much light from the sky is blocked by obstructing buildings. **These values are purely advisory and different targets may be used on special requirements of the proposed development or its location.**”*

4.7 It is clear that the numerical advice offered by the BRE is not mandatory and that a practical application of the target values is required as natural lighting is only one of many factors that should be considered. Where appropriate, the BRE Guidelines promote the use of alternative target values to those discussed in the main body of the document.

4.8 In relation to the properties surrounding a site, usually the local planning authority will only be concerned with the impact to main habitable accommodation (i.e. living rooms, bedrooms and kitchens) within residential properties. Non-habitable rooms such as bathrooms and hallways have not been considered within this report.

4.9 To determine whether a neighbouring existing building may be adversely affected, the initial test provided by the BRE is to establish if any part of the proposal subtends an angle of more than 25° from the lowest window serving the existing building. If this is the case then there may be an adverse effect, and more detailed calculations are required to quantify the extent of any impact.

4.10 The BRE guidelines provide two principal measures of daylight for assessing the impact on properties neighbouring a site, namely Vertical Sky Component (VSC) and No-Sky Line (NSL).

4.11 In relation to sunlight we examine the BRE Annual Probable Sunlight Hours (APSH); and in relation to sunlight amenity to gardens and amenity spaces, we apply the quantitative BRE overshadowing guidance.

4.12 These measures of daylight and sunlight are discussed in the following paragraphs -

Diffuse Daylight

4.13 **Vertical Sky Component (VSC)** – VSC is a measure of the direct skylight reaching a point from an overcast sky. It is the ratio of the illuminance at a point on a given vertical plane to the illuminance at a point on a horizontal plane due to an unobstructed sky.

4.14 For existing buildings, the BRE guideline is based on the loss of VSC at a point at the centre of a window, on the outer plane of the wall.

4.15 The BRE guidelines state that if the VSC at the centre of a window is less than 27%, and it is less than 0.8 times its former value (i.e. the proportional reduction is greater than 20%), then the reduction in skylight will be noticeable, and the existing building may be adversely affected.

- 4.16 Where there are multiple windows serving a room, an overall VSC can be derived by weighting the VSC for each window in accordance with its window area. This method should not be used where the windows are more than 5m apart.
- 4.17 **No-Sky Line (NSL)** - NSL is a measure of the distribution of daylight within a room. It maps out the region within a room where light can penetrate directly from the sky, and therefore accounts for the size of and number of windows by simple geometry. It may be used where the room layouts are known.
- 4.18 The BRE suggest that the area of the working plane (set at 850mm above the floor) within a room that can receive direct skylight should not be reduced to less than 0.8 times its former value (i.e. the proportional reduction in area should not be greater than 20%).
- 4.19 NSL is notable that Appendix F does not recommend the use of NSL where alternative urban daylight targets are used: paragraph F6 says *"In assessing the loss of light to an existing building, the VSC is generally recommended as the appropriate parameter to use. This is because the VSC depends only on obstruction, and is therefore a measure of the daylight environment as a whole."*

Sunlight

- 4.20 **Annual Probable Sunlight Hours (APSH)** - In relation to sunlight, the BRE recommends that the APSH received at a given window in the proposed case should be at least 25% of the total available, including at least 5% in winter.
- 4.21 Where the proposed values fall short of these, and the absolute loss is greater than 4%, then the proposed values should not be less than 0.8 times their previous value in each period (i.e. the proportional reductions should not be greater than 20%).
- 4.22 The BRE guidelines state that *'...all main living rooms of dwellings, and conservatories, should be checked if they have a window facing within 90 degrees of due south. Kitchens and bedrooms are less important, although care should be taken not to block out too much sun. Normally loss of sunlight need not be analysed to kitchens and bedrooms....'*
- 4.23 The APSH figures are calculated for each window, and where a room is served by more than one window the contribution of each is accounted for in the overall figures for the room. The acceptability criteria are applied to overall room-based figures.

Overshadowing (Sun on Ground)

- 4.24 Section 3.3 of the BRE guidelines describes the method of assessment of the availability of sunlight within garden/amenity spaces. This relates to the proportion of shading on March 21st.
- 4.25 The following types of open spaces to be assessed would normally include:
- Gardens, such as the main back garden of a house or communal garden including courtyard and roof terraces.
 - Parks and playing fields
 - Children's playgrounds
 - Outdoor pools, marinas, and lakes

- Sitting out areas and public squares
- Nature reserves

4.26 The BRE criteria for gardens or amenity areas are as follows, 'It is recommended that for it to appear adequately sunlit throughout the year, at least half of a garden or amenity space should receive at least two hours of sunlight on 21 March. If as a result of a new development an existing garden or amenity space does not meet the above, and the area which can receive two hours of sunlight on 21 March is less than 0.8 times its former value, then the loss of amenity is likely to be noticeable.'

Daylight within Proposed Developments

4.27 In the new 2022 revision of the BRE guidelines, a Climate Based Daylight Modelling (CBDM) methodology replaces the old Average Daylight Factor (ADF) methodology. The new methodology is more complex, is arguably a more accurate simulation of actual daylight levels but has targets that are generally more difficult to achieve in an urban context.

Climate Based Daylight Modelling (CBDM)

4.28 The new CBDM methodology is based on the British Standard 'Daylight in Buildings' (BS EN17037). This contains advice and guidance on interior daylighting for all buildings across Europe but also has a UK National Annex which provides suggested targets for dwellings in the UK.

4.29 BS EN17037 supersedes BS 8206 Part 2 which was based on Average Daylight Factor (ADF) and is no longer recommended.

4.30 The CBDM methodology is based on target illuminances from daylight. This is the Daylight Illuminance (DI) to be achieved over half the area of the room (measured on a reference plane at tabletop level) for at least half of the daylight hours in a typical year. The calculations are based on weather data files which cover different regions of the UK. The calculations are undertaken for each hour of the day for every day of the year. There are 8760 hours in the year, of which 4380 are daylight hours, and therefore the targets should be achieved for 2190 hours in the year.

4.31 The methodology uses a more accurate sky model which simulates the movement of the sun throughout the day and accounts for the weather conditions at the time. As a result, CBDM accounts for the presence of sunlight and therefore the orientation of the rooms/windows is accounted for. A south facing room is likely to have access to higher levels of natural light than a north facing room and as a result, in order to comply a north facing room would typically need larger windows.

4.32 The UK National Annex gives illuminance recommendations of 100 Lux in bedrooms, 150 Lux in living rooms and 200 Lux in kitchens. These are median illuminances to be achieved over 50% of the assessment grid for at least half of the daylight hours.

- 4.33 Where a room has a shared use, the highest target should apply. However, it also says that Local Authorities could use discretion here and that a living room target of 150 Lux could be used for combined living/kitchen/dining room if the kitchens are not treated as habitable spaces, as it may avoid small separate kitchens in the design.
- 4.34 There is a further simplistic methodology based on daylight factors (not the same as the old ADF methodology), which does not use climate-based data but uses a simple fixed sky model. However, since this alternative methodology is simplistic and does not account for the effect of sunlight, or the orientation of the room, it has not been used in our assessment.

Sunlight within Proposed Developments

- 4.35 For new buildings, the BRE guidelines refer to BS EN 17037 which says that a space should receive a minimum of 1.5 hours of sunlight on a selected date between 1st February and 21st March with cloudless conditions. The BRE document suggests 21st March be used. For dwellings, at least one habitable room, preferably a main living room, should achieve at least this minimum criterion and that at least one main window faces within 90 degrees of south. Whilst BS EN 17037 applies to all orientations, the BRE guidelines say that if the room faces significantly north of due east or west, the criterion is unlikely to be met.
- 4.36 Where dwellings have a requirement for private amenity space and these are in the form of balconies, it must be acknowledged that this can have a limiting effect on the sunlight availability to rooms located beneath those balconies where the underside of the balcony structure blocks a portion of the sky dome when viewed from the centre of the window. This is particularly the case in larger developments within urban locations, where there is a likelihood that there will be a greater requirement for private amenity provision in the form of balconies and where buildings generally tend to be taller and in closer proximity to one another.

5 Site Context and Proposed Development


The Site

- 5.1 The development site is located on the south side of Battersea Park Road, to the east of Sleaford Street and to the west of the New Covent Garden Market site. The site is located within the Vauxhall, Nine Elms and Battersea Opportunity Area (VNEOB).




Site Location Plan (courtesy of Glenn Howells Architects)

- 5.2 The Site comprises of the Bookers Cash and Carry warehouse at its northern end, and the former BMW car garage to the south (demolished March/April 2022). Both buildings are/were relatively limited in scale and therefore present a low-level of obstruction to daylight and sunlight access within neighbouring buildings and are clearly out of character with the wider emerging context of the VNEBOA.
- 5.3 Our understanding of the current baseline site conditions can be seen on drawings P2874/19-21 within Appendix 1 and is also shown below.



Current Baseline Site Conditions

5.4 Our understanding of the future baseline conditions which includes the consented outline masterplan for the New Covent Garden Market Site to the east and the wider Battersea Power Station blocks to the north of the Site can be seen on drawings P2874/16-18 within Appendix 1 and is also shown below.



Future Baseline Site Conditions

The Proposed Development

- 5.5 The 'Proposed Development' comprises the "application for Phased Full Planning Permission for: Demolition of existing building and construction of three new buildings, together comprising Residential (Use Class C3) and Student Accommodation (Sui Generis) along with Commercial, Business and Service (Use Class E) and/or Local Community and Learning (Class F) floorspace. Associated works include hard and soft landscaping, car parking and new vehicular access / servicing, and other ancillary works."
- 5.6 The Proposed Site conditions can be seen on drawings P2874/13-15 which can be found within Appendix 1 of this report. A 3D view of the Proposed Development is also shown below.



Proposed Development (within Future Baseline condition)

The Consented Scheme

- 5.7 The Site already has the benefit of an extant planning permission (planning reference 2015/6813) which has been implemented. Detailed daylight and sunlight studies were undertaken by Point 2 in respect of that application and accepted by LBW. This report compares the current Proposed Development against the Consented Scheme to determine the extent of any alterations.
- 5.8 The Consented Site conditions can be seen on drawings P2874/04-06 which can be found within Appendix 1 of this report. A 3D view of the Proposed Development is also shown below.



Consented Scheme (within Future Baseline condition)

6 Daylight and Sunlight to Existing Neighbours

- 6.1 Detailed technical assessments have been undertaken in respect of the existing neighbouring properties surrounding the Site. The scope of the technical assessments also includes neighbouring residential consented developments that are currently under construction at the time of this application.
- 6.2 It is therefore not appropriate to assess detailed daylight and sunlight effects to rooms/windows within the NCGM outline planning permission (Ref:2014/2810) and Battersea Power Station Phase 3 outline planning permission (Ref: 2020/0579) given the current outline status of both schemes where there are no details of window sizes/locations or internal layout configurations, and room uses available.
- 6.3 We have, however, undertaken daylight and sunlight availability façade studies on these two outline developments to illustrate the availability of daylight and sunlight reaching the primary site-facing facades following the implementation of the Proposed Development.
- 6.4 The following properties have therefore been subject to detailed daylight and sunlight assessment:
- Viridian Apartments
 - Battersea Power Station Phase 4a
 - 142-192 Thessaly Road
- 6.5 The BRE daylight tests of VSC and NSL have been undertaken in respect of Viridian Apartments, alongside the sunlight test of APSH. These are comparative assessments that compare the existing baseline conditions against those of the Proposed Development. In addition, we have also included an assessment of the Consented Scheme for the site that was previously considered acceptable in terms of daylight and sunlight effects. The following assessment results can therefore be found at the Appendices:
- Appendix 2 – Existing v Proposed Daylight and Sunlight Results
 - Appendix 3 – Existing v Consented Daylight and Sunlight Results
 - Appendix 4 – Consented v Proposed Daylight and Sunlight Results
- 6.6 In respect of the recently constructed Battersea Power Station Phase 4a ('BPS4 Development'), detailed assessments have been undertaken in a similar form as detailed above, however, it should be noted when considering effects upon new development, it is also recommended that one consider the retained levels of daylight and sunlight following the implementation of the Proposed Development to check whether satisfactory living conditions will be maintained.

- 6.7 This is because the BPS4 development was consented alongside a future development on the Site (the Consented Scheme) and therefore residents would be aware that their daylight/sunlight conditions would be based upon commensurate levels for an inner London Opportunity Area, rather than with the pre-existing buildings in place.
- 6.8 A comparative exercise has also been undertaken for the Consented Scheme, given this is a material planning consideration.
- 6.9 Finally, where appropriate 'without balconies' assessments have been undertaken in accordance with BRE Guidance to establish whether the presence of any balconies is a critical factor in any relative reduction in daylight/sunlight.

Viridian Apartments

- 6.10 Before providing an analysis of the daylight and sunlight effects to this property, it is first important to reiterate a number of key characteristics that heavily influence the daylight and sunlight position. Firstly, the current site conditions represent a relatively low-rise obstruction to daylight/sunlight, and therefore given the close proximity of the Site to the neighbouring property, there are a large number of windows overlooking a low-rise site and receiving daylight and sunlight levels that might be considered unusually high for an urban environment, and indeed an opportunity area. It is important to note that through the design evolution there is an improved building separation distance between Viridian Apartments and the Proposed Development, when compared to both the existing and consented site conditions along Sleaford Street.
- 6.11 The design of Viridian Apartments is such that the majority of windows facing the site and fronting onto Sleaford Street are heavily self-obstructed by a combination of projecting/recessed balconies and solid privacy screens. This therefore makes the windows and rooms more sensitive to alterations in natural light and more reliant on light from a lower trajectory directly across the site. The site photograph below demonstrates these architectural features quite clearly:



View of Viridian Apartments from Sleaford Street

6.12 The above was acknowledged in respect of the Consented Scheme for the Site and as a result it was demonstrated that any meaningful form of development of this currently under-utilised site (even a development of similar height and proportions to Viridian Apartments) would result in some significant departures from the default numerical targets set out in the BRE guidelines.

6.13 The Officers' Committee Report dated October 2016 for the Consented Scheme further acknowledged this by stating:

"Considering the characteristics of the site context, the level of compliance noted in the baseline condition is not surprising that any meaningful form of massing on the site will inevitably give rise to reductions to the existing daylight levels. This is further exacerbated by the presence of the balconies and privacy screens which materially reduce the availability of light".

"It is therefore considered as the proposed development matches the height and massing of the existing surrounding buildings, as well as the consented developments, then the daylight effects of the proposal should be considered in the context of the urban location in which the site is positioned."

6.14 The daylight and sunlight effects of the Proposed Development have therefore been directly compared to those arising from the Consented Scheme which were ultimately considered to be acceptable in this context.

6.15 The daylight and sunlight results can be found at Appendix 2 of this report. The VSC analysis confirms that 74 of the 221 habitable windows tested would meet the BRE guideline recommendations (33%). The vast majority of windows that do not meet the default numerical targets are those located beneath overhanging balconies and blinkered by privacy screens on either side.

6.16 Furthermore, this is an improved level of compliance compared with the Consented Scheme (see Appendix 3), where 51 windows met the BRE guideline criteria (23%). Given the effects of the Consented Scheme were considered to be acceptable, the reduced effects of the Proposed Development upon the VSC to Viridian Apartments should also be an acceptable level of daylight, particularly in the context of an opportunity area.

6.17 When compared to the Consented Scheme (see Appendix 4), a total of 116 windows will experience improvements in VSC (52%), 10 windows will experience no difference, and 95 windows would experience some degree of change in VSC. It must be noted, however, that the degree of change in the vast majority of instances is arguably imperceptible, with the greatest alteration being just 6.3% VSC in absolute terms. 73% of those windows experience no greater than a 3% alteration in absolute VSC from the Consented levels. The overwhelming majority of windows experiencing an alteration are located beneath private amenity balconies and/or blinkered by the solid privacy screens, which naturally make them more susceptible to alterations than if their view of the sky was unencumbered.

6.18 The table below summarises the degree of change in retained absolute VSC levels by comparison to the Consented Scheme, and it is evident that there is only a small number of windows that would experience a change that could be considered noticeable, with 56% of windows experiencing less than a 2% absolute change in VSC:

Table 1: Summary of absolute alteration in VSC by comparison to Consented Scheme

Total No. of Windows tested experiencing a further reduction in VSC by comparison to the Consented Scheme	Degree of change in retained absolute VSC						
	<1%	1-2%	2-3%	3-4%	4-5%	5-6%	6-7%
95	34 (36%)	19 (20%)	16 (17%)	13 (14%)	8 (8%)	2 (2%)	3 (3%)

6.19 It is therefore demonstrable that the overall compliance rates against the default BRE criteria are improved with the Proposed Development in place by comparison to the Consented Scheme. The degree of alteration in VSC between the Proposed and Consented levels is also limited, with the vast majority of windows that record a relative alteration experiencing less than a 3% reduction in VSC, which is arguably imperceptible, and furthermore 52% of windows will experience improved retained VSC levels and reduced levels of impact by comparison to the Consented Scheme.

6.20 In terms of the NSL daylight distribution results, the analysis indicates that there would be a total of 88 rooms meeting the BRE guidelines (56%) compared to 73 rooms with the Consented Scheme (46%). There would also be 89 rooms that experience improvements in daylight distribution (57%) and 19 rooms that experience no change (12%) when compared to the Consented Scheme.

6.21 Of the remaining 49 rooms that experience additional reductions in NSL beyond BRE guidance, 23 continue to meet the BRE guidelines and therefore the reductions within those rooms will not be noticeable, irrespective of the consented position.

6.22 17 of the rooms are bedrooms for which the BRE acknowledge are less important for NSL daylight distribution. There are only 8 LKDs/sitting rooms that experience any noticeable reduction in NSL beyond the BRE guidelines that also experience a further reduction when compared to the Consented Scheme. Of those 8 rooms, 5 would have a further alteration in daylight distribution of less than 20% (between 2.2% and 11.1%), with the other three rooms located at third, fourth and fifth floor level (all located beneath balconies) and have additional alterations of between 24.2% and 40.7%.

6.23 Finally, there would be no difference between the sunlight availability with the Proposed Development in place compared to the Consented Scheme, with all 15 southerly orientated habitable rooms continuing to meet BRE guideline recommendations.

Battersea Power Station Phase 4 and 4A

6.24 Given this neighbouring development located immediately to the south of the Site is only recently constructed, detailed analysis has been undertaken of the consented dwellings based upon the approved planning drawings and elevations.

6.25 Comparative analysis comparing the existing baseline conditions with the Proposed Development have been undertaken and provided within Appendix 2 of this report and summarised in the table below:

Table 2: BPS4 Daylight and Sunlight Summary (Existing v Proposed)

Form of Assessment	No. of Windows/Rooms tested	No. Meet BRE	20-30% reduction	30-40% reduction	>40% reduction
VSC	1,101	747 (68%)	84	63	207
NSL	642	551 (86%)	31	40	91
APSH	233	192 (82%)	5	2	34

6.26 In addition, for comparative purposes, the results of the existing baseline conditions v with the Consented Scheme are provided within Appendix 3 of this report and summarised in the table below:

Table 3: BPS4 Daylight and Sunlight Summary (Existing v Consented)


Form of Assessment	No. of Windows/Rooms tested	No. Meet BRE	20-30% reduction	30-40% reduction	>40% reduction
VSC	1,101	819 (74%)	58	77	147
NSL	642	564 (88%)	23	26	29
APSH	233	192 (82%)	7	3	31

- 6.27 Whilst there is an overall reduction in the number of windows meeting the VSC form of assessment with the Proposed Development in place compared to the Consented Scheme, this is largely exacerbated by the presence of private amenity balconies. The NSL daylight distribution compliance levels are very similar (86% compared to 88% with the Consented Scheme) and the APSH sunlight compliance levels are identical (82%).
- 6.28 The above comparative assessment is a useful initial assessment, however, it is considered more appropriate to focus on the retained levels of daylight and sunlight following the implementation of the Proposed Development as the Site has always been earmarked for a major redevelopment and as such the future occupants will not experience the 'existing' baseline levels of daylight and sunlight for any extended period of time, if at all.
- 6.29 We have undertaken a direct comparative assessment of the Consented Scheme conditions to understand whether there would be any material difference between the retained living conditions within the Battersea Power Station Phase 4a dwellings with the Consented Scheme in place by comparison to the Proposed Development.
- 6.30 A large proportion of the neighbouring windows are located beneath projecting or inset balconies making them more susceptible to changes in daylight and sunlight. In accordance with the BRE guidelines, an alternative assessment has been undertaken without the balconies in place to determine if the Proposed Development is the critical factor in any loss of light.
- 6.31 The VSC results indicate that 821 of the 1101 windows tested (75%) would meet the BRE guidelines without the balconies in place. A further 115 windows would retain a VSC of at least 15% which is considered reasonable for an Opportunity Area undergoing significant regeneration.
- 6.32 Of the remaining 159 rooms experiencing some alterations beyond BRE guidance, 78 are bedrooms for which the BRE acknowledge are less important for daylight.
- 6.33 For NSL daylight distribution, a total of 576 of the 642 habitable rooms tested will meet the BRE guideline recommendations.
- 6.34 Of the 66 remaining rooms, 43 are bedrooms for which the BRE acknowledge are less important for NSL. The other 23 relate to either kitchens, living dining rooms or LKDs. 11 experience a minor alteration of between 20.1% and 29%, 9 relate to small single-aspect kitchens and the other 3 relate to LKDs that still retain daylight to over 50% of their area.
- 6.35 By comparison to the Consented Scheme, a total of 60 rooms (9%) will experience an improvement in NSL daylight distribution with a further 395 rooms (62%) experiencing no change in NSL.
- 6.36 113 rooms (18%) will experience a minor further reduction in NSL of no greater than 5%, with 52 rooms (8%) having a further reduction of between 5% and 20%.

- 6.37 Of the remaining 22 rooms, 21 (3%) will experience a greater than 20% relative reduction. These relate to either less important bedrooms or small single-aspect kitchens. The one remaining room is an LKD, experiencing a 20.5% relative reduction but continues to retain daylight distribution to 53% of its working plane.
- 6.38 In terms of sunlight provision, the APSH results confirm that 192 of the 248 southerly orientated rooms (77%) will meet the BRE guideline recommendations. This is the same number of rooms as with the Consented Scheme in place and therefore should continue to be considered acceptable. It should also be noted that the compliance rate increases to 94% when the effect of balconies is excluded from the assessment.

142-192 Thessaly Road

- 6.39 This residential block is located to the south west of the Site and is situated behind Viridian Apartments, with its closest elevation some 100m from the Site boundary.



Google Aerial view of 142-192 Thessaly Road (north east facing elevation)

- 6.40 From a review of floor plans for the building, obtained via LBW's online planning portal, the site facing windows serve a combination of kitchens and bedrooms, with a handful of LKDs on the upper floors, albeit the majority of principal living spaces face west away from the Site. It is also worth noting that the 4 storey element of the building has recessed windows at ground floor and deck access walkways at second floor level, with the windows on those levels being heavily recessed back in to the building (highlighted in red on the image below). This has a similar effect to balconies, whereby the underside of the deck access walkway/ overhang blocks a significant portion of the top part of the sky when viewed from the centre of the recessed windows.



Google Streetview of rear elevation of 142-192 Thessaly Road

- 6.41 In total, we have assessed 52 site-facing windows serving 21 kitchens, 23 bedrooms, 2 LKDs and 4 unknown uses (located at ground floor level).
- 6.42 The VSC form of assessment demonstrates that 37 of the 52 windows will meet the BRE guideline recommendations. All of the remaining 15 windows are located beneath the deck access walkways/are recessed into the building making them more sensitive to alterations in the skyline opposite. This is illustrated by the existing VSC values being very low despite the relatively cleared site conditions (ranging from 1.16% to 6.84%) whereas the majority of unencumbered windows are currently recording VSC levels in excess of 20%. As such, even fractional reductions in absolute VSC (0.37%-2.13%) give rise to disproportionately larger relative percentage alterations.
- 6.43 When assessed without the effect of the deck access/overhanging profile in place, each of the windows would comfortably meet the BRE guidelines, clearly demonstrating that it is the effect of the buildings' inherent architectural design rather than the scale of the Proposed Development that is the influencing factor in the relative loss of light.
- 6.44 For NSL, the results confirm that 46 of the 50 habitable rooms would meet the BRE guidelines. The four remaining rooms are all first-floor kitchens that are recessed back into the building façade naturally making them more sensitive to changes in the skyline. Despite this, three of the four kitchens would be experiencing only minor deviations from the BRE 20% numerical target (22.6%-27.9%).
- 6.45 In respect of sunlight, only two flats have been assessed given that the remainder all have site-facing windows that are orientated within 90 degrees of due north. Both LKDs tested comfortably meet the BRE guideline recommendations for both annual and winter sunlight.

6.46 Overall, given the distance of this property from the Site, the effects of the Proposed Development are unlikely to be noticeable to the occupants. The only relative reductions that exceed BRE guidance occur to a handful of windows/rooms that are recessed into the building and thus self-obstructed by their own architectural design features. Without such limiting features the VSC daylight effects would be BRE compliant. Therefore, in this context, the effect of the Proposed Development upon this property should be considered acceptable.

7 Daylight and Sunlight Availability to Neighbouring Outline Consented Developments

- 7.1 In addition to the assessment of existing neighbours and those consented schemes currently under construction, we have also undertaken a daylight and sunlight assessment of the impact of the Proposed Development on the facades of the relevant consented neighbouring outline residential developments at the Battersea Power Station Site to the north of Battersea Park Road and the New Covent Garden Market Entrance Site located to the east of the Site.
- 7.2 The drawings attached at Appendix 5 of this report illustrate the results of those façade studies.
- 7.3 The BRE Guide acknowledges that when considering whether enough skylight will still reach a neighbouring development site, in the absence of detailed layouts and window positions, it may be quantified by calculating the VSC and APSH levels at a series of points along the relevant façades of the consented development(s).


Potential for Daylight Availability

- 7.4 The VSC façade study looks at the potential for daylight in the form of the VSC availability along the elevations of the neighbouring consented developments. The assessment demonstrates the level of potential VSC using gradient façade colour mapping, showing the range in available daylight across the façade in question. The colours shown highlighted on the facades represent the following levels of VSC:




- 7.5 The BRE guidelines suggest that “overall the adjoining site should normally retain the potential for good daylighting if every point 1.6m above the boundary line is within 4m (measured along the boundary) of a point with a VSC of 17% or more.”
- 7.6 In inner-urban locations and Opportunity Areas in particular, it has been widely acknowledged at local, mayoral and Planning Inspectorate level that VSC levels in the mid-teens are generally considered reasonable in such contexts, and it is also recommended to consider alternative targets by reference to similar building typologies.

- 7.7 It is evident from the VSC façade analyses that the Battersea Power Station Phase 3 façade fronting onto Battersea Park Road will continue to have good levels of VSC availability (in excess of 20%) and in most cases in excess of the BRE recommended 27% VSC following the implementation of the Proposed Development (see below image).




VSC availability to primary facades of Battersea Power Station Phase 3

- 7.8 In respect of the New Covent Garden Market site immediately to the east of the Site, the scheme has been designed relatively close to the Site and as such daylight availability is lower. Albeit the façade analysis indicates that reasonable levels of VSC will be achieved following the implementation of the Proposed Development (see below images).




VSC availability to primary facades of New Covent Garden Market



VSC availability to primary facades of New Covent Garden Market


- 7.9 Whilst there would be some VSC availability below 15% on the lower levels of some elevations closest to the Site, these levels of VSC are identified further within the New Covent Garden Market masterplan (i.e. have been designed with such VSC availability without the Proposed Development influencing the results – see image below) and therefore should not be considered to be unduly harmful.
- 7.10 The majority of floors should continue to have access to direct skylight levels of VSC in excess of 15% and for 2 of the 4 primary elevations closest to the site, the VSC levels will be in excess of 18% from first floor level and above, with the other two elevations achieving mid-teen levels above first floor.



VSC façade mapping from within centre of New Covent Garden Market Masterplan


Potential for Sunlight Availability

The sunlight façade studies have been undertaken by reference to the APSH form of assessment, where the BRE recommends that sufficient sunlight availability will be achieved if a point or window can receive 25% APSH across the year. The false colour rendering on the façade relates to the following APSH levels (ranging from 0% to 100% APSH):




7.11 The façade studies illustrate that there will remain an excellent potential for direct sunlight availability on the site-facing facades of both the consent outline Battersea Power Station and New Covent Garden Market developments following the implementation of the Proposed Development.

7.12 In respect of the Battersea Power Station Phase 3 development, the elevation fronting onto Battersea Park Road and therefore closest to the Site will continue to retain APSH levels in excess of 62.8% on the façades (see below image). This is over double the recommended BRE levels, which is excellent in any context, let alone an opportunity area.



Sunlight (APSH) availability on Battersea Power Station Phase 3 façade

7.13 In respect of the New Covent Garden Market site, whilst the primary elevations facing the Site are west facing, thus limited to direct sunlight availability for around half the day, the results still demonstrate that there would be sunlight availability in excess of the BRE guideline recommendations (see images below).



Sunlight (APSH) availability on New Covent Garden Market façades

- 7.18 There are a series of shadow studies attached at Appendix 6 that show the sun on ground availability to the adjoining consented developments in the current existing baseline (i.e. without the Proposed Development or Consented Scheme in place). Whilst this is a useful informative to illustrate the sunlight levels to those open spaces if there were to be no redevelopment of the Site, this is somewhat of an unrealistic scenario as the Site has always been earmarked for redevelopment within the wider Opportunity Area.
- 7.19 Therefore, it is more informative to consider the sunlight levels within these open spaces after the Proposed Development, and by comparison to the previously accepted levels with the Consented Scheme in place.

New Covent Garden Market Site

- 7.20 The results attached at Appendix 6 illustrate that on March 21st the main linear park, the principal amenity space within the western portion of the New Covent Garden Market development, will exceed the BRE guideline recommendations with 77.3% of the park achieving a minimum of 2 hours of direct sunlight during the course of the day.



Sun on Ground results for March 21st - Proposed Development

- 7.21 The two podium deck amenity spaces immediately to the east of the Site will receive two hours of direct sunlight to 19.4% and 17.2% on March 21st. Whilst this is short of the BRE target, it should be noted that both amenity spaces have been designed with a west facing outlook, thus only having the ability to receive sunlight for half of the day. Furthermore, the spaces have been designed with a narrow opening to the west, meaning that only a fleeting amount of sunlight can reach the amenity space at this latter part of the day, making it naturally more difficult to achieve the BRE guideline recommendations.

7.22 By way of a comparison with the Consented Scheme, it is evident that the two aforementioned podium deck amenity spaces had comparable levels of retained sunlight availability to the Proposed Development. The drawings P2874/SHAD/30-32 at Appendix 6 illustrate the consented overshadowing position, and whilst there were marginally greater levels of direct sunlight availability relative to the BRE two-hour assessment, the difference between the dates when compliance would be achieved is between 9 days and 22 days.



Sun on Ground results for March 21st - Consented Scheme

7.23 The Time in Sun assessments within Appendix 6 illustrate that despite the podium amenity spaces not achieving the BRE 50% target, the spaces will nonetheless receive some access to sunlight on March 21st, with over half of the areas receiving between 75mins and over 2hours of direct sun.

7.24 Finally, the design of the New Covent Garden Market blocks closest to the Site have resulted in a courtyard arrangement that relies heavily on the access of direct sunlight from directly across the Site, and as such makes it far more sensitive to any reasonable form of development on the Site. Rigid application of the BRE guidelines for the 2-hour sun on ground test would result in a significant limitation on the development potential of the Site.

7.25 Taking all of this into consideration, we have calculated that the two podium deck amenity spaces would achieve the recommended 2 hrs of direct sunlight to 50% of their areas by 21st April and 8th May respectively.

- 7.26 When looking at the sunlight availability of these spaces in June, the results show that all three amenity spaces will have excellent direct sunlight penetration, with the podium deck areas receiving two hours of direct sun to 80% and 96%, and the linear park receiving sun to all of its area, with no areas of permanent shadow during the summer months.




Sun on Ground results for June 21st

- 7.27 The Time in Sun studies also demonstrate that the duration of sunlight penetration during the summer months will also be very good, with the vast majority of the park area receiving in excess of 300mins (5 hours of direct sun) with the podium decks receiving in excess of 210mins of sun to over half of their area on June 21st.

Battersea Power Station Phases 4 and 4A

- 7.28 The results attached at Appendix 6 illustrate that on March 21st the amenity area within the Battersea Power Station Phase 4/4a scheme will exceed the BRE guideline recommendations with 55.5% achieving a minimum of 2 hours of direct sunlight during the day.



Sun on Ground results for March 21st

7.29 Furthermore, the results for June 21st show that 98% of the amenity space will receive a minimum of 2hours of direct sun, with the time in sun study illustrating that there will be areas receiving in excess of 300mins of sunlight during the summer months.

8 Internal Daylight and Sunlight Within Proposed Development and Sunlight to Proposed Amenity Areas

- 8.1 In order to calculate the various measures of daylight and sunlight it is necessary to construct a 3D computer model. The model is then analysed using proprietary software to calculate the various measures of daylight and sunlight.
- 8.2 The 3D model was created to reproduce the massing of the buildings both on and surrounding the site at a level of detail appropriate to the calculations performed. All heights in the model are in mm Above Ordnance Datum (AOD).
- 8.3 In assessing the impact of a new development on neighbouring properties, it is usual to only consider main habitable spaces (i.e. living rooms, bedrooms and kitchens) within residential properties. In accordance with the BRE and British Standard guidance, VSC and APSH values have been calculated at the window centre, on the outside wall face.

Parameters and Assumptions

- 8.4 In relation to the CBDM assessment of the daylight and sunlight within the proposed scheme, the following assumptions and parameters have been used. The design team have specified light-coloured internal finishes and therefore, in accordance with paragraph C24 of Appendix C of the new BRE guidelines, the following Reflectance values have been used: light pastel walls with a reflectance of 0.7, light wood veneer floors/ cream carpets with a reflectance of 0.4, and white ceilings with a reflectance of 0.8. All external reflectance's have been assumed to 0.2 as per the guidelines.
- 8.5 As per the guidelines, for most windows a transmittance factor of 0.68 has been used, except where there is obscured glazing, a lower transmittance factor of 0.56 has been assumed. A window framing factor of 0.85 was derived from the framing dimensions for a typical window shown on the architects' drawings. A maintenance factor of 8% has been allowed to account for the effect of dirt on the glass in an urban environment. The room assessment grid area excludes a 300mm band around the perimeter of the room, as per the paragraph C28 of the guidelines.
- 8.6 The ADF calculations were based on the previous BRE and British Standards and the following Reflectance values were taken from BS 8206 Part 2: pale cream walls with a reflectance of 0.81, light wood veneer floors/ cream carpets with a reflectance of 0.4, and white ceilings with a reflectance of 0.85. Note these values are slightly more favourable than those suggested in the new guidance. The window parameters were the same as those used for the CBDM assessment.
- 8.7 For sunlight within proposed developments, the calculation point has been taken as the centre of the window aperture on the inside face of the wall. Where the window frames have been designed in detail, the centre of each window pane has been used.

Assessment of Results

- 8.8 We have analysed all of the 1,024 habitable rooms across the Proposed Development, comprising a total of; 116 bedrooms and 55 LKDs in Building 01; 231 Studios, 2 dining rooms/studies and 4 internal student amenity spaces in Building 02; and 525 Student cluster bedrooms, 85 cluster living rooms, 4 studies/dining rooms and 2 lounges in Building 03.
- 8.9 It should be noted that the analysis has been undertaken assuming all of the neighbouring consented developments are built-out prior to the Proposed Development, thus representing a worst-case scenario.
- 8.10 Annotated floorplans presenting the median illuminance (Lux) levels for each room, as well as the daylight illuminance levels achieved for 50% of daylight hours illustrated in a colour gradient are attached at Appendix 7 alongside detailed tables of results which break down the analysis of each room in further detail. For reference purposes only, we have also included the corresponding ADF result against each room to show how they would have performed against the previously adopted and recognised internal daylighting criteria.
- 8.11 As a reminder, the recommended target Median Illuminance levels typically applied to residential accommodation are as follows:
- Bedrooms: 100 Lux
 - Living Rooms: 150 Lux
 - Kitchens: 200 Lux
- 8.12 Appendix C of the BRE Guidelines 2022 states at paragraph C17 that *'Where a room has a shared use, the highest target should apply. For example, in a bed sitting room in student accommodation, the value for a living room should be used [i.e. 150 Lux] if students would often spend time in their rooms during the day. Local authorities could use discretion here. For example, the target for a living room could be used for a combined living/dining/kitchen area if the kitchens are not treated as habitable spaces, as it may avoid small separate kitchens in a design.'*
- 8.13 Given the proposed student use of the Proposed Development, the living room target of 150 Lux has been applied to the student bedrooms, although given that each cluster of student bedrooms have also been provided with generously sized communal living/dining spaces, we have also considered how the bedrooms perform against the 100 Lux bedroom target illuminance levels. For the combined LKDs and studios, again we have assessed these against the higher 200 Lux target illuminance level for a kitchen, however in addition have also measured against the 150 Lux living room target.

- 8.14 In total, across the Proposed Development, 785 of the 1,024 habitable rooms (77%) will meet the target illuminance levels based upon room use. This is applying the higher 150 Lux target for all student bedrooms and 200 Lux target for the combined LKDs and studios. This represents a very good rate of compliance against the recently adopted, more stringent internal daylighting targets.
- 8.15 To contextualise this further, were the previous ADF methodology be applied then the results would indicate a site-wide compliance rate of 75%, which would have historically been considered a good rate of compliance for a large-scale urban regeneration scheme within an opportunity area. Applying the 1.5% ADF target to the LKDs and studios, would have resulted in a compliance rate of 86%.
- 8.16 The below table summarises the total CBDM assessment results across the entire development:

Table 3: Summary of Total compliance to Internal Daylight recommendations

Total No. of rooms tested	Total No. meeting Target Illuminance Levels adopting more stringent higher target levels	Total No. meeting Target Illuminance Levels adopting 150Lux target levels for living rooms/student accommodation
1,024	785 (77%)	871 (85%)

- 8.17 When the default bedroom (100 Lux) and living room (150 Lux) target illuminances that are commonly considered acceptable within urban regeneration areas are applied, 871 rooms (85%) will meet the targets, representing a high rate of compliance, particularly for an urban regeneration area such as this.
- 8.18 The summary tables below provide the target compliance rates by block and room use for further clarity, breaking out the residential and student accommodation against both the higher stringent targets and those more typically applied to residential accommodation within urban regeneration areas.

Table 4: Summary of Internal Daylight within Building 01: Residential Accommodation

Building No.	No. of rooms tested	No. meeting Target Illuminance Levels adopting higher target levels	Bedrooms	LKDs	
			100 Lux Target	200 Lux Target	150 Lux Target
01	171	127 (74%)	85/116 (73%)	42/55 (76%)	49/55 (89%)

Table 5: Summary of Internal Daylight within Building 02: Student Accommodation

Building No.	No. of rooms tested	No. meeting Target Illuminance Levels adopting higher target levels	Studio		Dining Rooms / Study	Internal Student Amenity Spaces
			200 Lux Target	150 Lux Target	150 Lux Target	200 Lux Target
02	237	126 (53%)	120/231 (52%)	165/231 (71%)	2/2 (100%)	4/4 (100%)

Table 6: Summary of Internal Daylight within Building 03: Student Accommodation

Building No.	No. of rooms tested	No. meeting Target Illuminance Levels adopting higher target levels	Dining Rooms / Study	Cluster Bedrooms		Lounge	Cluster Living Rooms
			150 Lux Target	100 Lux Target	150 Lux Target	150 Lux Target	150 Lux Target
03	616	488 (79%)	3/4 (75%)	489/525 (93%)	411/525 (78%)	1 / 2 (50%)	73/85 (86%)

8.19 Overall, there is a very good rate of compliance against the BRE Target Illuminance levels, with 77% of habitable rooms exceeding the higher target values recommended for student accommodation and 85% meeting the typical target values usually attributed to residential accommodation within urban regeneration areas.

8.20 It is clearly demonstrated that the Proposed Development has been designed to harness natural daylight, such that the future occupants will enjoy well daylit living accommodation.

Sunlight to Proposed Dwellings

8.21 In respect of the availability of sunlight within the Proposed Development we have assessed a total of 55 residential units within Building 01, 237 student rooms (combination of student cluster bedrooms and communal areas) within Building 02 and 616 rooms (combination of student cluster bedrooms and communal areas) within Building 03.

8.22 Across the proposed residential dwellings within Building 01, a total of 55 units have been assessed of which 44 will meet the BRE guideline recommendations (80%).

8.23 For Building 02, a total of 237 student rooms have been assessed, of which 184 rooms meet the BRE guideline recommendations (78%).

8.24 Finally, in respect of Building 03, a total of 616 student rooms have been assessed, of which 338 rooms will meet the BRE guideline recommendations (51%). It is important to note that the assessments have been undertaken for all rooms, irrespective of orientation.

8.25 Whilst there will be some predominantly northerly orientated rooms that will not meet the BRE sunlight exposure guidelines, this is to be expected where the access to available sunlight is naturally limited. Despite this, the overall internal daylighting performance of the student accommodation across Buildings 02 and 03 is very good, such that the overall units should have a good level of amenity for an urban regeneration scheme.

Sunlight to Proposed Amenity Areas and Open Spaces

8.26 We have also considered the direct sunlight availability to the proposed amenity areas and open spaces within the Proposed Development. This includes the ground floor public realm area, as well as the rooftop/podium amenity gardens within Buildings 01, 02 and 03.

8.27 The assessments have been undertaken using the BRE Two Hour Sun on Ground Indicator test, which considers the proportion of an amenity space receiving at least two hours of direct sunlight to at least 50% of its area on March 21st (Spring Equinox). If this test is satisfied, then it is considered to be adequately sunlit throughout the year.

8.28 The results of our sun on ground assessments are provided on drawing P2874/SHAD/28 and 29 at Appendix 8 of this report and on the image below. The results confirm that all of the ground level amenity areas and rooftop/podium gardens will comfortably exceed the BRE guideline recommendations.



Sun on Ground Results on March 21st


8.29 In addition, the June 21st results show that all of the amenity areas will receive 2 hours of direct sun to virtually 100% of their areas.

8.30 It is therefore demonstrated that the proposed open spaces/amenity areas will be sufficiently sunlit throughout the year, such that future occupants will have direct access to well sunlit open spaces, in addition to their own private amenity balconies. Again, this reflects the early assessment and subsequent modifications to each proposed building to maximise the quality of the direct sunlight received by the proposed open spaces and amenity areas.

9 Conclusion

- 9.1 This report considers the potential effect of the Glenn Howells Architects designed scheme for the Battersea Park Road Site in terms of the daylight, sunlight and overshadowing to the existing and future surrounding properties. The report also considers the internal daylight amenity within the Proposed Development and the overshadowing to the proposed amenity areas. Point 2 has been involved throughout the design process to ensure that the design evolution has taken into account these technical matters.
- 9.2 The Site is located within the Vauxhall, Nine Elms and Battersea Opportunity Area within the London Borough of Wandsworth; an area undergoing significant growth and regeneration. The Site is subject to an extant planning consent (reference 2015/6813) which has been implemented and therefore any daylight and sunlight effects arising from the Proposed Development have been assessed by comparison to the consented scheme, as well as viewed in the context of the urban environment within which the development site is located.
- 9.3 Point 2 have worked closely with the project architects in respect of the design alterations to the Proposed Development to help to limit the extent of any additional daylight and sunlight effects upon neighbouring residents (both existing and future) by comparison to the effects already deemed acceptable with the Consented Scheme. This has included a conscious re-orientation of Building 01 with the new building being angled away from Viridian Apartments, providing an improved outlook across Sleaford Street towards Battersea Park Road when compared to the Consented Scheme, whilst also retaining a number of trees along the Battersea Park frontage.
- 9.4 The detailed technical results show that in respect of the existing residential flats within Viridian Apartments there will be improved levels of compliance both in terms of VSC and NSL assessed against the BRE guidelines, when compared to the Consented Scheme. The majority of windows and rooms will experience improved retained levels of daylight or experience no further alteration by comparison to the Consented Scheme.
- 9.5 Where there are some instances where additional daylight effects will be experienced beyond the Consented Scheme, these generally occur to rooms already overhung by projecting balconies and blinkered either side by privacy screens. The actual extent of further reduction is generally small (less than 6%) and in the majority of instances less than 3% which is arguably unlikely to be a noticeable increased level of impact to the occupants when compared to the previously accepted Consented levels.
- 9.6 It is also worth noting that the additional height on Building 1, closest to Viridian Apartments will be largely unnoticed by the occupants from within their rooms, particularly on the lower floors due to the underside of the projecting balconies blocking their view of the upper levels of the Proposed Development.

- 9.7 It is considered that the Proposed Development will have a broadly comparable level of daylight and sunlight effect upon Battersea Power Station Phase 4, to that arising from the Consented Scheme for the Site and despite some alterations should continue to be considered acceptable. In addition, the daylight effects upon 142-192 Thessaly Road are limited and only arise to windows that are self-obstructed by their own inherent design features. Without these limiting factors, the daylight effects would be fully BRE compliant.
- 9.8 It is also considered that the daylight and sunlight provision to the neighbouring outline consented developments will remain commensurate for an urban development site within the VNEBOA and largely in excess of the recommended BRE guideline targets with the Proposed Development in place. The neighbouring open spaces and amenity areas will have access to sunlight in March, with the principle linear park exceeding BRE guidance. In the summer months, when the outdoor spaces will arguably be most actively used, all of the neighbouring amenity areas will have access to good levels sunlight to the majority of their areas. As a result, it is our view that the Proposed Development will not unduly prejudice the future implementation of those schemes in due course.
- 9.9 The internal daylight and sunlight analysis demonstrates that the scheme has been designed to maximise natural daylight amenity for its future occupants with over 85% of habitable rooms tested meeting or exceeding the relevant target LUX recommendations, representing a very good rate of compliance against the more recently adopted CBDM assessment criteria and particularly so for a development within an opportunity area. Equally, the internal sunlight levels are good for an urban regeneration scheme with 80% of the residential units exceeding the BRE guideline recommendations and 62% of the student rooms meeting the guidance.
- 9.10 Whilst there will be some predominantly northerly orientated rooms within the student blocks that do not achieve the direct sunlight recommendations, this is a natural result of their outlook but irrespective of this, the vast majority of rooms will meet or exceed the BRE internal daylight recommendations such that their amenity should remain acceptable.
- 9.11 It has also been demonstrated that the proposed open spaces/amenity areas within the Site will be sufficiently sunlit throughout the year, such that future occupants will have direct access to well sunlit open spaces, in addition to their own private amenity balconies/winter gardens.



Appendix 1: Existing,
Proposed and Consented Plan
and 3D Drawings



Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Existing Buildings
 Proposed Scheme

Project: Bookers, Vauxhall,
 London

Title: Site Plan
 Existing Buildings

Scheme Confirmed: -

Date: -

Drawn By:
 NB


Scale:
 1:1100

Date:
 MARCH 23

Dwg No:
P2874/19

Rel:
11





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Existing Buildings
 Proposed Scheme

All Heights in mm AOD

Scheme Confirmed: -

Project: Bookers, Vauxhall, London

Drawn By: NB

Title: 3D View Existing Buildings

Date: MARCH 23

Dwg No: P2874/20

Rel: 11





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Existing Buildings
 Proposed Scheme

All Heights in mm AOD

Scheme Confirmed: - Date: -


Project: Bookers, Vauxhall, London

Drawn By: NB Scale: NTS Date: MARCH 23

Title: 3D View Existing Buildings

Dwg No: **P2874/21** Rel: **11**





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Existing Buildings
 Proposed Scheme

Project: Bookers, Vauxhall,
 London

Title: Site Plan
 Future Baseline.
 Existing Buildings

Scheme Confirmed: -

Date: -

Drawn By:
 NB


Scale:
 1:1100

Date:
 MARCH 23

Dwg No:
P2874/16

Rel:
11





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Existing Buildings
 Proposed Scheme

All Heights in mm AOD

Project: Bookers, Vauxhall,
 London

Title: 3D View
 Future Baseline.
 Existing Buildings

Scheme Confirmed: -

Date: -

Drawn By:
 NB

Scale:
 NTS

Date:
 MARCH 23

Dwg No:
P2874/17

Rel:
11





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Existing Buildings
 Proposed Scheme

All Heights in mm AOD

Scheme Confirmed:	Date:
-	-

Project: Bookers, Vauxhall, London

Drawn By:	Scale:	Date:
NB	NTS	MARCH 23

Title: 3D View
 Future Baseline.
 Existing Buildings

Dwg No:	Rel:
P2874/18	11





Land & Buildings on the North East Side of Sleaford Street

BATTERSEA PARK RD

Viridian Apartments


SLEAFORD ST

Land on the South West Side of Sleaford Street

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Existing Buildings
- Proposed Scheme



Project: Bookers, Vauxhall, London

Title: Site Plan
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/13**

Rel: **11**





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Existing Buildings
 Proposed Scheme
 All Heights in mm AOD

Project: Bookers, Vauxhall,
 London

Title: 3D View
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
 NB

Scale:
 NTS

Date:
 MARCH 23

Dwg No:
P2874/14

Rel:
11





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Existing Buildings
 Proposed Scheme

All Heights in mm AOD

Scheme Confirmed: -

Date: -

Project: Bookers, Vauxhall, London

Drawn By: NB

Scale: NTS

Date: MARCH 23

Title: 3D View
 Proposed 08/03/23

Dwg No: **P2874/15**

Rel: **11**





Land & Buildings on the North East Side of Sleaford Street

BATTERSEA PARK RD


SLEAFORD ST
Viridian Apartments

Battersea Power Station Phase 4a

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts

Key:

- Existing Buildings
- Proposed Scheme



Project: Bookers, Vauxhall, London

Title: Site Plan
Consented Scheme

Scheme Confirmed: -

Date: -

Drawn By: EVJ

Scale: 1:1100

Date: OCT 21

Dwg No: **P2874/04**

Rel: **01**





Battersea Power Station Phase 4a

Viridian Apartments

SLEAFORD ST

BATTERSEA PARK RD

Land & Buildings on the North East Side of Sleaford Street

61975

5075

21950

54450

48700

21125

31215

~3500

39475

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts

Key: Existing Buildings
 Proposed Scheme

All Heights in mm AOD

Project: Bookers, Vauxhall, London

Title: 3D View Consented Scheme

Scheme Confirmed: -

Date: -

Drawn By: EVJ

Scale: NTS

Date: OCT 21

Dwg No: P2874/05

Rel: 01





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts

Key: Existing Buildings
 Proposed Scheme

All Heights in mm AOD

Project: Bookers, Vauxhall,
 London

Title: 3D View
 Consented Scheme

Scheme Confirmed: -

Date: -

Drawn By:
 EVJ


Scale:
 NTS

Date:
 OCT 21

Dwg No:
P2874/06

Rel:
01





Appendix 2: Daylight and Sunlight Results (Existing v Proposed)



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/10	ASSUMED	W1/10	2.36	1.91	0.45	19.07
R1/10	ASSUMED	W2/10	4.60	3.83	0.77	16.74
R2/10	ASSUMED	W3/10	6.22	5.21	1.01	16.24
R2/10	ASSUMED	W4/10	4.36	4.15	0.21	4.82
R3/10	LKD	W5/10	7.18	5.43	1.75	24.37
R3/10	LKD	W6/10	8.82	6.48	2.34	26.53
R4/10	BEDROOM	W7/10	9.86	6.90	2.96	30.02
R4/10	BEDROOM	W8/10	8.62	6.84	1.78	20.65
R5/10	BEDROOM	W9/10	10.69	5.90	4.79	44.81
R5/10	BEDROOM	W10/10	12.08	6.46	5.62	46.52
R6/10	LKD	W11/10	12.59	6.02	6.57	52.18
R6/10	LKD	W12/10	11.07	5.13	5.94	53.66
R7/10	LKD	W13/10	12.84	4.89	7.95	61.92
R8/10	BEDROOM	W14/10	13.86	5.37	8.49	61.26
R9/10	BEDROOM	W15/10	12.09	4.19	7.90	65.34
R10/10	LKD	W16/10	14.76	5.64	9.12	61.79
R11/10	BEDROOM	W17/10	14.52	5.20	9.32	64.19
R12/10	BEDROOM	W18/10	9.70	3.87	5.83	60.10
R12/10	BEDROOM	W19/10	18.50	9.04	9.46	51.14
R13/10	BEDROOM	W20/10	18.25	8.51	9.74	53.37
R13/10	BEDROOM	W21/10	9.40	2.70	6.70	71.28
R14/10	BEDROOM	W22/10	14.51	5.40	9.11	62.78
R15/10	LKD	W23/10	14.11	4.96	9.15	64.85
R16/10	LKD	W24/10	12.37	4.92	7.45	60.23
R17/10	BEDROOM	W25/10	12.96	4.70	8.26	63.73
R18/10	LKD	W26/10	13.82	7.41	6.41	46.38
R19/10	BEDROOM	W27/10	14.55	8.47	6.08	41.79



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R20/10	BEDROOM	W28/10	9.03	1.41	7.62	84.39
R20/10	BEDROOM	W29/10	19.55	15.20	4.35	22.25
R21/10	BEDROOM	W30/10	18.25	11.39	6.86	37.59
R21/10	BEDROOM	W31/10	12.73	11.24	1.49	11.70
R22/10	BEDROOM	W32/10	17.94	12.04	5.90	32.89
R23/10	LKD	W33/10	18.04	12.26	5.78	32.04
R24/10	LKD	W34/10	17.43	13.64	3.79	21.74
R25/10	BEDROOM	W35/10	19.43	13.90	5.53	28.46
R26/10	LKD	W36/10	17.27	14.66	2.61	15.11
R27/10	BEDROOM	W37/10	18.00	15.04	2.96	16.44
R27/10	BEDROOM	W38/10	14.63	12.31	2.32	15.86
R28/10	LKD	W39/10	11.64	9.45	2.19	18.81
R28/10	LKD	W40/10	6.44	4.72	1.72	26.71
R28/10	LKD	W41/10	6.84	6.52	0.32	4.68
R28/10	LKD	W42/10	5.80	5.79	0.01	0.17
R29/10	BEDROOM	W43/10	6.00	6.01	-0.01	-0.17
R29/10	BEDROOM	W44/10	6.37	6.40	-0.03	-0.47
R1/11	ASSUMED	W1/11	2.22	1.78	0.44	19.82
R1/11	ASSUMED	W2/11	4.35	3.75	0.60	13.79
R2/11	ASSUMED	W3/11	6.83	5.77	1.06	15.52
R2/11	ASSUMED	W4/11	5.04	4.87	0.17	3.37
R3/11	LKD	W5/11	7.68	5.67	2.01	26.17
R3/11	LKD	W6/11	8.77	6.31	2.46	28.05
R4/11	BEDROOM	W7/11	10.97	7.15	3.82	34.82
R4/11	BEDROOM	W8/11	8.71	6.58	2.13	24.45
R5/11	BEDROOM	W9/11	12.44	6.21	6.23	50.08
R5/11	BEDROOM	W10/11	14.32	7.26	7.06	49.30
R6/11	LKD	W11/11	15.50	6.49	9.01	58.13
R6/11	LKD	W12/11	13.28	5.63	7.65	57.61
R7/11	LKD	W13/11	15.38	5.25	10.13	65.86



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R8/11	BEDROOM	W14/11	12.76	2.77	9.99	78.29
R9/11	BEDROOM	W15/11	14.03	4.76	9.27	66.07
R10/11	LKD	W16/11	17.91	5.81	12.10	67.56
R11/11	BEDROOM	W17/11	13.61	2.86	10.75	78.99
R12/11	BEDROOM	W18/11	21.83	9.74	12.09	55.38
R13/11	BEDROOM	W19/11	21.36	9.18	12.18	57.02
R14/11	BEDROOM	W20/11	14.14	3.48	10.66	75.39
R15/11	LKD	W21/11	17.63	5.11	12.52	71.02
R16/11	SITTINGROOM	W22/11	15.56	5.22	10.34	66.45
R17/11	BEDROOM	W23/11	12.35	1.70	10.65	86.23
R18/11	LKD	W24/11	17.43	7.73	9.70	55.65
R19/11	BEDROOM	W25/11	14.03	6.58	7.45	53.10
R20/11	BEDROOM	W26/11	21.91	15.75	6.16	28.12
R21/11	BEDROOM	W27/11	22.09	12.82	9.27	41.96
R22/11	BEDROOM	W28/11	16.13	9.85	6.28	38.93
R23/11	LKD	W29/11	20.23	12.69	7.54	37.27
R24/11	BEDROOM	W30/11	16.18	14.50	1.68	10.38
R25/11	LKD	W31/11	21.58	14.94	6.64	30.77
R26/11	LKD	W32/11	18.91	15.71	3.20	16.92
R26/11	LKD	W33/11	16.56	13.61	2.95	17.81
R27/11	BEDROOM	W34/11	13.82	11.02	2.80	20.26
R27/11	BEDROOM	W35/11	15.28	15.28	0.00	0.00
R28/11	BEDROOM	W36/11	15.83	15.22	0.61	3.85
R1/12	ASSUMED	W1/12	3.20	2.74	0.46	14.38
R1/12	ASSUMED	W2/12	5.81	5.19	0.62	10.67



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/12	ASSUMED	W3/12	8.49	7.43	1.06	12.49
R2/12	ASSUMED	W4/12	6.42	6.24	0.18	2.80
R3/12	LKD	W5/12	8.54	6.45	2.09	24.47
R3/12	LKD	W6/12	9.85	7.25	2.60	26.40
R4/12	BEDROOM	W7/12	12.08	7.96	4.12	34.11
R4/12	BEDROOM	W8/12	9.59	7.27	2.32	24.19
R5/12	BEDROOM	W9/12	13.85	6.75	7.10	51.26
R5/12	BEDROOM	W10/12	16.08	8.00	8.08	50.25
R6/12	LKD	W11/12	17.61	7.17	10.44	59.28
R6/12	LKD	W12/12	15.14	6.20	8.94	59.05
R7/12	LKD	W13/12	16.69	5.30	11.39	68.24
R8/12	BEDROOM	W14/12	13.90	2.74	11.16	80.29
R9/12	BEDROOM	W15/12	15.41	4.85	10.56	68.53
R10/12	LKD	W16/12	20.54	6.39	14.15	68.89
R11/12	BEDROOM	W17/12	16.08	3.33	12.75	79.29
R12/12	BEDROOM	W18/12	24.53	10.60	13.93	56.79
R13/12	BEDROOM	W19/12	24.08	10.02	14.06	58.39
R14/12	BEDROOM	W20/12	16.85	3.97	12.88	76.44
R15/12	LKD	W21/12	20.70	5.74	14.96	72.27
R16/12	LKD	W22/12	17.45	5.17	12.28	70.37
R17/12	BEDROOM	W23/12	17.67	4.29	13.38	75.72
R18/12	LKD	W24/12	20.95	8.50	12.45	59.43
R19/12	BEDROOM	W25/12	17.50	7.18	10.32	58.97
R20/12	BEDROOM	W26/12	24.25	16.39	7.86	32.41
R21/12	BEDROOM	W27/12	24.53	13.44	11.09	45.21
R22/12	BEDROOM	W28/12	17.83	10.17	7.66	42.96



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R23/12	LKD	W29/12	21.74	13.09	8.65	39.79
R24/12	LKD	W30/12	19.30	15.35	3.95	20.47
R25/12	BEDROOM	W31/12	22.17	15.24	6.93	31.26
R26/12	LKD	W32/12	19.60	16.20	3.40	17.35
R26/12	LKD	W33/12	17.16	13.93	3.23	18.82
R27/12	BEDROOM	W34/12	14.29	11.22	3.07	21.48
R27/12	BEDROOM	W35/12	16.03	16.03	0.00	0.00
R27/12	BEDROOM	W36/12	19.40	18.90	0.50	2.58
R28/12	BEDROOM	W37/12	19.50	18.71	0.79	4.05
R28/12	BEDROOM	W38/12	14.96	14.40	0.56	3.74
R1/13	ASSUMED	W1/13	4.63	4.13	0.50	10.80
R1/13	ASSUMED	W2/13	7.64	6.99	0.65	8.51
R2/13	ASSUMED	W3/13	10.54	9.37	1.17	11.10
R2/13	ASSUMED	W4/13	7.21	7.21	0.00	0.00
R3/13	LKD	W5/13	9.76	7.63	2.13	21.82
R3/13	LKD	W6/13	11.47	8.81	2.66	23.19
R4/13	BEDROOM	W7/13	13.09	9.11	3.98	30.40
R4/13	BEDROOM	W8/13	10.57	8.28	2.29	21.67
R5/13	BEDROOM	W9/13	15.87	8.35	7.52	47.39
R5/13	BEDROOM	W10/13	18.18	9.17	9.01	49.56
R6/13	LKD	W11/13	19.00	8.53	10.47	55.11
R6/13	LKD	W12/13	16.63	7.35	9.28	55.80
R7/13	LKD	W13/13	21.31	7.02	14.29	67.06
R8/13	BEDROOM	W14/13	21.19	6.51	14.68	69.28
R9/13	BEDROOM	W15/13	13.60	4.94	8.66	63.68
R9/13	BEDROOM	W16/13	26.26	12.22	14.04	53.47
R10/13	BEDROOM	W17/13	25.79	11.59	14.20	55.06
R10/13	BEDROOM	W18/13	14.71	3.01	11.70	79.54
R11/13	BEDROOM	W19/13	21.64	6.63	15.01	69.36



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R12/13	LKD	W20/13	21.40	6.43	14.97	69.95
R13/13	SITTINGROOM	W21/13	19.00	6.05	12.95	68.16
R14/13	BEDROOM	W22/13	15.08	2.45	12.63	83.75
R15/13	LKD	W23/13	21.95	9.10	12.85	58.54
R16/13	BEDROOM	W24/13	17.98	7.29	10.69	59.45
R17/13	BEDROOM	W25/13	25.16	17.07	8.09	32.15
R18/13	BEDROOM	W26/13	25.29	14.12	11.17	44.17
R19/13	BEDROOM	W27/13	18.08	10.33	7.75	42.87
R20/13	LKD	W28/13	22.31	13.65	8.66	38.82
R21/13	BEDROOM	W29/13	17.42	15.49	1.93	11.08
R22/13	LKD	W30/13	23.24	16.25	6.99	30.08
R23/13	LKD	W31/13	20.31	17.00	3.31	16.30
R23/13	LKD	W32/13	17.59	14.34	3.25	18.48
R24/13	BEDROOM	W33/13	14.63	11.52	3.11	21.26
R24/13	BEDROOM	W34/13	16.90	16.90	0.00	0.00
R25/13	BEDROOM	W35/13	17.33	16.65	0.68	3.92
R1/14	ASSUMED	W1/14	5.42	4.92	0.50	9.23
R1/14	ASSUMED	W2/14	8.85	8.04	0.81	9.15
R2/14	ASSUMED	W3/14	10.07	9.00	1.07	10.63
R2/14	ASSUMED	W4/14	7.92	7.59	0.33	4.17
R3/14	LKD	W5/14	9.83	7.65	2.18	22.18
R3/14	LKD	W6/14	11.88	8.72	3.16	26.60
R4/14	BEDROOM	W7/14	12.84	8.87	3.97	30.92
R4/14	BEDROOM	W8/14	10.96	8.32	2.64	24.09
R4/14	BEDROOM	W10/14	34.13	26.24	7.89	23.12
R4/14	BEDROOM	W11/14	34.52	26.49	8.03	23.26
R5/14	ASSUMED	W9/14	29.90	20.65	9.25	30.94
R6/14	LKD	W12/14	18.82	6.29	12.53	66.58



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R7/14	BEDROOM	W13/14	19.18	5.68	13.50	70.39
R8/14	LKD	W14/14	22.57	10.00	12.57	55.69
R9/14	BEDROOM	W15/14	18.57	7.62	10.95	58.97
R10/14	BEDROOM	W16/14	25.62	17.83	7.79	30.41
R11/14	BEDROOM	W17/14	25.67	14.91	10.76	41.92
R12/14	BEDROOM	W18/14	18.71	10.71	8.00	42.76
R13/14	LKD	W19/14	22.89	14.50	8.39	36.65
R14/14	LKD	W20/14	20.62	16.99	3.63	17.60
R15/14	BEDROOM	W21/14	23.47	16.97	6.50	27.69
R16/14	LKD	W22/14	21.05	17.92	3.13	14.87
R16/14	LKD	W23/14	18.13	14.93	3.20	17.65
R17/14	BEDROOM	W24/14	15.10	12.01	3.09	20.46
R17/14	BEDROOM	W25/14	17.75	17.75	0.00	0.00
R17/14	BEDROOM	W26/14	21.46	21.01	0.45	2.10
R18/14	BEDROOM	W27/14	21.56	20.76	0.80	3.71
R18/14	BEDROOM	W28/14	16.35	15.73	0.62	3.79
R1/15	SITTINGROOM	W1/15	24.34	11.62	12.72	52.26
R2/15	BEDROOM	W2/15	19.16	6.92	12.24	63.88
R3/15	LKD	W3/15	23.05	11.03	12.02	52.15
R4/15	BEDROOM	W4/15	19.46	8.27	11.19	57.50
R5/15	BEDROOM	W5/15	26.08	18.70	7.38	28.30
R6/15	BEDROOM	W6/15	26.10	15.88	10.22	39.16
R7/15	BEDROOM	W7/15	19.46	11.35	8.11	41.68
R8/15	LKD	W8/15	23.23	15.31	7.92	34.09
R9/15	BEDROOM	W9/15	18.38	16.69	1.69	9.19



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R10/15	LKD	W10/15	24.48	18.27	6.21	25.37
R11/15	LKD	W11/15	21.57	18.67	2.90	13.44
R11/15	LKD	W12/15	18.38	15.36	3.02	16.43
R12/15	BEDROOM	W13/15	15.23	12.30	2.93	19.24
R12/15	BEDROOM	W14/15	18.38	18.38	0.00	0.00
R13/15	BEDROOM	W15/15	18.75	18.05	0.70	3.73
R1/16	LKD	W1/16	20.89	9.46	11.43	54.72
R2/16	BEDROOM	W2/16	21.43	10.18	11.25	52.50
R3/16	BEDROOM	W3/16	13.94	3.07	10.87	77.98
R3/16	BEDROOM	W4/16	27.25	20.39	6.86	25.17
R4/16	BEDROOM	W5/16	27.20	17.69	9.51	34.96
R4/16	BEDROOM	W6/16	17.47	13.63	3.84	21.98
R5/16	BEDROOM	W7/16	23.37	15.21	8.16	34.92
R6/16	LKD	W8/16	22.68	15.21	7.47	32.94
R7/16	LKD	W9/16	17.75	15.68	2.07	11.66
R8/16	BEDROOM	W10/16	17.61	12.94	4.67	26.52
R9/16	LKD	W11/16	21.88	19.26	2.62	11.97
R9/16	LKD	W12/16	18.66	15.86	2.80	15.01
R10/16	BEDROOM	W13/16	15.48	12.75	2.73	17.64
R10/16	BEDROOM	W14/16	18.72	18.72	0.00	0.00
R10/16	BEDROOM	W15/16	22.63	22.28	0.35	1.55
R11/16	BEDROOM	W16/16	22.76	22.08	0.68	2.99
R11/16	BEDROOM	W17/16	17.09	16.47	0.62	3.63
R1/17	LKD	W1/17	21.85	19.54	2.31	10.57
R1/17	LKD	W2/17	18.50	16.00	2.50	13.51
R2/17	BEDROOM	W3/17	15.29	12.85	2.44	15.96
R2/17	BEDROOM	W4/17	20.86	20.86	0.00	0.00
R3/17	BEDROOM	W5/17	21.22	20.55	0.67	3.16
R1/18	LKD	W1/18	17.39	17.39	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
------	----------	--------	--------------	--------------	------	-------

R1/18	LKD	W2/18	21.14	20.63	0.51	2.41
R2/18	BEDROOM	W3/18	17.60	17.08	0.52	2.95

Battersea Power Station Phase 4 and 4A (Buildings A1.1-A1.5)

R1/51	LD	W1/51	15.67	15.67	0.00	0.00
R1/51	LD	W2/51	29.73	29.73	0.00	0.00
R1/51	LD	W3/51	28.35	15.60	12.75	44.97
R2/51	BEDROOM	W4/51	18.28	16.62	1.66	9.08
R3/51	LD	W5/51	11.94	1.31	10.63	89.03
R3/51	LD	W6/51	11.65	2.27	9.38	80.52
R4/51	LD	W7/51	25.64	3.89	21.75	84.83
R4/51	LD	W8/51	17.66	4.55	13.11	74.24
R4/51	LD	W9/51	13.83	5.75	8.08	58.42
R5/51	LD	W10/51	13.19	3.33	9.86	74.75
R5/51	LD	W11/51	14.44	8.20	6.24	43.21
R5/51	LD	W12/51	7.05	7.05	0.00	0.00
R6/51	LD	W13/51	6.19	6.19	0.00	0.00
R6/51	LD	W14/51	3.76	1.69	2.07	55.05
R1/52	LKD	W1/52	23.41	23.41	0.00	0.00
R2/52	BEDROOM	W2/52	37.09	37.09	0.00	0.00
R2/52	BEDROOM	W3/52	30.30	16.92	13.38	44.16
R3/52	BEDROOM	W4/52	21.09	19.30	1.79	8.49
R4/52	LD	W5/52	12.80	1.96	10.84	84.69
R4/52	LD	W6/52	12.28	2.70	9.58	78.01
R5/52	LD	W7/52	27.16	4.81	22.35	82.29
R5/52	LD	W8/52	13.29	3.33	9.96	74.94
R6/52	BEDROOM	W9/52	22.59	11.39	11.20	49.58
R7/52	BEDROOM	W10/52	21.72	10.88	10.84	49.91
R8/52	LD	W11/52	10.36	3.63	6.73	64.96
R8/52	LD	W12/52	7.84	7.84	0.00	0.00
R9/52	LD	W13/52	7.10	7.09	0.01	0.14



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R9/52	LD	W14/52	4.73	2.64	2.09	44.19
R1/53	LKD	W1/53	23.60	23.60	0.00	0.00
R2/53	BEDROOM	W2/53	37.27	37.27	0.00	0.00
R2/53	BEDROOM	W3/53	30.90	17.06	13.84	44.79
R3/53	BEDROOM	W4/53	21.17	19.38	1.79	8.46
R4/53	LD	W5/53	13.46	2.79	10.67	79.27
R4/53	LD	W6/53	12.83	3.44	9.39	73.19
R5/53	LD	W7/53	28.11	5.94	22.17	78.87
R5/53	LD	W8/53	20.36	7.55	12.81	62.92
R6/53	BEDROOM	W9/53	16.92	8.06	8.86	52.36
R7/53	BEDROOM	W10/53	15.63	5.82	9.81	62.76
R8/53	LD	W11/53	17.76	11.04	6.72	37.84
R8/53	LD	W12/53	8.77	8.77	0.00	0.00
R9/53	LD	W13/53	8.11	8.02	0.09	1.11
R9/53	LD	W14/53	5.84	3.59	2.25	38.53
R1/54	LKD	W1/54	23.60	23.60	0.00	0.00
R2/54	BEDROOM	W2/54	37.28	37.28	0.00	0.00
R2/54	BEDROOM	W3/54	31.43	17.18	14.25	45.34
R3/54	BEDROOM	W4/54	21.18	19.39	1.79	8.45
R4/54	LD	W5/54	14.10	3.67	10.43	73.97
R4/54	LD	W6/54	13.36	4.38	8.98	67.22
R5/54	LD	W7/54	29.05	7.25	21.80	75.04
R5/54	LD	W8/54	16.09	6.61	9.48	58.92
R6/54	BEDROOM	W9/54	25.71	14.78	10.93	42.51
R7/54	BEDROOM	W10/54	24.66	14.43	10.23	41.48
R8/54	LD	W11/54	13.62	6.77	6.85	50.29
R8/54	LD	W12/54	9.82	9.82	0.00	0.00
R9/54	LD	W13/54	9.20	9.02	0.18	1.96
R9/54	LD	W14/54	7.02	4.62	2.40	34.19



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/55	LKD	W1/55	23.61	23.61	0.00	0.00
R2/55	BEDROOM	W2/55	37.36	37.35	0.01	0.03
R2/55	BEDROOM	W3/55	31.89	17.34	14.55	45.63
R3/55	BEDROOM	W4/55	21.19	19.41	1.78	8.40
R4/55	LD	W5/55	14.70	4.50	10.20	69.39
R4/55	LD	W6/55	13.90	5.42	8.48	61.01
R5/55	LD	W7/55	29.93	8.70	21.23	70.93
R5/55	LD	W8/55	23.41	11.81	11.60	49.55
R6/55	BEDROOM	W9/55	20.11	11.61	8.50	42.27
R7/55	BEDROOM	W10/55	19.04	9.49	9.55	50.16
R8/55	LD	W11/55	21.63	14.70	6.93	32.04
R8/55	LD	W12/55	11.00	11.00	0.00	0.00
R9/55	LD	W13/55	10.38	10.09	0.29	2.79
R9/55	LD	W14/55	8.27	5.72	2.55	30.83
R1/56	LKD	W1/56	26.21	26.20	0.01	0.04
R2/56	BEDROOM	W2/56	37.46	37.45	0.01	0.03
R2/56	BEDROOM	W3/56	32.39	17.64	14.75	45.54
R3/56	BEDROOM	W4/56	22.48	20.71	1.77	7.87
R4/56	LD	W5/56	16.95	6.16	10.79	63.66
R4/56	LD	W6/56	14.79	6.51	8.28	55.98
R5/56	LD	W7/56	30.84	10.17	20.67	67.02
R5/56	LD	W8/56	21.70	11.99	9.71	44.75
R6/56	BEDROOM	W9/56	29.52	19.50	10.02	33.94
R7/56	BEDROOM	W10/56	28.85	19.30	9.55	33.10
R8/56	LD	W11/56	20.18	12.39	7.79	38.60
R8/56	LD	W12/56	12.42	12.41	0.01	0.08
R9/56	LD	W13/56	11.73	11.31	0.42	3.58
R9/56	LD	W14/56	11.00	8.34	2.66	24.18



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/57	LKD	W1/57	26.20	26.19	0.01	0.04
R2/57	BEDROOM	W2/57	37.49	37.48	0.01	0.03
R2/57	BEDROOM	W3/57	33.11	18.23	14.88	44.94
R3/57	BEDROOM	W4/57	22.49	20.73	1.76	7.83
R4/57	LD	W5/57	17.48	6.68	10.80	61.78
R4/57	LD	W6/57	15.24	7.13	8.11	53.22
R5/57	LD	W7/57	31.90	11.17	20.73	64.98
R5/57	LD	W8/57	27.61	16.65	10.96	39.70
R6/57	BEDROOM	W9/57	25.45	16.02	9.43	37.05
R7/57	BEDROOM	W10/57	24.91	15.45	9.46	37.98
R8/57	LD	W11/57	26.87	18.83	8.04	29.92
R8/57	LD	W12/57	14.30	14.28	0.02	0.14
R9/57	LD	W13/57	13.02	12.46	0.56	4.30
R9/57	LD	W14/57	12.39	9.63	2.76	22.28
R1/58	LKD	W1/58	23.66	23.65	0.01	0.04
R2/58	BEDROOM	W2/58	38.03	38.02	0.01	0.03
R2/58	BEDROOM	W3/58	34.42	19.18	15.24	44.28
R3/58	BEDROOM	W4/58	21.20	19.46	1.74	8.21
R4/58	LD	W5/58	16.22	6.14	10.08	62.15
R4/58	LD	W6/58	15.73	8.04	7.69	48.89
R5/58	LD	W7/58	33.47	12.67	20.80	62.15
R5/58	LD	W8/58	21.66	12.52	9.14	42.20
R6/58	BEDROOM	W9/58	33.21	23.77	9.44	28.43
R7/58	BEDROOM	W10/58	32.98	23.91	9.07	27.50
R8/58	LD	W11/58	21.18	13.64	7.54	35.60
R8/58	LD	W12/58	16.70	16.69	0.01	0.06
R9/58	LD	W13/58	14.50	13.95	0.55	3.79
R9/58	LD	W14/58	12.04	9.44	2.60	21.59
R1/59	LKD	W1/59	39.62	39.61	0.01	0.03



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/59	BEDROOM	W2/59	39.62	39.61	0.01	0.03
R2/59	BEDROOM	W3/59	37.34	21.04	16.30	43.65
R3/59	BEDROOM	W4/59	27.20	25.48	1.72	6.32
R4/59	LD	W5/59	25.05	14.55	10.50	41.92
R4/59	LD	W6/59	19.72	10.78	8.94	45.33
R5/59	LD	W7/59	36.63	15.61	21.02	57.38
R5/59	LD	W8/59	37.34	27.42	9.92	26.57
R6/59	BEDROOM	W9/59	37.27	27.84	9.43	25.30
R7/59	BEDROOM	W10/59	37.23	28.71	8.52	22.88
R8/59	LD	W11/59	37.15	29.31	7.84	21.10
R8/59	LD	W12/59	20.09	20.08	0.01	0.05
R9/59	LD	W13/59	16.53	16.04	0.49	2.96
R9/59	LD	W14/59	20.77	18.44	2.33	11.22
R1/60	LD	W1/60	11.89	11.89	0.00	0.00
R2/60	BEDROOM	W2/60	39.60	39.60	0.00	0.00
R2/60	BEDROOM	W3/60	39.15	22.16	16.99	43.40
R3/60	BEDROOM	W4/60	39.07	18.53	20.54	52.57
R4/60	KITCHEN	W5/60	39.00	17.30	21.70	55.64
R5/60	LD	W6/60	38.94	18.07	20.87	53.60
R5/60	LD	W7/60	17.55	9.11	8.44	48.09
R6/60	BEDROOM	W8/60	14.97	7.86	7.11	47.49
R7/60	BEDROOM	W9/60	15.22	10.02	5.20	34.17
R8/60	LD	W10/60	17.88	11.83	6.05	33.84
R8/60	LD	W11/60	24.21	24.17	0.04	0.17
R1/61	LD	W1/61	11.89	11.89	0.00	0.00
R2/61	BEDROOM	W2/61	39.62	39.61	0.01	0.03
R2/61	BEDROOM	W3/61	39.33	22.80	16.53	42.03
R3/61	BEDROOM	W4/61	39.25	19.29	19.96	50.85



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/61	KITCHEN	W5/61	39.17	18.11	21.06	53.77
R5/61	LD	W6/61	39.09	18.91	20.18	51.62
R5/61	LD	W7/61	17.85	10.07	7.78	43.59
R6/61	BEDROOM	W8/61	15.28	8.79	6.49	42.47
R7/61	BEDROOM	W9/61	15.41	10.83	4.58	29.72
R8/61	LD	W10/61	18.17	12.80	5.37	29.55
R8/61	LD	W11/61	28.51	28.48	0.03	0.11
R1/62	LD	W1/62	11.89	11.89	0.00	0.00
R2/62	BEDROOM	W2/62	39.61	39.61	0.00	0.00
R2/62	BEDROOM	W3/62	39.40	23.57	15.83	40.18
R3/62	BEDROOM	W4/62	39.34	20.19	19.15	48.68
R4/62	KITCHEN	W5/62	39.27	19.08	20.19	51.41
R5/62	LD	W6/62	39.20	19.91	19.29	49.21
R5/62	LD	W7/62	18.08	11.20	6.88	38.05
R6/62	BEDROOM	W8/62	15.46	9.80	5.66	36.61
R7/62	BEDROOM	W9/62	15.54	11.63	3.91	25.16
R8/62	LD	W10/62	18.39	13.78	4.61	25.07
R8/62	LD	W11/62	31.94	31.93	0.01	0.03
R1/63	LD	W1/63	11.89	11.89	0.00	0.00
R2/63	BEDROOM	W2/63	39.61	39.61	0.00	0.00
R2/63	BEDROOM	W3/63	39.45	24.51	14.94	37.87
R3/63	BEDROOM	W4/63	39.41	21.29	18.12	45.98
R4/63	KITCHEN	W5/63	39.35	20.27	19.08	48.49
R5/63	LD	W6/63	39.29	21.11	18.18	46.27
R5/63	LD	W7/63	18.30	12.41	5.89	32.19
R6/63	BEDROOM	W8/63	15.65	10.88	4.77	30.48
R7/63	BEDROOM	W9/63	15.68	12.45	3.23	20.60



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R8/63	LD	W10/63	18.60	14.78	3.82	20.54
R8/63	LD	W11/63	35.25	35.25	0.00	0.00
R1/64	LD	W1/64	19.64	19.64	0.00	0.00
R2/64	BEDROOM	W2/64	39.61	39.61	0.00	0.00
R2/64	BEDROOM	W3/64	39.51	25.72	13.79	34.90
R3/64	BEDROOM	W4/64	39.47	22.72	16.75	42.44
R4/64	KITCHEN	W5/64	39.43	21.81	17.62	44.69
R5/64	LD	W6/64	39.37	22.67	16.70	42.42
R5/64	LD	W7/64	26.36	21.41	4.95	18.78
R6/64	BEDROOM	W8/64	22.53	18.61	3.92	17.40
R7/64	BEDROOM	W9/64	22.41	19.85	2.56	11.42
R8/64	LD	W10/64	26.77	23.73	3.04	11.36
R8/64	LD	W11/64	36.24	36.24	0.00	0.00
R1/71	LKD	W1/71	4.63	1.39	3.24	69.98
R1/71	LKD	W2/71	7.36	4.13	3.23	43.89
R2/71	LD	W3/71	9.99	5.25	4.74	47.45
R2/71	LD	W4/71	7.23	2.87	4.36	60.30
R2/71	LD	W5/71	5.23	3.28	1.95	37.28
R2/71	LD	W6/71	13.94	12.07	1.87	13.41
R3/71	LD	W7/71	13.73	10.70	3.03	22.07
R3/71	LD	W8/71	5.65	3.14	2.51	44.42
R3/71	LD	W9/71	7.09	6.00	1.09	15.37
R3/71	LD	W10/71	8.98	8.98	0.00	0.00
R4/71	LD	W11/71	2.92	2.92	0.00	0.00
R1/72	LKD	W1/72	5.51	2.13	3.38	61.34
R1/72	LKD	W2/72	8.11	4.64	3.47	42.79
R2/72	LD	W3/72	10.57	5.89	4.68	44.28
R2/72	LD	W4/72	8.47	3.99	4.48	52.89
R2/72	LD	W5/72	6.48	4.26	2.22	34.26
R3/72	BEDROOM	W6/72	15.83	13.70	2.13	13.46



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/72	BEDROOM	W7/72	15.57	12.45	3.12	20.04
R5/72	LD	W8/72	6.83	4.09	2.74	40.12
R5/72	LD	W9/72	8.26	6.90	1.36	16.46
R5/72	LD	W10/72	9.76	9.76	0.00	0.00
R6/72	LD	W11/72	10.43	10.43	0.00	0.00
R1/73	LKD	W1/73	6.51	2.81	3.70	56.84
R1/73	LKD	W2/73	8.88	5.05	3.83	43.13
R2/73	LD	W3/73	11.15	6.62	4.53	40.63
R2/73	LD	W4/73	9.87	5.30	4.57	46.30
R2/73	LD	W5/73	7.93	5.42	2.51	31.65
R3/73	BEDROOM	W6/73	17.95	15.60	2.35	13.09
R4/73	BEDROOM	W7/73	17.68	14.45	3.23	18.27
R5/73	LD	W8/73	8.07	5.13	2.94	36.43
R5/73	LD	W9/73	9.48	7.82	1.66	17.51
R5/73	LD	W10/73	10.55	10.55	0.00	0.00
R6/73	LD	W11/73	11.41	11.41	0.00	0.00
R1/74	LKD	W1/74	7.54	3.54	4.00	53.05
R1/74	LKD	W2/74	9.70	5.47	4.23	43.61
R2/74	LD	W3/74	11.85	7.55	4.30	36.29
R2/74	LD	W4/74	11.98	7.16	4.82	40.23
R2/74	LD	W5/74	10.10	7.10	3.00	29.70
R3/74	BEDROOM	W6/74	20.30	17.54	2.76	13.60
R4/74	BEDROOM	W7/74	20.03	16.57	3.46	17.27
R5/74	LD	W8/74	10.11	6.95	3.16	31.26
R5/74	LD	W9/74	11.47	9.49	1.98	17.26
R5/74	LD	W10/74	11.32	11.32	0.00	0.00
R6/74	LD	W11/74	12.50	12.50	0.00	0.00
R1/75	LKD	W1/75	8.64	4.34	4.30	49.77
R1/75	LKD	W2/75	10.55	5.99	4.56	43.22
R2/75	LD	W3/75	12.68	8.53	4.15	32.73
R2/75	LD	W4/75	14.43	9.30	5.13	35.55



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/75	LD	W5/75	12.61	9.03	3.58	28.39
R3/75	BEDROOM	W6/75	22.95	19.70	3.25	14.16
R4/75	BEDROOM	W7/75	22.64	19.00	3.64	16.08
R5/75	LD	W8/75	12.48	9.19	3.29	26.36
R5/75	LD	W9/75	13.76	11.53	2.23	16.21
R5/75	LD	W10/75	12.07	12.07	0.00	0.00
R6/75	LD	W11/75	13.69	13.69	0.00	0.00
R1/76	LKD	W1/76	11.12	6.47	4.65	41.82
R1/76	LKD	W2/76	12.11	7.00	5.11	42.20
R2/76	LD	W3/76	13.71	9.63	4.08	29.76
R2/76	LD	W4/76	19.46	13.97	5.49	28.21
R2/76	LD	W5/76	17.94	13.32	4.62	25.75
R3/76	BEDROOM	W6/76	26.46	22.31	4.15	15.68
R4/76	BEDROOM	W7/76	26.14	22.30	3.84	14.69
R5/76	LD	W8/76	17.65	14.25	3.40	19.26
R5/76	LD	W9/76	18.66	15.91	2.75	14.74
R5/76	LD	W10/76	12.95	12.95	0.00	0.00
R6/76	LD	W11/76	15.02	15.02	0.00	0.00
R1/77	LKD	W1/77	18.02	13.34	4.68	25.97
R1/77	LKD	W2/77	15.56	10.27	5.29	34.00
R2/77	LD	W3/77	15.29	11.30	3.99	26.10
R2/77	LD	W4/77	32.82	27.03	5.79	17.64
R2/77	LD	W5/77	32.60	27.14	5.46	16.75
R3/77	BEDROOM	W6/77	32.38	27.46	4.92	15.19
R4/77	BEDROOM	W7/77	32.05	28.08	3.97	12.39
R5/77	LD	W8/77	32.11	28.67	3.44	10.71
R5/77	LD	W9/77	32.09	29.04	3.05	9.50
R5/77	LD	W10/77	14.27	14.27	0.00	0.00
R6/77	LD	W11/77	16.52	16.52	0.00	0.00
R1/78	KITCHEN	W3/78	11.01	8.74	2.27	20.62



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/78	BEDROOM	W4/78	11.49	10.44	1.05	9.14
R3/78	LKD	W1/78	17.49	17.20	0.29	1.66
R3/78	LKD	W2/78	14.78	14.32	0.46	3.11
R3/78	LKD	W5/78	17.09	17.09	0.00	0.00
R4/78	LD	W6/78	13.83	10.41	3.42	24.73
R4/78	LD	W7/78	16.70	12.92	3.78	22.63
R4/78	LD	W8/78	9.06	7.82	1.24	13.69
R4/78	LD	W9/78	7.87	6.73	1.14	14.49
R5/78	BEDROOM	W10/78	12.03	10.00	2.03	16.87
R6/78	BEDROOM	W11/78	11.60	10.58	1.02	8.79
R7/78	LD	W12/78	6.92	6.28	0.64	9.25
R7/78	LD	W13/78	7.76	7.71	0.05	0.64
R7/78	LD	W14/78	15.52	15.52	0.00	0.00
R7/78	LD	W15/78	12.64	12.64	0.00	0.00
R1/79	KITCHEN	W4/79	11.92	9.82	2.10	17.62
R2/79	BEDROOM	W3/79	12.33	11.33	1.00	8.11
R3/79	LKD	W1/79	18.31	17.90	0.41	2.24
R3/79	LKD	W2/79	15.66	15.08	0.58	3.70
R3/79	LKD	W5/79	17.10	17.10	0.00	0.00
R4/79	LD	W6/79	14.99	11.81	3.18	21.21
R4/79	LD	W7/79	17.80	14.27	3.53	19.83
R4/79	LD	W8/79	9.83	8.71	1.12	11.39
R4/79	LD	W9/79	8.74	7.68	1.06	12.13
R5/79	BEDROOM	W10/79	13.38	11.46	1.92	14.35
R6/79	BEDROOM	W11/79	13.12	12.04	1.08	8.23
R7/79	LD	W12/79	8.19	7.36	0.83	10.13
R7/79	LD	W13/79	9.07	8.85	0.22	2.43
R7/79	LD	W14/79	16.30	16.30	0.00	0.00
R7/79	LD	W15/79	13.28	13.28	0.00	0.00
R1/80	KITCHEN	W3/80	13.21	11.30	1.91	14.46
R2/80	BEDROOM	W4/80	13.53	12.62	0.91	6.73



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R3/80	LKD	W1/80	19.38	18.92	0.46	2.37
R3/80	LKD	W2/80	16.80	16.20	0.60	3.57
R3/80	LKD	W5/80	17.10	17.10	0.00	0.00
R4/80	LD	W6/80	16.36	13.44	2.92	17.85
R4/80	LD	W7/80	19.05	15.82	3.23	16.96
R4/80	LD	W8/80	10.52	9.42	1.10	10.46
R4/80	LD	W9/80	9.50	8.44	1.06	11.16
R5/80	BEDROOM	W10/80	14.61	12.73	1.88	12.87
R6/80	BEDROOM	W11/80	14.51	13.27	1.24	8.55
R7/80	LD	W12/80	9.38	8.28	1.10	11.73
R7/80	LD	W13/80	10.28	9.78	0.50	4.86
R7/80	LD	W14/80	17.11	17.11	0.00	0.00
R7/80	LD	W15/80	14.00	13.99	0.01	0.07
R1/81	KITCHEN	W4/81	15.13	13.43	1.70	11.24
R2/81	BEDROOM	W3/81	15.39	14.59	0.80	5.20
R3/81	LKD	W1/81	20.87	20.47	0.40	1.92
R3/81	LKD	W2/81	18.43	17.91	0.52	2.82
R3/81	LKD	W5/81	17.10	17.10	0.00	0.00
R4/81	LD	W6/81	18.14	15.52	2.62	14.44
R4/81	LD	W7/81	20.69	17.78	2.91	14.06
R4/81	LD	W8/81	10.74	9.77	0.97	9.03
R4/81	LD	W9/81	9.75	8.80	0.95	9.74
R5/81	BEDROOM	W10/81	14.99	13.29	1.70	11.34
R6/81	BEDROOM	W11/81	14.98	13.79	1.19	7.94
R7/81	LD	W12/81	9.80	8.69	1.11	11.33
R7/81	LD	W13/81	10.70	10.14	0.56	5.23
R7/81	LD	W14/81	17.90	17.89	0.01	0.06
R7/81	LD	W15/81	14.82	14.81	0.01	0.07
R1/82	KITCHEN	W3/82	18.33	16.87	1.46	7.97
R2/82	BEDROOM	W4/82	18.53	17.85	0.68	3.67
R3/82	LKD	W1/82	23.34	23.00	0.34	1.46
R3/82	LKD	W2/82	21.18	20.73	0.45	2.12
R3/82	LKD	W5/82	24.55	24.55	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/82	LD	W6/82	21.00	18.73	2.27	10.81
R4/82	LD	W7/82	23.24	20.73	2.51	10.80
R4/82	LD	W8/82	14.43	13.69	0.74	5.13
R4/82	LD	W9/82	13.54	12.81	0.73	5.39
R5/82	BEDROOM	W10/82	20.81	19.43	1.38	6.63
R6/82	BEDROOM	W11/82	20.81	19.89	0.92	4.42
R7/82	LD	W12/82	13.67	12.80	0.87	6.36
R7/82	LD	W13/82	14.38	13.97	0.41	2.85
R7/82	LD	W14/82	18.74	18.74	0.00	0.00
R7/82	LD	W15/82	15.77	15.77	0.00	0.00
R1/91	LKD	W1/91	3.26	3.03	0.23	7.06
R2/91	BEDROOM	W2/91	5.24	3.63	1.61	30.73
R3/91	BEDROOM	W3/91	8.28	5.27	3.01	36.35
R3/91	BEDROOM	W4/91	8.12	6.29	1.83	22.54
R4/91	BEDROOM	W5/91	17.10	16.22	0.88	5.15
R5/91	BEDROOM	W6/91	10.57	9.84	0.73	6.91
R6/91	LD	W7/91	18.29	16.29	2.00	10.93
R6/91	LD	W8/91	9.92	8.13	1.79	18.04
R6/91	LD	W9/91	11.17	11.17	0.00	0.00
R7/91	LD	W10/91	9.80	9.80	0.00	0.00
R7/91	LD	W11/91	7.57	6.78	0.79	10.44
R1/92	LKD	W1/92	4.14	3.84	0.30	7.25
R2/92	BEDROOM	W2/92	5.76	4.07	1.69	29.34
R3/92	BEDROOM	W3/92	9.02	5.97	3.05	33.81
R3/92	BEDROOM	W4/92	8.12	6.18	1.94	23.89
R4/92	BEDROOM	W5/92	8.52	7.48	1.04	12.21
R5/92	BEDROOM	W6/92	11.33	10.65	0.68	6.00
R6/92	LD	W7/92	9.59	7.63	1.96	20.44
R6/92	LD	W8/92	10.21	9.04	1.17	11.46
R6/92	LD	W9/92	11.98	11.98	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R7/92	LD	W10/92	10.76	10.76	0.00	0.00
R7/92	LD	W11/92	8.61	7.88	0.73	8.48
R1/93	LKD	W1/93	5.21	4.86	0.35	6.72
R2/93	BEDROOM	W2/93	6.29	4.59	1.70	27.03
R3/93	BEDROOM	W3/93	9.82	6.80	3.02	30.75
R3/93	BEDROOM	W4/93	10.37	8.37	2.00	19.29
R4/93	BEDROOM	W5/93	20.91	19.71	1.20	5.74
R5/93	BEDROOM	W6/93	12.09	11.47	0.62	5.13
R6/93	LD	W7/93	22.18	20.19	1.99	8.97
R6/93	LD	W8/93	12.52	10.74	1.78	14.22
R6/93	LD	W9/93	12.84	12.84	0.00	0.00
R7/93	LD	W10/93	11.75	11.75	0.00	0.00
R7/93	LD	W11/93	9.70	9.02	0.68	7.01
R1/94	LKD	W1/94	6.34	5.96	0.38	5.99
R2/94	BEDROOM	W2/94	6.83	5.17	1.66	24.30
R3/94	BEDROOM	W3/94	10.67	7.71	2.96	27.74
R3/94	BEDROOM	W4/94	22.54	20.54	2.00	8.87
R4/94	BEDROOM	W5/94	12.57	10.66	1.91	15.19
R5/94	BEDROOM	W6/94	12.96	12.40	0.56	4.32
R6/94	LD	W7/94	13.96	12.06	1.90	13.61
R6/94	LD	W8/94	24.83	23.55	1.28	5.16
R6/94	LD	W9/94	13.76	13.76	0.00	0.00
R7/94	LD	W10/94	12.75	12.75	0.00	0.00
R7/94	LD	W11/94	10.77	10.15	0.62	5.76
R1/95	LKD	W1/95	7.57	7.17	0.40	5.28
R2/95	BEDROOM	W2/95	7.41	5.76	1.65	22.27
R3/95	BEDROOM	W3/95	11.55	8.70	2.85	24.68
R3/95	BEDROOM	W4/95	14.23	12.28	1.95	13.70



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/95	BEDROOM	W5/95	25.13	23.73	1.40	5.57
R5/95	BEDROOM	W6/95	13.90	13.39	0.51	3.67
R6/95	LD	W7/95	26.38	24.51	1.87	7.09
R6/95	LD	W8/95	16.38	14.69	1.69	10.32
R6/95	LD	W9/95	14.68	14.68	0.00	0.00
R7/95	LD	W10/95	13.73	13.73	0.00	0.00
R7/95	LD	W11/95	11.78	11.22	0.56	4.75
R1/96	LKD	W1/96	10.99	10.58	0.41	3.73
R2/96	BEDROOM	W2/96	8.04	6.43	1.61	20.02
R3/96	BEDROOM	W3/96	12.56	9.84	2.72	21.66
R3/96	BEDROOM	W4/96	27.30	25.44	1.86	6.81
R4/96	BEDROOM	W5/96	20.67	18.86	1.81	8.76
R5/96	BEDROOM	W6/96	14.81	14.37	0.44	2.97
R6/96	LD	W7/96	21.96	20.21	1.75	7.97
R6/96	LD	W8/96	29.45	27.91	1.54	5.23
R6/96	LD	W9/96	15.59	15.59	0.00	0.00
R7/96	LD	W10/96	14.73	14.73	0.00	0.00
R7/96	LD	W11/96	15.04	14.54	0.50	3.32
R1/97	LKD	W1/97	12.41	11.97	0.44	3.55
R2/97	BEDROOM	W2/97	8.85	7.31	1.54	17.40
R3/97	BEDROOM	W3/97	13.81	11.25	2.56	18.54
R3/97	BEDROOM	W4/97	22.79	21.05	1.74	7.63
R4/97	BEDROOM	W5/97	29.76	28.15	1.61	5.41
R5/97	BEDROOM	W6/97	16.04	15.66	0.38	2.37
R6/97	LD	W7/97	30.78	29.12	1.66	5.39
R6/97	LD	W8/97	24.61	23.08	1.53	6.22
R6/97	LD	W9/97	16.82	16.82	0.00	0.00
R7/97	LD	W10/97	15.62	15.62	0.00	0.00
R7/97	LD	W11/97	16.07	15.62	0.45	2.80



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/98	LKD	W1/98	11.52	10.91	0.61	5.30
R2/98	BEDROOM	W2/98	9.80	8.29	1.51	15.41
R3/98	BEDROOM	W3/98	15.41	12.97	2.44	15.83
R3/98	BEDROOM	W4/98	31.75	30.05	1.70	5.35
R4/98	BEDROOM	W5/98	21.25	19.62	1.63	7.67
R5/98	BEDROOM	W6/98	17.02	16.67	0.35	2.06
R6/98	LD	W7/98	22.16	20.62	1.54	6.95
R6/98	LD	W8/98	33.38	32.03	1.35	4.04
R6/98	LD	W9/98	18.51	18.51	0.00	0.00
R7/98	LD	W10/98	16.28	16.28	0.00	0.00
R7/98	LD	W11/98	14.58	14.20	0.38	2.61
R1/99	LKD	W1/99	13.99	13.15	0.84	6.00
R2/99	BEDROOM	W2/99	11.17	9.66	1.51	13.52
R3/99	BEDROOM	W3/99	17.75	15.37	2.38	13.41
R3/99	BEDROOM	W4/99	25.46	23.57	1.89	7.42
R4/99	BEDROOM	W5/99	34.37	32.59	1.78	5.18
R5/99	BEDROOM	W6/99	17.84	17.38	0.46	2.58
R6/99	LD	W7/99	34.77	33.07	1.70	4.89
R6/99	LD	W8/99	26.30	24.72	1.58	6.01
R6/99	LD	W9/99	20.55	20.55	0.00	0.00
R7/99	LD	W10/99	16.57	16.57	0.00	0.00
R7/99	LD	W11/99	16.36	16.05	0.31	1.89
R1/100	LKD	W1/100	13.58	12.43	1.15	8.47
R2/100	KITCHEN	W2/100	15.04	13.55	1.49	9.91
R3/100	LD	W3/100	21.70	19.40	2.30	10.60
R3/100	LD	W4/100	24.29	22.16	2.13	8.77
R4/100	BEDROOM	W5/100	37.05	35.11	1.94	5.24
R5/100	BEDROOM	W6/100	37.04	35.20	1.84	4.97



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/100	LD	W7/100	24.49	22.77	1.72	7.02
R6/100	LD	W8/100	24.10	24.10	0.00	0.00
R7/100	LD	W9/100	17.19	17.19	0.00	0.00
R7/100	LD	W10/100	15.04	14.79	0.25	1.66
R1/101	LKD	W1/101	23.69	22.61	1.08	4.56
R2/101	KITCHEN	W2/101	22.64	21.28	1.36	6.01
R3/101	LD	W3/101	27.92	25.84	2.08	7.45
R3/101	LD	W4/101	39.02	37.03	1.99	5.10
R4/101	BEDROOM	W5/101	39.08	37.21	1.87	4.79
R5/101	BEDROOM	W6/101	39.08	37.39	1.69	4.32
R6/101	LD	W7/101	39.11	37.55	1.56	3.99
R6/101	LD	W8/101	29.85	29.85	0.00	0.00
R7/101	LD	W9/101	19.70	19.70	0.00	0.00
R7/101	LD	W10/101	25.19	25.01	0.18	0.71
R1/102	KITCHEN	W1/102	33.19	31.89	1.30	3.92
R2/102	BEDROOM	W3/102	33.35	32.31	1.04	3.12
R3/102	BEDROOM	W2/102	34.89	33.96	0.93	2.67
R3/102	BEDROOM	W4/102	39.60	39.60	0.00	0.00
R4/102	LD	W5/102	34.57	32.15	2.42	7.00
R4/102	LD	W6/102	15.60	14.90	0.70	4.49
R5/102	BEDROOM	W7/102	13.39	12.75	0.64	4.78
R6/102	BEDROOM	W8/102	13.34	13.27	0.07	0.52
R7/102	LD	W9/102	15.73	15.26	0.47	2.99
R7/102	LD	W10/102	35.40	35.40	0.00	0.00
R1/103	BEDROOM	W2/103	37.76	35.92	1.84	4.87
R1/103	BEDROOM	W4/103	39.60	39.60	0.00	0.00
R2/103	BEDROOM	W3/103	37.57	35.55	2.02	5.38
R3/103	KITCHEN	W1/103	37.57	35.36	2.21	5.88



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/103	LD	W5/103	37.74	35.08	2.66	7.05
R4/103	LD	W6/103	15.72	15.18	0.54	3.44
R5/103	BEDROOM	W7/103	13.45	12.98	0.47	3.49
R6/103	BEDROOM	W8/103	13.43	13.40	0.03	0.22
R7/103	LD	W9/103	15.84	15.51	0.33	2.08
R7/103	LD	W10/103	39.44	39.44	0.00	0.00
R1/104	BEDROOM	W2/104	38.61	36.71	1.90	4.92
R1/104	BEDROOM	W4/104	39.60	39.60	0.00	0.00
R2/104	BEDROOM	W3/104	38.53	36.45	2.08	5.40
R3/104	KITCHEN	W1/104	38.53	36.29	2.24	5.81
R4/104	LD	W5/104	38.62	36.06	2.56	6.63
R4/104	LD	W6/104	15.77	15.38	0.39	2.47
R5/104	BEDROOM	W7/104	13.50	13.15	0.35	2.59
R6/104	BEDROOM	W8/104	13.49	13.46	0.03	0.22
R7/104	LD	W9/104	15.88	15.65	0.23	1.45
R7/104	LD	W10/104	39.60	39.60	0.00	0.00
R1/105	BEDROOM	W2/105	39.39	37.46	1.93	4.90
R1/105	BEDROOM	W4/105	39.60	39.60	0.00	0.00
R2/105	BEDROOM	W3/105	39.39	37.30	2.09	5.31
R3/105	KITCHEN	W1/105	39.39	37.18	2.21	5.61
R4/105	LD	W5/105	39.41	37.00	2.41	6.12
R4/105	LD	W6/105	15.78	15.53	0.25	1.58
R5/105	BEDROOM	W7/105	13.51	13.29	0.22	1.63
R6/105	BEDROOM	W8/105	13.50	13.48	0.02	0.15
R7/105	LD	W9/105	15.89	15.75	0.14	0.88
R7/105	LD	W10/105	39.60	39.60	0.00	0.00
R1/106	BEDROOM	W2/106	39.56	37.99	1.57	3.97
R1/106	BEDROOM	W4/106	39.60	39.60	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/106	BEDROOM	W3/106	39.58	37.89	1.69	4.27
R3/106	KITCHEN	W1/106	39.58	37.82	1.76	4.45
R4/106	LD	W5/106	39.59	37.70	1.89	4.77
R4/106	LD	W6/106	15.79	15.68	0.11	0.70
R5/106	BEDROOM	W7/106	13.52	13.42	0.10	0.74
R6/106	BEDROOM	W8/106	13.52	13.50	0.02	0.15
R7/106	LD	W9/106	15.90	15.84	0.06	0.38
R7/106	LD	W10/106	39.60	39.60	0.00	0.00
R1/107	BEDROOM	W2/107	39.58	38.48	1.10	2.78
R1/107	BEDROOM	W4/107	39.60	39.60	0.00	0.00
R2/107	BEDROOM	W3/107	39.60	38.43	1.17	2.95
R3/107	KITCHEN	W1/107	39.60	38.39	1.21	3.06
R4/107	LD	W5/107	39.62	38.34	1.28	3.23
R4/107	LD	W6/107	21.53	21.51	0.02	0.09
R5/107	BEDROOM	W7/107	18.69	18.68	0.01	0.05
R6/107	BEDROOM	W8/107	18.69	18.68	0.01	0.05
R7/107	LD	W9/107	21.69	21.69	0.00	0.00
R7/107	LD	W10/107	39.60	39.60	0.00	0.00
R1/111	LKD	W1/111	10.71	9.80	0.91	8.50
R1/111	LKD	W2/111	5.89	4.89	1.00	16.98
R2/111	BEDROOM	W3/111	7.41	6.34	1.07	14.44
R3/111	BEDROOM	W4/111	9.54	7.64	1.90	19.92
R3/111	BEDROOM	W5/111	11.71	10.03	1.68	14.35
R3/111	BEDROOM	W6/111	13.00	11.60	1.40	10.77
R4/111	BEDROOM	W7/111	22.52	21.46	1.06	4.71
R5/111	BEDROOM	W8/111	9.69	9.69	0.00	0.00
R6/111	LKD	W9/111	23.00	21.62	1.38	6.00
R6/111	LKD	W10/111	13.70	12.58	1.12	8.18
R6/111	LKD	W11/111	14.96	14.07	0.89	5.95



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/111	LKD	W12/111	15.33	15.33	0.00	0.00
R6/111	LKD	W13/111	12.79	12.79	0.00	0.00
R7/111	LKD	W14/111	12.36	12.36	0.00	0.00
R7/111	LKD	W15/111	16.62	16.62	0.00	0.00
R1/112	LKD	W1/112	11.87	11.01	0.86	7.25
R1/112	LKD	W2/112	6.72	5.75	0.97	14.43
R2/112	BEDROOM	W3/112	7.97	6.76	1.21	15.18
R3/112	BEDROOM	W4/112	10.21	8.22	1.99	19.49
R3/112	BEDROOM	W5/112	13.53	11.85	1.68	12.42
R3/112	BEDROOM	W6/112	14.65	13.22	1.43	9.76
R4/112	BEDROOM	W7/112	24.41	23.32	1.09	4.47
R5/112	BEDROOM	W8/112	11.00	11.00	0.00	0.00
R6/112	LKD	W9/112	25.10	23.69	1.41	5.62
R6/112	LKD	W10/112	15.71	14.56	1.15	7.32
R6/112	LKD	W11/112	16.76	15.83	0.93	5.55
R6/112	LKD	W12/112	16.19	16.19	0.00	0.00
R6/112	LKD	W13/112	13.47	13.47	0.00	0.00
R7/112	LKD	W14/112	13.33	13.33	0.00	0.00
R7/112	LKD	W15/112	17.94	17.94	0.00	0.00
R1/113	LKD	W1/113	13.09	12.30	0.79	6.04
R1/113	LKD	W2/113	7.60	6.69	0.91	11.97
R2/113	BEDROOM	W3/113	8.53	7.26	1.27	14.89
R3/113	BEDROOM	W4/113	10.88	8.84	2.04	18.75
R3/113	BEDROOM	W5/113	15.60	13.96	1.64	10.51
R3/113	BEDROOM	W6/113	16.55	15.13	1.42	8.58
R4/113	BEDROOM	W7/113	26.37	25.27	1.10	4.17
R5/113	BEDROOM	W8/113	12.43	12.43	0.00	0.00
R6/113	LKD	W9/113	27.20	25.81	1.39	5.11
R6/113	LKD	W10/113	17.81	16.67	1.14	6.40
R6/113	LKD	W11/113	18.73	17.77	0.96	5.13
R6/113	LKD	W12/113	17.14	17.14	0.00	0.00
R6/113	LKD	W13/113	14.21	14.21	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R7/113	LKD	W14/113	14.22	14.22	0.00	0.00
R7/113	LKD	W15/113	19.21	19.21	0.00	0.00
R1/114	LKD	W1/114	14.34	13.61	0.73	5.09
R1/114	LKD	W2/114	8.59	7.72	0.87	10.13
R2/114	BEDROOM	W3/114	9.07	7.81	1.26	13.89
R3/114	BEDROOM	W4/114	11.54	9.54	2.00	17.33
R3/114	BEDROOM	W5/114	17.63	16.04	1.59	9.02
R3/114	BEDROOM	W6/114	18.53	17.10	1.43	7.72
R4/114	BEDROOM	W7/114	28.35	27.24	1.11	3.92
R5/114	BEDROOM	W8/114	13.82	13.82	0.00	0.00
R6/114	LKD	W9/114	29.14	27.79	1.35	4.63
R6/114	LKD	W10/114	19.65	18.54	1.11	5.65
R6/114	LKD	W11/114	20.45	19.49	0.96	4.69
R6/114	LKD	W12/114	18.26	18.26	0.00	0.00
R6/114	LKD	W13/114	15.07	15.07	0.00	0.00
R7/114	LKD	W14/114	14.72	14.72	0.00	0.00
R7/114	LKD	W15/114	20.17	20.17	0.00	0.00
R1/115	LKD	W1/115	15.56	14.90	0.66	4.24
R1/115	LKD	W2/115	9.61	8.79	0.82	8.53
R2/115	BEDROOM	W3/115	9.68	8.35	1.33	13.74
R3/115	BEDROOM	W4/115	12.25	10.24	2.01	16.41
R3/115	BEDROOM	W5/115	19.47	17.93	1.54	7.91
R3/115	BEDROOM	W6/115	20.30	18.86	1.44	7.09
R4/115	BEDROOM	W7/115	30.17	29.04	1.13	3.75
R5/115	BEDROOM	W8/115	14.95	14.95	0.00	0.00
R6/115	LKD	W9/115	30.79	29.49	1.30	4.22
R6/115	LKD	W10/115	21.12	20.04	1.08	5.11
R6/115	LKD	W11/115	21.80	20.85	0.95	4.36
R6/115	LKD	W12/115	19.76	19.76	0.00	0.00
R6/115	LKD	W13/115	16.24	16.24	0.00	0.00
R7/115	LKD	W14/115	15.06	15.06	0.00	0.00
R7/115	LKD	W15/115	21.10	21.10	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/116	LKD	W1/116	17.87	17.26	0.61	3.41
R1/116	LKD	W2/116	12.23	11.48	0.75	6.13
R2/116	BEDROOM	W3/116	10.30	9.04	1.26	12.23
R3/116	BEDROOM	W4/116	13.06	11.11	1.95	14.93
R3/116	BEDROOM	W5/116	24.84	23.34	1.50	6.04
R3/116	BEDROOM	W6/116	25.44	24.00	1.44	5.66
R4/116	BEDROOM	W7/116	32.06	30.80	1.26	3.93
R5/116	BEDROOM	W8/116	16.07	16.07	0.00	0.00
R6/116	LKD	W9/116	32.51	31.24	1.27	3.91
R6/116	LKD	W10/116	26.05	24.99	1.06	4.07
R6/116	LKD	W11/116	26.53	25.60	0.93	3.51
R6/116	LKD	W12/116	21.75	21.75	0.00	0.00
R6/116	LKD	W13/116	17.68	17.68	0.00	0.00
R7/116	LKD	W14/116	17.06	17.06	0.00	0.00
R7/116	LKD	W15/116	23.22	23.21	0.01	0.04
R1/117	LKD	W1/117	18.96	18.38	0.58	3.06
R1/117	LKD	W2/117	12.86	12.07	0.79	6.14
R2/117	BEDROOM	W3/117	11.19	9.92	1.27	11.35
R3/117	BEDROOM	W4/117	14.13	12.22	1.91	13.52
R3/117	BEDROOM	W5/117	25.58	24.10	1.48	5.79
R3/117	BEDROOM	W6/117	26.16	24.78	1.38	5.28
R4/117	BEDROOM	W7/117	33.89	32.66	1.23	3.63
R5/117	BEDROOM	W8/117	17.35	17.35	0.00	0.00
R6/117	LKD	W9/117	34.11	32.90	1.21	3.55
R6/117	LKD	W10/117	26.35	25.26	1.09	4.14
R6/117	LKD	W11/117	26.66	25.65	1.01	3.79
R6/117	LKD	W12/117	25.42	25.42	0.00	0.00
R6/117	LKD	W13/117	20.64	20.64	0.00	0.00
R7/117	LKD	W14/117	16.72	16.72	0.00	0.00
R7/117	LKD	W15/117	24.34	24.28	0.06	0.25
R1/118	LKD	W1/118	19.39	18.75	0.64	3.30
R1/118	LKD	W2/118	12.79	11.99	0.80	6.25



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/118	BEDROOM	W3/118	12.22	10.97	1.25	10.23
R3/118	BEDROOM	W4/118	15.35	13.49	1.86	12.12
R3/118	BEDROOM	W5/118	24.95	23.43	1.52	6.09
R3/118	BEDROOM	W6/118	25.57	24.12	1.45	5.67
R4/118	BEDROOM	W7/118	36.02	34.67	1.35	3.75
R5/118	BEDROOM	W8/118	18.39	18.21	0.18	0.98
R6/118	LKD	W9/118	36.06	34.74	1.32	3.66
R6/118	LKD	W10/118	25.36	24.08	1.28	5.05
R6/118	LKD	W11/118	25.55	24.32	1.23	4.81
R6/118	LKD	W12/118	30.45	30.45	0.00	0.00
R6/118	LKD	W13/118	25.44	25.44	0.00	0.00
R7/118	LKD	W14/118	16.37	16.37	0.00	0.00
R7/118	LKD	W15/118	25.43	25.22	0.21	0.83
R1/119	LKD	W1/119	23.88	23.19	0.69	2.89
R1/119	LKD	W2/119	19.20	18.38	0.82	4.27
R2/119	BEDROOM	W3/119	13.86	12.65	1.21	8.73
R3/119	BEDROOM	W4/119	17.00	15.24	1.76	10.35
R3/119	BEDROOM	W5/119	38.44	36.94	1.50	3.90
R3/119	BEDROOM	W6/119	38.50	37.06	1.44	3.74
R4/119	BEDROOM	W7/119	38.55	37.14	1.41	3.66
R5/119	BEDROOM	W8/119	18.63	18.40	0.23	1.23
R6/119	LKD	W9/119	38.63	37.32	1.31	3.39
R6/119	LKD	W10/119	38.66	37.35	1.31	3.39
R6/119	LKD	W11/119	38.68	37.42	1.26	3.26
R6/119	LKD	W12/119	36.78	36.78	0.00	0.00
R6/119	LKD	W13/119	33.24	33.24	0.00	0.00
R7/119	LKD	W14/119	25.60	25.60	0.00	0.00
R7/119	LKD	W15/119	31.39	31.14	0.25	0.80
R1/120	KITCHEN	W3/120	13.95	13.49	0.46	3.30
R2/120	BEDROOM	W4/120	14.14	13.77	0.37	2.62
R3/120	LKD	W1/120	19.29	19.23	0.06	0.31
R3/120	LKD	W2/120	16.95	16.81	0.14	0.83



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R3/120	LKD	W5/120	16.79	16.79	0.00	0.00
R4/120	LD	W6/120	16.48	15.31	1.17	7.10
R4/120	LD	W7/120	18.77	17.11	1.66	8.84
R4/120	LD	W8/120	14.31	13.73	0.58	4.05
R4/120	LD	W9/120	15.82	15.28	0.54	3.41
R5/120	BEDROOM	W10/120	12.64	12.07	0.57	4.51
R6/120	BEDROOM	W11/120	13.15	12.98	0.17	1.29
R7/120	LD	W12/120	15.87	15.53	0.34	2.14
R7/120	LD	W13/120	14.13	13.78	0.35	2.48
R7/120	LD	W14/120	39.56	39.56	0.00	0.00
R7/120	LD	W15/120	39.55	39.55	0.00	0.00
R1/121	LKD	W1/121	20.01	19.96	0.05	0.25
R1/121	LKD	W2/121	17.69	17.58	0.11	0.62
R1/121	LKD	W5/121	16.79	16.79	0.00	0.00
R2/121	KITCHEN	W4/121	14.72	14.30	0.42	2.85
R3/121	BEDROOM	W3/121	14.85	14.51	0.34	2.29
R4/121	LD	W6/121	17.40	16.32	1.08	6.21
R4/121	LD	W7/121	19.71	18.20	1.51	7.66
R4/121	LD	W8/121	14.44	13.97	0.47	3.25
R4/121	LD	W9/121	15.95	15.53	0.42	2.63
R5/121	BEDROOM	W10/121	12.76	12.31	0.45	3.53
R6/121	BEDROOM	W11/121	13.27	13.13	0.14	1.06
R7/121	LD	W12/121	16.00	15.75	0.25	1.56
R7/121	LD	W13/121	14.25	13.98	0.27	1.89
R7/121	LD	W14/121	39.57	39.57	0.00	0.00
R7/121	LD	W15/121	39.57	39.57	0.00	0.00
R1/122	LKD	W1/122	20.91	20.83	0.08	0.38
R1/122	LKD	W2/122	18.65	18.51	0.14	0.75
R1/122	LKD	W5/122	24.04	24.04	0.00	0.00
R2/122	KITCHEN	W3/122	15.72	15.39	0.33	2.10
R3/122	BEDROOM	W4/122	15.82	15.56	0.26	1.64
R4/122	LD	W6/122	18.43	17.52	0.91	4.94



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/122	LD	W7/122	20.68	19.41	1.27	6.14
R4/122	LD	W8/122	20.00	19.64	0.36	1.80
R4/122	LD	W9/122	22.30	22.00	0.30	1.35
R5/122	BEDROOM	W10/122	18.12	17.78	0.34	1.88
R6/122	BEDROOM	W11/122	18.84	18.73	0.11	0.58
R7/122	LD	W12/122	22.44	22.27	0.17	0.76
R7/122	LD	W13/122	19.69	19.50	0.19	0.96
R7/122	LD	W14/122	39.58	39.58	0.00	0.00
R7/122	LD	W15/122	39.58	39.58	0.00	0.00

Battersea Power Station Phase 4 and 4A (Building A2)

R1/41	LKD	W1/41	19.70	17.62	2.08	10.56
R1/41	LKD	W2/41	13.32	10.93	2.39	17.94
R1/41	LKD	W3/41	20.27	17.71	2.56	12.63
R1/41	LKD	W21/41	28.35	28.35	0.00	0.00
R2/41	LD	W4/41	11.74	8.78	2.96	25.21
R2/41	LD	W5/41	15.95	12.77	3.18	19.94
R3/41	BEDROOM	W6/41	14.32	10.75	3.57	24.93
R3/41	BEDROOM	W7/41	21.10	17.52	3.58	16.97
R4/41	BEDROOM	W8/41	26.67	22.75	3.92	14.70
R5/41	BEDROOM	W9/41	28.19	24.13	4.06	14.40
R6/41	LKD	W10/41	28.66	24.42	4.24	14.79
R6/41	LKD	W11/41	29.52	24.97	4.55	15.41
R6/41	LKD	W12/41	3.56	2.08	1.48	41.57
R7/41	BEDROOM	W13/41	10.60	7.93	2.67	25.19
R8/41	KITCHEN	W14/41	14.10	11.44	2.66	18.87
R9/41	LD	W15/41	15.22	12.15	3.07	20.17
R9/41	LD	W16/41	7.27	6.90	0.37	5.09
R9/41	LD	W17/41	3.36	3.00	0.36	10.71
R10/41	BEDROOM	W18/41	5.01	4.78	0.23	4.59
R10/41	BEDROOM	W19/41	8.79	8.64	0.15	1.71
R11/41	BEDROOM	W20/41	17.56	17.56	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/42	LKD	W1/42	23.10	20.85	2.25	9.74
R1/42	LKD	W2/42	16.72	14.23	2.49	14.89
R1/42	LKD	W3/42	23.84	21.17	2.67	11.20
R1/42	LKD	W21/42	31.10	31.10	0.00	0.00
R2/42	LD	W4/42	15.08	12.06	3.02	20.03
R2/42	LD	W5/42	19.32	16.08	3.24	16.77
R3/42	BEDROOM	W6/42	17.51	13.93	3.58	20.45
R3/42	BEDROOM	W7/42	24.25	20.66	3.59	14.80
R4/42	BEDROOM	W8/42	29.77	25.83	3.94	13.23
R5/42	BEDROOM	W9/42	31.05	26.91	4.14	13.33
R6/42	LKD	W10/42	31.39	27.07	4.32	13.76
R6/42	LKD	W11/42	32.05	27.35	4.70	14.66
R6/42	LKD	W12/42	3.92	2.38	1.54	39.29
R7/42	BEDROOM	W13/42	11.81	9.02	2.79	23.62
R8/42	KITCHEN	W14/42	15.28	12.62	2.66	17.41
R9/42	LD	W15/42	16.36	13.34	3.02	18.46
R9/42	LD	W16/42	8.31	7.94	0.37	4.45
R9/42	LD	W17/42	4.03	3.68	0.35	8.68
R10/42	BEDROOM	W18/42	5.80	5.56	0.24	4.14
R10/42	BEDROOM	W19/42	10.03	9.88	0.15	1.50
R11/42	BEDROOM	W20/42	20.32	20.32	0.00	0.00
R1/43	LKD	W1/43	26.99	24.64	2.35	8.71
R1/43	LKD	W2/43	20.34	17.79	2.55	12.54
R1/43	LKD	W3/43	28.49	25.81	2.68	9.41
R1/43	LKD	W21/43	33.97	33.97	0.00	0.00
R2/43	LD	W4/43	18.80	15.85	2.95	15.69
R2/43	LD	W5/43	23.59	20.44	3.15	13.35
R3/43	BEDROOM	W6/43	20.68	17.24	3.44	16.63
R3/43	BEDROOM	W7/43	27.73	24.28	3.45	12.44
R4/43	BEDROOM	W8/43	33.01	29.22	3.79	11.48
R5/43	BEDROOM	W9/43	33.74	29.73	4.01	11.89



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/43	LKD	W10/43	33.91	29.72	4.19	12.36
R6/43	LKD	W11/43	34.26	29.67	4.59	13.40
R6/43	LKD	W12/43	4.34	2.79	1.55	35.71
R7/43	BEDROOM	W13/43	13.05	10.30	2.75	21.07
R8/43	KITCHEN	W14/43	16.57	13.97	2.60	15.69
R9/43	LD	W15/43	17.62	14.68	2.94	16.69
R9/43	LD	W16/43	9.82	9.46	0.36	3.67
R9/43	LD	W17/43	4.94	4.59	0.35	7.09
R10/43	BEDROOM	W18/43	6.76	6.52	0.24	3.55
R10/43	BEDROOM	W19/43	12.05	11.89	0.16	1.33
R11/43	BEDROOM	W20/43	22.70	22.70	0.00	0.00
R1/44	LKD	W1/44	35.36	32.98	2.38	6.73
R1/44	LKD	W2/44	35.42	32.90	2.52	7.11
R1/44	LKD	W3/44	35.46	32.80	2.66	7.50
R1/44	LKD	W21/44	37.71	37.71	0.00	0.00
R2/44	LD	W4/44	35.52	32.67	2.85	8.02
R2/44	LD	W5/44	35.61	32.59	3.02	8.48
R3/44	BEDROOM	W6/44	35.75	32.57	3.18	8.90
R3/44	BEDROOM	W7/44	35.81	32.64	3.17	8.85
R4/44	BEDROOM	W8/44	35.89	32.39	3.50	9.75
R5/44	BEDROOM	W9/44	35.97	32.27	3.70	10.29
R6/44	LKD	W10/44	35.99	32.10	3.89	10.81
R6/44	LKD	W11/44	36.04	31.78	4.26	11.82
R6/44	LKD	W12/44	5.91	4.27	1.64	27.75
R7/44	BEDROOM	W13/44	15.46	12.86	2.60	16.82
R8/44	KITCHEN	W14/44	18.11	15.62	2.49	13.75
R9/44	LD	W15/44	19.10	16.31	2.79	14.61
R9/44	LD	W16/44	16.10	15.74	0.36	2.24
R9/44	LD	W17/44	16.32	15.98	0.34	2.08
R10/44	BEDROOM	W18/44	16.60	16.29	0.31	1.87
R10/44	BEDROOM	W19/44	16.62	16.32	0.30	1.81



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R11/44	BEDROOM	W20/44	37.62	37.62	0.00	0.00
R1/45	BEDROOM	W1/45	38.34	38.34	0.00	0.00
R2/45	BEDROOM	W2/45	38.26	38.26	0.00	0.00
R2/45	BEDROOM	W3/45	37.07	33.89	3.18	8.58
R3/45	BEDROOM	W4/45	37.03	33.66	3.37	9.10
R3/45	BEDROOM	W5/45	37.00	33.45	3.55	9.59
R4/45	LKD	W6/45	36.95	33.06	3.89	10.53
R4/45	LKD	W7/45	5.25	3.76	1.49	28.38
R4/45	LKD	W8/45	16.24	13.85	2.39	14.72
R5/45	BEDROOM	W9/45	19.98	17.63	2.35	11.76
R6/45	BEDROOM	W10/45	20.86	18.20	2.66	12.75
R6/45	BEDROOM	W11/45	17.88	17.54	0.34	1.90
R6/45	BEDROOM	W12/45	18.12	17.78	0.34	1.88
R7/45	BEDROOM	W13/45	18.43	18.14	0.29	1.57
R7/45	BEDROOM	W14/45	18.44	18.15	0.29	1.57
R1/46	BEDROOM	W1/46	38.71	38.71	0.00	0.00
R2/46	BEDROOM	W2/46	38.73	38.73	0.00	0.00
R2/46	BEDROOM	W3/46	37.70	34.82	2.88	7.64
R3/46	BEDROOM	W4/46	37.65	34.61	3.04	8.07
R3/46	BEDROOM	W5/46	37.63	34.41	3.22	8.56
R4/46	LKD	W6/46	37.57	34.04	3.53	9.40
R4/46	LKD	W7/46	6.85	5.41	1.44	21.02
R4/46	LKD	W8/46	18.28	16.06	2.22	12.14
R5/46	BEDROOM	W9/46	22.04	19.80	2.24	10.16
R6/46	BEDROOM	W10/46	22.76	20.22	2.54	11.16
R6/46	BEDROOM	W11/46	19.73	19.38	0.35	1.77
R6/46	BEDROOM	W12/46	19.96	19.63	0.33	1.65
R7/46	BEDROOM	W13/46	20.32	20.02	0.30	1.48
R7/46	BEDROOM	W14/46	20.32	20.02	0.30	1.48
R1/47	BEDROOM	W1/47	38.92	38.92	0.00	0.00
R2/47	BEDROOM	W2/47	38.94	38.94	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/47	BEDROOM	W3/47	38.03	35.47	2.56	6.73
R3/47	BEDROOM	W4/47	38.00	35.28	2.72	7.16
R3/47	BEDROOM	W5/47	37.99	35.10	2.89	7.61
R4/47	LKD	W6/47	37.94	34.77	3.17	8.36
R4/47	LKD	W7/47	9.00	7.65	1.35	15.00
R4/47	LKD	W8/47	20.68	18.65	2.03	9.82
R5/47	BATHROOM	W9/47	24.40	22.29	2.11	8.65
R6/47	BEDROOM	W10/47	24.88	22.47	2.41	9.69
R6/47	BEDROOM	W11/47	21.73	21.38	0.35	1.61
R6/47	BEDROOM	W12/47	21.97	21.63	0.34	1.55
R7/47	BEDROOM	W13/47	22.36	22.06	0.30	1.34
R7/47	BEDROOM	W14/47	22.35	22.06	0.29	1.30
R1/48	BEDROOM	W1/48	39.12	39.12	0.00	0.00
R2/48	BEDROOM	W2/48	39.12	39.12	0.00	0.00
R2/48	BEDROOM	W3/48	38.31	36.09	2.22	5.79
R3/48	BEDROOM	W4/48	38.29	35.93	2.36	6.16
R3/48	BEDROOM	W5/48	38.28	35.78	2.50	6.53
R4/48	LKD	W6/48	38.24	35.48	2.76	7.22
R4/48	LKD	W7/48	14.92	13.41	1.51	10.12
R4/48	LKD	W8/48	25.07	22.98	2.09	8.34
R5/48	BATHROOM	W9/48	27.18	25.02	2.16	7.95
R6/48	BEDROOM	W10/48	27.30	24.88	2.42	8.86
R6/48	BEDROOM	W11/48	23.98	23.64	0.34	1.42
R6/48	BEDROOM	W12/48	24.22	23.89	0.33	1.36
R7/48	BEDROOM	W13/48	24.66	24.37	0.29	1.18
R7/48	BEDROOM	W14/48	24.65	24.35	0.30	1.22

Battersea Power Station Phase 4 and 4A (Building A3)

R1/21	LKD	W1/21	13.76	13.72	0.04	0.29
R1/21	LKD	W2/21	7.19	7.18	0.01	0.14
R1/21	LKD	W3/21	31.58	24.63	6.95	22.01
R2/21	BEDROOM	W4/21	31.66	24.09	7.57	23.91



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R3/21	BEDROOM	W5/21	31.65	23.60	8.05	25.43
R4/21	BEDROOM	W6/21	30.67	21.80	8.87	28.92
R5/21	LKD	W7/21	17.30	9.31	7.99	46.18
R6/21	BEDROOM	W8/21	15.89	7.12	8.77	55.19
R7/21	BEDROOM	W9/21	28.46	18.05	10.41	36.58
R8/21	BEDROOM	W10/21	29.09	18.38	10.71	36.82
R9/21	BEDROOM	W11/21	19.27	9.79	9.48	49.20
R10/21	LD	W12/21	16.87	6.30	10.57	62.66
R10/21	LD	W13/21	28.98	15.98	13.00	44.86
R11/21	KITCHEN	W14/21	24.42	4.50	19.92	81.57
R11/21	KITCHEN	W15/21	24.74	5.14	19.60	79.22
R12/21	BEDROOM	W16/21	22.15	2.80	19.35	87.36
R12/21	BEDROOM	W17/21	24.61	5.24	19.37	78.71
R13/21	BEDROOM	W18/21	24.25	2.45	21.80	89.90
R13/21	BEDROOM	W19/21	22.68	5.51	17.17	75.71
R14/21	BEDROOM	W20/21	23.91	2.34	21.57	90.21
R14/21	BEDROOM	W21/21	22.49	5.82	16.67	74.12
R15/21	BEDROOM	W22/21	15.18	9.02	6.16	40.58
R15/21	BEDROOM	W23/21	14.48	8.79	5.69	39.30
R16/21	BEDROOM	W24/21	12.26	7.07	5.19	42.33
R16/21	BEDROOM	W25/21	6.35	1.59	4.76	74.96
R17/21	BEDROOM	W26/21	2.76	0.59	2.17	78.62
R18/21	LD	W27/21	3.17	1.65	1.52	47.95
R18/21	LD	W28/21	9.20	7.69	1.51	16.41
R19/21	BEDROOM	W29/21	10.48	8.10	2.38	22.71
R19/21	BEDROOM	W30/21	10.06	7.81	2.25	22.37
R20/21	BEDROOM	W31/21	8.03	6.06	1.97	24.53
R21/21	LD	W32/21	2.16	1.26	0.90	41.67



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/22	LKD	W1/22	16.08	16.02	0.06	0.37
R1/22	LKD	W2/22	8.31	8.28	0.03	0.36
R1/22	LKD	W3/22	34.08	26.10	7.98	23.42
R2/22	BEDROOM	W4/22	34.06	25.55	8.51	24.99
R3/22	BEDROOM	W5/22	33.93	25.04	8.89	26.20
R4/22	BEDROOM	W6/22	32.77	23.15	9.62	29.36
R5/22	LKD	W7/22	19.27	10.32	8.95	46.45
R6/22	BEDROOM	W8/22	17.80	8.25	9.55	53.65
R7/22	BEDROOM	W9/22	30.27	19.42	10.85	35.84
R8/22	BEDROOM	W10/22	30.67	19.66	11.01	35.90
R9/22	BEDROOM	W11/22	20.75	10.79	9.96	48.00
R10/22	LD	W12/22	18.32	7.38	10.94	59.72
R10/22	LD	W13/22	30.41	17.28	13.13	43.18
R11/22	KITCHEN	W14/22	25.47	5.09	20.38	80.02
R11/22	KITCHEN	W15/22	26.04	5.55	20.49	78.69
R12/22	BEDROOM	W16/22	22.99	3.22	19.77	85.99
R12/22	BEDROOM	W17/22	25.94	5.68	20.26	78.10
R13/22	BEDROOM	W18/22	25.20	2.77	22.43	89.01
R13/22	BEDROOM	W19/22	23.98	5.99	17.99	75.02
R14/22	BEDROOM	W20/22	24.85	2.64	22.21	89.38
R14/22	BEDROOM	W21/22	23.84	6.44	17.40	72.99
R15/22	BEDROOM	W22/22	16.49	10.12	6.37	38.63
R15/22	BEDROOM	W23/22	15.70	9.89	5.81	37.01
R16/22	BEDROOM	W24/22	13.35	8.10	5.25	39.33
R16/22	BEDROOM	W25/22	6.85	2.06	4.79	69.93
R17/22	BEDROOM	W26/22	3.19	0.90	2.29	71.79
R18/22	LD	W27/22	3.62	1.98	1.64	45.30
R18/22	LD	W28/22	10.23	8.68	1.55	15.15
R19/22	BEDROOM	W29/22	11.49	9.08	2.41	20.97



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R19/22	BEDROOM	W30/22	11.03	8.79	2.24	20.31
R20/22	BEDROOM	W31/22	8.87	6.91	1.96	22.10
R21/22	LD	W32/22	2.46	1.50	0.96	39.02
R1/23	LKD	W1/23	8.77	8.74	0.03	0.34
R1/23	LKD	W2/23	17.19	17.14	0.05	0.29
R1/23	LKD	W3/23	35.16	27.43	7.73	21.99
R2/23	BEDROOM	W4/23	35.06	26.87	8.19	23.36
R3/23	BEDROOM	W5/23	34.88	26.36	8.52	24.43
R4/23	BEDROOM	W6/23	33.60	24.41	9.19	27.35
R5/23	LKD	W7/23	20.10	11.36	8.74	43.48
R6/23	BEDROOM	W8/23	18.65	9.42	9.23	49.49
R7/23	BEDROOM	W9/23	31.09	20.84	10.25	32.97
R8/23	BEDROOM	W10/23	31.36	21.00	10.36	33.04
R9/23	BEDROOM	W11/23	21.41	11.90	9.51	44.42
R10/23	LD	W12/23	19.06	8.55	10.51	55.14
R10/23	LD	W13/23	31.14	18.65	12.49	40.11
R11/23	KITCHEN	W14/23	26.35	5.71	20.64	78.33
R11/23	KITCHEN	W15/23	26.83	5.96	20.87	77.79
R12/23	BEDROOM	W16/23	23.84	3.69	20.15	84.52
R12/23	BEDROOM	W17/23	26.71	6.11	20.60	77.12
R13/23	BEDROOM	W18/23	26.12	3.18	22.94	87.83
R13/23	BEDROOM	W19/23	24.67	6.49	18.18	73.69
R14/23	BEDROOM	W20/23	25.77	3.03	22.74	88.24
R14/23	BEDROOM	W21/23	24.58	7.10	17.48	71.11
R15/23	BEDROOM	W22/23	17.55	11.32	6.23	35.50
R15/23	BEDROOM	W23/23	16.79	11.11	5.68	33.83
R16/23	BEDROOM	W24/23	14.42	9.29	5.13	35.58
R16/23	BEDROOM	W25/23	7.28	2.61	4.67	64.15



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R17/23	BEDROOM	W26/23	3.55	1.25	2.30	64.79
R18/23	LD	W27/23	4.06	2.35	1.71	42.12
R18/23	LD	W28/23	11.34	9.82	1.52	13.40
R19/23	BEDROOM	W29/23	12.60	10.22	2.38	18.89
R19/23	BEDROOM	W30/23	12.13	9.95	2.18	17.97
R20/23	BEDROOM	W31/23	9.82	7.91	1.91	19.45
R21/23	LD	W32/23	2.81	1.83	0.98	34.88
R1/24	LKD	W1/24	19.74	19.69	0.05	0.25
R1/24	LKD	W2/24	10.85	10.82	0.03	0.28
R1/24	LKD	W3/24	36.01	28.78	7.23	20.08
R2/24	BEDROOM	W4/24	35.86	28.21	7.65	21.33
R3/24	BEDROOM	W5/24	35.66	27.73	7.93	22.24
R4/24	BEDROOM	W6/24	34.27	25.73	8.54	24.92
R5/24	LKD	W7/24	20.69	12.41	8.28	40.02
R6/24	BEDROOM	W8/24	19.30	10.57	8.73	45.23
R7/24	BEDROOM	W9/24	31.82	22.33	9.49	29.82
R8/24	BEDROOM	W10/24	32.00	22.45	9.55	29.84
R9/24	BEDROOM	W11/24	22.01	13.06	8.95	40.66
R10/24	LD	W12/24	19.74	9.76	9.98	50.56
R10/24	LD	W13/24	31.86	20.14	11.72	36.79
R11/24	KITCHEN	W14/24	27.20	6.40	20.80	76.47
R11/24	KITCHEN	W15/24	27.63	6.42	21.21	76.76
R12/24	BEDROOM	W16/24	24.67	4.23	20.44	82.85
R12/24	BEDROOM	W17/24	27.49	6.61	20.88	75.95
R13/24	BEDROOM	W18/24	27.02	3.64	23.38	86.53
R13/24	BEDROOM	W19/24	25.38	7.05	18.33	72.22
R14/24	BEDROOM	W20/24	26.66	3.47	23.19	86.98
R14/24	BEDROOM	W21/24	25.33	7.85	17.48	69.01



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R15/24	BEDROOM	W22/24	18.81	12.74	6.07	32.27
R15/24	BEDROOM	W23/24	18.08	12.54	5.54	30.64
R16/24	BEDROOM	W24/24	15.65	10.67	4.98	31.82
R16/24	BEDROOM	W25/24	7.78	3.24	4.54	58.35
R17/24	LD	W26/24	3.95	1.63	2.32	58.73
R17/24	LD	W27/24	4.55	2.80	1.75	38.46
R18/24	BEDROOM	W28/24	12.67	11.17	1.50	11.84
R19/24	BEDROOM	W29/24	13.93	11.59	2.34	16.80
R19/24	BEDROOM	W30/24	13.45	11.31	2.14	15.91
R20/24	BEDROOM	W31/24	10.92	9.07	1.85	16.94
R21/24	LD	W32/24	3.31	2.32	0.99	29.91
R1/25	LKD	W1/25	21.04	21.00	0.04	0.19
R1/25	LKD	W2/25	12.32	12.29	0.03	0.24
R1/25	LKD	W3/25	36.63	29.95	6.68	18.24
R2/25	BEDROOM	W4/25	36.49	29.41	7.08	19.40
R3/25	BEDROOM	W5/25	36.31	28.96	7.35	20.24
R4/25	BEDROOM	W6/25	34.89	27.06	7.83	22.44
R5/25	LKD	W7/25	21.20	13.43	7.77	36.65
R6/25	BEDROOM	W8/25	19.93	11.72	8.21	41.19
R7/25	BEDROOM	W9/25	32.61	23.86	8.75	26.83
R8/25	BEDROOM	W10/25	32.71	24.04	8.67	26.51
R9/25	BEDROOM	W11/25	22.61	14.26	8.35	36.93
R10/25	LD	W12/25	20.35	10.95	9.40	46.19
R10/25	LD	W13/25	32.55	21.73	10.82	33.24
R11/25	KITCHEN	W14/25	28.06	7.19	20.87	74.38
R11/25	KITCHEN	W15/25	28.45	6.96	21.49	75.54
R12/25	BEDROOM	W16/25	25.51	4.83	20.68	81.07
R12/25	BEDROOM	W17/25	28.30	7.20	21.10	74.56



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R13/25	BEDROOM	W18/25	27.93	4.18	23.75	85.03
R13/25	BEDROOM	W19/25	26.11	7.72	18.39	70.43
R14/25	BEDROOM	W20/25	27.55	4.00	23.55	85.48
R14/25	BEDROOM	W21/25	26.14	8.72	17.42	66.64
R15/25	BEDROOM	W22/25	20.22	14.33	5.89	29.13
R15/25	BEDROOM	W23/25	19.56	14.19	5.37	27.45
R16/25	BEDROOM	W24/25	17.09	12.26	4.83	28.26
R16/25	BEDROOM	W25/25	8.37	3.96	4.41	52.69
R17/25	LD	W26/25	4.40	2.07	2.33	52.95
R17/25	LD	W27/25	5.08	3.32	1.76	34.65
R18/25	BEDROOM	W28/25	14.25	12.73	1.52	10.67
R19/25	BEDROOM	W29/25	15.56	13.28	2.28	14.65
R19/25	BEDROOM	W30/25	15.08	13.00	2.08	13.79
R20/25	BEDROOM	W31/25	12.26	10.44	1.82	14.85
R21/25	LD	W32/25	3.87	2.85	1.02	26.36
R1/26	LKD	W1/26	23.74	23.70	0.04	0.17
R1/26	LKD	W2/26	14.87	14.84	0.03	0.20
R1/26	LKD	W3/26	37.19	31.09	6.10	16.40
R2/26	BEDROOM	W4/26	37.08	30.61	6.47	17.45
R3/26	BEDROOM	W5/26	36.96	30.22	6.74	18.24
R4/26	BEDROOM	W6/26	35.99	28.82	7.17	19.92
R5/26	LKD	W7/26	21.66	14.43	7.23	33.38
R6/26	BEDROOM	W8/26	20.54	12.82	7.72	37.59
R7/26	BEDROOM	W9/26	34.16	26.02	8.14	23.83
R8/26	BEDROOM	W10/26	34.21	26.25	7.96	23.27
R9/26	BEDROOM	W11/26	23.19	15.46	7.73	33.33
R10/26	LD	W12/26	20.91	12.08	8.83	42.23
R10/26	LD	W13/26	33.85	23.90	9.95	29.39



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R11/26	KITCHEN	W14/26	28.95	8.09	20.86	72.06
R11/26	KITCHEN	W15/26	29.36	7.67	21.69	73.88
R12/26	BEDROOM	W16/26	26.45	5.58	20.87	78.90
R12/26	BEDROOM	W17/26	29.22	7.98	21.24	72.69
R13/26	BEDROOM	W18/26	28.93	4.87	24.06	83.17
R13/26	BEDROOM	W19/26	26.96	8.57	18.39	68.21
R14/26	BEDROOM	W20/26	28.52	4.70	23.82	83.52
R14/26	BEDROOM	W21/26	27.00	9.72	17.28	64.00
R15/26	BEDROOM	W22/26	21.83	16.14	5.69	26.07
R15/26	BEDROOM	W23/26	21.34	16.16	5.18	24.27
R16/26	BEDROOM	W24/26	19.32	14.66	4.66	24.12
R16/26	BEDROOM	W25/26	9.06	4.81	4.25	46.91
R17/26	LD	W26/26	4.91	2.56	2.35	47.86
R17/26	LD	W27/26	5.66	3.88	1.78	31.45
R18/26	BEDROOM	W28/26	16.63	15.08	1.55	9.32
R19/26	BEDROOM	W29/26	17.61	15.38	2.23	12.66
R19/26	BEDROOM	W30/26	17.12	15.09	2.03	11.86
R20/26	BEDROOM	W31/26	14.30	12.54	1.76	12.31
R21/26	LD	W32/26	4.50	3.44	1.06	23.56
R1/27	LKD	W1/27	26.95	26.92	0.03	0.11
R1/27	LKD	W2/27	19.10	19.07	0.03	0.16
R1/27	LKD	W3/27	37.59	32.07	5.52	14.68
R2/27	BEDROOM	W4/27	37.49	31.62	5.87	15.66
R3/27	BEDROOM	W5/27	37.41	31.26	6.15	16.44
R4/27	BEDROOM	W6/27	37.28	30.60	6.68	17.92
R5/27	LKD	W7/27	37.18	30.15	7.03	18.91
R6/27	BEDROOM	W8/27	37.10	29.79	7.31	19.70
R7/27	BEDROOM	W9/27	36.95	29.43	7.52	20.35
R8/27	BEDROOM	W10/27	36.88	29.11	7.77	21.07



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R9/27	BEDROOM	W11/27	36.76	28.63	8.13	22.12
R10/27	LD	W12/27	36.57	27.97	8.60	23.52
R10/27	LD	W13/27	36.48	27.36	9.12	25.00
R11/27	KITCHEN	W14/27	30.37	9.39	20.98	69.08
R11/27	KITCHEN	W15/27	31.50	9.81	21.69	68.86
R12/27	BEDROOM	W16/27	28.74	7.75	20.99	73.03
R12/27	BEDROOM	W17/27	31.28	10.11	21.17	67.68
R13/27	BEDROOM	W18/27	31.13	6.82	24.31	78.09
R13/27	BEDROOM	W19/27	29.08	10.89	18.19	62.55
R14/27	BEDROOM	W20/27	30.69	6.67	24.02	78.27
R14/27	BEDROOM	W21/27	28.29	11.30	16.99	60.06
R15/27	BEDROOM	W22/27	23.49	18.03	5.46	23.24
R15/27	BEDROOM	W23/27	23.14	18.17	4.97	21.48
R16/27	BEDROOM	W24/27	22.36	17.90	4.46	19.95
R16/27	BEDROOM	W25/27	22.23	18.16	4.07	18.31
R17/27	LD	W26/27	21.63	18.11	3.52	16.27
R17/27	LD	W27/27	21.07	18.06	3.01	14.29
R18/27	BEDROOM	W28/27	20.38	17.70	2.68	13.15
R19/27	BEDROOM	W29/27	19.71	17.49	2.22	11.26
R19/27	BEDROOM	W30/27	19.26	17.30	1.96	10.18
R20/27	BEDROOM	W31/27	19.29	17.60	1.69	8.76
R21/27	LD	W32/27	19.88	18.43	1.45	7.29
R1/28	LKD	W1/28	28.53	28.51	0.02	0.07
R1/28	LKD	W2/28	20.06	20.04	0.02	0.10
R1/28	LKD	W3/28	37.97	33.11	4.86	12.80
R2/28	BEDROOM	W4/28	37.90	32.73	5.17	13.64
R3/28	BEDROOM	W5/28	37.84	32.41	5.43	14.35
R4/28	BEDROOM	W6/28	37.73	31.80	5.93	15.72
R5/28	BEDROOM	W7/28	37.65	31.38	6.27	16.65



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/28	LKD	W8/28	37.57	31.02	6.55	17.43
R6/28	LKD	W9/28	27.53	10.44	17.09	62.08
R6/28	LKD	W10/28	19.97	4.56	15.41	77.17
R7/28	LKD	W11/28	22.01	7.68	14.33	65.11
R7/28	LKD	W12/28	21.96	19.86	2.10	9.56
R7/28	LKD	W13/28	21.51	19.67	1.84	8.55
R8/28	BEDROOM	W14/28	21.62	20.02	1.60	7.40
R9/28	BEDROOM	W15/28	22.07	20.79	1.28	5.80
R1/29	LKD	W1/29	29.15	29.13	0.02	0.07
R1/29	LKD	W2/29	20.34	20.33	0.01	0.05
R1/29	LKD	W3/29	38.29	34.06	4.23	11.05
R2/29	BEDROOM	W4/29	38.23	33.71	4.52	11.82
R3/29	BEDROOM	W5/29	38.18	33.42	4.76	12.47
R4/29	BEDROOM	W6/29	38.09	32.88	5.21	13.68
R5/29	BEDROOM	W7/29	38.02	32.48	5.54	14.57
R6/29	LKD	W8/29	37.95	32.15	5.80	15.28
R6/29	LKD	W9/29	28.41	11.99	16.42	57.80
R6/29	LKD	W10/29	20.98	5.75	15.23	72.59
R7/29	LKD	W11/29	23.08	9.21	13.87	60.10
R7/29	LKD	W12/29	24.24	22.26	1.98	8.17
R7/29	LKD	W13/29	23.84	22.09	1.75	7.34
R8/29	BEDROOM	W14/29	23.89	22.38	1.51	6.32
R9/29	BEDROOM	W15/29	24.22	23.00	1.22	5.04
R1/30	LKD	W1/30	29.21	29.20	0.01	0.03
R1/30	LKD	W2/30	20.20	20.18	0.02	0.10
R1/30	LKD	W3/30	38.59	35.00	3.59	9.30
R2/30	BEDROOM	W4/30	38.54	34.68	3.86	10.02
R3/30	BEDROOM	W5/30	38.50	34.43	4.07	10.57
R4/30	BEDROOM	W6/30	38.42	33.97	4.45	11.58



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R5/30	BEDROOM	W7/30	38.36	33.60	4.76	12.41
R6/30	LKD	W8/30	38.31	33.29	5.02	13.10
R6/30	LKD	W9/30	28.77	13.27	15.50	53.88
R6/30	LKD	W10/30	21.23	6.60	14.63	68.91
R7/30	LKD	W11/30	23.50	10.38	13.12	55.83
R7/30	LKD	W12/30	26.69	24.82	1.87	7.01
R7/30	LKD	W13/30	26.35	24.69	1.66	6.30
R8/30	BEDROOM	W14/30	26.34	24.91	1.43	5.43
R9/30	BEDROOM	W15/30	26.53	25.36	1.17	4.41

142-192 Thessaly Road

R2/300	KITCHEN	W2/300	2.85	1.53	1.32	46.32
R4/300	KITCHEN	W4/300	2.82	1.81	1.01	35.82
R6/300	KITCHEN	W6/300	3.31	2.43	0.88	26.59
R8/300	KITCHEN	W8/300	3.10	2.41	0.69	22.26
R10/300	KITCHEN	W10/300	2.86	2.35	0.51	17.83
R12/300	KITCHEN	W12/300	2.75	2.17	0.58	21.09
R14/300	KITCHEN	W14/300	1.76	1.37	0.39	22.16
R16/300	KITCHEN	W16/300	1.64	1.27	0.37	22.56
R18/300	KITCHEN	W18/300	1.16	0.45	0.71	61.21
R3/301	BEDROOM	W3/301	22.57	21.15	1.42	6.29
R6/301	BEDROOM	W6/301	23.04	21.85	1.19	5.16
R9/301	BEDROOM	W9/301	23.74	22.69	1.05	4.42
R12/301	BEDROOM	W12/301	23.65	22.79	0.86	3.64
R15/301	BEDROOM	W15/301	23.28	22.72	0.56	2.41
R18/301	BEDROOM	W18/301	22.98	22.44	0.54	2.35



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R21/301	BEDROOM	W21/301	21.81	21.45	0.36	1.65
R24/301	BEDROOM	W24/301	20.75	20.32	0.43	2.07
R27/301	BEDROOM	W27/301	16.01	14.91	1.10	6.87
R2/302	KITCHEN	W2/302	6.19	4.58	1.61	26.01
R4/302	KITCHEN	W4/302	6.11	4.89	1.22	19.97
R6/302	KITCHEN	W6/302	6.45	5.35	1.10	17.05
R8/302	KITCHEN	W8/302	6.22	5.36	0.86	13.83
R10/302	KITCHEN	W10/302	6.00	5.40	0.60	10.00
R12/302	KITCHEN	W12/302	5.88	5.28	0.60	10.20
R14/302	KITCHEN	W14/302	5.15	4.69	0.46	8.93
R16/302	KITCHEN	W16/302	5.10	4.53	0.57	11.18
R18/302	KITCHEN	W18/302	3.66	2.73	0.93	25.41
R3/303	BEDROOM	W3/303	26.35	24.55	1.80	6.83
R6/303	BEDROOM	W6/303	26.65	25.23	1.42	5.33
R9/303	BEDROOM	W9/303	27.29	25.97	1.32	4.84
R12/303	BEDROOM	W12/303	27.36	26.30	1.06	3.87
R15/303	BEDROOM	W15/303	27.24	26.57	0.67	2.46
R18/303	BEDROOM	W18/303	27.24	26.67	0.57	2.09
R21/303	BEDROOM	W21/303	26.67	26.23	0.44	1.65
R24/303	BEDROOM	W24/303	26.01	25.36	0.65	2.50
R27/303	BEDROOM	W27/303	20.19	18.82	1.37	6.79
R1/310	ASSUMED	W1/310	17.50	16.43	1.07	6.11
R2/310	ASSUMED	W3/310	18.79	17.63	1.16	6.17
R3/310	ASSUMED	W4/310	21.48	20.18	1.30	6.05



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/310	ASSUMED	W5/310	16.88	15.48	1.40	8.29
R2/311	KITCHEN	W2/311	4.10	2.52	1.58	38.54
R3/311	KITCHEN	W3/311	2.55	1.16	1.39	54.51
R6/311	KITCHEN	W6/311	3.22	1.94	1.28	39.75
R3/312	BEDROOM	W3/312	26.18	24.28	1.90	7.26
R4/312	BEDROOM	W4/312	20.49	18.48	2.01	9.81
R5/312	BEDROOM	W5/312	21.94	20.03	1.91	8.71
R1/313	LKD	W1/313	6.84	4.71	2.13	31.14
R1/313	LKD	W3/313	20.48	20.48	0.00	0.00
R2/313	BEDROOM	W2/313	24.18	21.97	2.21	9.14
R1/314	LKD	W1/314	5.46	3.02	2.44	44.69
R1/314	LKD	W3/314	36.39	36.39	0.00	0.00
R2/314	BEDROOM	W2/314	27.85	25.50	2.35	8.44



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
------	----------	------------------	----------------	----------------	------------	-------

Viridian Apartments, 75 Battersea Park Road

R1/10	ASSUMED	274.0	77.8	74.5	3.3	4.2
R2/10	ASSUMED	179.5	75.7	75.5	0.2	0.3
R3/10	LKD	230.2	111.2	83.6	27.6	24.8
R4/10	BEDROOM	113.8	95.4	80.1	15.2	15.9
R5/10	BEDROOM	125.6	125.2	111.9	13.3	10.6
R6/10	LKD	235.6	143.3	133.2	10.1	7.0
R7/10	LKD	209.7	102.7	82.0	20.7	20.2
R8/10	BEDROOM	92.4	73.4	58.6	14.8	20.2
R9/10	BEDROOM	151.1	120.4	110.7	9.7	8.1
R10/10	LKD	220.8	113.7	95.0	18.7	16.4
R11/10	BEDROOM	92.7	80.4	62.6	17.8	22.1
R12/10	BEDROOM	128.0	105.5	75.7	29.7	28.2
R13/10	BEDROOM	115.3	97.8	71.9	25.9	26.5
R14/10	BEDROOM	90.1	73.8	52.8	21.0	28.5
R15/10	LKD	204.8	92.8	82.3	10.4	11.2
R16/10	LKD	214.4	91.3	89.5	1.8	2.0
R17/10	BEDROOM	122.4	95.9	71.4	24.4	25.4
R18/10	LKD	226.4	106.7	167.5	-60.8	-57.0
R19/10	BEDROOM	95.3	71.0	81.4	-10.5	-14.8
R20/10	BEDROOM	127.0	105.9	109.0	-3.2	-3.0
R21/10	BEDROOM	127.8	124.6	127.1	-2.5	-2.0
R22/10	BEDROOM	95.6	95.5	95.6	-0.2	-0.2
R23/10	LKD	223.8	207.0	208.9	-1.9	-0.9
R24/10	LKD	206.1	194.1	194.5	-0.4	-0.2
R25/10	BEDROOM	113.2	111.6	111.6	0.0	0.0
R26/10	LKD	120.7	112.8	112.8	0.0	0.0
R27/10	BEDROOM	75.4	74.8	74.8	0.0	0.0
R28/10	LKD	188.8	180.6	180.6	0.0	0.0
R29/10	BEDROOM	87.9	87.3	87.2	0.2	0.2
R1/11	ASSUMED	274.0	65.3	65.3	0.0	0.0
R2/11	ASSUMED	184.7	93.9	93.9	0.0	0.0
R3/11	LKD	230.2	70.4	63.0	7.4	10.5
R4/11	BEDROOM	113.8	99.6	86.0	13.6	13.7
R5/11	BEDROOM	125.6	91.1	74.9	16.2	17.8
R6/11	LKD	235.6	187.4	146.2	41.2	22.0
R7/11	LKD	230.8	185.8	101.6	84.2	45.3
R8/11	BEDROOM	97.5	92.5	56.9	35.6	38.5
R9/11	BEDROOM	127.3	104.9	65.5	39.5	37.7
R10/11	LKD	218.9	204.7	92.3	112.4	54.9
R11/11	BEDROOM	90.1	85.0	34.5	50.6	59.5
R12/11	BEDROOM	127.3	123.2	46.6	76.5	62.1
R13/11	BEDROOM	115.3	112.1	59.5	52.6	46.9
R14/11	BEDROOM	90.1	85.3	32.0	53.3	62.5
R15/11	LKD	204.8	187.5	63.9	123.6	65.9
R16/11	SITTINGROOM	230.5	213.5	102.9	110.5	51.8



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R17/11	BEDROOM	118.6	88.3	24.4	64.0	72.5
R18/11	LKD	226.4	195.8	121.3	74.5	38.0
R19/11	BEDROOM	95.3	91.6	56.9	34.6	37.8
R20/11	BEDROOM	127.0	123.4	103.9	19.6	15.9
R21/11	BEDROOM	127.8	123.7	80.8	42.9	34.7
R22/11	BEDROOM	95.6	91.5	69.5	22.0	24.0
R23/11	LKD	223.8	209.5	207.8	1.7	0.8
R24/11	BEDROOM	115.7	81.0	62.1	18.9	23.3
R25/11	LKD	211.3	197.4	195.7	1.7	0.9
R26/11	LKD	306.3	287.4	280.2	7.2	2.5
R27/11	BEDROOM	160.8	158.6	158.5	0.1	0.1
R28/11	BEDROOM	214.7	195.7	195.7	0.0	0.0
R1/12	ASSUMED	274.0	104.3	104.3	0.0	0.0
R2/12	ASSUMED	184.7	103.5	103.5	0.0	0.0
R3/12	LKD	230.2	77.4	71.6	5.8	7.5
R4/12	BEDROOM	113.8	102.9	90.9	12.0	11.7
R5/12	BEDROOM	125.6	94.0	78.2	15.8	16.8
R6/12	LKD	235.6	194.2	151.7	42.5	21.9
R7/12	LKD	230.8	204.6	121.0	83.5	40.8
R8/12	BEDROOM	97.5	92.8	58.3	34.4	37.1
R9/12	BEDROOM	127.3	126.3	87.5	38.8	30.7
R10/12	LKD	218.9	204.7	95.1	109.7	53.6
R11/12	BEDROOM	90.1	85.0	34.5	50.5	59.4
R12/12	BEDROOM	127.3	123.2	47.6	75.6	61.4
R13/12	BEDROOM	115.3	112.1	60.4	51.7	46.1
R14/12	BEDROOM	90.1	85.3	33.7	51.7	60.6
R15/12	LKD	204.8	188.8	65.4	123.4	65.4
R16/12	LKD	214.4	203.7	74.1	129.6	63.6
R17/12	BEDROOM	136.1	132.4	88.0	44.4	33.5
R18/12	LKD	226.4	214.7	122.2	92.5	43.1
R19/12	BEDROOM	95.3	91.6	57.6	34.0	37.1
R20/12	BEDROOM	127.0	123.4	104.3	19.1	15.5
R21/12	BEDROOM	127.8	123.7	81.3	42.4	34.3
R22/12	BEDROOM	95.6	91.7	69.7	22.0	24.0
R23/12	LKD	223.8	212.7	207.9	4.8	2.3
R24/12	LKD	206.1	192.7	185.3	7.4	3.8
R25/12	BEDROOM	113.2	110.9	110.9	0.0	0.0
R26/12	LKD	306.3	290.3	283.5	6.8	2.3
R27/12	BEDROOM	160.8	160.6	160.5	0.1	0.1
R28/12	BEDROOM	214.7	204.5	201.3	3.2	1.6
R1/13	ASSUMED	274.0	122.7	122.7	0.0	0.0
R2/13	ASSUMED	184.7	104.9	102.2	2.7	2.6
R3/13	LKD	230.2	87.9	83.3	4.6	5.2
R4/13	BEDROOM	113.8	104.6	93.7	10.9	10.4
R5/13	BEDROOM	125.6	123.3	108.3	15.0	12.2
R6/13	LKD	235.6	190.0	176.8	13.2	6.9
R7/13	LKD	220.7	208.0	103.7	104.4	50.2



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R8/13	BEDROOM	92.7	92.7	63.5	29.1	31.4
R9/13	BEDROOM	127.3	126.8	87.9	39.0	30.8
R10/13	BEDROOM	115.3	114.8	73.6	41.2	35.9
R11/13	BEDROOM	90.1	90.1	58.7	31.4	34.9
R12/13	LKD	204.8	190.6	89.0	101.6	53.3
R13/13	SITTINGROOM	230.5	219.6	103.1	116.5	53.1
R14/13	BEDROOM	118.6	88.3	24.8	63.5	71.9
R15/13	LKD	226.4	214.9	122.3	92.5	43.0
R16/13	BEDROOM	95.3	91.6	58.0	33.6	36.7
R17/13	BEDROOM	127.0	123.4	104.4	19.0	15.4
R18/13	BEDROOM	127.8	123.7	81.5	42.3	34.2
R19/13	BEDROOM	95.6	91.7	69.7	22.0	24.0
R20/13	LKD	223.8	212.7	208.3	4.4	2.1
R21/13	BEDROOM	115.7	83.7	62.3	21.3	25.4
R22/13	LKD	211.3	197.6	195.7	1.9	1.0
R23/13	LKD	306.3	292.2	285.4	6.8	2.3
R24/13	BEDROOM	160.8	158.7	158.6	0.1	0.1
R25/13	BEDROOM	214.7	206.5	206.5	0.0	0.0
R1/14	ASSUMED	274.0	148.6	148.5	0.1	0.1
R2/14	ASSUMED	184.7	120.5	120.5	0.0	0.0
R3/14	LKD	230.2	135.4	114.9	20.5	15.1
R4/14	BEDROOM	113.8	113.3	112.8	0.4	0.4
R5/14	ASSUMED	216.4	151.0	97.6	53.4	35.4
R6/14	LKD	214.4	203.7	74.6	129.0	63.3
R7/14	BEDROOM	136.1	132.4	88.0	44.4	33.5
R8/14	LKD	226.4	214.9	122.3	92.5	43.0
R9/14	BEDROOM	95.3	91.6	58.1	33.5	36.6
R10/14	BEDROOM	127.0	123.4	105.0	18.5	15.0
R11/14	BEDROOM	127.8	123.7	82.3	41.4	33.5
R12/14	BEDROOM	95.6	91.7	69.9	21.8	23.8
R13/14	LKD	223.8	212.7	208.4	4.2	2.0
R14/14	LKD	206.1	192.7	186.0	6.7	3.5
R15/14	BEDROOM	113.2	110.9	110.9	0.0	0.0
R16/14	LKD	306.3	292.2	285.9	6.3	2.2
R17/14	BEDROOM	160.8	160.6	160.6	0.0	0.0
R18/14	BEDROOM	214.7	204.7	201.2	3.5	1.7
R1/15	SITTINGROOM	212.9	200.4	115.5	84.8	42.3
R2/15	BEDROOM	104.7	104.7	77.5	27.2	26.0
R3/15	LKD	226.4	214.9	122.3	92.5	43.0
R4/15	BEDROOM	95.3	91.6	58.1	33.5	36.6
R5/15	BEDROOM	127.0	123.4	105.8	17.6	14.3
R6/15	BEDROOM	127.8	123.9	83.5	40.3	32.5
R7/15	BEDROOM	95.6	91.7	71.6	20.1	21.9
R8/15	LKD	223.8	212.7	208.4	4.2	2.0
R9/15	BEDROOM	115.7	83.9	63.2	20.6	24.6
R10/15	LKD	211.3	197.6	195.7	1.9	1.0
R11/15	LKD	306.3	292.2	286.6	5.6	1.9



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R12/15	BEDROOM	160.8	158.7	158.6	0.1	0.1
R13/15	BEDROOM	214.7	206.5	206.5	0.0	0.0
R1/16	LKD	226.4	217.5	171.5	46.0	21.1
R2/16	BEDROOM	95.3	95.3	85.6	9.7	10.2
R3/16	BEDROOM	127.0	126.5	110.1	16.4	13.0
R4/16	BEDROOM	127.8	127.6	126.9	0.8	0.6
R5/16	BEDROOM	95.6	95.6	95.6	0.0	0.0
R6/16	LKD	223.8	213.2	209.3	3.8	1.8
R7/16	LKD	189.6	179.9	178.5	1.3	0.7
R8/16	BEDROOM	98.8	98.8	98.8	0.0	0.0
R9/16	LKD	306.3	292.2	287.9	4.3	1.5
R10/16	BEDROOM	160.8	160.6	160.6	0.0	0.0
R11/16	BEDROOM	214.7	204.7	202.6	2.2	1.1
R1/17	LKD	306.3	292.3	290.2	2.0	0.7
R2/17	BEDROOM	160.8	158.7	158.7	0.1	0.1
R3/17	BEDROOM	214.7	206.5	206.5	0.0	0.0
R1/18	LKD	168.4	166.9	166.9	0.0	0.0
R2/18	BEDROOM	88.7	88.5	88.5	0.0	0.0

Battersea Power Station Phase 4 and 4A (Buildings A1.1-1.5)

R1/51	LD	271.5	266.4	260.5	5.9	2.2
R2/51	BEDROOM	151.5	120.6	120.6	0.0	0.0
R3/51	LD	182.1	167.0	75.0	92.0	55.1
R4/51	LD	288.1	287.3	180.2	107.1	37.3
R5/51	LD	286.9	271.5	211.1	60.4	22.2
R6/51	LD	196.4	111.2	105.4	5.9	5.3
R1/52	LKD	266.1	265.1	265.1	0.0	0.0
R2/52	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/52	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/52	LD	182.1	168.0	84.0	83.9	49.9
R5/52	LD	163.9	160.6	100.6	60.0	37.4
R6/52	BEDROOM	151.5	130.9	68.7	62.2	47.5
R7/52	BEDROOM	152.0	98.0	64.2	33.8	34.5
R8/52	LD	163.6	137.5	116.9	20.7	15.1
R9/52	LD	196.4	129.6	122.7	6.9	5.3
R1/53	LKD	266.1	265.1	265.1	0.0	0.0
R2/53	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/53	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/53	LD	182.1	168.2	101.3	66.9	39.8
R5/53	LD	163.9	162.0	138.0	24.0	14.8
R6/53	BEDROOM	151.5	125.1	68.0	57.0	45.6
R7/53	BEDROOM	152.0	83.3	31.0	52.3	62.8
R8/53	LD	163.6	148.6	144.0	4.7	3.2
R9/53	LD	196.4	159.1	147.8	11.3	7.1
R1/54	LKD	266.1	265.1	265.1	0.0	0.0
R2/54	BEDROOM	138.2	133.1	128.2	4.9	3.7



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R3/54	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/54	LD	182.1	168.2	134.6	33.6	20.0
R5/54	LD	163.9	162.0	143.4	18.5	11.4
R6/54	BEDROOM	151.5	136.0	72.4	63.6	46.8
R7/54	BEDROOM	152.0	124.4	110.2	14.3	11.5
R8/54	LD	163.6	151.6	147.4	4.3	2.8
R9/54	LD	196.4	171.9	160.3	11.6	6.7
R1/55	LKD	266.1	265.1	265.1	0.0	0.0
R2/55	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/55	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/55	LD	182.1	168.2	150.6	17.6	10.5
R5/55	LD	163.9	162.0	144.6	17.4	10.7
R6/55	BEDROOM	151.5	127.0	71.8	55.2	43.5
R7/55	BEDROOM	152.0	119.3	92.9	26.4	22.1
R8/55	LD	163.6	159.9	156.6	3.3	2.1
R9/55	LD	196.4	181.7	173.5	8.2	4.5
R1/56	LKD	266.1	265.1	265.1	0.0	0.0
R2/56	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/56	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/56	LD	182.1	168.2	153.5	14.7	8.7
R5/56	LD	163.9	162.1	147.4	14.6	9.0
R6/56	BEDROOM	151.5	137.6	84.4	53.2	38.7
R7/56	BEDROOM	152.0	138.7	136.0	2.7	1.9
R8/56	LD	163.6	161.0	158.2	2.9	1.8
R9/56	LD	196.4	184.2	180.3	3.9	2.1
R1/57	LKD	266.1	265.1	265.1	0.0	0.0
R2/57	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/57	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/57	LD	182.1	168.2	153.7	14.5	8.6
R5/57	LD	163.9	162.1	147.4	14.6	9.0
R6/57	BEDROOM	151.5	137.6	79.1	58.5	42.5
R7/57	BEDROOM	152.0	138.7	130.4	8.3	6.0
R8/57	LD	163.6	161.0	160.0	1.0	0.6
R9/57	LD	196.4	184.2	181.1	3.1	1.7
R1/58	LKD	266.1	265.1	265.1	0.0	0.0
R2/58	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/58	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/58	LD	182.1	168.2	153.7	14.5	8.6
R5/58	LD	163.9	162.1	147.4	14.6	9.0
R6/58	BEDROOM	151.5	137.6	85.5	52.1	37.9
R7/58	BEDROOM	152.0	138.7	136.2	2.5	1.8
R8/58	LD	163.6	161.0	159.9	1.1	0.7
R9/58	LD	196.4	184.4	180.5	3.9	2.1
R1/59	LKD	266.1	265.1	265.1	0.0	0.0
R2/59	BEDROOM	138.2	133.9	129.0	4.9	3.7
R3/59	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/59	LD	182.1	168.4	157.4	11.0	6.5



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R5/59	LD	163.9	162.1	153.5	8.6	5.3
R6/59	BEDROOM	151.5	137.6	93.1	44.5	32.3
R7/59	BEDROOM	152.0	138.7	138.0	0.7	0.5
R8/59	LD	163.6	161.0	160.7	0.3	0.2
R9/59	LD	196.4	186.3	186.3	0.0	0.0
R1/60	LD	178.6	177.2	177.2	0.0	0.0
R2/60	BEDROOM	137.2	131.6	125.0	6.7	5.1
R3/60	BEDROOM	134.8	124.4	72.3	52.1	41.9
R4/60	KITCHEN	74.3	63.6	41.6	22.0	34.6
R5/60	LD	217.3	209.3	203.4	5.9	2.8
R6/60	BEDROOM	128.1	102.1	58.9	43.3	42.4
R7/60	BEDROOM	139.9	114.9	104.0	10.8	9.4
R8/60	LD	189.7	186.4	182.3	4.1	2.2
R1/61	LD	178.6	177.2	177.2	0.0	0.0
R2/61	BEDROOM	137.2	131.6	125.0	6.7	5.1
R3/61	BEDROOM	134.8	124.4	73.1	51.3	41.2
R4/61	KITCHEN	74.3	63.8	43.6	20.2	31.7
R5/61	LD	217.3	209.2	204.0	5.2	2.5
R6/61	BEDROOM	128.1	102.2	61.7	40.5	39.6
R7/61	BEDROOM	139.9	114.8	107.5	7.3	6.4
R8/61	LD	189.7	186.5	183.0	3.6	1.9
R1/62	LD	178.6	177.2	177.2	0.0	0.0
R2/62	BEDROOM	137.2	131.6	125.0	6.7	5.1
R3/62	BEDROOM	134.8	124.4	74.9	49.5	39.8
R4/62	KITCHEN	74.3	63.8	45.1	18.7	29.3
R5/62	LD	217.3	209.2	205.8	3.4	1.6
R6/62	BEDROOM	128.1	102.2	67.3	34.9	34.1
R7/62	BEDROOM	139.9	114.8	112.3	2.5	2.2
R8/62	LD	189.7	187.1	186.1	1.0	0.5
R1/63	LD	178.6	177.2	177.2	0.0	0.0
R2/63	BEDROOM	137.2	131.6	125.0	6.7	5.1
R3/63	BEDROOM	134.8	124.4	77.5	47.0	37.8
R4/63	KITCHEN	74.3	63.8	47.6	16.2	25.4
R5/63	LD	217.3	209.2	206.8	2.5	1.2
R6/63	BEDROOM	128.1	102.2	76.9	25.3	24.8
R7/63	BEDROOM	139.9	114.8	114.8	0.0	0.0
R8/63	LD	189.7	188.0	188.0	0.0	0.0
R1/64	LD	178.6	177.2	177.2	0.0	0.0
R2/64	BEDROOM	137.2	131.6	125.0	6.7	5.1
R3/64	BEDROOM	134.8	124.4	87.1	37.3	30.0
R4/64	KITCHEN	74.3	63.8	58.9	4.9	7.7
R5/64	LD	217.3	209.2	207.4	1.8	0.9
R6/64	BEDROOM	128.1	102.2	102.2	0.0	0.0
R7/64	BEDROOM	139.9	114.8	114.8	0.0	0.0
R8/64	LD	189.7	188.0	188.0	0.0	0.0
R1/71	LKD	251.6	153.6	74.2	79.4	51.7
R2/71	LD	286.9	276.1	243.6	32.5	11.8



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R3/71	LD	287.4	265.0	252.2	12.8	4.8
R4/71	LD	195.5	110.8	110.8	0.0	0.0
R1/72	LKD	251.6	159.0	101.6	57.4	36.1
R2/72	LD	170.2	155.2	108.6	46.6	30.0
R3/72	BEDROOM	152.3	72.8	64.0	8.8	12.1
R4/72	BEDROOM	152.4	88.8	88.8	0.0	0.0
R5/72	LD	164.4	150.2	135.5	14.7	9.8
R6/72	LD	195.5	140.6	140.6	0.0	0.0
R1/73	LKD	251.6	170.1	140.1	30.0	17.6
R2/73	LD	170.2	160.7	127.4	33.3	20.7
R3/73	BEDROOM	152.3	91.8	83.6	8.2	8.9
R4/73	BEDROOM	152.4	97.4	96.4	0.9	0.9
R5/73	LD	164.4	158.3	146.8	11.4	7.2
R6/73	LD	195.5	145.4	145.4	0.0	0.0
R1/74	LKD	251.6	192.9	185.5	7.4	3.8
R2/74	LD	170.2	162.4	150.9	11.4	7.0
R3/74	BEDROOM	152.3	128.1	110.4	17.8	13.9
R4/74	BEDROOM	152.4	107.2	100.3	6.9	6.4
R5/74	LD	164.4	159.7	153.6	6.1	3.8
R6/74	LD	195.5	150.7	150.7	0.0	0.0
R1/75	LKD	251.6	203.2	201.1	2.1	1.0
R2/75	LD	170.2	164.3	159.5	4.8	2.9
R3/75	BEDROOM	152.3	132.5	120.0	12.5	9.4
R4/75	BEDROOM	152.4	111.3	105.9	5.4	4.9
R5/75	LD	164.4	162.5	158.6	4.0	2.5
R6/75	LD	195.5	151.8	151.8	0.0	0.0
R1/76	LKD	251.6	223.8	222.6	1.2	0.5
R2/76	LD	170.2	164.7	161.9	2.8	1.7
R3/76	BEDROOM	152.3	141.2	132.6	8.6	6.1
R4/76	BEDROOM	152.4	130.6	130.6	0.0	0.0
R5/76	LD	164.4	162.6	162.3	0.2	0.1
R6/76	LD	195.5	157.0	157.0	0.0	0.0
R1/77	LKD	251.6	229.0	229.0	0.0	0.0
R2/77	LD	170.2	168.1	168.1	0.0	0.0
R3/77	BEDROOM	152.3	142.4	134.6	7.8	5.5
R4/77	BEDROOM	152.4	142.9	142.9	0.0	0.0
R5/77	LD	164.4	162.6	162.5	0.0	0.0
R6/77	LD	195.5	157.1	157.1	0.0	0.0
R1/78	KITCHEN	74.0	19.7	19.7	0.0	0.0
R2/78	BEDROOM	135.3	35.7	35.7	0.0	0.0
R3/78	LKD	264.2	258.6	258.6	0.0	0.0
R4/78	LD	217.0	207.3	202.7	4.6	2.2
R5/78	BEDROOM	127.8	115.1	103.6	11.5	10.0
R6/78	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/78	LD	188.5	186.2	185.9	0.3	0.2
R1/79	KITCHEN	74.0	21.1	21.1	0.0	0.0
R2/79	BEDROOM	135.3	38.1	38.1	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R3/79	LKD	264.2	258.6	258.6	0.0	0.0
R4/79	LD	217.0	207.3	205.0	2.2	1.1
R5/79	BEDROOM	127.8	115.1	104.8	10.4	9.0
R6/79	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/79	LD	188.5	186.5	186.5	0.0	0.0
R1/80	KITCHEN	74.0	25.3	25.3	0.0	0.0
R2/80	BEDROOM	135.3	40.7	40.7	0.0	0.0
R3/80	LKD	264.2	258.7	258.7	0.0	0.0
R4/80	LD	217.0	207.3	205.1	2.1	1.0
R5/80	BEDROOM	127.8	115.1	107.0	8.2	7.1
R6/80	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/80	LD	188.5	186.5	186.5	0.0	0.0
R1/81	KITCHEN	74.0	33.6	33.6	0.0	0.0
R2/81	BEDROOM	135.3	46.7	46.7	0.0	0.0
R3/81	LKD	264.2	258.7	258.7	0.0	0.0
R4/81	LD	217.0	207.3	207.0	0.3	0.1
R5/81	BEDROOM	127.8	115.1	110.1	5.0	4.3
R6/81	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/81	LD	188.5	186.5	186.5	0.0	0.0
R1/82	KITCHEN	74.0	64.5	64.5	0.0	0.0
R2/82	BEDROOM	135.3	70.7	70.7	0.0	0.0
R3/82	LKD	264.2	258.7	258.7	0.0	0.0
R4/82	LD	217.0	208.0	208.0	0.0	0.0
R5/82	BEDROOM	127.8	115.2	115.2	0.0	0.0
R6/82	BEDROOM	140.5	128.0	128.0	0.0	0.0
R7/82	LD	188.5	186.5	186.5	0.0	0.0
R1/91	LKD	250.4	126.7	120.6	6.1	4.8
R2/91	BEDROOM	113.0	37.5	23.8	13.6	36.3
R3/91	BEDROOM	134.1	126.4	116.5	9.9	7.8
R4/91	BEDROOM	94.8	90.2	88.9	1.3	1.4
R5/91	BEDROOM	84.1	50.4	50.4	0.0	0.0
R6/91	LD	308.1	306.6	303.6	3.0	1.0
R7/91	LD	209.7	189.4	189.4	0.0	0.0
R1/92	LKD	250.4	141.2	134.1	7.0	5.0
R2/92	BEDROOM	113.0	37.9	25.1	12.8	33.8
R3/92	BEDROOM	134.1	128.7	123.4	5.3	4.1
R4/92	BEDROOM	94.8	86.7	80.3	6.5	7.5
R5/92	BEDROOM	84.1	52.2	52.2	0.0	0.0
R6/92	LD	308.1	306.6	303.7	2.9	0.9
R7/92	LD	209.7	189.5	189.5	0.0	0.0
R1/93	LKD	250.4	164.2	157.8	6.4	3.9
R2/93	BEDROOM	113.0	38.1	27.8	10.3	27.0
R3/93	BEDROOM	134.1	130.1	129.6	0.5	0.4
R4/93	BEDROOM	94.8	90.2	89.3	0.9	1.0
R5/93	BEDROOM	84.1	54.7	54.7	0.0	0.0
R6/93	LD	308.1	306.6	304.1	2.5	0.8
R7/93	LD	209.7	189.5	189.5	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R1/94	LKD	250.4	194.3	184.7	9.6	4.9
R2/94	BEDROOM	113.0	38.2	30.8	7.5	19.6
R3/94	BEDROOM	134.1	130.4	130.4	0.0	0.0
R4/94	BEDROOM	94.8	90.2	84.2	6.1	6.8
R5/94	BEDROOM	84.1	58.1	58.1	0.0	0.0
R6/94	LD	308.1	306.6	306.6	0.0	0.0
R7/94	LD	209.7	189.8	189.8	0.0	0.0
R1/95	LKD	250.4	196.2	186.0	10.1	5.1
R2/95	BEDROOM	113.0	38.9	33.7	5.2	13.4
R3/95	BEDROOM	134.1	130.1	129.7	0.4	0.3
R4/95	BEDROOM	94.8	92.5	92.5	0.0	0.0
R5/95	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/95	LD	308.1	306.6	306.6	0.0	0.0
R7/95	LD	209.7	192.0	192.0	0.0	0.0
R1/96	LKD	250.4	205.0	196.5	8.5	4.1
R2/96	BEDROOM	113.0	39.5	35.9	3.6	9.1
R3/96	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/96	BEDROOM	94.8	93.1	93.1	0.0	0.0
R5/96	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/96	LD	308.1	306.6	306.6	0.0	0.0
R7/96	LD	209.7	194.5	194.5	0.0	0.0
R1/97	LKD	250.4	207.5	199.8	7.7	3.7
R2/97	BEDROOM	113.0	40.7	39.6	1.1	2.7
R3/97	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/97	BEDROOM	94.8	94.4	94.4	0.0	0.0
R5/97	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/97	LD	308.1	306.6	306.6	0.0	0.0
R7/97	LD	209.7	194.5	194.5	0.0	0.0
R1/98	LKD	217.1	166.5	156.8	9.7	5.8
R2/98	BEDROOM	113.0	42.6	42.6	0.0	0.0
R3/98	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/98	BEDROOM	94.8	94.4	94.4	0.0	0.0
R5/98	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/98	LD	308.1	306.6	306.6	0.0	0.0
R7/98	LD	209.7	195.4	195.4	0.0	0.0
R1/99	LKD	217.1	166.5	161.3	5.2	3.1
R2/99	BEDROOM	113.0	51.7	51.7	0.0	0.0
R3/99	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/99	BEDROOM	94.8	94.4	94.4	0.0	0.0
R5/99	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/99	LD	308.1	306.6	306.6	0.0	0.0
R7/99	LD	209.7	195.4	195.4	0.0	0.0
R1/100	LKD	217.1	166.5	160.1	6.5	3.9
R2/100	KITCHEN	67.4	56.5	56.5	0.0	0.0
R3/100	LD	169.2	165.5	165.5	0.0	0.0
R4/100	BEDROOM	152.1	137.5	137.5	0.0	0.0
R5/100	BEDROOM	151.9	136.9	136.9	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R6/100	LD	164.0	161.4	161.4	0.0	0.0
R7/100	LD	209.7	195.4	195.4	0.0	0.0
R1/101	LKD	217.1	190.7	190.7	0.0	0.0
R2/101	KITCHEN	67.4	61.0	61.0	0.0	0.0
R3/101	LD	169.2	167.5	167.5	0.0	0.0
R4/101	BEDROOM	152.1	137.5	137.5	0.0	0.0
R5/101	BEDROOM	151.9	136.9	136.9	0.0	0.0
R6/101	LD	164.0	163.3	163.3	0.0	0.0
R7/101	LD	209.7	200.4	200.4	0.0	0.0
R1/102	KITCHEN	74.1	63.9	63.9	0.0	0.0
R2/102	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/102	BEDROOM	137.2	136.9	136.9	0.0	0.0
R4/102	LD	216.5	207.6	207.6	0.0	0.0
R5/102	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/102	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/102	LD	188.3	188.1	188.1	0.0	0.0
R1/103	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/103	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/103	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/103	LD	216.5	207.6	207.6	0.0	0.0
R5/103	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/103	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/103	LD	188.3	188.1	188.1	0.0	0.0
R1/104	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/104	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/104	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/104	LD	216.5	207.6	207.6	0.0	0.0
R5/104	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/104	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/104	LD	188.3	188.1	188.1	0.0	0.0
R1/105	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/105	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/105	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/105	LD	216.5	207.6	207.6	0.0	0.0
R5/105	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/105	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/105	LD	188.3	188.1	188.1	0.0	0.0
R1/106	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/106	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/106	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/106	LD	216.5	207.6	207.6	0.0	0.0
R5/106	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/106	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/106	LD	188.3	188.1	188.1	0.0	0.0
R1/107	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/107	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/107	KITCHEN	74.1	63.9	63.9	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R4/107	LD	216.5	207.6	207.6	0.0	0.0
R5/107	BEDROOM	128.6	105.3	105.3	0.0	0.0
R6/107	BEDROOM	140.6	116.6	116.6	0.0	0.0
R7/107	LD	188.3	188.1	188.1	0.0	0.0
R1/111	LKD	313.2	278.4	275.3	3.1	1.1
R2/111	BEDROOM	117.8	57.6	49.3	8.3	14.4
R3/111	BEDROOM	148.0	142.7	142.5	0.1	0.1
R4/111	BEDROOM	86.2	70.3	70.3	0.0	0.0
R5/111	BEDROOM	84.1	55.3	55.3	0.0	0.0
R6/111	LKD	413.5	378.0	370.4	7.6	2.0
R7/111	LKD	307.6	293.5	293.5	0.0	0.0
R1/112	LKD	313.2	288.3	286.3	2.1	0.7
R2/112	BEDROOM	117.8	61.0	55.9	5.2	8.5
R3/112	BEDROOM	148.0	142.7	142.5	0.1	0.1
R4/112	BEDROOM	86.2	71.6	71.6	0.0	0.0
R5/112	BEDROOM	84.1	58.8	58.8	0.0	0.0
R6/112	LKD	413.5	379.1	374.4	4.7	1.2
R7/112	LKD	307.6	293.5	293.5	0.0	0.0
R1/113	LKD	313.2	289.6	289.6	0.0	0.0
R2/113	BEDROOM	117.8	65.1	64.6	0.5	0.8
R3/113	BEDROOM	148.0	142.7	142.5	0.1	0.1
R4/113	BEDROOM	86.2	73.5	73.5	0.0	0.0
R5/113	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/113	LKD	413.5	394.7	394.6	0.1	0.0
R7/113	LKD	307.6	293.5	293.5	0.0	0.0
R1/114	LKD	313.2	289.6	289.6	0.0	0.0
R2/114	BEDROOM	117.8	65.9	65.9	0.0	0.0
R3/114	BEDROOM	148.0	142.8	142.8	0.0	0.0
R4/114	BEDROOM	86.2	77.3	77.3	0.0	0.0
R5/114	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/114	LKD	413.5	394.9	394.9	0.0	0.0
R7/114	LKD	307.6	293.5	293.5	0.0	0.0
R1/115	LKD	313.2	289.6	289.6	0.0	0.0
R2/115	BEDROOM	117.8	66.1	66.0	0.1	0.2
R3/115	BEDROOM	148.0	145.6	145.6	0.0	0.0
R4/115	BEDROOM	86.2	82.1	82.1	0.0	0.0
R5/115	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/115	LKD	413.5	395.1	395.1	0.0	0.0
R7/115	LKD	307.6	293.7	293.7	0.0	0.0
R1/116	LKD	313.2	289.6	289.6	0.0	0.0
R2/116	BEDROOM	117.8	66.1	66.1	0.0	0.0
R3/116	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/116	BEDROOM	86.2	82.1	82.1	0.0	0.0
R5/116	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/116	LKD	413.5	399.9	399.9	0.0	0.0
R7/116	LKD	307.6	294.9	294.9	0.0	0.0
R1/117	LKD	313.2	289.8	289.8	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R2/117	BEDROOM	117.8	67.5	67.5	0.0	0.0
R3/117	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/117	BEDROOM	86.2	82.1	82.1	0.0	0.0
R5/117	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/117	LKD	413.5	411.1	411.1	0.0	0.0
R7/117	LKD	307.6	295.5	295.5	0.0	0.0
R1/118	LKD	313.2	289.8	289.8	0.0	0.0
R2/118	BEDROOM	117.8	66.4	66.4	0.0	0.0
R3/118	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/118	BEDROOM	86.2	82.8	82.8	0.0	0.0
R5/118	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/118	LKD	413.5	413.1	413.1	0.0	0.0
R7/118	LKD	307.6	300.6	300.6	0.0	0.0
R1/119	LKD	313.2	291.2	291.2	0.0	0.0
R2/119	BEDROOM	117.8	67.6	67.6	0.0	0.0
R3/119	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/119	BEDROOM	86.2	82.8	82.8	0.0	0.0
R5/119	BEDROOM	84.1	61.4	61.4	0.0	0.0
R6/119	LKD	413.5	413.3	413.3	0.0	0.0
R7/119	LKD	307.6	301.3	301.3	0.0	0.0
R1/120	KITCHEN	73.9	29.2	29.2	0.0	0.0
R2/120	BEDROOM	135.0	48.3	48.3	0.0	0.0
R3/120	LKD	263.4	257.1	257.1	0.0	0.0
R4/120	LD	216.7	207.4	207.4	0.0	0.0
R5/120	BEDROOM	127.7	115.2	115.2	0.0	0.0
R6/120	BEDROOM	139.7	128.1	128.1	0.0	0.0
R7/120	LD	188.6	187.0	187.0	0.0	0.0
R1/121	LKD	263.4	257.4	257.4	0.0	0.0
R2/121	KITCHEN	73.9	30.2	30.2	0.0	0.0
R3/121	BEDROOM	135.0	50.0	50.0	0.0	0.0
R4/121	LD	216.7	207.4	207.4	0.0	0.0
R5/121	BEDROOM	127.7	115.2	115.2	0.0	0.0
R6/121	BEDROOM	139.7	128.1	128.1	0.0	0.0
R7/121	LD	188.6	187.0	187.0	0.0	0.0
R1/122	LKD	263.4	257.5	257.5	0.0	0.0
R2/122	KITCHEN	73.9	32.3	32.3	0.0	0.0
R3/122	BEDROOM	135.0	52.2	52.2	0.0	0.0
R4/122	LD	216.7	207.4	207.4	0.0	0.0
R5/122	BEDROOM	127.7	115.8	115.8	0.0	0.0
R6/122	BEDROOM	139.7	128.4	128.4	0.0	0.0
R7/122	LD	188.6	187.0	187.0	0.0	0.0

Battersea Power Station Phase 4 and 4A (Building A2)

R1/41	LKD	269.4	265.3	264.4	0.9	0.3
R2/41	LD	236.9	171.5	165.9	5.6	3.3
R3/41	BEDROOM	132.2	126.4	125.7	0.7	0.6



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R4/41	BEDROOM	137.8	124.0	120.4	3.6	2.9
R5/41	BEDROOM	149.8	133.0	117.2	15.8	11.9
R6/41	LKD	331.0	309.6	308.1	1.5	0.5
R7/41	BEDROOM	149.1	95.1	72.8	22.2	23.3
R8/41	KITCHEN	66.0	56.8	56.8	0.0	0.0
R9/41	LD	274.2	157.8	136.7	21.1	13.4
R10/41	BEDROOM	127.1	69.3	69.3	0.0	0.0
R11/41	BEDROOM	133.6	131.0	131.0	0.0	0.0
R1/42	LKD	269.4	267.2	267.0	0.2	0.1
R2/42	LD	236.9	202.5	202.5	0.0	0.0
R3/42	BEDROOM	132.2	126.7	126.5	0.2	0.2
R4/42	BEDROOM	137.8	134.1	131.5	2.5	1.9
R5/42	BEDROOM	149.8	133.4	120.6	12.8	9.6
R6/42	LKD	331.0	321.4	321.4	0.0	0.0
R7/42	BEDROOM	149.1	95.6	74.5	21.1	22.1
R8/42	KITCHEN	66.0	59.1	59.1	0.0	0.0
R9/42	LD	274.2	164.8	144.2	20.6	12.5
R10/42	BEDROOM	127.1	78.1	78.1	0.0	0.0
R11/42	BEDROOM	133.6	131.4	131.4	0.0	0.0
R1/43	LKD	269.4	267.2	267.0	0.2	0.1
R2/43	LD	236.9	236.0	236.0	0.0	0.0
R3/43	BEDROOM	132.2	126.7	126.7	0.0	0.0
R4/43	BEDROOM	137.8	134.1	133.0	1.1	0.8
R5/43	BEDROOM	149.8	133.4	124.0	9.4	7.0
R6/43	LKD	331.0	327.7	327.7	0.0	0.0
R7/43	BEDROOM	149.1	96.4	76.1	20.3	21.1
R8/43	KITCHEN	66.0	60.3	60.3	0.0	0.0
R9/43	LD	274.2	170.1	151.2	18.9	11.1
R10/43	BEDROOM	127.1	90.0	90.0	0.0	0.0
R11/43	BEDROOM	133.6	131.4	131.4	0.0	0.0
R1/44	LKD	269.4	267.2	267.2	0.0	0.0
R2/44	LD	236.9	236.0	236.0	0.0	0.0
R3/44	BEDROOM	132.2	126.7	126.7	0.0	0.0
R4/44	BEDROOM	137.8	134.1	134.1	0.0	0.0
R5/44	BEDROOM	149.8	133.4	133.4	0.0	0.0
R6/44	LKD	331.0	327.8	327.8	0.0	0.0
R7/44	BEDROOM	149.1	97.2	84.8	12.3	12.7
R8/44	KITCHEN	66.0	61.8	61.8	0.0	0.0
R9/44	LD	274.2	211.1	207.1	4.1	1.9
R10/44	BEDROOM	127.1	120.3	120.3	0.0	0.0
R11/44	BEDROOM	133.6	131.4	131.4	0.0	0.0
R1/45	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/45	BEDROOM	128.6	125.2	125.2	0.0	0.0
R3/45	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/45	LKD	324.5	319.4	310.7	8.7	2.7
R5/45	BEDROOM	86.5	81.0	81.0	0.0	0.0
R6/45	BEDROOM	136.1	133.3	133.3	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R7/45	BEDROOM	125.8	123.9	123.9	0.0	0.0
R1/46	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/46	BEDROOM	128.6	125.2	125.2	0.0	0.0
R3/46	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/46	LKD	324.5	319.4	310.7	8.7	2.7
R5/46	BEDROOM	86.5	82.0	82.0	0.0	0.0
R6/46	BEDROOM	136.1	133.2	133.2	0.0	0.0
R7/46	BEDROOM	125.8	123.9	123.9	0.0	0.0
R1/47	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/47	BEDROOM	128.6	125.2	125.2	0.0	0.0
R3/47	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/47	LKD	324.5	319.4	311.4	8.0	2.5
R5/47	BATHROOM	86.7	82.6	82.6	0.0	0.0
R6/47	BEDROOM	132.5	129.4	129.4	0.0	0.0
R7/47	BEDROOM	157.7	148.3	148.3	0.0	0.0
R1/48	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/48	BEDROOM	128.6	125.2	125.2	0.0	0.0
R3/48	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/48	LKD	324.5	321.4	321.4	0.0	0.0
R5/48	BATHROOM	86.7	84.3	84.3	0.0	0.0
R6/48	BEDROOM	132.5	129.4	129.4	0.0	0.0
R7/48	BEDROOM	157.7	149.3	149.3	0.0	0.0

Battersea Power Station Phase 4 and 4A (Building A3)

R1/21	LKD	351.9	322.5	322.5	0.0	0.0
R2/21	BEDROOM	91.3	87.6	86.7	1.0	1.1
R3/21	BEDROOM	135.5	124.8	120.3	4.4	3.5
R4/21	BEDROOM	145.3	137.2	101.4	35.7	26.0
R5/21	LKD	305.7	289.3	224.6	64.8	22.4
R6/21	BEDROOM	91.0	87.7	61.8	25.8	29.4
R7/21	BEDROOM	135.9	128.8	92.6	36.2	28.1
R8/21	BEDROOM	147.1	143.2	109.7	33.5	23.4
R9/21	BEDROOM	92.1	89.6	74.8	14.7	16.4
R10/21	LD	299.8	280.7	193.2	87.6	31.2
R11/21	KITCHEN	82.6	82.5	12.1	70.4	85.3
R12/21	BEDROOM	143.2	142.0	14.3	127.7	89.9
R13/21	BEDROOM	144.8	143.0	26.3	116.7	81.6
R14/21	BEDROOM	105.3	104.7	35.4	69.2	66.1
R15/21	BEDROOM	149.8	111.5	101.4	10.1	9.1
R16/21	BEDROOM	131.8	97.0	76.3	20.7	21.3
R17/21	BEDROOM	90.8	17.8	11.6	6.2	34.8
R18/21	LD	236.4	90.2	64.2	26.0	28.8
R19/21	BEDROOM	144.4	81.9	81.2	0.7	0.9
R20/21	BEDROOM	129.4	52.3	52.3	0.0	0.0
R21/21	LD	245.7	36.8	28.6	8.2	22.3
R1/22	LKD	351.9	327.6	327.6	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R2/22	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/22	BEDROOM	135.5	124.8	121.8	2.9	2.3
R4/22	BEDROOM	145.3	137.2	104.7	32.5	23.7
R5/22	LKD	305.7	289.3	227.4	62.0	21.4
R6/22	BEDROOM	91.0	88.4	66.4	22.1	25.0
R7/22	BEDROOM	135.9	129.1	100.9	28.3	21.9
R8/22	BEDROOM	147.1	143.2	115.5	27.7	19.3
R9/22	BEDROOM	92.1	89.6	76.2	13.4	15.0
R10/22	LD	299.8	282.8	194.4	88.4	31.3
R11/22	KITCHEN	82.6	82.5	13.2	69.2	83.9
R12/22	BEDROOM	143.2	142.0	15.6	126.5	89.1
R13/22	BEDROOM	144.8	143.0	32.2	110.9	77.6
R14/22	BEDROOM	105.3	104.7	44.4	60.2	57.5
R15/22	BEDROOM	149.8	119.4	110.5	8.9	7.5
R16/22	BEDROOM	131.8	104.7	93.9	10.9	10.4
R17/22	BEDROOM	90.8	27.0	19.8	7.2	26.7
R18/22	LD	236.4	102.5	85.0	17.5	17.1
R19/22	BEDROOM	144.4	93.6	93.0	0.6	0.6
R20/22	BEDROOM	129.4	62.3	62.3	0.0	0.0
R21/22	LD	245.4	50.5	42.3	8.2	16.2
R1/23	LKD	351.9	332.8	332.8	0.0	0.0
R2/23	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/23	BEDROOM	135.5	124.8	123.5	1.3	1.0
R4/23	BEDROOM	145.3	137.2	107.0	30.2	22.0
R5/23	LKD	305.7	289.3	234.4	54.9	19.0
R6/23	BEDROOM	91.0	88.4	69.9	18.5	20.9
R7/23	BEDROOM	135.9	129.1	105.6	23.5	18.2
R8/23	BEDROOM	147.1	143.2	119.2	24.0	16.8
R9/23	BEDROOM	92.1	89.6	79.1	10.5	11.7
R10/23	LD	299.8	282.8	200.5	82.3	29.1
R11/23	KITCHEN	82.6	82.5	13.9	68.6	83.2
R12/23	BEDROOM	143.2	142.0	17.2	124.9	88.0
R13/23	BEDROOM	144.8	143.0	41.3	101.7	71.1
R14/23	BEDROOM	105.3	104.7	53.8	50.9	48.6
R15/23	BEDROOM	149.8	123.4	116.8	6.6	5.3
R16/23	BEDROOM	131.8	106.8	100.4	6.5	6.1
R17/23	BEDROOM	90.8	38.2	31.4	6.9	18.1
R18/23	LD	236.4	129.1	113.3	15.8	12.2
R19/23	BEDROOM	144.4	99.4	98.8	0.6	0.6
R20/23	BEDROOM	129.4	66.0	66.0	0.0	0.0
R21/23	LD	245.4	71.1	62.9	8.2	11.5
R1/24	LKD	351.9	333.8	333.8	0.0	0.0
R2/24	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/24	BEDROOM	135.5	124.8	124.6	0.2	0.2
R4/24	BEDROOM	145.3	137.2	111.6	25.6	18.7
R5/24	LKD	305.7	289.8	244.3	45.5	15.7
R6/24	BEDROOM	91.0	88.4	71.8	16.6	18.8



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R7/24	BEDROOM	135.9	129.1	107.6	21.6	16.7
R8/24	BEDROOM	147.1	143.2	123.3	19.9	13.9
R9/24	BEDROOM	92.1	89.6	83.2	6.4	7.1
R10/24	LD	299.8	282.8	212.5	70.3	24.9
R11/24	KITCHEN	82.6	82.5	15.1	67.3	81.6
R12/24	BEDROOM	143.2	142.0	18.3	123.7	87.1
R13/24	BEDROOM	144.8	143.0	50.7	92.3	64.5
R14/24	BEDROOM	111.1	110.5	62.8	47.7	43.2
R15/24	BEDROOM	141.0	120.1	119.5	0.7	0.6
R16/24	BEDROOM	149.1	120.1	117.6	2.5	2.1
R17/24	LD	307.0	156.2	153.3	2.9	1.9
R18/24	BEDROOM	91.8	64.2	64.0	0.2	0.3
R19/24	BEDROOM	142.7	109.8	109.2	0.5	0.5
R20/24	BEDROOM	128.2	69.4	69.4	0.0	0.0
R21/24	LD	245.3	105.7	97.7	8.0	7.6
R1/25	LKD	351.9	333.9	333.9	0.0	0.0
R2/25	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/25	BEDROOM	135.5	124.8	124.8	0.0	0.0
R4/25	BEDROOM	145.3	137.2	114.6	22.6	16.5
R5/25	LKD	305.7	289.8	248.0	41.8	14.4
R6/25	BEDROOM	91.0	88.4	72.1	16.3	18.4
R7/25	BEDROOM	135.9	129.1	108.6	20.6	16.0
R8/25	BEDROOM	147.1	143.2	124.6	18.6	13.0
R9/25	BEDROOM	92.1	89.6	86.5	3.1	3.5
R10/25	LD	299.8	284.1	220.9	63.2	22.2
R11/25	KITCHEN	82.6	82.5	15.9	66.6	80.7
R12/25	BEDROOM	143.2	142.0	20.1	121.9	85.8
R13/25	BEDROOM	144.8	143.0	51.2	91.9	64.3
R14/25	BEDROOM	111.1	110.5	63.5	47.0	42.5
R15/25	BEDROOM	141.0	122.5	121.8	0.7	0.6
R16/25	BEDROOM	149.1	122.8	122.0	0.9	0.7
R17/25	LD	307.0	221.5	218.6	2.9	1.3
R18/25	BEDROOM	91.8	66.8	66.7	0.1	0.1
R19/25	BEDROOM	142.7	113.2	112.7	0.5	0.4
R20/25	BEDROOM	128.2	72.3	72.3	0.0	0.0
R21/25	LD	245.3	156.5	148.7	7.8	5.0
R1/26	LKD	351.9	334.5	334.5	0.0	0.0
R2/26	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/26	BEDROOM	135.5	124.8	124.8	0.0	0.0
R4/26	BEDROOM	145.3	137.2	117.3	19.9	14.5
R5/26	LKD	305.7	290.0	251.0	39.1	13.5
R6/26	BEDROOM	91.0	88.4	73.1	15.3	17.3
R7/26	BEDROOM	135.9	129.1	110.9	18.2	14.1
R8/26	BEDROOM	147.1	143.2	125.7	17.4	12.2
R9/26	BEDROOM	92.1	89.6	87.1	2.6	2.9
R10/26	LD	299.8	284.8	223.2	61.6	21.6
R11/26	KITCHEN	82.6	82.5	16.9	65.6	79.5



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R12/26	BEDROOM	143.2	142.0	22.1	119.9	84.4
R13/26	BEDROOM	144.8	143.2	53.7	89.5	62.5
R14/26	BEDROOM	111.1	110.5	64.0	46.4	42.0
R15/26	BEDROOM	141.0	127.5	126.9	0.7	0.5
R16/26	BEDROOM	149.1	126.7	126.4	0.2	0.2
R17/26	LD	307.0	242.2	239.3	2.9	1.2
R18/26	BEDROOM	91.8	71.3	71.3	0.0	0.0
R19/26	BEDROOM	142.7	115.8	115.8	0.0	0.0
R20/26	BEDROOM	128.2	77.6	77.6	0.0	0.0
R21/26	LD	245.3	178.3	171.5	6.8	3.8
R1/27	LKD	351.9	335.0	335.0	0.0	0.0
R2/27	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/27	BEDROOM	135.5	124.8	124.8	0.0	0.0
R4/27	BEDROOM	145.3	137.2	120.8	16.4	12.0
R5/27	LKD	305.7	290.3	274.6	15.7	5.4
R6/27	BEDROOM	91.0	88.4	80.5	7.9	8.9
R7/27	BEDROOM	135.9	129.1	112.3	16.8	13.0
R8/27	BEDROOM	147.1	143.2	127.7	15.5	10.8
R9/27	BEDROOM	92.1	89.6	89.3	0.4	0.4
R10/27	LD	299.8	284.8	223.7	61.1	21.5
R11/27	KITCHEN	82.6	82.5	19.7	62.8	76.1
R12/27	BEDROOM	143.2	142.0	29.6	112.4	79.2
R13/27	BEDROOM	144.8	143.3	55.8	87.6	61.1
R14/27	BEDROOM	111.1	110.6	65.9	44.6	40.3
R15/27	BEDROOM	141.0	132.4	132.0	0.4	0.3
R16/27	BEDROOM	149.1	138.7	138.7	0.0	0.0
R17/27	LD	307.0	263.7	263.7	0.0	0.0
R18/27	BEDROOM	91.8	77.4	77.4	0.0	0.0
R19/27	BEDROOM	142.7	121.3	121.3	0.0	0.0
R20/27	BEDROOM	128.2	85.0	85.0	0.0	0.0
R21/27	LD	245.3	207.6	207.6	0.0	0.0
R1/28	LKD	320.6	319.0	319.0	0.0	0.0
R2/28	BEDROOM	130.4	123.9	123.9	0.0	0.0
R3/28	BEDROOM	150.3	145.6	145.6	0.0	0.0
R4/28	BEDROOM	150.1	141.6	128.3	13.3	9.4
R5/28	BEDROOM	127.8	125.0	125.0	0.0	0.0
R6/28	LKD	293.6	282.8	281.6	1.2	0.4
R7/28	LKD	291.4	254.3	246.4	7.9	3.1
R8/28	BEDROOM	128.5	104.2	104.2	0.0	0.0
R9/28	BEDROOM	140.0	106.2	106.2	0.0	0.0
R1/29	LKD	320.6	319.0	319.0	0.0	0.0
R2/29	BEDROOM	130.4	123.9	123.9	0.0	0.0
R3/29	BEDROOM	150.3	145.6	145.6	0.0	0.0
R4/29	BEDROOM	150.1	141.6	133.2	8.4	5.9
R5/29	BEDROOM	127.8	125.0	125.0	0.0	0.0
R6/29	LKD	293.6	284.5	283.9	0.7	0.2
R7/29	LKD	291.4	261.7	257.5	4.2	1.6



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R8/29	BEDROOM	128.5	107.8	107.8	0.0	0.0
R9/29	BEDROOM	140.0	115.5	115.5	0.0	0.0
R1/30	LKD	320.6	319.0	319.0	0.0	0.0
R2/30	BEDROOM	130.4	123.9	123.9	0.0	0.0
R3/30	BEDROOM	150.3	145.6	145.6	0.0	0.0
R4/30	BEDROOM	150.1	141.6	139.2	2.5	1.8
R5/30	BEDROOM	127.8	125.0	125.0	0.0	0.0
R6/30	LKD	293.6	285.1	284.5	0.7	0.2
R7/30	LKD	291.4	269.4	266.5	2.9	1.1
R8/30	BEDROOM	128.5	111.1	111.1	0.0	0.0
R9/30	BEDROOM	140.0	121.6	121.6	0.0	0.0

142-192 Thessaly Road

R2/300	KITCHEN	96.8	81.2	61.6	19.6	24.1
R4/300	KITCHEN	96.8	69.5	69.5	0.0	0.0
R6/300	KITCHEN	96.8	74.9	73.1	1.7	2.3
R8/300	KITCHEN	96.8	78.9	76.3	2.6	3.3
R10/300	KITCHEN	96.8	81.0	78.9	2.0	2.5
R12/300	KITCHEN	96.8	81.7	80.6	1.1	1.3
R14/300	KITCHEN	96.8	76.9	59.5	17.4	22.6
R16/300	KITCHEN	96.8	66.3	56.7	9.5	14.3
R18/300	KITCHEN	96.8	62.8	45.3	17.5	27.9
R3/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R6/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R9/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R12/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R15/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R18/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R21/301	BEDROOM	100.7	92.2	92.2	0.0	0.0
R24/301	BEDROOM	100.7	91.6	91.1	0.5	0.5
R27/301	BEDROOM	100.7	91.6	91.6	0.0	0.0
R2/302	KITCHEN	96.8	86.6	79.3	7.3	8.4
R4/302	KITCHEN	96.8	85.7	81.9	3.8	4.4
R6/302	KITCHEN	96.8	86.1	83.9	2.1	2.4
R8/302	KITCHEN	96.8	86.9	85.0	2.0	2.3
R10/302	KITCHEN	96.8	87.4	86.6	0.7	0.8
R12/302	KITCHEN	96.8	87.5	87.2	0.3	0.3
R14/302	KITCHEN	96.8	82.0	77.0	5.0	6.1
R16/302	KITCHEN	96.8	81.2	74.3	7.0	8.6
R18/302	KITCHEN	96.8	74.9	63.5	11.4	15.2
R3/303	BEDROOM	100.7	100.7	98.2	2.5	2.5
R6/303	BEDROOM	100.7	100.7	100.0	0.7	0.7
R9/303	BEDROOM	100.7	100.7	100.7	0.0	0.0
R12/303	BEDROOM	100.7	100.7	100.7	0.0	0.0
R15/303	BEDROOM	100.7	100.7	100.7	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Proposed sq ft	Loss sq ft	%Loss
R18/303	BEDROOM	100.7	100.7	100.7	0.0	0.0
R21/303	BEDROOM	100.7	98.4	96.5	1.9	1.9
R24/303	BEDROOM	100.7	98.2	95.0	3.2	3.3
R27/303	BEDROOM	100.7	98.3	91.6	6.7	6.8
R1/310	ASSUMED	120.3	67.3	67.3	0.0	0.0
R2/310	ASSUMED	120.4	64.1	64.1	0.0	0.0
R3/310	ASSUMED	120.5	83.1	83.1	0.0	0.0
R4/310	ASSUMED	120.3	76.0	76.0	0.0	0.0
R2/311	KITCHEN	87.7	69.7	66.9	2.8	4.0
R3/311	KITCHEN	87.8	67.0	42.3	24.7	36.9
R6/311	KITCHEN	87.2	68.6	55.3	13.3	19.4
R3/312	BEDROOM	133.5	128.4	112.3	16.1	12.5
R4/312	BEDROOM	135.7	126.0	104.2	21.8	17.3
R5/312	BEDROOM	134.3	125.8	102.4	23.5	18.7
R1/313	LKD	337.8	306.3	303.9	2.4	0.8
R2/313	BEDROOM	138.3	126.4	126.4	0.0	0.0
R1/314	LKD	337.8	336.7	334.9	1.9	0.6
R2/314	BEDROOM	138.3	130.4	130.4	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/10	W1/10	ASSUMED	0	4	0	4	-	0.0						
R1/10	W2/10	ASSUMED	3	7	3	7	0.0	0.0	3	9	3	9	0.0	0.0
R2/10	W3/10	ASSUMED	3	5	3	5	0.0	0.0						
R2/10	W4/10	ASSUMED	3	7	3	7	0.0	0.0	3	7	3	7	0.0	0.0
R3/10	W5/10	LKD	0	4	0	4	-	0.0						
R3/10	W6/10	LKD	0	6	0	5	-	16.7	0	6	0	5	-	16.7
R1/11	W1/11	ASSUMED	0	3	0	3	-	0.0						
R1/11	W2/11	ASSUMED	2	8	2	8	0.0	0.0	2	8	2	8	0.0	0.0
R2/11	W3/11	ASSUMED	5	10	5	10	0.0	0.0						
R2/11	W4/11	ASSUMED	4	10	4	10	0.0	0.0	5	12	5	12	0.0	0.0
R3/11	W5/11	LKD	0	9	0	8	-	11.1						
R3/11	W6/11	LKD	0	8	0	7	-	12.5	0	9	0	8	-	11.1
R1/12	W1/12	ASSUMED	0	9	0	9	-	0.0						
R1/12	W2/12	ASSUMED	2	12	2	12	0.0	0.0	2	13	2	13	0.0	0.0

Viridian Apartments, 75 Battersea Park Road



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R2/12	W3/12	ASSUMED	7	15	7	15	0.0	0.0						
R2/12	W4/12	ASSUMED	5	14	5	14	0.0	0.0	7	16	7	16	0.0	0.0
R3/12	W5/12	LKD	0	10	0	8	-	20.0						
R3/12	W6/12	LKD	0	10	0	8	-	20.0	0	11	0	9	-	18.2
R1/13	W1/13	ASSUMED	0	12	0	12	-	0.0						
R1/13	W2/13	ASSUMED	4	18	4	18	0.0	0.0	4	19	4	19	0.0	0.0
R2/13	W3/13	ASSUMED	8	20	8	20	0.0	0.0						
R2/13	W4/13	ASSUMED	7	19	7	19	0.0	0.0	8	21	8	21	0.0	0.0
R3/13	W5/13	LKD	0	12	0	10	-	16.7						
R3/13	W6/13	LKD	0	14	0	12	-	14.3	0	14	0	12	-	14.3
R1/14	W1/14	ASSUMED	1	14	1	14	0.0	0.0						
R1/14	W2/14	ASSUMED	8	21	8	21	0.0	0.0	8	22	8	22	0.0	0.0
R2/14	W3/14	ASSUMED	8	20	8	20	0.0	0.0						
R2/14	W4/14	ASSUMED	7	20	7	20	0.0	0.0	8	22	8	22	0.0	0.0
R3/14	W5/14	LKD	0	15	0	13	-	13.3						
R3/14	W6/14	LKD	2	16	2	14	0.0	12.5	2	18	2	16	0.0	11.1



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		

Battersea Power Station Phase 4 and 4A (Buildings A1.1-1.5)

R1/51	W1/51	LD	19	37	19	37	0.0	0.0						
R1/51	W2/51	LD	19	62	19	62	0.0	0.0						
R1/51	W3/51	LD	3	29	3	28	0.0	3.4	19	62	19	62	0.0	0.0
R2/51	W4/51	BEDROOM	9	31	9	29	0.0	6.5	9	31	9	29	0.0	6.5
R5/51	W10/51	LD	1	2	1	2	0.0	0.0						
R5/51	W11/51	LD	1	8	1	8	0.0	0.0						
R5/51	W12/51	LD	0	4	0	4	-	0.0	1	9	1	9	0.0	0.0
R1/52	W1/52	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/52	W2/52	BEDROOM	23	66	23	66	0.0	0.0						
R2/52	W3/52	BEDROOM	5	31	5	30	0.0	3.2	23	66	23	66	0.0	0.0
R3/52	W4/52	BEDROOM	10	32	10	30	0.0	6.3	10	32	10	30	0.0	6.3
R8/52	W11/52	LD	2	8	2	8	0.0	0.0						
R8/52	W12/52	LD	0	4	0	4	-	0.0	2	9	2	9	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/53	W1/53	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/53	W2/53	BEDROOM	23	66	23	66	0.0	0.0						
R2/53	W3/53	BEDROOM	5	31	5	30	0.0	3.2	23	66	23	66	0.0	0.0
R3/53	W4/53	BEDROOM	10	32	10	30	0.0	6.3	10	32	10	30	0.0	6.3
R8/53	W11/53	LD	2	13	2	13	0.0	0.0						
R8/53	W12/53	LD	0	4	0	4	-	0.0	2	13	2	13	0.0	0.0
R1/54	W1/54	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/54	W2/54	BEDROOM	23	66	23	66	0.0	0.0						
R2/54	W3/54	BEDROOM	5	31	5	30	0.0	3.2	23	66	23	66	0.0	0.0
R3/54	W4/54	BEDROOM	10	32	10	30	0.0	6.3	10	32	10	30	0.0	6.3
R8/54	W11/54	LD	2	12	2	12	0.0	0.0						
R8/54	W12/54	LD	0	6	0	6	-	0.0	2	13	2	13	0.0	0.0
R1/55	W1/55	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/55	W2/55	BEDROOM	23	67	23	67	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R2/55	W3/55	BEDROOM	5	31	5	30	0.0	3.2	23	67	23	67	0.0	0.0
R3/55	W4/55	BEDROOM	10	33	10	30	0.0	9.1	10	33	10	30	0.0	9.1
R8/55	W11/55	LD	2	15	2	15	0.0	0.0						
R8/55	W12/55	LD	0	6	0	6	-	0.0	2	15	2	15	0.0	0.0
R1/56	W1/56	LKD	24	52	24	52	0.0	0.0	24	52	24	52	0.0	0.0
R2/56	W2/56	BEDROOM	23	66	23	66	0.0	0.0						
R2/56	W3/56	BEDROOM	5	31	5	30	0.0	3.2	23	66	23	66	0.0	0.0
R3/56	W4/56	BEDROOM	10	37	10	34	0.0	8.1	10	37	10	34	0.0	8.1
R8/56	W11/56	LD	2	14	2	14	0.0	0.0						
R8/56	W12/56	LD	1	9	1	9	0.0	0.0	2	15	2	15	0.0	0.0
R1/57	W1/57	LKD	24	52	24	52	0.0	0.0	24	52	24	52	0.0	0.0
R2/57	W2/57	BEDROOM	23	65	23	65	0.0	0.0						
R2/57	W3/57	BEDROOM	5	31	5	30	0.0	3.2	23	65	23	65	0.0	0.0
R3/57	W4/57	BEDROOM	10	37	10	34	0.0	8.1	10	37	10	34	0.0	8.1



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R8/57	W11/57	LD	2	17	2	17	0.0	0.0						
R8/57	W12/57	LD	1	13	1	13	0.0	0.0	2	20	2	20	0.0	0.0
R1/58	W1/58	LKD	23	42	23	42	0.0	0.0	23	42	23	42	0.0	0.0
R2/58	W2/58	BEDROOM	23	70	23	70	0.0	0.0						
R2/58	W3/58	BEDROOM	5	31	5	30	0.0	3.2	23	70	23	70	0.0	0.0
R3/58	W4/58	BEDROOM	10	33	10	30	0.0	9.1	10	33	10	30	0.0	9.1
R8/58	W11/58	LD	2	17	2	17	0.0	0.0						
R8/58	W12/58	LD	1	22	1	22	0.0	0.0	2	28	2	28	0.0	0.0
R1/59	W1/59	LKD	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R2/59	W2/59	BEDROOM	28	79	28	79	0.0	0.0						
R2/59	W3/59	BEDROOM	5	31	5	30	0.0	3.2	28	79	28	79	0.0	0.0
R3/59	W4/59	BEDROOM	10	43	10	40	0.0	7.0	10	43	10	40	0.0	7.0
R8/59	W11/59	LD	2	21	2	21	0.0	0.0						
R8/59	W12/59	LD	5	34	5	34	0.0	0.0	6	41	6	41	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/60	W1/60	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/60	W2/60	BEDROOM	28	79	28	79	0.0	0.0						
R2/60	W3/60	BEDROOM	6	32	6	31	0.0	3.1	28	79	28	79	0.0	0.0
R8/60	W10/60	LD	2	6	2	6	0.0	0.0						
R8/60	W11/60	LD	10	44	10	44	0.0	0.0	11	46	11	46	0.0	0.0
R1/61	W1/61	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/61	W2/61	BEDROOM	28	79	28	79	0.0	0.0						
R2/61	W3/61	BEDROOM	6	32	6	31	0.0	3.1	28	79	28	79	0.0	0.0
R8/61	W10/61	LD	2	6	2	6	0.0	0.0						
R8/61	W11/61	LD	13	54	13	54	0.0	0.0	14	56	14	56	0.0	0.0
R1/62	W1/62	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/62	W2/62	BEDROOM	28	79	28	79	0.0	0.0						
R2/62	W3/62	BEDROOM	6	32	6	31	0.0	3.1	28	79	28	79	0.0	0.0
R8/62	W10/62	LD	2	6	2	6	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R8/62	W11/62	LD	18	61	18	61	0.0	0.0	19	62	19	62	0.0	0.0
R1/63	W1/63	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/63	W2/63	BEDROOM	28	79	28	79	0.0	0.0						
R2/63	W3/63	BEDROOM	6	32	6	31	0.0	3.1	28	79	28	79	0.0	0.0
R8/63	W10/63	LD	2	6	2	6	0.0	0.0						
R8/63	W11/63	LD	20	63	20	63	0.0	0.0	20	63	20	63	0.0	0.0
R1/64	W1/64	LD	16	36	16	36	0.0	0.0	16	36	16	36	0.0	0.0
R2/64	W2/64	BEDROOM	28	79	28	79	0.0	0.0						
R2/64	W3/64	BEDROOM	6	32	6	31	0.0	3.1	28	79	28	79	0.0	0.0
R8/64	W10/64	LD	2	10	2	10	0.0	0.0						
R8/64	W11/64	LD	21	64	21	64	0.0	0.0	21	64	21	64	0.0	0.0
R3/71	W7/71	LD	2	2	2	2	0.0	0.0						
R3/71	W8/71	LD	2	6	2	6	0.0	0.0						
R3/71	W9/71	LD	2	11	2	11	0.0	0.0						
R3/71	W10/71	LD	0	6	0	6	-	0.0	2	12	2	12	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R5/72	W8/72	LD	2	8	2	8	0.0	0.0						
R5/72	W9/72	LD	2	12	2	12	0.0	0.0						
R5/72	W10/72	LD	0	6	0	6	-	0.0	2	13	2	13	0.0	0.0
R5/73	W8/73	LD	2	8	2	8	0.0	0.0						
R5/73	W9/73	LD	2	12	2	12	0.0	0.0						
R5/73	W10/73	LD	0	8	0	8	-	0.0	2	14	2	14	0.0	0.0
R5/74	W8/74	LD	2	10	2	10	0.0	0.0						
R5/74	W9/74	LD	2	14	2	14	0.0	0.0						
R5/74	W10/74	LD	0	7	0	7	-	0.0	2	17	2	17	0.0	0.0
R5/75	W8/75	LD	2	10	2	10	0.0	0.0						
R5/75	W9/75	LD	2	16	2	16	0.0	0.0						
R5/75	W10/75	LD	0	9	0	9	-	0.0	2	17	2	17	0.0	0.0
R5/76	W8/76	LD	2	11	2	11	0.0	0.0						
R5/76	W9/76	LD	2	16	2	16	0.0	0.0						
R5/76	W10/76	LD	1	15	1	15	0.0	0.0	2	20	2	20	0.0	0.0
R5/77	W8/77	LD	2	20	2	20	0.0	0.0						
R5/77	W9/77	LD	2	18	2	18	0.0	0.0						
R5/77	W10/77	LD	3	18	3	18	0.0	0.0	4	27	4	27	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R3/78	W1/78	LKD	6	31	6	31	0.0	0.0						
R3/78	W2/78	LKD	6	29	6	29	0.0	0.0						
R3/78	W5/78	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/78	W12/78	LD	0	0	0	0	-	-						
R7/78	W13/78	LD	2	9	2	9	0.0	0.0						
R7/78	W14/78	LD	4	23	4	23	0.0	0.0						
R7/78	W15/78	LD	4	19	4	19	0.0	0.0	6	28	6	28	0.0	0.0
R3/79	W1/79	LKD	6	31	6	31	0.0	0.0						
R3/79	W2/79	LKD	6	29	6	29	0.0	0.0						
R3/79	W5/79	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/79	W12/79	LD	0	0	0	0	-	-						
R7/79	W13/79	LD	2	9	2	9	0.0	0.0						
R7/79	W14/79	LD	5	25	5	25	0.0	0.0						
R7/79	W15/79	LD	4	21	4	21	0.0	0.0	6	29	6	29	0.0	0.0
R3/80	W1/80	LKD	6	31	6	31	0.0	0.0						
R3/80	W2/80	LKD	6	29	6	29	0.0	0.0						
R3/80	W5/80	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/80	W12/80	LD	0	0	0	0	-	-						
R7/80	W13/80	LD	2	9	2	9	0.0	0.0						
R7/80	W14/80	LD	5	26	5	26	0.0	0.0						
R7/80	W15/80	LD	5	22	5	22	0.0	0.0	7	30	7	30	0.0	0.0
R3/81	W1/81	LKD	6	31	6	31	0.0	0.0						
R3/81	W2/81	LKD	6	29	6	29	0.0	0.0						
R3/81	W5/81	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/81	W12/81	LD	0	0	0	0	-	-						
R7/81	W13/81	LD	2	9	2	9	0.0	0.0						
R7/81	W14/81	LD	7	29	7	29	0.0	0.0						
R7/81	W15/81	LD	7	25	7	25	0.0	0.0	9	33	9	33	0.0	0.0
R3/82	W1/82	LKD	6	31	6	31	0.0	0.0						
R3/82	W2/82	LKD	6	29	6	29	0.0	0.0						
R3/82	W5/82	LKD	18	43	18	43	0.0	0.0	18	56	18	56	0.0	0.0
R7/82	W12/82	LD	0	2	0	2	-	0.0						
R7/82	W13/82	LD	2	9	2	9	0.0	0.0						
R7/82	W14/82	LD	7	30	7	30	0.0	0.0						
R7/82	W15/82	LD	7	26	7	26	0.0	0.0	9	34	9	34	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/91	W7/91	LD	2	4	2	4	0.0	0.0						
R6/91	W8/91	LD	1	11	1	11	0.0	0.0						
R6/91	W9/91	LD	1	10	1	10	0.0	0.0	2	14	2	14	0.0	0.0
R6/92	W7/92	LD	2	5	2	5	0.0	0.0						
R6/92	W8/92	LD	2	13	2	13	0.0	0.0						
R6/92	W9/92	LD	1	11	1	11	0.0	0.0	2	15	2	15	0.0	0.0
R6/93	W7/93	LD	2	6	2	6	0.0	0.0						
R6/93	W8/93	LD	2	15	2	15	0.0	0.0						
R6/93	W9/93	LD	1	11	1	11	0.0	0.0	2	16	2	16	0.0	0.0
R6/94	W7/94	LD	2	13	2	13	0.0	0.0						
R6/94	W8/94	LD	2	16	2	16	0.0	0.0						
R6/94	W9/94	LD	1	11	1	11	0.0	0.0	2	17	2	17	0.0	0.0
R6/95	W7/95	LD	2	7	2	7	0.0	0.0						
R6/95	W8/95	LD	2	17	2	17	0.0	0.0						
R6/95	W9/95	LD	1	12	1	12	0.0	0.0	2	17	2	17	0.0	0.0
R6/96	W7/96	LD	2	18	2	18	0.0	0.0						
R6/96	W8/96	LD	2	18	2	18	0.0	0.0						
R6/96	W9/96	LD	2	16	2	16	0.0	0.0	2	21	2	21	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/97	W7/97	LD	2	10	2	10	0.0	0.0						
R6/97	W8/97	LD	2	20	2	20	0.0	0.0						
R6/97	W9/97	LD	2	15	2	15	0.0	0.0	2	21	2	21	0.0	0.0
R6/98	W7/98	LD	2	17	2	17	0.0	0.0						
R6/98	W8/98	LD	2	21	2	21	0.0	0.0						
R6/98	W9/98	LD	1	17	1	17	0.0	0.0	2	23	2	23	0.0	0.0
R6/99	W7/99	LD	2	10	2	10	0.0	0.0						
R6/99	W8/99	LD	2	21	2	21	0.0	0.0						
R6/99	W9/99	LD	2	24	2	24	0.0	0.0	2	28	2	28	0.0	0.0
R6/100	W7/100	LD	2	20	2	20	0.0	0.0						
R6/100	W8/100	LD	2	38	2	38	0.0	0.0	2	40	2	40	0.0	0.0
R6/101	W7/101	LD	2	21	2	21	0.0	0.0						
R6/101	W8/101	LD	13	55	13	55	0.0	0.0	13	56	13	56	0.0	0.0
R3/102	W2/102	BEDROOM	5	30	5	30	0.0	0.0						
R3/102	W4/102	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/102	W9/102	LD	2	6	2	6	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/102	W10/102	LD	22	65	22	65	0.0	0.0	22	65	22	65	0.0	0.0
R1/103	W2/103	BEDROOM	5	31	5	31	0.0	0.0						
R1/103	W4/103	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/103	W9/103	LD	2	6	2	6	0.0	0.0						
R7/103	W10/103	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/104	W2/104	BEDROOM	5	31	5	31	0.0	0.0						
R1/104	W4/104	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/104	W9/104	LD	2	6	2	6	0.0	0.0						
R7/104	W10/104	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/105	W2/105	BEDROOM	5	31	5	31	0.0	0.0						
R1/105	W4/105	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/105	W9/105	LD	2	6	2	6	0.0	0.0						
R7/105	W10/105	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/106	W2/106	BEDROOM	5	31	5	31	0.0	0.0						
R1/106	W4/106	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/106	W9/106	LD	2	6	2	6	0.0	0.0						
R7/106	W10/106	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/107	W2/107	BEDROOM	5	31	5	31	0.0	0.0						
R1/107	W4/107	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/107	W9/107	LD	2	12	2	12	0.0	0.0						
R7/107	W10/107	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R6/111	W9/111	LKD	1	7	1	7	0.0	0.0						
R6/111	W10/111	LKD	1	8	1	8	0.0	0.0						
R6/111	W11/111	LKD	1	19	1	19	0.0	0.0						
R6/111	W12/111	LKD	1	14	1	14	0.0	0.0						
R6/111	W13/111	LKD	0	10	0	10	-	0.0	1	20	1	20	0.0	0.0
R6/112	W9/112	LKD	2	9	2	9	0.0	0.0						
R6/112	W10/112	LKD	2	10	2	10	0.0	0.0						
R6/112	W11/112	LKD	1	20	1	20	0.0	0.0						
R6/112	W12/112	LKD	1	15	1	15	0.0	0.0						
R6/112	W13/112	LKD	0	10	0	10	-	0.0	2	21	2	21	0.0	0.0
R6/113	W9/113	LKD	2	9	2	9	0.0	0.0						
R6/113	W10/113	LKD	2	10	2	10	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/113	W11/113	LKD	2	21	2	21	0.0	0.0						
R6/113	W12/113	LKD	2	16	2	16	0.0	0.0						
R6/113	W13/113	LKD	0	10	0	10	-	0.0	2	21	2	21	0.0	0.0
R6/114	W9/114	LKD	2	9	2	9	0.0	0.0						
R6/114	W10/114	LKD	2	10	2	10	0.0	0.0						
R6/114	W11/114	LKD	2	21	2	21	0.0	0.0						
R6/114	W12/114	LKD	2	18	2	18	0.0	0.0						
R6/114	W13/114	LKD	0	11	0	11	-	0.0	2	23	2	23	0.0	0.0
R6/115	W9/115	LKD	2	9	2	9	0.0	0.0						
R6/115	W10/115	LKD	2	10	2	10	0.0	0.0						
R6/115	W11/115	LKD	2	21	2	21	0.0	0.0						
R6/115	W12/115	LKD	2	20	2	20	0.0	0.0						
R6/115	W13/115	LKD	0	14	0	14	-	0.0	2	24	2	24	0.0	0.0
R6/116	W9/116	LKD	2	10	2	10	0.0	0.0						
R6/116	W10/116	LKD	2	14	2	14	0.0	0.0						
R6/116	W11/116	LKD	2	21	2	21	0.0	0.0						
R6/116	W12/116	LKD	2	25	2	25	0.0	0.0						
R6/116	W13/116	LKD	0	18	0	18	-	0.0	2	27	2	27	0.0	0.0
R6/117	W9/117	LKD	2	9	2	9	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/117	W10/117	LKD	2	13	2	13	0.0	0.0						
R6/117	W11/117	LKD	2	21	2	21	0.0	0.0						
R6/117	W12/117	LKD	3	35	3	35	0.0	0.0						
R6/117	W13/117	LKD	1	23	1	23	0.0	0.0	3	35	3	35	0.0	0.0
R6/118	W9/118	LKD	2	9	2	9	0.0	0.0						
R6/118	W10/118	LKD	2	10	2	10	0.0	0.0						
R6/118	W11/118	LKD	2	21	2	21	0.0	0.0						
R6/118	W12/118	LKD	7	47	7	47	0.0	0.0						
R6/118	W13/118	LKD	3	33	3	33	0.0	0.0	7	47	7	47	0.0	0.0
R6/119	W9/119	LKD	2	21	2	21	0.0	0.0						
R6/119	W10/119	LKD	2	21	2	21	0.0	0.0						
R6/119	W11/119	LKD	2	21	2	21	0.0	0.0						
R6/119	W12/119	LKD	19	62	19	62	0.0	0.0						
R6/119	W13/119	LKD	10	52	10	52	0.0	0.0	19	62	19	62	0.0	0.0
R3/120	W1/120	LKD	6	31	6	31	0.0	0.0						
R3/120	W2/120	LKD	6	31	6	31	0.0	0.0						
R3/120	W5/120	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/120	W12/120	LD	0	1	0	1	-	0.0						
R7/120	W13/120	LD	2	12	2	12	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/120	W14/120	LD	24	67	24	67	0.0	0.0						
R7/120	W15/120	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/121	W1/121	LKD	6	31	6	31	0.0	0.0						
R1/121	W2/121	LKD	6	31	6	31	0.0	0.0						
R1/121	W5/121	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/121	W12/121	LD	0	1	0	1	-	0.0						
R7/121	W13/121	LD	2	12	2	12	0.0	0.0						
R7/121	W14/121	LD	24	67	24	67	0.0	0.0						
R7/121	W15/121	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/122	W1/122	LKD	6	31	6	31	0.0	0.0						
R1/122	W2/122	LKD	6	31	6	31	0.0	0.0						
R1/122	W5/122	LKD	18	42	18	42	0.0	0.0	18	55	18	55	0.0	0.0
R7/122	W12/122	LD	0	4	0	4	-	0.0						
R7/122	W13/122	LD	2	13	2	13	0.0	0.0						
R7/122	W14/122	LD	24	67	24	67	0.0	0.0						
R7/122	W15/122	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0

Battersea Power Station Phase 4 and 4A (Building A2)



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/41	W1/41	LKD	0	17	0	17	-	0.0						
R1/41	W2/41	LKD	0	17	0	17	-	0.0						
R1/41	W3/41	LKD	1	6	1	6	0.0	0.0						
R1/41	W21/41	LKD	9	40	9	40	0.0	0.0	10	41	10	41	0.0	0.0
R9/41	W15/41	LD	0	4	0	4	-	0.0						
R9/41	W16/41	LD	3	8	3	8	0.0	0.0						
R9/41	W17/41	LD	4	4	4	4	0.0	0.0	4	9	4	9	0.0	0.0
R10/41	W18/41	BEDROOM	5	16	5	16	0.0	0.0						
R10/41	W19/41	BEDROOM	3	19	3	19	0.0	0.0	5	22	5	22	0.0	0.0
R11/41	W20/41	BEDROOM	12	32	12	32	0.0	0.0	12	32	12	32	0.0	0.0
R1/42	W1/42	LKD	1	19	1	19	0.0	0.0						
R1/42	W2/42	LKD	1	18	1	18	0.0	0.0						
R1/42	W3/42	LKD	1	6	1	6	0.0	0.0						
R1/42	W21/42	LKD	11	44	11	44	0.0	0.0	11	44	11	44	0.0	0.0
R9/42	W15/42	LD	0	6	0	6	-	0.0						
R9/42	W16/42	LD	3	8	3	8	0.0	0.0						
R9/42	W17/42	LD	5	5	5	5	0.0	0.0	5	12	5	12	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R10/42	W18/42	BEDROOM	6	19	6	19	0.0	0.0						
R10/42	W19/42	BEDROOM	5	24	5	24	0.0	0.0	7	28	7	28	0.0	0.0
R11/42	W20/42	BEDROOM	15	37	15	37	0.0	0.0	15	37	15	37	0.0	0.0
R1/43	W1/43	LKD	2	21	2	21	0.0	0.0						
R1/43	W2/43	LKD	2	20	2	20	0.0	0.0						
R1/43	W3/43	LKD	2	8	2	8	0.0	0.0						
R1/43	W21/43	LKD	15	51	15	51	0.0	0.0	15	51	15	51	0.0	0.0
R9/43	W15/43	LD	0	6	0	6	-	0.0						
R9/43	W16/43	LD	3	11	3	11	0.0	0.0						
R9/43	W17/43	LD	5	5	5	5	0.0	0.0	5	14	5	14	0.0	0.0
R10/43	W18/43	BEDROOM	6	24	6	24	0.0	0.0						
R10/43	W19/43	BEDROOM	5	30	5	30	0.0	0.0	7	32	7	32	0.0	0.0
R11/43	W20/43	BEDROOM	19	41	19	41	0.0	0.0	19	41	19	41	0.0	0.0
R1/44	W1/44	LKD	2	21	2	21	0.0	0.0						
R1/44	W2/44	LKD	2	20	2	20	0.0	0.0						
R1/44	W3/44	LKD	2	20	2	20	0.0	0.0						
R1/44	W21/44	LKD	21	64	21	64	0.0	0.0	21	64	21	64	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R9/44	W15/44	LD	1	9	1	9	0.0	0.0						
R9/44	W16/44	LD	10	37	10	37	0.0	0.0						
R9/44	W17/44	LD	10	38	10	38	0.0	0.0	11	40	11	40	0.0	0.0
R10/44	W18/44	BEDROOM	10	38	10	38	0.0	0.0						
R10/44	W19/44	BEDROOM	10	37	10	37	0.0	0.0	10	38	10	38	0.0	0.0
R11/44	W20/44	BEDROOM	21	64	21	64	0.0	0.0	21	64	21	64	0.0	0.0
R1/45	W1/45	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0
R2/45	W2/45	BEDROOM	20	58	20	58	0.0	0.0						
R2/45	W3/45	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/45	W10/45	BEDROOM	1	12	1	12	0.0	0.0						
R6/45	W11/45	BEDROOM	12	41	12	41	0.0	0.0						
R6/45	W12/45	BEDROOM	12	43	12	43	0.0	0.0	13	46	13	46	0.0	0.0
R7/45	W13/45	BEDROOM	13	43	13	43	0.0	0.0						
R7/45	W14/45	BEDROOM	12	41	12	41	0.0	0.0	13	43	13	43	0.0	0.0
R1/46	W1/46	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R2/46	W2/46	BEDROOM	20	58	20	58	0.0	0.0						
R2/46	W3/46	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/46	W10/46	BEDROOM	1	13	1	13	0.0	0.0						
R6/46	W11/46	BEDROOM	13	46	13	46	0.0	0.0						
R6/46	W12/46	BEDROOM	13	48	13	48	0.0	0.0	14	50	14	50	0.0	0.0
R7/46	W13/46	BEDROOM	15	47	15	47	0.0	0.0						
R7/46	W14/46	BEDROOM	15	46	15	46	0.0	0.0	15	47	15	47	0.0	0.0
R1/47	W1/47	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0
R2/47	W2/47	BEDROOM	20	58	20	58	0.0	0.0						
R2/47	W3/47	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/47	W10/47	BEDROOM	1	16	1	16	0.0	0.0						
R6/47	W11/47	BEDROOM	14	49	14	49	0.0	0.0						
R6/47	W12/47	BEDROOM	14	49	14	49	0.0	0.0	15	51	15	51	0.0	0.0
R7/47	W13/47	BEDROOM	17	49	17	49	0.0	0.0						
R7/47	W14/47	BEDROOM	16	49	16	49	0.0	0.0	17	51	17	51	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/48	W1/48	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0
R2/48	W2/48	BEDROOM	20	58	20	58	0.0	0.0						
R2/48	W3/48	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/48	W10/48	BEDROOM	2	18	2	17	0.0	5.6						
R6/48	W11/48	BEDROOM	18	56	18	55	0.0	1.8						
R6/48	W12/48	BEDROOM	17	54	17	53	0.0	1.9	19	57	19	56	0.0	1.8
R7/48	W13/48	BEDROOM	19	55	19	54	0.0	1.8						
R7/48	W14/48	BEDROOM	18	53	18	52	0.0	1.9	19	55	19	54	0.0	1.8

Battersea Power Station Phase 4 and 4A (Building A3)

R1/21	W1/21	LKD	4	19	4	19	0.0	0.0						
R1/21	W2/21	LKD	4	12	4	12	0.0	0.0						
R1/21	W3/21	LKD	1	15	1	15	0.0	0.0	5	22	5	22	0.0	0.0
R11/21	W14/21	KITCHEN	0	5	0	0	-	100.0						
R11/21	W15/21	KITCHEN	2	21	0	4	100.0	81.0	2	21	0	4	100.0	81.0
R12/21	W16/21	BEDROOM	0	5	0	0	-	100.0						
R12/21	W17/21	BEDROOM	2	21	0	4	100.0	81.0	2	21	0	4	100.0	81.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R13/21	W18/21	BEDROOM	0	10	0	0	-	100.0						
R13/21	W19/21	BEDROOM	2	20	1	4	50.0	80.0	2	20	1	4	50.0	80.0
R14/21	W20/21	BEDROOM	0	10	0	0	-	100.0						
R14/21	W21/21	BEDROOM	2	19	2	4	0.0	78.9	2	19	2	4	0.0	78.9
R15/21	W22/21	BEDROOM	3	33	3	21	0.0	36.4						
R15/21	W23/21	BEDROOM	4	32	4	20	0.0	37.5	5	37	5	25	0.0	32.4
R16/21	W24/21	BEDROOM	1	20	1	10	0.0	50.0						
R16/21	W25/21	BEDROOM	0	10	0	0	-	100.0	1	20	1	10	0.0	50.0
R17/21	W26/21	BEDROOM	2	8	2	2	0.0	75.0	2	8	2	2	0.0	75.0
R18/21	W27/21	LD	3	17	3	13	0.0	23.5						
R18/21	W28/21	LD	3	21	3	18	0.0	14.3	4	26	4	22	0.0	15.4
R19/21	W29/21	BEDROOM	3	21	3	16	0.0	23.8						
R19/21	W30/21	BEDROOM	2	18	2	14	0.0	22.2	4	22	4	17	0.0	22.7
R20/21	W31/21	BEDROOM	1	10	1	6	0.0	40.0	1	10	1	6	0.0	40.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R21/21	W32/21	LD	4	10	4	6	0.0	40.0	4	10	4	6	0.0	40.0
R1/22	W1/22	LKD	5	24	5	24	0.0	0.0						
R1/22	W2/22	LKD	5	15	5	15	0.0	0.0						
R1/22	W3/22	LKD	1	18	1	18	0.0	0.0	6	28	6	28	0.0	0.0
R11/22	W14/22	KITCHEN	0	5	0	0	-	100.0						
R11/22	W15/22	KITCHEN	2	22	0	5	100.0	77.3	2	22	0	5	100.0	77.3
R12/22	W16/22	BEDROOM	0	5	0	0	-	100.0						
R12/22	W17/22	BEDROOM	2	22	0	5	100.0	77.3	2	22	0	5	100.0	77.3
R13/22	W18/22	BEDROOM	0	10	0	0	-	100.0						
R13/22	W19/22	BEDROOM	2	21	1	5	50.0	76.2	2	21	1	5	50.0	76.2
R14/22	W20/22	BEDROOM	0	10	0	0	-	100.0						
R14/22	W21/22	BEDROOM	2	20	2	5	0.0	75.0	2	20	2	5	0.0	75.0
R15/22	W22/22	BEDROOM	4	36	4	24	0.0	33.3						
R15/22	W23/22	BEDROOM	4	33	4	22	0.0	33.3	6	39	6	28	0.0	28.2
R16/22	W24/22	BEDROOM	1	21	1	11	0.0	47.6						
R16/22	W25/22	BEDROOM	0	11	0	1	-	90.9	1	22	1	12	0.0	45.5



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R17/22	W26/22	BEDROOM	2	9	2	3	0.0	66.7	2	9	2	3	0.0	66.7
R18/22	W27/22	LD	4	18	4	14	0.0	22.2						
R18/22	W28/22	LD	4	23	4	20	0.0	13.0	5	28	5	24	0.0	14.3
R19/22	W29/22	BEDROOM	4	23	4	18	0.0	21.7						
R19/22	W30/22	BEDROOM	3	20	3	16	0.0	20.0	5	24	5	19	0.0	20.8
R20/22	W31/22	BEDROOM	1	11	1	7	0.0	36.4	1	11	1	7	0.0	36.4
R21/22	W32/22	LD	5	11	5	7	0.0	36.4	5	11	5	7	0.0	36.4
R1/23	W1/23	LKD	5	17	5	17	0.0	0.0						
R1/23	W2/23	LKD	7	29	7	29	0.0	0.0						
R1/23	W3/23	LKD	1	18	1	18	0.0	0.0	8	32	8	32	0.0	0.0
R11/23	W14/23	KITCHEN	0	5	0	0	-	100.0						
R11/23	W15/23	KITCHEN	2	22	0	5	100.0	77.3	2	22	0	5	100.0	77.3
R12/23	W16/23	BEDROOM	0	5	0	0	-	100.0						
R12/23	W17/23	BEDROOM	2	23	0	6	100.0	73.9	2	23	0	6	100.0	73.9



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R13/23	W18/23	BEDROOM	0	10	0	0	-	100.0						
R13/23	W19/23	BEDROOM	2	22	1	6	50.0	72.7	2	22	1	6	50.0	72.7
R14/23	W20/23	BEDROOM	0	10	0	0	-	100.0						
R14/23	W21/23	BEDROOM	2	21	2	6	0.0	71.4	2	21	2	6	0.0	71.4
R15/23	W22/23	BEDROOM	4	37	4	25	0.0	32.4						
R15/23	W23/23	BEDROOM	4	34	4	23	0.0	32.4	6	40	6	29	0.0	27.5
R16/23	W24/23	BEDROOM	1	23	1	13	0.0	43.5						
R16/23	W25/23	BEDROOM	0	12	0	2	-	83.3	1	25	1	15	0.0	40.0
R17/23	W26/23	BEDROOM	2	10	2	4	0.0	60.0	2	10	2	4	0.0	60.0
R18/23	W27/23	LD	4	18	4	14	0.0	22.2						
R18/23	W28/23	LD	4	24	4	21	0.0	12.5	5	29	5	25	0.0	13.8
R19/23	W29/23	BEDROOM	4	24	4	19	0.0	20.8						
R19/23	W30/23	BEDROOM	3	22	3	18	0.0	18.2	5	26	5	21	0.0	19.2
R20/23	W31/23	BEDROOM	1	12	1	8	0.0	33.3	1	12	1	8	0.0	33.3
R21/23	W32/23	LD	5	12	5	8	0.0	33.3	5	12	5	8	0.0	33.3



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/24	W1/24	LKD	8	32	8	32	0.0	0.0						
R1/24	W2/24	LKD	6	20	6	20	0.0	0.0						
R1/24	W3/24	LKD	2	21	2	21	0.0	0.0	9	35	9	35	0.0	0.0
R11/24	W14/24	KITCHEN	0	5	0	0	-	100.0						
R11/24	W15/24	KITCHEN	2	23	0	7	100.0	69.6	2	23	0	7	100.0	69.6
R12/24	W16/24	BEDROOM	0	5	0	0	-	100.0						
R12/24	W17/24	BEDROOM	2	23	0	7	100.0	69.6	2	23	0	7	100.0	69.6
R13/24	W18/24	BEDROOM	0	10	0	0	-	100.0						
R13/24	W19/24	BEDROOM	2	23	1	8	50.0	65.2	2	23	1	8	50.0	65.2
R14/24	W20/24	BEDROOM	0	10	0	1	-	90.0						
R14/24	W21/24	BEDROOM	2	21	2	7	0.0	66.7	2	21	2	8	0.0	61.9
R15/24	W22/24	BEDROOM	5	39	5	27	0.0	30.8						
R15/24	W23/24	BEDROOM	5	36	5	25	0.0	30.6	7	42	7	31	0.0	26.2
R16/24	W24/24	BEDROOM	1	25	1	15	0.0	40.0						
R16/24	W25/24	BEDROOM	0	12	0	2	-	83.3	1	27	1	17	0.0	37.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R17/24	W26/24	LD	2	10	2	4	0.0	60.0						
R17/24	W27/24	LD	6	21	6	17	0.0	19.0	6	23	6	17	0.0	26.1
R18/24	W28/24	BEDROOM	6	31	6	28	0.0	9.7	6	31	6	28	0.0	9.7
R19/24	W29/24	BEDROOM	5	29	5	24	0.0	17.2						
R19/24	W30/24	BEDROOM	4	25	4	21	0.0	16.0	6	30	6	25	0.0	16.7
R20/24	W31/24	BEDROOM	1	15	1	11	0.0	26.7	1	15	1	11	0.0	26.7
R21/24	W32/24	LD	6	13	6	9	0.0	30.8	6	13	6	9	0.0	30.8
R1/25	W1/25	LKD	9	35	9	35	0.0	0.0						
R1/25	W2/25	LKD	5	21	5	21	0.0	0.0						
R1/25	W3/25	LKD	2	19	2	19	0.0	0.0	9	36	9	36	0.0	0.0
R11/25	W14/25	KITCHEN	0	6	0	0	-	100.0						
R11/25	W15/25	KITCHEN	2	24	0	7	100.0	70.8	2	24	0	7	100.0	70.8
R12/25	W16/25	BEDROOM	0	6	0	0	-	100.0						
R12/25	W17/25	BEDROOM	2	25	0	8	100.0	68.0	2	25	0	8	100.0	68.0
R13/25	W18/25	BEDROOM	0	10	0	0	-	100.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R13/25	W19/25	BEDROOM	2	23	1	8	50.0	65.2	2	23	1	8	50.0	65.2
R14/25	W20/25	BEDROOM	0	10	0	2	-	80.0						
R14/25	W21/25	BEDROOM	2	23	2	10	0.0	56.5	2	23	2	11	0.0	52.2
R15/25	W22/25	BEDROOM	5	44	5	32	0.0	27.3						
R15/25	W23/25	BEDROOM	6	40	6	29	0.0	27.5	8	48	8	37	0.0	22.9
R16/25	W24/25	BEDROOM	3	28	3	18	0.0	35.7						
R16/25	W25/25	BEDROOM	2	14	2	4	0.0	71.4	4	31	4	21	0.0	32.3
R17/25	W26/25	LD	4	12	4	6	0.0	50.0						
R17/25	W27/25	LD	8	23	8	19	0.0	17.4	9	26	9	20	0.0	23.1
R18/25	W28/25	BEDROOM	7	35	7	32	0.0	8.6	7	35	7	32	0.0	8.6
R19/25	W29/25	BEDROOM	6	35	6	29	0.0	17.1						
R19/25	W30/25	BEDROOM	5	30	5	25	0.0	16.7	7	36	7	30	0.0	16.7
R20/25	W31/25	BEDROOM	4	20	4	16	0.0	20.0	4	20	4	16	0.0	20.0
R21/25	W32/25	LD	8	15	8	11	0.0	26.7	8	15	8	11	0.0	26.7



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/26	W1/26	LKD	10	37	10	37	0.0	0.0						
R1/26	W2/26	LKD	7	25	7	25	0.0	0.0						
R1/26	W3/26	LKD	2	21	2	21	0.0	0.0	10	37	10	37	0.0	0.0
R11/26	W14/26	KITCHEN	0	6	0	0	-	100.0						
R11/26	W15/26	KITCHEN	2	26	0	9	100.0	65.4	2	26	0	9	100.0	65.4
R12/26	W16/26	BEDROOM	0	6	0	0	-	100.0						
R12/26	W17/26	BEDROOM	2	25	0	8	100.0	68.0	2	25	0	8	100.0	68.0
R13/26	W18/26	BEDROOM	0	11	0	0	-	100.0						
R13/26	W19/26	BEDROOM	2	25	1	9	50.0	64.0	2	25	1	9	50.0	64.0
R14/26	W20/26	BEDROOM	0	11	0	2	-	81.8						
R14/26	W21/26	BEDROOM	2	25	2	11	0.0	56.0	2	25	2	12	0.0	52.0
R15/26	W22/26	BEDROOM	6	47	6	34	0.0	27.7						
R15/26	W23/26	BEDROOM	8	48	8	36	0.0	25.0	9	51	9	39	0.0	23.5
R16/26	W24/26	BEDROOM	3	35	3	24	0.0	31.4						
R16/26	W25/26	BEDROOM	3	16	3	5	0.0	68.8	5	38	5	27	0.0	28.9
R17/26	W26/26	LD	5	14	5	7	0.0	50.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R17/26	W27/26	LD	8	25	8	20	0.0	20.0	9	28	9	21	0.0	25.0
R18/26	W28/26	BEDROOM	8	40	8	36	0.0	10.0	8	40	8	36	0.0	10.0
R19/26	W29/26	BEDROOM	7	41	7	36	0.0	12.2						
R19/26	W30/26	BEDROOM	5	37	5	33	0.0	10.8	7	42	7	37	0.0	11.9
R20/26	W31/26	BEDROOM	5	23	5	19	0.0	17.4	5	23	5	19	0.0	17.4
R21/26	W32/26	LD	9	18	9	14	0.0	22.2	9	18	9	14	0.0	22.2
R1/27	W1/27	LKD	13	41	13	41	0.0	0.0						
R1/27	W2/27	LKD	9	30	9	30	0.0	0.0						
R1/27	W3/27	LKD	2	19	2	19	0.0	0.0	13	41	13	41	0.0	0.0
R11/27	W14/27	KITCHEN	0	6	0	0	-	100.0						
R11/27	W15/27	KITCHEN	2	29	0	12	100.0	58.6	2	29	0	12	100.0	58.6
R12/27	W16/27	BEDROOM	0	6	0	0	-	100.0						
R12/27	W17/27	BEDROOM	2	29	0	12	100.0	58.6	2	29	0	12	100.0	58.6
R13/27	W18/27	BEDROOM	0	11	0	0	-	100.0						
R13/27	W19/27	BEDROOM	2	29	1	13	50.0	55.2	2	29	1	13	50.0	55.2



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R14/27	W20/27	BEDROOM	0	11	0	2	-	81.8						
R14/27	W21/27	BEDROOM	2	26	2	12	0.0	53.8	2	26	2	13	0.0	50.0
R15/27	W22/27	BEDROOM	9	52	9	40	0.0	23.1						
R15/27	W23/27	BEDROOM	9	51	9	39	0.0	23.5	10	54	10	42	0.0	22.2
R16/27	W24/27	BEDROOM	10	50	10	39	0.0	22.0						
R16/27	W25/27	BEDROOM	9	50	9	39	0.0	22.0	11	53	11	42	0.0	20.8
R17/27	W26/27	LD	9	48	9	39	0.0	18.8						
R17/27	W27/27	LD	9	47	9	39	0.0	17.0	10	50	10	41	0.0	18.0
R18/27	W28/27	BEDROOM	8	43	8	38	0.0	11.6	8	43	8	38	0.0	11.6
R19/27	W29/27	BEDROOM	7	43	7	37	0.0	14.0						
R19/27	W30/27	BEDROOM	7	42	7	38	0.0	9.5	7	44	7	39	0.0	11.4
R20/27	W31/27	BEDROOM	10	47	10	43	0.0	8.5	10	47	10	43	0.0	8.5
R21/27	W32/27	LD	10	47	10	43	0.0	8.5	10	47	10	43	0.0	8.5
R1/28	W1/28	LKD	14	42	14	42	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/28	W2/28	LKD	10	30	10	30	0.0	0.0						
R1/28	W3/28	LKD	2	21	2	21	0.0	0.0	14	42	14	42	0.0	0.0
R7/28	W11/28	LKD	1	13	1	6	0.0	53.8						
R7/28	W12/28	LKD	8	50	8	45	0.0	10.0						
R7/28	W13/28	LKD	8	51	8	46	0.0	9.8	9	55	9	49	0.0	10.9
R8/28	W14/28	BEDROOM	10	53	10	49	0.0	7.5	10	53	10	49	0.0	7.5
R9/28	W15/28	BEDROOM	9	52	9	48	0.0	7.7	9	52	9	48	0.0	7.7
R1/29	W1/29	LKD	16	43	16	43	0.0	0.0						
R1/29	W2/29	LKD	13	31	13	31	0.0	0.0						
R1/29	W3/29	LKD	2	21	2	21	0.0	0.0	16	43	16	43	0.0	0.0
R7/29	W11/29	LKD	1	16	1	9	0.0	43.8						
R7/29	W12/29	LKD	10	57	10	53	0.0	7.0						
R7/29	W13/29	LKD	12	60	12	56	0.0	6.7	13	61	13	57	0.0	6.6
R8/29	W14/29	BEDROOM	13	60	13	56	0.0	6.7	13	60	13	56	0.0	6.7
R9/29	W15/29	BEDROOM	11	58	11	54	0.0	6.9	11	58	11	54	0.0	6.9



SUNLIGHT ANALYSIS


Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Proposed				Existing		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/30	W1/30	LKD	16	43	16	43	0.0	0.0						
R1/30	W2/30	LKD	13	31	13	31	0.0	0.0						
R1/30	W3/30	LKD	2	21	2	21	0.0	0.0	16	43	16	43	0.0	0.0
R7/30	W11/30	LKD	2	18	2	12	0.0	33.3						
R7/30	W12/30	LKD	12	60	12	56	0.0	6.7						
R7/30	W13/30	LKD	13	62	13	58	0.0	6.5	15	64	15	60	0.0	6.3
R8/30	W14/30	BEDROOM	14	62	14	58	0.0	6.5	14	62	14	58	0.0	6.5
R9/30	W15/30	BEDROOM	14	61	14	57	0.0	6.6	14	61	14	57	0.0	6.6

142-192 Thessaly Road

R1/313	W1/313	LKD	0	1	0	1	-	0.0						
R1/313	W3/313	LKD	17	39	17	39	0.0	0.0	17	40	17	40	0.0	0.0
R1/314	W1/314	LKD	0	3	0	1	-	66.7						
R1/314	W3/314	LKD	23	67	23	67	0.0	0.0	23	70	23	68	0.0	2.9



Daylight and Sunlight Results
(Existing v Proposed)
Without Balconies



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/10	ASSUMED	W1/10	10.17	9.60	0.57	5.60
R1/10	ASSUMED	W2/10	14.64	13.84	0.80	5.46
R2/10	ASSUMED	W3/10	16.97	15.92	1.05	6.19
R2/10	ASSUMED	W4/10	13.46	13.21	0.25	1.86
R3/10	LKD	W5/10	16.54	14.18	2.36	14.27
R3/10	LKD	W6/10	20.15	17.12	3.03	15.04
R4/10	BEDROOM	W7/10	20.64	17.27	3.37	16.33
R4/10	BEDROOM	W8/10	17.04	15.21	1.83	10.74
R5/10	BEDROOM	W9/10	19.99	13.97	6.02	30.12
R5/10	BEDROOM	W10/10	23.58	16.62	6.96	29.52
R6/10	LKD	W11/10	24.00	16.04	7.96	33.17
R6/10	LKD	W12/10	20.06	13.70	6.36	31.70
R7/10	LKD	W13/10	21.28	12.21	9.07	42.62
R8/10	BEDROOM	W14/10	23.83	14.09	9.74	40.87
R9/10	BEDROOM	W15/10	20.72	11.70	9.02	43.53
R10/10	LKD	W16/10	23.11	12.85	10.26	44.40
R11/10	BEDROOM	W17/10	23.26	12.70	10.56	45.40
R12/10	BEDROOM	W18/10	15.67	9.40	6.27	40.01
R12/10	BEDROOM	W19/10	18.50	9.04	9.46	51.14
R13/10	BEDROOM	W20/10	18.28	8.51	9.77	53.45
R13/10	BEDROOM	W21/10	15.47	7.38	8.09	52.29
R14/10	BEDROOM	W22/10	23.31	12.77	10.54	45.22
R15/10	LKD	W23/10	22.99	12.35	10.64	46.28
R16/10	LKD	W24/10	19.25	10.49	8.76	45.51
R17/10	BEDROOM	W25/10	20.21	10.63	9.58	47.40
R18/10	LKD	W26/10	22.67	14.68	7.99	35.24
R19/10	BEDROOM	W27/10	23.77	16.11	7.66	32.23



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R20/10	BEDROOM	W28/10	15.43	6.28	9.15	59.30
R20/10	BEDROOM	W29/10	19.55	15.20	4.35	22.25
R21/10	BEDROOM	W30/10	18.26	11.40	6.86	37.57
R21/10	BEDROOM	W31/10	18.97	17.35	1.62	8.54
R22/10	BEDROOM	W32/10	26.72	19.70	7.02	26.27
R23/10	LKD	W33/10	26.27	19.48	6.79	25.85
R24/10	LKD	W34/10	24.85	20.86	3.99	16.06
R25/10	BEDROOM	W35/10	27.40	21.12	6.28	22.92
R26/10	LKD	W36/10	25.65	22.65	3.00	11.70
R27/10	BEDROOM	W37/10	26.44	22.36	4.08	15.43
R27/10	BEDROOM	W38/10	21.77	18.34	3.43	15.76
R28/10	LKD	W39/10	19.05	15.64	3.41	17.90
R28/10	LKD	W40/10	12.26	9.38	2.88	23.49
R28/10	LKD	W41/10	12.62	12.16	0.46	3.65
R28/10	LKD	W42/10	10.97	10.82	0.15	1.37
R29/10	BEDROOM	W43/10	11.42	11.20	0.22	1.93
R29/10	BEDROOM	W44/10	11.44	11.37	0.07	0.61
R1/11	ASSUMED	W1/11	10.02	9.47	0.55	5.49
R1/11	ASSUMED	W2/11	13.88	13.17	0.71	5.12
R2/11	ASSUMED	W3/11	18.79	17.69	1.10	5.85
R2/11	ASSUMED	W4/11	14.81	14.60	0.21	1.42
R3/11	LKD	W5/11	16.81	14.24	2.57	15.29
R3/11	LKD	W6/11	20.29	17.17	3.12	15.38
R4/11	BEDROOM	W7/11	21.94	17.93	4.01	18.28
R4/11	BEDROOM	W8/11	17.11	14.89	2.22	12.97
R5/11	BEDROOM	W9/11	20.83	13.48	7.35	35.29
R5/11	BEDROOM	W10/11	25.20	16.97	8.23	32.66
R6/11	LKD	W11/11	26.97	16.68	10.29	38.15
R6/11	LKD	W12/11	22.30	14.39	7.91	35.47
R7/11	LKD	W13/11	23.86	12.83	11.03	46.23



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R8/11	BEDROOM	W14/11	27.91	15.24	12.67	45.40
R9/11	BEDROOM	W15/11	22.41	12.48	9.93	44.31
R10/11	LKD	W16/11	25.82	12.83	12.99	50.31
R11/11	BEDROOM	W17/11	27.20	13.37	13.83	50.85
R12/11	BEDROOM	W18/11	21.83	9.74	12.09	55.38
R13/11	BEDROOM	W19/11	21.38	9.18	12.20	57.06
R14/11	BEDROOM	W20/11	27.90	13.75	14.15	50.72
R15/11	LKD	W21/11	25.84	12.20	13.64	52.79
R16/11	SITTINGROOM	W22/11	23.00	11.45	11.55	50.22
R17/11	BEDROOM	W23/11	18.82	6.91	11.91	63.28
R18/11	LKD	W24/11	25.27	14.62	10.65	42.14
R19/11	BEDROOM	W25/11	27.93	16.98	10.95	39.21
R20/11	BEDROOM	W26/11	21.91	15.75	6.16	28.12
R21/11	BEDROOM	W27/11	22.11	12.84	9.27	41.93
R22/11	BEDROOM	W28/11	29.25	20.28	8.97	30.67
R23/11	LKD	W29/11	27.53	19.46	8.07	29.31
R24/11	BEDROOM	W30/11	21.99	20.32	1.67	7.59
R25/11	LKD	W31/11	28.80	21.83	6.97	24.20
R26/11	LKD	W32/11	26.94	23.56	3.38	12.55
R26/11	LKD	W33/11	23.17	19.45	3.72	16.06
R27/11	BEDROOM	W34/11	19.96	16.26	3.70	18.54
R27/11	BEDROOM	W35/11	22.18	22.18	0.00	0.00
R28/11	BEDROOM	W36/11	23.29	22.13	1.16	4.98
R1/12	ASSUMED	W1/12	11.00	10.44	0.56	5.09
R1/12	ASSUMED	W2/12	15.41	14.70	0.71	4.61



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/12	ASSUMED	W3/12	20.55	19.46	1.09	5.30
R2/12	ASSUMED	W4/12	16.41	16.19	0.22	1.34
R3/12	LKD	W5/12	17.69	15.09	2.60	14.70
R3/12	LKD	W6/12	21.61	18.42	3.19	14.76
R4/12	BEDROOM	W7/12	23.33	19.07	4.26	18.26
R4/12	BEDROOM	W8/12	18.25	15.83	2.42	13.26
R5/12	BEDROOM	W9/12	21.75	13.63	8.12	37.33
R5/12	BEDROOM	W10/12	26.34	17.20	9.14	34.70
R6/12	LKD	W11/12	28.38	16.82	11.56	40.73
R6/12	LKD	W12/12	23.67	14.56	9.11	38.49
R7/12	LKD	W13/12	26.29	14.01	12.28	46.71
R8/12	BEDROOM	W14/12	30.68	16.82	13.86	45.18
R9/12	BEDROOM	W15/12	24.91	13.69	11.22	45.04
R10/12	LKD	W16/12	27.84	13.02	14.82	53.23
R11/12	BEDROOM	W17/12	28.79	13.30	15.49	53.80
R12/12	BEDROOM	W18/12	24.53	10.60	13.93	56.79
R13/12	BEDROOM	W19/12	24.11	10.02	14.09	58.44
R14/12	BEDROOM	W20/12	29.61	13.64	15.97	53.93
R15/12	LKD	W21/12	28.20	12.40	15.80	56.03
R16/12	LKD	W22/12	24.78	11.59	13.19	53.23
R17/12	BEDROOM	W23/12	25.16	10.87	14.29	56.80
R18/12	LKD	W24/12	28.41	15.45	12.96	45.62
R19/12	BEDROOM	W25/12	30.84	17.77	13.07	42.38
R20/12	BEDROOM	W26/12	24.25	16.39	7.86	32.41
R21/12	BEDROOM	W27/12	24.54	13.45	11.09	45.19
R22/12	BEDROOM	W28/12	31.04	21.10	9.94	32.02



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R23/12	LKD	W29/12	29.15	20.17	8.98	30.81
R24/12	LKD	W30/12	26.01	22.06	3.95	15.19
R25/12	BEDROOM	W31/12	29.36	22.23	7.13	24.28
R26/12	LKD	W32/12	27.87	24.39	3.48	12.49
R26/12	LKD	W33/12	23.91	20.09	3.82	15.98
R27/12	BEDROOM	W34/12	20.55	16.76	3.79	18.44
R27/12	BEDROOM	W35/12	23.11	23.11	0.00	0.00
R27/12	BEDROOM	W36/12	28.00	27.47	0.53	1.89
R28/12	BEDROOM	W37/12	28.49	27.49	1.00	3.51
R28/12	BEDROOM	W38/12	22.01	20.92	1.09	4.95
R1/13	ASSUMED	W1/13	11.60	11.03	0.57	4.91
R1/13	ASSUMED	W2/13	16.37	15.66	0.71	4.34
R2/13	ASSUMED	W3/13	20.83	19.62	1.21	5.81
R2/13	ASSUMED	W4/13	15.21	15.21	0.00	0.00
R3/13	LKD	W5/13	17.92	15.35	2.57	14.34
R3/13	LKD	W6/13	22.05	18.91	3.14	14.24
R4/13	BEDROOM	W7/13	23.41	19.35	4.06	17.34
R4/13	BEDROOM	W8/13	18.47	16.08	2.39	12.94
R5/13	BEDROOM	W9/13	15.95	8.38	7.57	47.46
R5/13	BEDROOM	W10/13	18.29	9.22	9.07	49.59
R6/13	LKD	W11/13	19.14	8.58	10.56	55.17
R6/13	LKD	W12/13	16.70	7.39	9.31	55.75
R7/13	LKD	W13/13	21.34	7.02	14.32	67.10
R8/13	BEDROOM	W14/13	21.23	6.51	14.72	69.34
R9/13	BEDROOM	W15/13	13.63	4.94	8.69	63.76
R9/13	BEDROOM	W16/13	26.26	12.22	14.04	53.47
R10/13	BEDROOM	W17/13	25.81	11.59	14.22	55.09
R10/13	BEDROOM	W18/13	14.71	3.01	11.70	79.54
R11/13	BEDROOM	W19/13	21.64	6.63	15.01	69.36



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R12/13	LKD	W20/13	21.42	6.43	14.99	69.98
R13/13	SITTINGROOM	W21/13	26.77	13.24	13.53	50.54
R14/13	BEDROOM	W22/13	21.95	8.72	13.23	60.27
R15/13	LKD	W23/13	29.46	16.32	13.14	44.60
R16/13	BEDROOM	W24/13	31.69	18.59	13.10	41.34
R17/13	BEDROOM	W25/13	25.16	17.07	8.09	32.15
R18/13	BEDROOM	W26/13	25.31	14.13	11.18	44.17
R19/13	BEDROOM	W27/13	31.61	21.95	9.66	30.56
R20/13	LKD	W28/13	29.72	20.90	8.82	29.68
R21/13	BEDROOM	W29/13	23.39	21.46	1.93	8.25
R22/13	LKD	W30/13	30.68	23.61	7.07	23.04
R23/13	LKD	W31/13	28.53	25.21	3.32	11.64
R23/13	LKD	W32/13	24.36	20.70	3.66	15.02
R24/13	BEDROOM	W33/13	20.89	17.27	3.62	17.33
R24/13	BEDROOM	W34/13	23.95	23.95	0.00	0.00
R25/13	BEDROOM	W35/13	24.96	23.89	1.07	4.29
R1/14	ASSUMED	W1/14	5.76	5.24	0.52	9.03
R1/14	ASSUMED	W2/14	9.28	8.44	0.84	9.05
R2/14	ASSUMED	W3/14	10.50	9.40	1.10	10.48
R2/14	ASSUMED	W4/14	8.41	8.03	0.38	4.52
R3/14	LKD	W5/14	10.22	7.99	2.23	21.82
R3/14	LKD	W6/14	12.10	8.88	3.22	26.61
R4/14	BEDROOM	W7/14	13.02	9.00	4.02	30.88
R4/14	BEDROOM	W8/14	11.17	8.48	2.69	24.08
R4/14	BEDROOM	W10/14	34.13	26.24	7.89	23.12
R4/14	BEDROOM	W11/14	34.52	26.49	8.03	23.26
R5/14	ASSUMED	W9/14	29.90	20.65	9.25	30.94
R6/14	LKD	W12/14	27.27	14.53	12.74	46.72



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R7/14	BEDROOM	W13/14	27.26	13.54	13.72	50.33
R8/14	LKD	W14/14	29.76	17.12	12.64	42.47
R9/14	BEDROOM	W15/14	31.96	19.33	12.63	39.52
R10/14	BEDROOM	W16/14	25.62	17.83	7.79	30.41
R11/14	BEDROOM	W17/14	25.69	14.93	10.76	41.88
R12/14	BEDROOM	W18/14	31.94	22.71	9.23	28.90
R13/14	LKD	W19/14	29.99	21.57	8.42	28.08
R14/14	LKD	W20/14	27.20	23.57	3.63	13.35
R15/14	BEDROOM	W21/14	30.54	24.04	6.50	21.28
R16/14	LKD	W22/14	29.13	26.00	3.13	10.74
R16/14	LKD	W23/14	24.73	21.30	3.43	13.87
R17/14	BEDROOM	W24/14	21.16	17.78	3.38	15.97
R17/14	BEDROOM	W25/14	24.73	24.73	0.00	0.00
R17/14	BEDROOM	W26/14	29.96	29.51	0.45	1.50
R18/14	BEDROOM	W27/14	30.36	29.49	0.87	2.87
R18/14	BEDROOM	W28/14	23.28	22.32	0.96	4.12
R1/15	SITTINGROOM	W1/15	24.37	11.63	12.74	52.28
R2/15	BEDROOM	W2/15	19.20	6.93	12.27	63.91
R3/15	LKD	W3/15	29.33	17.31	12.02	40.98
R4/15	BEDROOM	W4/15	31.17	19.15	12.02	38.56
R5/15	BEDROOM	W5/15	26.08	18.70	7.38	28.30
R6/15	BEDROOM	W6/15	26.11	15.90	10.21	39.10
R7/15	BEDROOM	W7/15	31.29	22.61	8.68	27.74
R8/15	LKD	W8/15	29.62	21.69	7.93	26.77
R9/15	BEDROOM	W9/15	24.27	22.57	1.70	7.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R10/15	LKD	W10/15	31.93	25.72	6.21	19.45
R11/15	LKD	W11/15	29.55	26.66	2.89	9.78
R11/15	LKD	W12/15	24.96	21.81	3.15	12.62
R12/15	BEDROOM	W13/15	21.28	18.17	3.11	14.61
R12/15	BEDROOM	W14/15	25.34	25.34	0.00	0.00
R13/15	BEDROOM	W15/15	26.27	25.38	0.89	3.39
R1/16	LKD	W1/16	20.89	9.46	11.43	54.72
R2/16	BEDROOM	W2/16	21.45	10.19	11.26	52.49
R3/16	BEDROOM	W3/16	13.96	3.07	10.89	78.01
R3/16	BEDROOM	W4/16	27.25	20.39	6.86	25.17
R4/16	BEDROOM	W5/16	27.21	17.70	9.51	34.95
R4/16	BEDROOM	W6/16	17.47	13.63	3.84	21.98
R5/16	BEDROOM	W7/16	23.37	15.21	8.16	34.92
R6/16	LKD	W8/16	22.68	15.22	7.46	32.89
R7/16	LKD	W9/16	18.01	15.92	2.09	11.60
R8/16	BEDROOM	W10/16	17.84	13.15	4.69	26.29
R9/16	LKD	W11/16	29.31	26.69	2.62	8.94
R9/16	LKD	W12/16	24.63	21.78	2.85	11.57
R10/16	BEDROOM	W13/16	20.90	18.09	2.81	13.44
R10/16	BEDROOM	W14/16	25.67	25.67	0.00	0.00
R10/16	BEDROOM	W15/16	31.11	30.77	0.34	1.09
R11/16	BEDROOM	W16/16	31.55	30.86	0.69	2.19
R11/16	BEDROOM	W17/16	23.90	23.13	0.77	3.22
R1/17	LKD	W1/17	21.85	19.54	2.31	10.57
R1/17	LKD	W2/17	18.50	16.00	2.50	13.51
R2/17	BEDROOM	W3/17	15.29	12.85	2.44	15.96
R2/17	BEDROOM	W4/17	25.46	25.46	0.00	0.00
R3/17	BEDROOM	W5/17	26.19	25.50	0.69	2.63
R1/18	LKD	W1/18	17.63	17.63	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
------	----------	--------	--------------	--------------	------	-------

R1/18	LKD	W2/18	21.40	20.89	0.51	2.38
R2/18	BEDROOM	W3/18	17.81	17.29	0.52	2.92

Battersea Power Station Phase 4A (Buildings A1.1 - 1.5)

R1/51	LD	W1/51	31.69	31.68	0.01	0.03
R1/51	LD	W2/51	32.07	32.07	0.00	0.00
R1/51	LD	W3/51	28.40	15.62	12.78	45.00
R2/51	BEDROOM	W4/51	24.17	22.46	1.71	7.07
R3/51	LD	W5/51	20.28	6.55	13.73	67.70
R3/51	LD	W6/51	15.93	4.15	11.78	73.95
R4/51	LD	W7/51	25.84	3.92	21.92	84.83
R4/51	LD	W8/51	26.29	12.98	13.31	50.63
R4/51	LD	W9/51	25.73	13.12	12.61	49.01
R5/51	LD	W10/51	24.53	13.40	11.13	45.37
R5/51	LD	W11/51	23.39	13.60	9.79	41.86
R5/51	LD	W12/51	8.25	8.25	0.00	0.00
R6/51	LD	W13/51	7.59	7.59	0.00	0.00
R6/51	LD	W14/51	10.94	8.65	2.29	20.93
R1/52	LKD	W1/52	39.43	39.42	0.01	0.03
R2/52	BEDROOM	W2/52	39.44	39.43	0.01	0.03
R2/52	BEDROOM	W3/52	30.36	16.95	13.41	44.17
R3/52	BEDROOM	W4/52	26.97	25.15	1.82	6.75
R4/52	LD	W5/52	21.15	7.48	13.67	64.63
R4/52	LD	W6/52	16.56	4.92	11.64	70.29
R5/52	LD	W7/52	27.37	4.85	22.52	82.28
R5/52	LD	W8/52	28.00	14.66	13.34	47.64
R6/52	BEDROOM	W9/52	27.30	14.82	12.48	45.71
R7/52	BEDROOM	W10/52	26.11	15.11	11.00	42.13
R8/52	LD	W11/52	24.99	15.38	9.61	38.46
R8/52	LD	W12/52	9.03	9.03	0.00	0.00
R9/52	LD	W13/52	8.58	8.58	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R9/52	LD	W14/52	12.03	9.79	2.24	18.62
R1/53	LKD	W1/53	39.61	39.61	0.00	0.00
R2/53	BEDROOM	W2/53	39.61	39.61	0.00	0.00
R2/53	BEDROOM	W3/53	30.97	17.09	13.88	44.82
R3/53	BEDROOM	W4/53	27.06	25.23	1.83	6.76
R4/53	LD	W5/53	21.82	8.57	13.25	60.72
R4/53	LD	W6/53	17.11	5.83	11.28	65.93
R5/53	LD	W7/53	28.32	5.99	22.33	78.85
R5/53	LD	W8/53	29.47	16.56	12.91	43.81
R6/53	BEDROOM	W9/53	28.84	16.72	12.12	42.02
R7/53	BEDROOM	W10/53	27.76	17.00	10.76	38.76
R8/53	LD	W11/53	26.73	17.35	9.38	35.09
R8/53	LD	W12/53	9.93	9.93	0.00	0.00
R9/53	LD	W13/53	9.69	9.61	0.08	0.83
R9/53	LD	W14/53	13.24	10.92	2.32	17.52
R1/54	LKD	W1/54	39.62	39.61	0.01	0.03
R2/54	BEDROOM	W2/54	39.62	39.61	0.01	0.03
R2/54	BEDROOM	W3/54	31.50	17.22	14.28	45.33
R3/54	BEDROOM	W4/54	27.07	25.26	1.81	6.69
R4/54	LD	W5/54	22.49	9.76	12.73	56.60
R4/54	LD	W6/54	17.64	6.79	10.85	61.51
R5/54	LD	W7/54	29.26	7.31	21.95	75.02
R5/54	LD	W8/54	30.98	18.64	12.34	39.83
R6/54	BEDROOM	W9/54	30.43	18.79	11.64	38.25
R7/54	BEDROOM	W10/54	29.48	19.05	10.43	35.38
R8/54	LD	W11/54	28.57	19.40	9.17	32.10
R8/54	LD	W12/54	11.00	11.00	0.00	0.00
R9/54	LD	W13/54	10.91	10.73	0.18	1.65
R9/54	LD	W14/54	14.59	12.16	2.43	16.66



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/55	LKD	W1/55	39.62	39.61	0.01	0.03
R2/55	BEDROOM	W2/55	39.62	39.61	0.01	0.03
R2/55	BEDROOM	W3/55	31.98	17.40	14.58	45.59
R3/55	BEDROOM	W4/55	27.09	25.29	1.80	6.64
R4/55	LD	W5/55	23.11	10.91	12.20	52.79
R4/55	LD	W6/55	18.12	7.79	10.33	57.01
R5/55	LD	W7/55	30.15	8.77	21.38	70.91
R5/55	LD	W8/55	32.48	20.85	11.63	35.81
R6/55	BEDROOM	W9/55	32.03	20.98	11.05	34.50
R7/55	BEDROOM	W10/55	31.24	21.21	10.03	32.11
R8/55	LD	W11/55	30.49	21.53	8.96	29.39
R8/55	LD	W12/55	12.30	12.30	0.00	0.00
R9/55	LD	W13/55	12.25	11.96	0.29	2.37
R9/55	LD	W14/55	16.08	13.54	2.54	15.80
R1/56	LKD	W1/56	39.62	39.61	0.01	0.03
R2/56	BEDROOM	W2/56	39.62	39.61	0.01	0.03
R2/56	BEDROOM	W3/56	32.48	17.70	14.78	45.50
R3/56	BEDROOM	W4/56	27.11	25.33	1.78	6.57
R4/56	LD	W5/56	23.75	12.07	11.68	49.18
R4/56	LD	W6/56	18.59	8.71	9.88	53.15
R5/56	LD	W7/56	31.04	10.22	20.82	67.07
R5/56	LD	W8/56	34.00	22.92	11.08	32.59
R6/56	BEDROOM	W9/56	33.67	23.08	10.59	31.45
R7/56	BEDROOM	W10/56	33.09	23.38	9.71	29.34
R8/56	LD	W11/56	32.52	23.69	8.83	27.15
R8/56	LD	W12/56	14.06	14.05	0.01	0.07
R9/56	LD	W13/56	13.78	13.33	0.45	3.27
R9/56	LD	W14/56	17.84	15.16	2.68	15.02



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/57	LKD	W1/57	39.62	39.61	0.01	0.03
R2/57	BEDROOM	W2/57	39.62	39.61	0.01	0.03
R2/57	BEDROOM	W3/57	33.14	18.23	14.91	44.99
R3/57	BEDROOM	W4/57	27.13	25.37	1.76	6.49
R4/57	LD	W5/57	24.42	13.01	11.41	46.72
R4/57	LD	W6/57	19.08	9.40	9.68	50.73
R5/57	LD	W7/57	32.04	11.17	20.87	65.14
R5/57	LD	W8/57	35.44	24.45	10.99	31.01
R6/57	BEDROOM	W9/57	35.23	24.69	10.54	29.92
R7/57	BEDROOM	W10/57	34.92	25.25	9.67	27.69
R8/57	LD	W11/57	34.56	25.66	8.90	25.75
R8/57	LD	W12/57	16.50	16.47	0.03	0.18
R9/57	LD	W13/57	15.41	14.80	0.61	3.96
R9/57	LD	W14/57	19.85	17.06	2.79	14.06
R1/58	LKD	W1/58	39.62	39.61	0.01	0.03
R2/58	BEDROOM	W2/58	39.62	39.61	0.01	0.03
R2/58	BEDROOM	W3/58	34.44	19.18	15.26	44.31
R3/58	BEDROOM	W4/58	27.15	25.41	1.74	6.41
R4/58	LD	W5/58	25.14	14.13	11.01	43.79
R4/58	LD	W6/58	19.52	10.16	9.36	47.95
R5/58	LD	W7/58	33.54	12.67	20.87	62.22
R5/58	LD	W8/58	36.46	25.94	10.52	28.85
R6/58	BEDROOM	W9/58	36.32	26.27	10.05	27.67
R7/58	BEDROOM	W10/58	36.17	27.02	9.15	25.30
R8/58	LD	W11/58	36.00	27.54	8.46	23.50
R8/58	LD	W12/58	19.17	19.14	0.03	0.16
R9/58	LD	W13/58	16.65	16.07	0.58	3.48
R9/58	LD	W14/58	21.40	18.78	2.62	12.24
R1/59	LKD	W1/59	39.62	39.61	0.01	0.03



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/59	BEDROOM	W2/59	39.62	39.61	0.01	0.03
R2/59	BEDROOM	W3/59	37.34	21.04	16.30	43.65
R3/59	BEDROOM	W4/59	27.20	25.48	1.72	6.32
R4/59	LD	W5/59	26.02	15.52	10.50	40.35
R4/59	LD	W6/59	19.98	10.95	9.03	45.20
R5/59	LD	W7/59	36.63	15.61	21.02	57.38
R5/59	LD	W8/59	37.38	27.44	9.94	26.59
R6/59	BEDROOM	W9/59	37.30	27.86	9.44	25.31
R7/59	BEDROOM	W10/59	37.29	28.73	8.56	22.96
R8/59	LD	W11/59	37.22	29.34	7.88	21.17
R8/59	LD	W12/59	22.40	22.38	0.02	0.09
R9/59	LD	W13/59	17.77	17.26	0.51	2.87
R9/59	LD	W14/59	22.94	20.23	2.71	11.81
R1/60	LD	W1/60	28.70	28.70	0.00	0.00
R2/60	BEDROOM	W2/60	39.60	39.60	0.00	0.00
R2/60	BEDROOM	W3/60	39.15	22.16	16.99	43.40
R3/60	BEDROOM	W4/60	39.07	18.53	20.54	52.57
R4/60	KITCHEN	W5/60	39.00	17.30	21.70	55.64
R5/60	LD	W6/60	38.94	18.07	20.87	53.60
R5/60	LD	W7/60	38.13	29.33	8.80	23.08
R6/60	BEDROOM	W8/60	38.23	29.82	8.41	22.00
R7/60	BEDROOM	W9/60	38.28	30.74	7.54	19.70
R8/60	LD	W10/60	38.32	31.21	7.11	18.55
R8/60	LD	W11/60	26.24	26.19	0.05	0.19
R1/61	LD	W1/61	28.73	28.73	0.00	0.00
R2/61	BEDROOM	W2/61	39.62	39.61	0.01	0.03
R2/61	BEDROOM	W3/61	39.33	22.80	16.53	42.03
R3/61	BEDROOM	W4/61	39.25	19.29	19.96	50.85



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/61	KITCHEN	W5/61	39.17	18.11	21.06	53.77
R5/61	LD	W6/61	39.09	18.91	20.18	51.62
R5/61	LD	W7/61	38.57	30.56	8.01	20.77
R6/61	BEDROOM	W8/61	38.65	31.05	7.60	19.66
R7/61	BEDROOM	W9/61	38.70	31.94	6.76	17.47
R8/61	LD	W10/61	38.72	32.38	6.34	16.37
R8/61	LD	W11/61	29.99	29.96	0.03	0.10
R1/62	LD	W1/62	28.79	28.79	0.00	0.00
R2/62	BEDROOM	W2/62	39.61	39.61	0.00	0.00
R2/62	BEDROOM	W3/62	39.40	23.57	15.83	40.18
R3/62	BEDROOM	W4/62	39.34	20.19	19.15	48.68
R4/62	KITCHEN	W5/62	39.27	19.08	20.19	51.41
R5/62	LD	W6/62	39.20	19.91	19.29	49.21
R5/62	LD	W7/62	38.82	31.75	7.07	18.21
R6/62	BEDROOM	W8/62	38.89	32.22	6.67	17.15
R7/62	BEDROOM	W9/62	38.93	33.06	5.87	15.08
R8/62	LD	W10/62	38.94	33.47	5.47	14.05
R8/62	LD	W11/62	32.82	32.81	0.01	0.03
R1/63	LD	W1/63	28.96	28.96	0.00	0.00
R2/63	BEDROOM	W2/63	39.61	39.61	0.00	0.00
R2/63	BEDROOM	W3/63	39.45	24.51	14.94	37.87
R3/63	BEDROOM	W4/63	39.41	21.29	18.12	45.98
R4/63	KITCHEN	W5/63	39.35	20.27	19.08	48.49
R5/63	LD	W6/63	39.29	21.11	18.18	46.27
R5/63	LD	W7/63	39.04	32.99	6.05	15.50
R6/63	BEDROOM	W8/63	39.10	33.44	5.66	14.48
R7/63	BEDROOM	W9/63	39.13	34.20	4.93	12.60



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R8/63	LD	W10/63	39.13	34.57	4.56	11.65
R8/63	LD	W11/63	35.54	35.53	0.01	0.03
R1/64	LD	W1/64	29.70	29.70	0.00	0.00
R2/64	BEDROOM	W2/64	39.61	39.61	0.00	0.00
R2/64	BEDROOM	W3/64	39.51	25.72	13.79	34.90
R3/64	BEDROOM	W4/64	39.47	22.72	16.75	42.44
R4/64	KITCHEN	W5/64	39.43	21.81	17.62	44.69
R5/64	LD	W6/64	39.37	22.67	16.70	42.42
R5/64	LD	W7/64	39.23	34.28	4.95	12.62
R6/64	BEDROOM	W8/64	39.28	34.68	4.60	11.71
R7/64	BEDROOM	W9/64	39.30	35.34	3.96	10.08
R8/64	LD	W10/64	39.29	35.66	3.63	9.24
R8/64	LD	W11/64	36.45	36.45	0.00	0.00
R1/71	LKD	W1/71	11.61	7.34	4.27	36.78
R1/71	LKD	W2/71	10.75	6.01	4.74	44.09
R2/71	LD	W3/71	10.81	5.93	4.88	45.14
R2/71	LD	W4/71	18.94	14.32	4.62	24.39
R2/71	LD	W5/71	18.65	14.50	4.15	22.25
R2/71	LD	W6/71	18.51	14.78	3.73	20.15
R3/71	LD	W7/71	18.54	15.43	3.11	16.77
R3/71	LD	W8/71	18.76	15.90	2.86	15.25
R3/71	LD	W9/71	18.98	16.25	2.73	14.38
R3/71	LD	W10/71	10.37	10.37	0.00	0.00
R4/71	LD	W11/71	10.08	10.08	0.00	0.00
R1/72	LKD	W1/72	12.59	8.34	4.25	33.76
R1/72	LKD	W2/72	11.53	6.78	4.75	41.20
R2/72	LD	W3/72	11.36	6.64	4.72	41.55
R2/72	LD	W4/72	20.79	16.14	4.65	22.37
R2/72	LD	W5/72	20.52	16.31	4.21	20.52
R3/72	BEDROOM	W6/72	20.37	16.57	3.80	18.65



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/72	BEDROOM	W7/72	20.38	17.17	3.21	15.75
R5/72	LD	W8/72	20.60	17.63	2.97	14.42
R5/72	LD	W9/72	20.79	17.97	2.82	13.56
R5/72	LD	W10/72	11.02	11.02	0.00	0.00
R6/72	LD	W11/72	10.97	10.97	0.00	0.00
R1/73	LKD	W1/73	13.67	9.31	4.36	31.89
R1/73	LKD	W2/73	12.37	7.48	4.89	39.53
R2/73	LD	W3/73	11.96	7.42	4.54	37.96
R2/73	LD	W4/73	22.88	18.20	4.68	20.45
R2/73	LD	W5/73	22.61	18.35	4.26	18.84
R3/73	BEDROOM	W6/73	22.44	18.57	3.87	17.25
R4/73	BEDROOM	W7/73	22.40	19.09	3.31	14.78
R5/73	LD	W8/73	22.60	19.53	3.07	13.58
R5/73	LD	W9/73	22.78	19.86	2.92	12.82
R5/73	LD	W10/73	11.70	11.70	0.00	0.00
R6/73	LD	W11/73	11.94	11.94	0.00	0.00
R1/74	LKD	W1/74	14.84	10.36	4.48	30.19
R1/74	LKD	W2/74	13.24	8.20	5.04	38.07
R2/74	LD	W3/74	12.64	8.27	4.37	34.57
R2/74	LD	W4/74	25.18	20.31	4.87	19.34
R2/74	LD	W5/74	24.92	20.43	4.49	18.02
R3/74	BEDROOM	W6/74	24.73	20.61	4.12	16.66
R4/74	BEDROOM	W7/74	24.62	21.10	3.52	14.30
R5/74	LD	W8/74	24.77	21.54	3.23	13.04
R5/74	LD	W9/74	24.91	21.89	3.02	12.12
R5/74	LD	W10/74	12.39	12.39	0.00	0.00
R6/74	LD	W11/74	13.01	13.01	0.00	0.00
R1/75	LKD	W1/75	16.14	11.55	4.59	28.44
R1/75	LKD	W2/75	14.15	8.96	5.19	36.68
R2/75	LD	W3/75	13.45	9.28	4.17	31.00
R2/75	LD	W4/75	27.66	22.46	5.20	18.80



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/75	LD	W5/75	27.40	22.56	4.84	17.66
R3/75	BEDROOM	W6/75	27.17	22.72	4.45	16.38
R4/75	BEDROOM	W7/75	26.94	23.25	3.69	13.70
R5/75	LD	W8/75	27.03	23.70	3.33	12.32
R5/75	LD	W9/75	27.13	24.07	3.06	11.28
R5/75	LD	W10/75	13.11	13.11	0.00	0.00
R6/75	LD	W11/75	14.23	14.23	0.00	0.00
R1/76	LKD	W1/76	17.73	13.05	4.68	26.40
R1/76	LKD	W2/76	15.17	9.87	5.30	34.94
R2/76	LD	W3/76	14.52	10.44	4.08	28.10
R2/76	LD	W4/76	30.34	24.74	5.60	18.46
R2/76	LD	W5/76	30.10	24.83	5.27	17.51
R3/76	BEDROOM	W6/76	29.82	25.04	4.78	16.03
R4/76	BEDROOM	W7/76	29.50	25.64	3.86	13.08
R5/76	LD	W8/76	29.52	26.11	3.41	11.55
R5/76	LD	W9/76	29.57	26.50	3.07	10.38
R5/76	LD	W10/76	13.95	13.95	0.00	0.00
R6/76	LD	W11/76	15.73	15.73	0.00	0.00
R1/77	LKD	W1/77	19.67	14.95	4.72	24.00
R1/77	LKD	W2/77	16.34	11.01	5.33	32.62
R2/77	LD	W3/77	16.24	12.24	4.00	24.63
R2/77	LD	W4/77	33.21	27.28	5.93	17.86
R2/77	LD	W5/77	33.01	27.39	5.62	17.03
R3/77	BEDROOM	W6/77	32.71	27.65	5.06	15.47
R4/77	BEDROOM	W7/77	32.34	28.35	3.99	12.34
R5/77	LD	W8/77	32.29	28.85	3.44	10.65
R5/77	LD	W9/77	32.31	29.26	3.05	9.44
R5/77	LD	W10/77	15.26	15.26	0.00	0.00
R6/77	LD	W11/77	17.58	17.57	0.01	0.06
R1/78	KITCHEN	W3/78	11.78	9.25	2.53	21.48



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/78	BEDROOM	W4/78	11.69	10.63	1.06	9.07
R3/78	LKD	W1/78	17.60	17.31	0.29	1.65
R3/78	LKD	W2/78	14.84	14.38	0.46	3.10
R3/78	LKD	W5/78	34.72	34.72	0.00	0.00
R4/78	LD	W6/78	14.87	11.45	3.42	23.00
R4/78	LD	W7/78	18.02	14.09	3.93	21.81
R4/78	LD	W8/78	35.46	29.91	5.55	15.65
R4/78	LD	W9/78	35.35	30.12	5.23	14.79
R5/78	BEDROOM	W10/78	35.21	30.38	4.83	13.72
R6/78	BEDROOM	W11/78	34.96	31.24	3.72	10.64
R7/78	LD	W12/78	34.95	31.59	3.36	9.61
R7/78	LD	W13/78	34.91	31.91	3.00	8.59
R7/78	LD	W14/78	16.52	16.52	0.00	0.00
R7/78	LD	W15/78	13.32	13.32	0.00	0.00
R1/79	KITCHEN	W4/79	12.93	10.35	2.58	19.95
R2/79	BEDROOM	W3/79	12.69	11.54	1.15	9.06
R3/79	LKD	W1/79	18.48	18.00	0.48	2.60
R3/79	LKD	W2/79	15.75	15.13	0.62	3.94
R3/79	LKD	W5/79	34.73	34.73	0.00	0.00
R4/79	LD	W6/79	16.38	13.20	3.18	19.41
R4/79	LD	W7/79	19.62	15.79	3.83	19.52
R4/79	LD	W8/79	37.03	31.88	5.15	13.91
R4/79	LD	W9/79	36.97	32.13	4.84	13.09
R5/79	BEDROOM	W10/79	36.89	32.38	4.51	12.23
R6/79	BEDROOM	W11/79	36.75	33.17	3.58	9.74
R7/79	LD	W12/79	36.76	33.46	3.30	8.98
R7/79	LD	W13/79	36.72	33.72	3.00	8.17
R7/79	LD	W14/79	17.45	17.45	0.00	0.00
R7/79	LD	W15/79	14.16	14.16	0.00	0.00
R1/80	KITCHEN	W3/80	14.28	11.83	2.45	17.16
R2/80	BEDROOM	W4/80	13.89	12.82	1.07	7.70



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R3/80	LKD	W1/80	19.57	19.01	0.56	2.86
R3/80	LKD	W2/80	16.89	16.25	0.64	3.79
R3/80	LKD	W5/80	34.75	34.75	0.00	0.00
R4/80	LD	W6/80	17.91	14.99	2.92	16.30
R4/80	LD	W7/80	21.17	17.55	3.62	17.10
R4/80	LD	W8/80	38.36	33.55	4.81	12.54
R4/80	LD	W9/80	38.35	33.85	4.50	11.73
R5/80	BEDROOM	W10/80	38.33	34.09	4.24	11.06
R6/80	BEDROOM	W11/80	38.28	34.77	3.51	9.17
R7/80	LD	W12/80	38.30	34.99	3.31	8.64
R7/80	LD	W13/80	38.28	35.20	3.08	8.05
R7/80	LD	W14/80	18.57	18.56	0.01	0.05
R7/80	LD	W15/80	15.19	15.18	0.01	0.07
R1/81	KITCHEN	W4/81	16.13	13.93	2.20	13.64
R2/81	BEDROOM	W3/81	15.71	14.77	0.94	5.98
R3/81	LKD	W1/81	21.03	20.54	0.49	2.33
R3/81	LKD	W2/81	18.51	17.95	0.56	3.03
R3/81	LKD	W5/81	34.82	34.82	0.00	0.00
R4/81	LD	W6/81	19.58	16.96	2.62	13.38
R4/81	LD	W7/81	22.69	19.43	3.26	14.37
R4/81	LD	W8/81	38.84	34.56	4.28	11.02
R4/81	LD	W9/81	38.86	34.85	4.01	10.32
R5/81	BEDROOM	W10/81	38.86	35.06	3.80	9.78
R6/81	BEDROOM	W11/81	38.89	35.66	3.23	8.31
R7/81	LD	W12/81	38.91	35.85	3.06	7.86
R7/81	LD	W13/81	38.92	36.04	2.88	7.40
R7/81	LD	W14/81	19.94	19.94	0.00	0.00
R7/81	LD	W15/81	16.45	16.44	0.01	0.06
R1/82	KITCHEN	W3/82	19.19	17.29	1.90	9.90
R2/82	BEDROOM	W4/82	18.79	17.99	0.80	4.26
R3/82	LKD	W1/82	23.46	23.05	0.41	1.75
R3/82	LKD	W2/82	21.23	20.76	0.47	2.21
R3/82	LKD	W5/82	35.23	35.23	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/82	LD	W6/82	22.23	19.97	2.26	10.17
R4/82	LD	W7/82	25.02	22.18	2.84	11.35
R4/82	LD	W8/82	39.05	35.45	3.60	9.22
R4/82	LD	W9/82	39.06	35.69	3.37	8.63
R5/82	BEDROOM	W10/82	39.07	35.89	3.18	8.14
R6/82	BEDROOM	W11/82	39.09	36.41	2.68	6.86
R7/82	LD	W12/82	39.12	36.58	2.54	6.49
R7/82	LD	W13/82	39.13	36.74	2.39	6.11
R7/82	LD	W14/82	21.26	21.26	0.00	0.00
R7/82	LD	W15/82	17.72	17.72	0.00	0.00
R1/91	LKD	W1/91	11.13	10.84	0.29	2.61
R2/91	BEDROOM	W2/91	5.69	3.94	1.75	30.76
R3/91	BEDROOM	W3/91	9.25	6.22	3.03	32.76
R3/91	BEDROOM	W4/91	22.15	20.06	2.09	9.44
R4/91	BEDROOM	W5/91	22.69	20.53	2.16	9.52
R5/91	BEDROOM	W6/91	11.32	10.53	0.79	6.98
R6/91	LD	W7/91	23.68	21.64	2.04	8.61
R6/91	LD	W8/91	23.97	22.13	1.84	7.68
R6/91	LD	W9/91	12.43	12.43	0.00	0.00
R7/91	LD	W10/91	11.84	11.84	0.00	0.00
R7/91	LD	W11/91	16.15	15.36	0.79	4.89
R1/92	LKD	W1/92	12.07	11.74	0.33	2.73
R2/92	BEDROOM	W2/92	6.25	4.44	1.81	28.96
R3/92	BEDROOM	W3/92	9.97	6.90	3.07	30.79
R3/92	BEDROOM	W4/92	23.79	21.66	2.13	8.95
R4/92	BEDROOM	W5/92	24.32	22.15	2.17	8.92
R5/92	BEDROOM	W6/92	11.97	11.25	0.72	6.02
R6/92	LD	W7/92	25.34	23.31	2.03	8.01
R6/92	LD	W8/92	25.65	23.82	1.83	7.13
R6/92	LD	W9/92	13.24	13.24	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R7/92	LD	W10/92	12.78	12.78	0.00	0.00
R7/92	LD	W11/92	17.18	16.45	0.73	4.25
R1/93	LKD	W1/93	13.13	12.75	0.38	2.89
R2/93	BEDROOM	W2/93	6.86	5.04	1.82	26.53
R3/93	BEDROOM	W3/93	10.76	7.70	3.06	28.44
R3/93	BEDROOM	W4/93	25.55	23.39	2.16	8.45
R4/93	BEDROOM	W5/93	26.07	23.89	2.18	8.36
R5/93	BEDROOM	W6/93	12.69	12.03	0.66	5.20
R6/93	LD	W7/93	27.09	25.09	2.00	7.38
R6/93	LD	W8/93	27.42	25.63	1.79	6.53
R6/93	LD	W9/93	14.05	14.05	0.00	0.00
R7/93	LD	W10/93	13.75	13.75	0.00	0.00
R7/93	LD	W11/93	18.25	17.57	0.68	3.73
R1/94	LKD	W1/94	14.30	13.90	0.40	2.80
R2/94	BEDROOM	W2/94	7.55	5.76	1.79	23.71
R3/94	BEDROOM	W3/94	11.65	8.67	2.98	25.58
R3/94	BEDROOM	W4/94	27.39	25.26	2.13	7.78
R4/94	BEDROOM	W5/94	27.90	25.77	2.13	7.63
R5/94	BEDROOM	W6/94	13.48	12.88	0.60	4.45
R6/94	LD	W7/94	28.93	26.99	1.94	6.71
R6/94	LD	W8/94	29.30	27.55	1.75	5.97
R6/94	LD	W9/94	14.91	14.91	0.00	0.00
R7/94	LD	W10/94	14.73	14.73	0.00	0.00
R7/94	LD	W11/94	19.28	18.66	0.62	3.22
R1/95	LKD	W1/95	15.62	15.21	0.41	2.62
R2/95	BEDROOM	W2/95	8.39	6.67	1.72	20.50
R3/95	BEDROOM	W3/95	12.70	9.84	2.86	22.52
R3/95	BEDROOM	W4/95	29.24	27.21	2.03	6.94



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/95	BEDROOM	W5/95	29.76	27.72	2.04	6.85
R5/95	BEDROOM	W6/95	14.33	13.80	0.53	3.70
R6/95	LD	W7/95	30.81	28.94	1.87	6.07
R6/95	LD	W8/95	31.20	29.51	1.69	5.42
R6/95	LD	W9/95	15.78	15.78	0.00	0.00
R7/95	LD	W10/95	15.67	15.67	0.00	0.00
R7/95	LD	W11/95	20.28	19.72	0.56	2.76
R1/96	LKD	W1/96	17.14	16.72	0.42	2.45
R2/96	BEDROOM	W2/96	9.45	7.68	1.77	18.73
R3/96	BEDROOM	W3/96	14.07	11.34	2.73	19.40
R3/96	BEDROOM	W4/96	31.12	29.19	1.93	6.20
R4/96	BEDROOM	W5/96	31.65	29.70	1.95	6.16
R5/96	BEDROOM	W6/96	15.23	14.76	0.47	3.09
R6/96	LD	W7/96	32.64	30.85	1.79	5.48
R6/96	LD	W8/96	33.02	31.38	1.64	4.97
R6/96	LD	W9/96	16.63	16.63	0.00	0.00
R7/96	LD	W10/96	16.54	16.54	0.00	0.00
R7/96	LD	W11/96	21.26	20.75	0.51	2.40
R1/97	LKD	W1/97	19.02	18.22	0.80	4.21
R2/97	BEDROOM	W2/97	10.90	8.72	2.18	20.00
R3/97	BEDROOM	W3/97	16.00	13.44	2.56	16.00
R3/97	BEDROOM	W4/97	33.31	31.52	1.79	5.37
R4/97	BEDROOM	W5/97	33.80	32.00	1.80	5.33
R5/97	BEDROOM	W6/97	16.27	15.87	0.40	2.46
R6/97	LD	W7/97	34.70	33.04	1.66	4.78
R6/97	LD	W8/97	35.05	33.52	1.53	4.37
R6/97	LD	W9/97	17.90	17.90	0.00	0.00
R7/97	LD	W10/97	17.58	17.58	0.00	0.00
R7/97	LD	W11/97	22.46	22.01	0.45	2.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/98	LKD	W1/98	20.48	19.53	0.95	4.64
R2/98	BEDROOM	W2/98	12.22	9.92	2.30	18.82
R3/98	BEDROOM	W3/98	17.85	15.41	2.44	13.67
R3/98	BEDROOM	W4/98	35.47	33.76	1.71	4.82
R4/98	BEDROOM	W5/98	35.90	34.17	1.73	4.82
R5/98	BEDROOM	W6/98	17.24	16.89	0.35	2.03
R6/98	LD	W7/98	36.64	35.06	1.58	4.31
R6/98	LD	W8/98	36.95	35.48	1.47	3.98
R6/98	LD	W9/98	19.69	19.69	0.00	0.00
R7/98	LD	W10/98	18.59	18.59	0.00	0.00
R7/98	LD	W11/98	23.73	23.35	0.38	1.60
R1/99	LKD	W1/99	21.93	20.78	1.15	5.24
R2/99	BEDROOM	W2/99	13.77	11.54	2.23	16.19
R3/99	BEDROOM	W3/99	19.95	17.57	2.38	11.93
R3/99	BEDROOM	W4/99	37.10	35.21	1.89	5.09
R4/99	BEDROOM	W5/99	37.36	35.48	1.88	5.03
R5/99	BEDROOM	W6/99	17.92	17.46	0.46	2.57
R6/99	LD	W7/99	37.78	36.07	1.71	4.53
R6/99	LD	W8/99	37.95	36.34	1.61	4.24
R6/99	LD	W9/99	21.95	21.95	0.00	0.00
R7/99	LD	W10/99	19.20	19.20	0.00	0.00
R7/99	LD	W11/99	24.68	24.37	0.31	1.26
R1/100	LKD	W1/100	23.69	22.27	1.42	5.99
R2/100	KITCHEN	W2/100	16.64	14.50	2.14	12.86
R3/100	LD	W3/100	23.59	21.29	2.30	9.75
R3/100	LD	W4/100	38.45	36.32	2.13	5.54
R4/100	BEDROOM	W5/100	38.55	36.54	2.01	5.21
R5/100	BEDROOM	W6/100	38.64	36.79	1.85	4.79



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/100	LD	W7/100	38.73	37.00	1.73	4.47
R6/100	LD	W8/100	25.41	25.41	0.00	0.00
R7/100	LD	W9/100	19.76	19.76	0.00	0.00
R7/100	LD	W10/100	25.74	25.49	0.25	0.97
R1/101	LKD	W1/101	25.51	24.19	1.32	5.17
R2/101	KITCHEN	W2/101	23.63	21.71	1.92	8.13
R3/101	LD	W3/101	29.31	27.23	2.08	7.10
R3/101	LD	W4/101	39.02	37.03	1.99	5.10
R4/101	BEDROOM	W5/101	39.08	37.21	1.87	4.79
R5/101	BEDROOM	W6/101	39.08	37.39	1.69	4.32
R6/101	LD	W7/101	39.11	37.55	1.56	3.99
R6/101	LD	W8/101	30.79	30.79	0.00	0.00
R7/101	LD	W9/101	20.39	20.39	0.00	0.00
R7/101	LD	W10/101	27.05	26.88	0.17	0.63
R1/102	KITCHEN	W1/102	33.42	31.97	1.45	4.34
R2/102	BEDROOM	W3/102	33.66	32.57	1.09	3.24
R3/102	BEDROOM	W2/102	35.32	34.38	0.94	2.66
R3/102	BEDROOM	W4/102	39.60	39.60	0.00	0.00
R4/102	LD	W5/102	35.23	32.81	2.42	6.87
R4/102	LD	W6/102	39.21	37.60	1.61	4.11
R5/102	BEDROOM	W7/102	39.23	37.74	1.49	3.80
R6/102	BEDROOM	W8/102	39.25	37.91	1.34	3.41
R7/102	LD	W9/102	39.27	38.02	1.25	3.18
R7/102	LD	W10/102	35.89	35.89	0.00	0.00
R1/103	BEDROOM	W2/103	37.83	35.99	1.84	4.86
R1/103	BEDROOM	W4/103	39.60	39.60	0.00	0.00
R2/103	BEDROOM	W3/103	37.66	35.64	2.02	5.36
R3/103	KITCHEN	W1/103	37.67	35.45	2.22	5.89



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/103	LD	W5/103	37.84	35.08	2.76	7.29
R4/103	LD	W6/103	39.36	38.08	1.28	3.25
R5/103	BEDROOM	W7/103	39.37	38.20	1.17	2.97
R6/103	BEDROOM	W8/103	39.39	38.34	1.05	2.67
R7/103	LD	W9/103	39.40	38.43	0.97	2.46
R7/103	LD	W10/103	39.45	39.45	0.00	0.00
R1/104	BEDROOM	W2/104	38.65	36.75	1.90	4.92
R1/104	BEDROOM	W4/104	39.60	39.60	0.00	0.00
R2/104	BEDROOM	W3/104	38.58	36.50	2.08	5.39
R3/104	KITCHEN	W1/104	38.58	36.34	2.24	5.81
R4/104	LD	W5/104	38.67	36.06	2.61	6.75
R4/104	LD	W6/104	39.46	38.48	0.98	2.48
R5/104	BEDROOM	W7/104	39.47	38.57	0.90	2.28
R6/104	BEDROOM	W8/104	39.48	38.68	0.80	2.03
R7/104	LD	W9/104	39.49	38.75	0.74	1.87
R7/104	LD	W10/104	39.60	39.60	0.00	0.00
R1/105	BEDROOM	W2/105	39.40	37.47	1.93	4.90
R1/105	BEDROOM	W4/105	39.60	39.60	0.00	0.00
R2/105	BEDROOM	W3/105	39.40	37.31	2.09	5.30
R3/105	KITCHEN	W1/105	39.40	37.19	2.21	5.61
R4/105	LD	W5/105	39.42	37.00	2.42	6.14
R4/105	LD	W6/105	39.53	38.83	0.70	1.77
R5/105	BEDROOM	W7/105	39.54	38.90	0.64	1.62
R6/105	BEDROOM	W8/105	39.54	38.98	0.56	1.42
R7/105	LD	W9/105	39.54	39.03	0.51	1.29
R7/105	LD	W10/105	39.60	39.60	0.00	0.00
R1/106	BEDROOM	W2/106	39.56	37.99	1.57	3.97
R1/106	BEDROOM	W4/106	39.60	39.60	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/106	BEDROOM	W3/106	39.58	37.89	1.69	4.27
R3/106	KITCHEN	W1/106	39.58	37.82	1.76	4.45
R4/106	LD	W5/106	39.59	37.70	1.89	4.77
R4/106	LD	W6/106	39.59	39.17	0.42	1.06
R5/106	BEDROOM	W7/106	39.59	39.21	0.38	0.96
R6/106	BEDROOM	W8/106	39.60	39.26	0.34	0.86
R7/106	LD	W9/106	39.60	39.29	0.31	0.78
R7/106	LD	W10/106	39.60	39.60	0.00	0.00
R1/107	BEDROOM	W2/107	39.58	38.48	1.10	2.78
R1/107	BEDROOM	W4/107	39.60	39.60	0.00	0.00
R2/107	BEDROOM	W3/107	39.60	38.43	1.17	2.95
R3/107	KITCHEN	W1/107	39.60	38.39	1.21	3.06
R4/107	LD	W5/107	39.62	38.34	1.28	3.23
R4/107	LD	W6/107	39.62	39.45	0.17	0.43
R5/107	BEDROOM	W7/107	39.62	39.46	0.16	0.40
R6/107	BEDROOM	W8/107	39.62	39.49	0.13	0.33
R7/107	LD	W9/107	39.62	39.50	0.12	0.30
R7/107	LD	W10/107	39.60	39.60	0.00	0.00
R1/111	LKD	W1/111	14.86	13.94	0.92	6.19
R1/111	LKD	W2/111	11.88	10.81	1.07	9.01
R2/111	BEDROOM	W3/111	7.94	6.68	1.26	15.87
R3/111	BEDROOM	W4/111	10.34	8.28	2.06	19.92
R3/111	BEDROOM	W5/111	25.30	23.51	1.79	7.08
R3/111	BEDROOM	W6/111	25.61	24.01	1.60	6.25
R4/111	BEDROOM	W7/111	25.95	24.55	1.40	5.39
R5/111	BEDROOM	W8/111	10.38	10.38	0.00	0.00
R6/111	LKD	W9/111	26.74	25.34	1.40	5.24
R6/111	LKD	W10/111	26.95	25.81	1.14	4.23
R6/111	LKD	W11/111	27.57	26.58	0.99	3.59



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/111	LKD	W12/111	15.37	15.37	0.00	0.00
R6/111	LKD	W13/111	12.91	12.91	0.00	0.00
R7/111	LKD	W14/111	19.10	19.10	0.00	0.00
R7/111	LKD	W15/111	20.55	20.55	0.00	0.00
R1/112	LKD	W1/112	16.02	15.16	0.86	5.37
R1/112	LKD	W2/112	12.72	11.69	1.03	8.10
R2/112	BEDROOM	W3/112	8.46	7.16	1.30	15.37
R3/112	BEDROOM	W4/112	10.95	8.86	2.09	19.09
R3/112	BEDROOM	W5/112	27.35	25.58	1.77	6.47
R3/112	BEDROOM	W6/112	27.72	26.11	1.61	5.81
R4/112	BEDROOM	W7/112	28.10	26.68	1.42	5.05
R5/112	BEDROOM	W8/112	11.75	11.75	0.00	0.00
R6/112	LKD	W9/112	28.91	27.48	1.43	4.95
R6/112	LKD	W10/112	29.11	27.95	1.16	3.98
R6/112	LKD	W11/112	29.66	28.64	1.02	3.44
R6/112	LKD	W12/112	16.24	16.24	0.00	0.00
R6/112	LKD	W13/112	13.62	13.62	0.00	0.00
R7/112	LKD	W14/112	20.15	20.15	0.00	0.00
R7/112	LKD	W15/112	21.88	21.88	0.00	0.00
R1/113	LKD	W1/113	17.26	16.46	0.80	4.63
R1/113	LKD	W2/113	13.62	12.66	0.96	7.05
R2/113	BEDROOM	W3/113	9.01	7.68	1.33	14.76
R3/113	BEDROOM	W4/113	11.59	9.49	2.10	18.12
R3/113	BEDROOM	W5/113	29.42	27.69	1.73	5.88
R3/113	BEDROOM	W6/113	29.84	28.25	1.59	5.33
R4/113	BEDROOM	W7/113	30.24	28.83	1.41	4.66
R5/113	BEDROOM	W8/113	13.21	13.21	0.00	0.00
R6/113	LKD	W9/113	31.05	29.63	1.42	4.57
R6/113	LKD	W10/113	31.24	30.09	1.15	3.68
R6/113	LKD	W11/113	31.71	30.70	1.01	3.19
R6/113	LKD	W12/113	17.20	17.20	0.00	0.00
R6/113	LKD	W13/113	14.42	14.42	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R7/113	LKD	W14/113	21.15	21.15	0.00	0.00
R7/113	LKD	W15/113	23.17	23.17	0.00	0.00
R1/114	LKD	W1/114	18.46	17.73	0.73	3.95
R1/114	LKD	W2/114	14.60	13.69	0.91	6.23
R2/114	BEDROOM	W3/114	9.60	8.25	1.35	14.06
R3/114	BEDROOM	W4/114	12.27	10.19	2.08	16.95
R3/114	BEDROOM	W5/114	31.36	29.69	1.67	5.33
R3/114	BEDROOM	W6/114	31.79	30.26	1.53	4.81
R4/114	BEDROOM	W7/114	32.19	30.83	1.36	4.22
R5/114	BEDROOM	W8/114	14.54	14.54	0.00	0.00
R6/114	LKD	W9/114	32.92	31.55	1.37	4.16
R6/114	LKD	W10/114	33.04	31.92	1.12	3.39
R6/114	LKD	W11/114	33.42	32.43	0.99	2.96
R6/114	LKD	W12/114	18.34	18.34	0.00	0.00
R6/114	LKD	W13/114	15.37	15.37	0.00	0.00
R7/114	LKD	W14/114	21.79	21.79	0.00	0.00
R7/114	LKD	W15/114	24.17	24.17	0.00	0.00
R1/115	LKD	W1/115	19.67	19.00	0.67	3.41
R1/115	LKD	W2/115	15.65	14.79	0.86	5.50
R2/115	BEDROOM	W3/115	10.24	8.87	1.37	13.38
R3/115	BEDROOM	W4/115	13.02	10.95	2.07	15.90
R3/115	BEDROOM	W5/115	33.02	31.40	1.62	4.91
R3/115	BEDROOM	W6/115	33.37	31.88	1.49	4.47
R4/115	BEDROOM	W7/115	33.70	32.37	1.33	3.95
R5/115	BEDROOM	W8/115	15.50	15.50	0.00	0.00
R6/115	LKD	W9/115	34.31	32.98	1.33	3.88
R6/115	LKD	W10/115	34.38	33.29	1.09	3.17
R6/115	LKD	W11/115	34.69	33.73	0.96	2.77
R6/115	LKD	W12/115	19.86	19.86	0.00	0.00
R6/115	LKD	W13/115	16.65	16.65	0.00	0.00
R7/115	LKD	W14/115	22.37	22.37	0.00	0.00
R7/115	LKD	W15/115	25.15	25.15	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/116	LKD	W1/116	20.95	20.33	0.62	2.96
R1/116	LKD	W2/116	16.74	15.93	0.81	4.84
R2/116	BEDROOM	W3/116	10.93	9.56	1.37	12.53
R3/116	BEDROOM	W4/116	13.85	11.80	2.05	14.80
R3/116	BEDROOM	W5/116	34.60	33.02	1.58	4.57
R3/116	BEDROOM	W6/116	34.85	33.40	1.45	4.16
R4/116	BEDROOM	W7/116	35.09	33.79	1.30	3.70
R5/116	BEDROOM	W8/116	16.44	16.44	0.00	0.00
R6/116	LKD	W9/116	35.55	34.26	1.29	3.63
R6/116	LKD	W10/116	35.60	34.53	1.07	3.01
R6/116	LKD	W11/116	35.82	34.88	0.94	2.62
R6/116	LKD	W12/116	21.85	21.85	0.00	0.00
R6/116	LKD	W13/116	18.34	18.34	0.00	0.00
R7/116	LKD	W14/116	22.97	22.97	0.00	0.00
R7/116	LKD	W15/116	26.24	26.23	0.01	0.04
R1/117	LKD	W1/117	22.53	21.92	0.61	2.71
R1/117	LKD	W2/117	18.09	17.28	0.81	4.48
R2/117	BEDROOM	W3/117	11.84	10.50	1.34	11.32
R3/117	BEDROOM	W4/117	14.95	12.97	1.98	13.24
R3/117	BEDROOM	W5/117	36.40	34.88	1.52	4.18
R3/117	BEDROOM	W6/117	36.55	35.15	1.40	3.83
R4/117	BEDROOM	W7/117	36.69	35.42	1.27	3.46
R5/117	BEDROOM	W8/117	17.54	17.54	0.00	0.00
R6/117	LKD	W9/117	36.96	35.73	1.23	3.33
R6/117	LKD	W10/117	36.98	35.89	1.09	2.95
R6/117	LKD	W11/117	37.10	36.09	1.01	2.72
R6/117	LKD	W12/117	25.45	25.45	0.00	0.00
R6/117	LKD	W13/117	21.39	21.39	0.00	0.00
R7/117	LKD	W14/117	23.93	23.93	0.00	0.00
R7/117	LKD	W15/117	28.01	27.93	0.08	0.29
R1/118	LKD	W1/118	24.06	23.40	0.66	2.74
R1/118	LKD	W2/118	19.33	18.51	0.82	4.24



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/118	BEDROOM	W3/118	12.93	11.61	1.32	10.21
R3/118	BEDROOM	W4/118	16.26	14.35	1.91	11.75
R3/118	BEDROOM	W5/118	37.90	36.35	1.55	4.09
R3/118	BEDROOM	W6/118	37.97	36.50	1.47	3.87
R4/118	BEDROOM	W7/118	38.03	36.62	1.41	3.71
R5/118	BEDROOM	W8/118	18.55	18.37	0.18	0.97
R6/118	LKD	W9/118	38.13	36.80	1.33	3.49
R6/118	LKD	W10/118	38.12	36.83	1.29	3.38
R6/118	LKD	W11/118	38.15	36.92	1.23	3.22
R6/118	LKD	W12/118	30.45	30.45	0.00	0.00
R6/118	LKD	W13/118	25.79	25.79	0.00	0.00
R7/118	LKD	W14/118	25.14	25.14	0.00	0.00
R7/118	LKD	W15/118	30.25	30.03	0.22	0.73
R1/119	LKD	W1/119	25.40	24.69	0.71	2.80
R1/119	LKD	W2/119	20.37	19.54	0.83	4.07
R2/119	BEDROOM	W3/119	14.75	13.48	1.27	8.61
R3/119	BEDROOM	W4/119	18.10	16.29	1.81	10.00
R3/119	BEDROOM	W5/119	38.46	36.95	1.51	3.93
R3/119	BEDROOM	W6/119	38.52	37.07	1.45	3.76
R4/119	BEDROOM	W7/119	38.56	37.14	1.42	3.68
R5/119	BEDROOM	W8/119	20.35	20.12	0.23	1.13
R6/119	LKD	W9/119	38.64	37.32	1.32	3.42
R6/119	LKD	W10/119	38.67	37.35	1.32	3.41
R6/119	LKD	W11/119	38.69	37.42	1.27	3.28
R6/119	LKD	W12/119	36.78	36.78	0.00	0.00
R6/119	LKD	W13/119	33.24	33.24	0.00	0.00
R7/119	LKD	W14/119	26.51	26.51	0.00	0.00
R7/119	LKD	W15/119	32.52	32.28	0.24	0.74
R1/120	KITCHEN	W3/120	14.82	14.36	0.46	3.10
R2/120	BEDROOM	W4/120	14.57	14.19	0.38	2.61
R3/120	LKD	W1/120	19.45	19.39	0.06	0.31
R3/120	LKD	W2/120	17.11	16.97	0.14	0.82



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R3/120	LKD	W5/120	34.33	34.33	0.00	0.00
R4/120	LD	W6/120	17.68	16.47	1.21	6.84
R4/120	LD	W7/120	20.22	18.52	1.70	8.41
R4/120	LD	W8/120	38.86	37.50	1.36	3.50
R4/120	LD	W9/120	38.90	37.60	1.30	3.34
R5/120	BEDROOM	W10/120	38.92	37.69	1.23	3.16
R6/120	BEDROOM	W11/120	38.97	37.76	1.21	3.10
R7/120	LD	W12/120	38.96	37.84	1.12	2.87
R7/120	LD	W13/120	39.00	37.91	1.09	2.79
R7/120	LD	W14/120	39.56	39.56	0.00	0.00
R7/120	LD	W15/120	39.55	39.55	0.00	0.00
R1/121	LKD	W1/121	20.22	20.17	0.05	0.25
R1/121	LKD	W2/121	17.93	17.81	0.12	0.67
R1/121	LKD	W5/121	34.39	34.39	0.00	0.00
R2/121	KITCHEN	W4/121	15.82	15.28	0.54	3.41
R3/121	BEDROOM	W3/121	15.35	15.01	0.34	2.21
R4/121	LD	W6/121	18.95	17.74	1.21	6.39
R4/121	LD	W7/121	21.59	20.08	1.51	6.99
R4/121	LD	W8/121	39.14	37.95	1.19	3.04
R4/121	LD	W9/121	39.15	38.03	1.12	2.86
R5/121	BEDROOM	W10/121	39.15	38.10	1.05	2.68
R6/121	BEDROOM	W11/121	39.18	38.15	1.03	2.63
R7/121	LD	W12/121	39.16	38.21	0.95	2.43
R7/121	LD	W13/121	39.19	38.27	0.92	2.35
R7/121	LD	W14/121	39.57	39.57	0.00	0.00
R7/121	LD	W15/121	39.57	39.57	0.00	0.00
R1/122	LKD	W1/122	21.14	21.02	0.12	0.57
R1/122	LKD	W2/122	18.91	18.74	0.17	0.90
R1/122	LKD	W5/122	34.79	34.79	0.00	0.00
R2/122	KITCHEN	W3/122	16.81	16.35	0.46	2.74
R3/122	BEDROOM	W4/122	16.34	16.08	0.26	1.59
R4/122	LD	W6/122	20.15	18.93	1.22	6.05



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/122	LD	W7/122	22.81	21.54	1.27	5.57
R4/122	LD	W8/122	39.30	38.36	0.94	2.39
R4/122	LD	W9/122	39.30	38.42	0.88	2.24
R5/122	BEDROOM	W10/122	39.30	38.46	0.84	2.14
R6/122	BEDROOM	W11/122	39.32	38.51	0.81	2.06
R7/122	LD	W12/122	39.30	38.56	0.74	1.88
R7/122	LD	W13/122	39.33	38.61	0.72	1.83
R7/122	LD	W14/122	39.58	39.58	0.00	0.00
R7/122	LD	W15/122	39.58	39.58	0.00	0.00

Battersea Power Station Phase 4A (Building A2)

R1/41	LKD	W1/41	25.29	23.04	2.25	8.90
R1/41	LKD	W2/41	25.27	22.84	2.43	9.62
R1/41	LKD	W3/41	25.32	22.51	2.81	11.10
R1/41	LKD	W21/41	31.14	31.14	0.00	0.00
R2/41	LD	W4/41	25.63	22.47	3.16	12.33
R2/41	LD	W5/41	26.00	22.56	3.44	13.23
R3/41	BEDROOM	W6/41	26.58	23.01	3.57	13.43
R3/41	BEDROOM	W7/41	26.94	23.36	3.58	13.29
R4/41	BEDROOM	W8/41	27.58	23.66	3.92	14.21
R5/41	BEDROOM	W9/41	28.39	24.32	4.07	14.34
R6/41	LKD	W10/41	28.77	24.53	4.24	14.74
R6/41	LKD	W11/41	29.56	25.01	4.55	15.39
R6/41	LKD	W12/41	18.99	15.20	3.79	19.96
R7/41	BEDROOM	W13/41	17.19	13.88	3.31	19.26
R8/41	KITCHEN	W14/41	14.76	11.96	2.80	18.97
R9/41	LD	W15/41	15.86	12.76	3.10	19.55
R9/41	LD	W16/41	12.45	12.05	0.40	3.21
R9/41	LD	W17/41	12.61	12.22	0.39	3.09
R10/41	BEDROOM	W18/41	12.79	12.44	0.35	2.74
R10/41	BEDROOM	W19/41	12.88	12.54	0.34	2.64
R11/41	BEDROOM	W20/41	31.26	31.26	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/42	LKD	W1/42	28.66	26.30	2.36	8.23
R1/42	LKD	W2/42	28.67	26.14	2.53	8.82
R1/42	LKD	W3/42	28.71	25.86	2.85	9.93
R1/42	LKD	W21/42	33.98	33.98	0.00	0.00
R2/42	LD	W4/42	29.00	25.82	3.18	10.97
R2/42	LD	W5/42	29.30	25.87	3.43	11.71
R3/42	BEDROOM	W6/42	29.77	26.20	3.57	11.99
R3/42	BEDROOM	W7/42	30.07	26.48	3.59	11.94
R4/42	BEDROOM	W8/42	30.57	26.63	3.94	12.89
R5/42	BEDROOM	W9/42	31.20	27.05	4.15	13.30
R6/42	LKD	W10/42	31.47	27.14	4.33	13.76
R6/42	LKD	W11/42	32.07	27.37	4.70	14.66
R6/42	LKD	W12/42	20.32	16.39	3.93	19.34
R7/42	BEDROOM	W13/42	18.46	15.08	3.38	18.31
R8/42	KITCHEN	W14/42	15.98	13.17	2.81	17.58
R9/42	LD	W15/42	17.04	13.97	3.07	18.02
R9/42	LD	W16/42	13.71	13.31	0.40	2.92
R9/42	LD	W17/42	13.87	13.48	0.39	2.81
R10/42	BEDROOM	W18/42	14.08	13.74	0.34	2.41
R10/42	BEDROOM	W19/42	14.19	13.85	0.34	2.40
R11/42	BEDROOM	W20/42	34.01	34.01	0.00	0.00
R1/43	LKD	W1/43	32.15	29.74	2.41	7.50
R1/43	LKD	W2/43	32.18	29.62	2.56	7.96
R1/43	LKD	W3/43	32.23	29.43	2.80	8.69
R1/43	LKD	W21/43	36.37	36.37	0.00	0.00
R2/43	LD	W4/43	32.43	29.36	3.07	9.47
R2/43	LD	W5/43	32.63	29.35	3.28	10.05
R3/43	BEDROOM	W6/43	32.94	29.50	3.44	10.44
R3/43	BEDROOM	W7/43	33.14	29.70	3.44	10.38
R4/43	BEDROOM	W8/43	33.44	29.65	3.79	11.33
R5/43	BEDROOM	W9/43	33.79	29.78	4.01	11.87



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/43	LKD	W10/43	33.94	29.74	4.20	12.37
R6/43	LKD	W11/43	34.27	29.68	4.59	13.39
R6/43	LKD	W12/43	21.62	17.75	3.87	17.90
R7/43	BEDROOM	W13/43	19.77	16.47	3.30	16.69
R8/43	KITCHEN	W14/43	17.31	14.56	2.75	15.89
R9/43	LD	W15/43	18.32	15.35	2.97	16.21
R9/43	LD	W16/43	15.08	14.69	0.39	2.59
R9/43	LD	W17/43	15.25	14.86	0.39	2.56
R10/43	BEDROOM	W18/43	15.49	15.16	0.33	2.13
R10/43	BEDROOM	W19/43	15.62	15.29	0.33	2.11
R11/43	BEDROOM	W20/43	36.32	36.32	0.00	0.00
R1/44	LKD	W1/44	35.36	32.98	2.38	6.73
R1/44	LKD	W2/44	35.42	32.90	2.52	7.11
R1/44	LKD	W3/44	35.46	32.80	2.66	7.50
R1/44	LKD	W21/44	37.71	37.71	0.00	0.00
R2/44	LD	W4/44	35.52	32.67	2.85	8.02
R2/44	LD	W5/44	35.61	32.59	3.02	8.48
R3/44	BEDROOM	W6/44	35.75	32.57	3.18	8.90
R3/44	BEDROOM	W7/44	35.81	32.64	3.17	8.85
R4/44	BEDROOM	W8/44	35.89	32.39	3.50	9.75
R5/44	BEDROOM	W9/44	35.97	32.27	3.70	10.29
R6/44	LKD	W10/44	35.99	32.10	3.89	10.81
R6/44	LKD	W11/44	36.04	31.78	4.26	11.82
R6/44	LKD	W12/44	23.03	19.41	3.62	15.72
R7/44	BEDROOM	W13/44	21.24	18.17	3.07	14.45
R8/44	KITCHEN	W14/44	18.89	16.26	2.63	13.92
R9/44	LD	W15/44	19.82	16.99	2.83	14.28
R9/44	LD	W16/44	16.71	16.32	0.39	2.33
R9/44	LD	W17/44	16.89	16.51	0.38	2.25
R10/44	BEDROOM	W18/44	17.15	16.82	0.33	1.92
R10/44	BEDROOM	W19/44	17.29	16.97	0.32	1.85



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R11/44	BEDROOM	W20/44	37.62	37.62	0.00	0.00
R1/45	BEDROOM	W1/45	38.34	38.34	0.00	0.00
R2/45	BEDROOM	W2/45	38.26	38.26	0.00	0.00
R2/45	BEDROOM	W3/45	37.07	33.89	3.18	8.58
R3/45	BEDROOM	W4/45	37.03	33.66	3.37	9.10
R3/45	BEDROOM	W5/45	37.00	33.45	3.55	9.59
R4/45	LKD	W6/45	36.95	33.06	3.89	10.53
R4/45	LKD	W7/45	24.74	21.40	3.34	13.50
R4/45	LKD	W8/45	23.04	20.22	2.82	12.24
R5/45	BEDROOM	W9/45	20.78	18.29	2.49	11.98
R6/45	BEDROOM	W10/45	21.60	18.92	2.68	12.41
R6/45	BEDROOM	W11/45	18.55	18.17	0.38	2.05
R6/45	BEDROOM	W12/45	18.74	18.37	0.37	1.97
R7/45	BEDROOM	W13/45	19.04	18.71	0.33	1.73
R7/45	BEDROOM	W14/45	19.20	18.88	0.32	1.67
R1/46	BEDROOM	W1/46	38.71	38.71	0.00	0.00
R2/46	BEDROOM	W2/46	38.73	38.73	0.00	0.00
R2/46	BEDROOM	W3/46	37.70	34.82	2.88	7.64
R3/46	BEDROOM	W4/46	37.65	34.61	3.04	8.07
R3/46	BEDROOM	W5/46	37.63	34.41	3.22	8.56
R4/46	LKD	W6/46	37.57	34.04	3.53	9.40
R4/46	LKD	W7/46	26.63	23.54	3.09	11.60
R4/46	LKD	W8/46	25.05	22.46	2.59	10.34
R5/46	BEDROOM	W9/46	22.84	20.45	2.39	10.46
R6/46	BEDROOM	W10/46	23.50	20.93	2.57	10.94
R6/46	BEDROOM	W11/46	20.44	20.06	0.38	1.86
R6/46	BEDROOM	W12/46	20.63	20.27	0.36	1.75
R7/46	BEDROOM	W13/46	20.96	20.64	0.32	1.53
R7/46	BEDROOM	W14/46	21.13	20.81	0.32	1.51
R1/47	BEDROOM	W1/47	38.92	38.92	0.00	0.00
R2/47	BEDROOM	W2/47	38.94	38.94	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/47	BEDROOM	W3/47	38.03	35.47	2.56	6.73
R3/47	BEDROOM	W4/47	38.00	35.28	2.72	7.16
R3/47	BEDROOM	W5/47	37.99	35.10	2.89	7.61
R4/47	LKD	W6/47	37.94	34.77	3.17	8.36
R4/47	LKD	W7/47	28.79	25.97	2.82	9.80
R4/47	LKD	W8/47	27.40	25.02	2.38	8.69
R5/47	BATHROOM	W9/47	25.16	22.88	2.28	9.06
R6/47	BEDROOM	W10/47	25.61	23.17	2.44	9.53
R6/47	BEDROOM	W11/47	22.48	22.10	0.38	1.69
R6/47	BEDROOM	W12/47	22.68	22.31	0.37	1.63
R7/47	BEDROOM	W13/47	23.04	22.71	0.33	1.43
R7/47	BEDROOM	W14/47	23.22	22.90	0.32	1.38
R1/48	BEDROOM	W1/48	39.12	39.12	0.00	0.00
R2/48	BEDROOM	W2/48	39.12	39.12	0.00	0.00
R2/48	BEDROOM	W3/48	38.31	36.09	2.22	5.79
R3/48	BEDROOM	W4/48	38.29	35.93	2.36	6.16
R3/48	BEDROOM	W5/48	38.28	35.78	2.50	6.53
R4/48	LKD	W6/48	38.24	35.48	2.76	7.22
R4/48	LKD	W7/48	31.30	28.34	2.96	9.46
R4/48	LKD	W8/48	30.14	27.60	2.54	8.43
R5/48	BATHROOM	W9/48	27.85	25.49	2.36	8.47
R6/48	BEDROOM	W10/48	27.97	25.43	2.54	9.08
R6/48	BEDROOM	W11/48	24.76	24.39	0.37	1.49
R6/48	BEDROOM	W12/48	24.96	24.60	0.36	1.44
R7/48	BEDROOM	W13/48	25.35	25.03	0.32	1.26
R7/48	BEDROOM	W14/48	25.55	25.23	0.32	1.25

Battersea Power Station Phase 4A (Building A3)

R1/21	LKD	W1/21	21.49	21.45	0.04	0.19
R1/21	LKD	W2/21	19.35	19.30	0.05	0.26
R1/21	LKD	W3/21	31.68	24.67	7.01	22.13
R2/21	BEDROOM	W4/21	31.84	24.14	7.70	24.18



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R3/21	BEDROOM	W5/21	31.97	23.73	8.24	25.77
R4/21	BEDROOM	W6/21	32.01	22.83	9.18	28.68
R5/21	LKD	W7/21	32.02	22.26	9.76	30.48
R6/21	BEDROOM	W8/21	32.12	21.64	10.48	32.63
R7/21	BEDROOM	W9/21	32.10	21.17	10.93	34.05
R8/21	BEDROOM	W10/21	32.15	20.58	11.57	35.99
R9/21	BEDROOM	W11/21	32.14	20.07	12.07	37.55
R10/21	LD	W12/21	32.06	19.53	12.53	39.08
R10/21	LD	W13/21	31.98	18.98	13.00	40.65
R11/21	KITCHEN	W14/21	24.96	4.66	20.30	81.33
R11/21	KITCHEN	W15/21	24.85	5.24	19.61	78.91
R12/21	BEDROOM	W16/21	22.15	2.80	19.35	87.36
R12/21	BEDROOM	W17/21	24.65	5.29	19.36	78.54
R13/21	BEDROOM	W18/21	24.25	2.45	21.80	89.90
R13/21	BEDROOM	W19/21	22.80	5.62	17.18	75.35
R14/21	BEDROOM	W20/21	23.91	2.34	21.57	90.21
R14/21	BEDROOM	W21/21	22.64	5.97	16.67	73.63
R15/21	BEDROOM	W22/21	15.87	9.70	6.17	38.88
R15/21	BEDROOM	W23/21	15.46	9.77	5.69	36.80
R16/21	BEDROOM	W24/21	14.53	9.33	5.20	35.79
R16/21	BEDROOM	W25/21	14.23	9.46	4.77	33.52
R17/21	BEDROOM	W26/21	13.65	9.47	4.18	30.62
R18/21	LD	W27/21	13.10	9.47	3.63	27.71
R18/21	LD	W28/21	12.63	9.40	3.23	25.57
R19/21	BEDROOM	W29/21	12.10	9.37	2.73	22.56
R19/21	BEDROOM	W30/21	11.76	9.35	2.41	20.49
R20/21	BEDROOM	W31/21	11.65	9.59	2.06	17.68
R21/21	LD	W32/21	11.71	9.93	1.78	15.20



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/22	LKD	W1/22	23.31	23.25	0.06	0.26
R1/22	LKD	W2/22	21.04	20.99	0.05	0.24
R1/22	LKD	W3/22	34.14	26.10	8.04	23.55
R2/22	BEDROOM	W4/22	34.18	25.56	8.62	25.22
R3/22	BEDROOM	W5/22	34.22	25.14	9.08	26.53
R4/22	BEDROOM	W6/22	34.16	24.23	9.93	29.07
R5/22	LKD	W7/22	34.08	23.63	10.45	30.66
R6/22	BEDROOM	W8/22	34.04	23.02	11.02	32.37
R7/22	BEDROOM	W9/22	33.91	22.53	11.38	33.56
R8/22	BEDROOM	W10/22	33.85	21.96	11.89	35.13
R9/22	BEDROOM	W11/22	33.75	21.44	12.31	36.47
R10/22	LD	W12/22	33.50	20.84	12.66	37.79
R10/22	LD	W13/22	33.39	20.26	13.13	39.32
R11/22	KITCHEN	W14/22	25.47	5.09	20.38	80.02
R11/22	KITCHEN	W15/22	26.15	5.66	20.49	78.36
R12/22	BEDROOM	W16/22	22.99	3.22	19.77	85.99
R12/22	BEDROOM	W17/22	25.99	5.72	20.27	77.99
R13/22	BEDROOM	W18/22	25.20	2.77	22.43	89.01
R13/22	BEDROOM	W19/22	24.11	6.12	17.99	74.62
R14/22	BEDROOM	W20/22	24.85	2.64	22.21	89.38
R14/22	BEDROOM	W21/22	24.02	6.62	17.40	72.44
R15/22	BEDROOM	W22/22	17.18	10.81	6.37	37.08
R15/22	BEDROOM	W23/22	16.70	10.89	5.81	34.79
R16/22	BEDROOM	W24/22	15.72	10.47	5.25	33.40
R16/22	BEDROOM	W25/22	15.40	10.60	4.80	31.17
R17/22	BEDROOM	W26/22	14.79	10.59	4.20	28.40
R18/22	LD	W27/22	14.21	10.58	3.63	25.55
R18/22	LD	W28/22	13.71	10.49	3.22	23.49
R19/22	BEDROOM	W29/22	13.16	10.42	2.74	20.82



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R19/22	BEDROOM	W30/22	12.81	10.40	2.41	18.81
R20/22	BEDROOM	W31/22	12.71	10.65	2.06	16.21
R21/22	LD	W32/22	12.81	11.04	1.77	13.82
R1/23	LKD	W1/23	22.85	22.80	0.05	0.22
R1/23	LKD	W2/23	25.18	25.13	0.05	0.20
R1/23	LKD	W3/23	35.21	27.43	7.78	22.10
R2/23	BEDROOM	W4/23	35.16	26.87	8.29	23.58
R3/23	BEDROOM	W5/23	35.15	26.45	8.70	24.75
R4/23	BEDROOM	W6/23	35.05	25.56	9.49	27.08
R5/23	LKD	W7/23	34.96	24.96	10.00	28.60
R6/23	BEDROOM	W8/23	34.86	24.39	10.47	30.03
R7/23	BEDROOM	W9/23	34.70	23.91	10.79	31.10
R8/23	BEDROOM	W10/23	34.60	23.38	11.22	32.43
R9/23	BEDROOM	W11/23	34.46	22.85	11.61	33.69
R10/23	LD	W12/23	34.20	22.21	11.99	35.06
R10/23	LD	W13/23	34.10	21.60	12.50	36.66
R11/23	KITCHEN	W14/23	26.35	5.71	20.64	78.33
R11/23	KITCHEN	W15/23	26.95	6.08	20.87	77.44
R12/23	BEDROOM	W16/23	23.84	3.69	20.15	84.52
R12/23	BEDROOM	W17/23	26.76	6.16	20.60	76.98
R13/23	BEDROOM	W18/23	26.12	3.18	22.94	87.83
R13/23	BEDROOM	W19/23	24.82	6.63	18.19	73.29
R14/23	BEDROOM	W20/23	25.77	3.03	22.74	88.24
R14/23	BEDROOM	W21/23	24.77	7.30	17.47	70.53
R15/23	BEDROOM	W22/23	18.26	12.03	6.23	34.12
R15/23	BEDROOM	W23/23	17.81	12.12	5.69	31.95
R16/23	BEDROOM	W24/23	16.87	11.75	5.12	30.35
R16/23	BEDROOM	W25/23	16.57	11.88	4.69	28.30



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R17/23	BEDROOM	W26/23	15.97	11.86	4.11	25.74
R18/23	LD	W27/23	15.39	11.83	3.56	23.13
R18/23	LD	W28/23	14.86	11.71	3.15	21.20
R19/23	BEDROOM	W29/23	14.29	11.61	2.68	18.75
R19/23	BEDROOM	W30/23	13.96	11.59	2.37	16.98
R20/23	BEDROOM	W31/23	13.88	11.86	2.02	14.55
R21/23	LD	W32/23	14.02	12.29	1.73	12.34
R1/24	LKD	W1/24	27.17	27.12	0.05	0.18
R1/24	LKD	W2/24	24.77	24.72	0.05	0.20
R1/24	LKD	W3/24	36.04	28.78	7.26	20.14
R2/24	BEDROOM	W4/24	35.95	28.21	7.74	21.53
R3/24	BEDROOM	W5/24	35.91	27.79	8.12	22.61
R4/24	BEDROOM	W6/24	35.78	26.94	8.84	24.71
R5/24	LKD	W7/24	35.67	26.37	9.30	26.07
R6/24	BEDROOM	W8/24	35.56	25.83	9.73	27.36
R7/24	BEDROOM	W9/24	35.39	25.37	10.02	28.31
R8/24	BEDROOM	W10/24	35.30	24.88	10.42	29.52
R9/24	BEDROOM	W11/24	35.17	24.37	10.80	30.71
R10/24	LD	W12/24	34.92	23.71	11.21	32.10
R10/24	LD	W13/24	34.81	23.09	11.72	33.67
R11/24	KITCHEN	W14/24	27.20	6.40	20.80	76.47
R11/24	KITCHEN	W15/24	27.76	6.55	21.21	76.40
R12/24	BEDROOM	W16/24	24.67	4.23	20.44	82.85
R12/24	BEDROOM	W17/24	27.55	6.66	20.89	75.83
R13/24	BEDROOM	W18/24	27.02	3.64	23.38	86.53
R13/24	BEDROOM	W19/24	25.54	7.22	18.32	71.73
R14/24	BEDROOM	W20/24	26.66	3.47	23.19	86.98
R14/24	BEDROOM	W21/24	25.55	8.07	17.48	68.41



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R15/24	BEDROOM	W22/24	19.52	13.44	6.08	31.15
R15/24	BEDROOM	W23/24	19.09	13.55	5.54	29.02
R16/24	BEDROOM	W24/24	18.21	13.22	4.99	27.40
R16/24	BEDROOM	W25/24	17.92	13.36	4.56	25.45
R17/24	LD	W26/24	17.32	13.32	4.00	23.09
R17/24	LD	W27/24	16.75	13.26	3.49	20.84
R18/24	BEDROOM	W28/24	16.19	13.12	3.07	18.96
R19/24	BEDROOM	W29/24	15.60	12.97	2.63	16.86
R19/24	BEDROOM	W30/24	15.27	12.96	2.31	15.13
R20/24	BEDROOM	W31/24	15.21	13.25	1.96	12.89
R21/24	LD	W32/24	15.40	13.71	1.69	10.97
R1/25	LKD	W1/25	29.19	29.15	0.04	0.14
R1/25	LKD	W2/25	26.80	26.76	0.04	0.15
R1/25	LKD	W3/25	36.64	29.95	6.69	18.26
R2/25	BEDROOM	W4/25	36.53	29.41	7.12	19.49
R3/25	BEDROOM	W5/25	36.47	29.01	7.46	20.46
R4/25	BEDROOM	W6/25	36.32	28.21	8.11	22.33
R5/25	LKD	W7/25	36.21	27.67	8.54	23.58
R6/25	BEDROOM	W8/25	36.11	27.20	8.91	24.67
R7/25	BEDROOM	W9/25	35.95	26.78	9.17	25.51
R8/25	BEDROOM	W10/25	35.86	26.34	9.52	26.55
R9/25	BEDROOM	W11/25	35.72	25.83	9.89	27.69
R10/25	LD	W12/25	35.49	25.16	10.33	29.11
R10/25	LD	W13/25	35.38	24.56	10.82	30.58
R11/25	KITCHEN	W14/25	28.06	7.19	20.87	74.38
R11/25	KITCHEN	W15/25	28.59	7.10	21.49	75.17
R12/25	BEDROOM	W16/25	25.51	4.83	20.68	81.07
R12/25	BEDROOM	W17/25	28.36	7.25	21.11	74.44



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R13/25	BEDROOM	W18/25	27.93	4.18	23.75	85.03
R13/25	BEDROOM	W19/25	26.29	7.90	18.39	69.95
R14/25	BEDROOM	W20/25	27.55	4.00	23.55	85.48
R14/25	BEDROOM	W21/25	26.39	8.97	17.42	66.01
R15/25	BEDROOM	W22/25	20.87	14.98	5.89	28.22
R15/25	BEDROOM	W23/25	20.49	15.12	5.37	26.21
R16/25	BEDROOM	W24/25	19.66	14.84	4.82	24.52
R16/25	BEDROOM	W25/25	19.40	14.99	4.41	22.73
R17/25	LD	W26/25	18.81	14.93	3.88	20.63
R17/25	LD	W27/25	18.25	14.85	3.40	18.63
R18/25	BEDROOM	W28/25	17.67	14.69	2.98	16.86
R19/25	BEDROOM	W29/25	17.07	14.51	2.56	15.00
R19/25	BEDROOM	W30/25	16.75	14.49	2.26	13.49
R20/25	BEDROOM	W31/25	16.71	14.81	1.90	11.37
R21/25	LD	W32/25	16.93	15.30	1.63	9.63
R1/26	LKD	W1/26	31.22	31.18	0.04	0.13
R1/26	LKD	W2/26	28.85	28.82	0.03	0.10
R1/26	LKD	W3/26	37.20	31.09	6.11	16.42
R2/26	BEDROOM	W4/26	37.09	30.61	6.48	17.47
R3/26	BEDROOM	W5/26	37.02	30.24	6.78	18.31
R4/26	BEDROOM	W6/26	36.88	29.52	7.36	19.96
R5/26	LKD	W7/26	36.77	29.03	7.74	21.05
R6/26	BEDROOM	W8/26	36.67	28.61	8.06	21.98
R7/26	BEDROOM	W9/26	36.51	28.21	8.30	22.73
R8/26	BEDROOM	W10/26	36.43	27.83	8.60	23.61
R9/26	BEDROOM	W11/26	36.30	27.33	8.97	24.71
R10/26	LD	W12/26	36.09	26.64	9.45	26.18
R10/26	LD	W13/26	35.99	26.04	9.95	27.65



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R11/26	KITCHEN	W14/26	28.95	8.09	20.86	72.06
R11/26	KITCHEN	W15/26	29.51	7.82	21.69	73.50
R12/26	BEDROOM	W16/26	26.45	5.58	20.87	78.90
R12/26	BEDROOM	W17/26	29.28	8.03	21.25	72.58
R13/26	BEDROOM	W18/26	28.93	4.87	24.06	83.17
R13/26	BEDROOM	W19/26	27.16	8.76	18.40	67.75
R14/26	BEDROOM	W20/26	28.52	4.70	23.82	83.52
R14/26	BEDROOM	W21/26	27.27	9.98	17.29	63.40
R15/26	BEDROOM	W22/26	22.42	16.73	5.69	25.38
R15/26	BEDROOM	W23/26	22.08	16.89	5.19	23.51
R16/26	BEDROOM	W24/26	21.31	16.66	4.65	21.82
R16/26	BEDROOM	W25/26	21.07	16.82	4.25	20.17
R17/26	LD	W26/26	20.50	16.75	3.75	18.29
R17/26	LD	W27/26	19.96	16.65	3.31	16.58
R18/26	BEDROOM	W28/26	19.36	16.48	2.88	14.88
R19/26	BEDROOM	W29/26	18.74	16.26	2.48	13.23
R19/26	BEDROOM	W30/26	18.43	16.23	2.20	11.94
R20/26	BEDROOM	W31/26	18.40	16.56	1.84	10.00
R21/26	LD	W32/26	18.66	17.07	1.59	8.52
R1/27	LKD	W1/27	33.18	33.15	0.03	0.09
R1/27	LKD	W2/27	30.83	30.81	0.02	0.06
R1/27	LKD	W3/27	37.59	32.07	5.52	14.68
R2/27	BEDROOM	W4/27	37.49	31.62	5.87	15.66
R3/27	BEDROOM	W5/27	37.41	31.26	6.15	16.44
R4/27	BEDROOM	W6/27	37.28	30.60	6.68	17.92
R5/27	LKD	W7/27	37.18	30.15	7.03	18.91
R6/27	BEDROOM	W8/27	37.10	29.79	7.31	19.70
R7/27	BEDROOM	W9/27	36.95	29.43	7.52	20.35
R8/27	BEDROOM	W10/27	36.88	29.11	7.77	21.07



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R9/27	BEDROOM	W11/27	36.76	28.63	8.13	22.12
R10/27	LD	W12/27	36.57	27.97	8.60	23.52
R10/27	LD	W13/27	36.48	27.36	9.12	25.00
R11/27	KITCHEN	W14/27	30.37	9.39	20.98	69.08
R11/27	KITCHEN	W15/27	31.66	9.97	21.69	68.51
R12/27	BEDROOM	W16/27	28.74	7.75	20.99	73.03
R12/27	BEDROOM	W17/27	31.39	10.22	21.17	67.44
R13/27	BEDROOM	W18/27	31.13	6.82	24.31	78.09
R13/27	BEDROOM	W19/27	29.35	11.16	18.19	61.98
R14/27	BEDROOM	W20/27	30.69	6.67	24.02	78.27
R14/27	BEDROOM	W21/27	28.60	11.61	16.99	59.41
R15/27	BEDROOM	W22/27	24.05	18.58	5.47	22.74
R15/27	BEDROOM	W23/27	23.75	18.78	4.97	20.93
R16/27	BEDROOM	W24/27	23.07	18.61	4.46	19.33
R16/27	BEDROOM	W25/27	22.85	18.78	4.07	17.81
R17/27	LD	W26/27	22.31	18.71	3.60	16.14
R17/27	LD	W27/27	21.80	18.61	3.19	14.63
R18/27	BEDROOM	W28/27	21.21	18.45	2.76	13.01
R19/27	BEDROOM	W29/27	20.60	18.21	2.39	11.60
R19/27	BEDROOM	W30/27	20.29	18.18	2.11	10.40
R20/27	BEDROOM	W31/27	20.28	18.51	1.77	8.73
R21/27	LD	W32/27	20.55	19.03	1.52	7.40
R1/28	LKD	W1/28	35.27	35.25	0.02	0.06
R1/28	LKD	W2/28	32.96	32.93	0.03	0.09
R1/28	LKD	W3/28	37.97	33.11	4.86	12.80
R2/28	BEDROOM	W4/28	37.90	32.73	5.17	13.64
R3/28	BEDROOM	W5/28	37.84	32.41	5.43	14.35
R4/28	BEDROOM	W6/28	37.73	31.80	5.93	15.72
R5/28	BEDROOM	W7/28	37.65	31.38	6.27	16.65



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/28	LKD	W8/28	37.57	31.02	6.55	17.43
R6/28	LKD	W9/28	35.94	17.80	18.14	50.47
R6/28	LKD	W10/28	36.04	17.93	18.11	50.25
R7/28	LKD	W11/28	32.44	17.49	14.95	46.09
R7/28	LKD	W12/28	22.85	20.58	2.27	9.93
R7/28	LKD	W13/28	22.55	20.54	2.01	8.91
R8/28	BEDROOM	W14/28	22.59	20.91	1.68	7.44
R9/28	BEDROOM	W15/28	22.91	21.48	1.43	6.24
R1/29	LKD	W1/29	36.90	36.89	0.01	0.03
R1/29	LKD	W2/29	34.60	34.58	0.02	0.06
R1/29	LKD	W3/29	38.29	34.06	4.23	11.05
R2/29	BEDROOM	W4/29	38.23	33.71	4.52	11.82
R3/29	BEDROOM	W5/29	38.18	33.42	4.76	12.47
R4/29	BEDROOM	W6/29	38.09	32.88	5.21	13.68
R5/29	BEDROOM	W7/29	38.02	32.48	5.54	14.57
R6/29	LKD	W8/29	37.95	32.15	5.80	15.28
R6/29	LKD	W9/29	36.55	19.24	17.31	47.36
R6/29	LKD	W10/29	36.64	19.38	17.26	47.11
R7/29	LKD	W11/29	33.50	19.28	14.22	42.45
R7/29	LKD	W12/29	25.10	22.93	2.17	8.65
R7/29	LKD	W13/29	24.83	22.91	1.92	7.73
R8/29	BEDROOM	W14/29	24.80	23.20	1.60	6.45
R9/29	BEDROOM	W15/29	25.03	23.67	1.36	5.43
R1/30	LKD	W1/30	37.78	37.76	0.02	0.05
R1/30	LKD	W2/30	36.50	36.49	0.01	0.03
R1/30	LKD	W3/30	38.59	35.00	3.59	9.30
R2/30	BEDROOM	W4/30	38.54	34.68	3.86	10.02
R3/30	BEDROOM	W5/30	38.50	34.43	4.07	10.57
R4/30	BEDROOM	W6/30	38.42	33.97	4.45	11.58



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R5/30	BEDROOM	W7/30	38.36	33.60	4.76	12.41
R6/30	LKD	W8/30	38.31	33.29	5.02	13.10
R6/30	LKD	W9/30	37.14	20.85	16.29	43.86
R6/30	LKD	W10/30	37.21	21.00	16.21	43.56
R7/30	LKD	W11/30	35.33	22.00	13.33	37.73
R7/30	LKD	W12/30	27.48	25.44	2.04	7.42
R7/30	LKD	W13/30	27.24	25.43	1.81	6.64
R8/30	BEDROOM	W14/30	27.15	25.63	1.52	5.60
R9/30	BEDROOM	W15/30	27.27	25.96	1.31	4.80



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

WITHOUT DECK ACCESS / OVERHANGS

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
142-192 Thessaly Road						
R2/300	KITCHEN	W2/300	20.80	19.45	1.35	6.49
R4/300	KITCHEN	W4/300	21.19	20.12	1.07	5.05
R6/300	KITCHEN	W6/300	21.80	20.99	0.81	3.72
R8/300	KITCHEN	W8/300	21.82	21.03	0.79	3.62
R10/300	KITCHEN	W10/300	21.45	20.93	0.52	2.42
R12/300	KITCHEN	W12/300	21.12	20.56	0.56	2.65
R14/300	KITCHEN	W14/300	19.88	19.46	0.42	2.11
R16/300	KITCHEN	W16/300	18.69	18.34	0.35	1.87
R18/300	KITCHEN	W18/300	14.43	13.52	0.91	6.31
R3/301	BEDROOM	W3/301	22.57	21.15	1.42	6.29
R6/301	BEDROOM	W6/301	23.04	21.85	1.19	5.16
R9/301	BEDROOM	W9/301	23.74	22.69	1.05	4.42
R12/301	BEDROOM	W12/301	23.65	22.79	0.86	3.64
R15/301	BEDROOM	W15/301	23.28	22.72	0.56	2.41
R18/301	BEDROOM	W18/301	22.98	22.44	0.54	2.35
R21/301	BEDROOM	W21/301	21.81	21.45	0.36	1.65
R24/301	BEDROOM	W24/301	20.75	20.32	0.43	2.07
R27/301	BEDROOM	W27/301	16.01	14.91	1.10	6.87
R2/302	KITCHEN	W2/302	24.44	22.80	1.64	6.71
R4/302	KITCHEN	W4/302	24.85	23.54	1.31	5.27
R6/302	KITCHEN	W6/302	25.37	24.29	1.08	4.26
R8/302	KITCHEN	W8/302	25.45	24.51	0.94	3.69
R10/302	KITCHEN	W10/302	25.21	24.60	0.61	2.42



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

WITHOUT DECK ACCESS / OVERHANGS

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R12/302	KITCHEN	W12/302	25.06	24.48	0.58	2.31
R14/302	KITCHEN	W14/302	24.24	23.76	0.48	1.98
R16/302	KITCHEN	W16/302	23.28	22.75	0.53	2.28
R18/302	KITCHEN	W18/302	18.24	16.96	1.28	7.02
R3/303	BEDROOM	W3/303	26.35	24.55	1.80	6.83
R6/303	BEDROOM	W6/303	26.65	25.23	1.42	5.33
R9/303	BEDROOM	W9/303	27.29	25.97	1.32	4.84
R12/303	BEDROOM	W12/303	27.36	26.30	1.06	3.87
R15/303	BEDROOM	W15/303	27.24	26.57	0.67	2.46
R18/303	BEDROOM	W18/303	27.24	26.67	0.57	2.09
R21/303	BEDROOM	W21/303	26.67	26.23	0.44	1.65
R24/303	BEDROOM	W24/303	26.01	25.36	0.65	2.50
R27/303	BEDROOM	W27/303	20.19	18.82	1.37	6.79
R1/310	ASSUMED	W1/310	17.50	16.43	1.07	6.11
R2/310	ASSUMED	W3/310	18.79	17.63	1.16	6.17
R3/310	ASSUMED	W4/310	21.48	20.18	1.30	6.05
R4/310	ASSUMED	W5/310	16.88	15.48	1.40	8.29
R2/311	KITCHEN	W2/311	24.05	22.45	1.60	6.65
R3/311	KITCHEN	W3/311	19.07	17.43	1.64	8.60
R6/311	KITCHEN	W6/311	19.88	18.27	1.61	8.10
R3/312	BEDROOM	W3/312	26.18	24.28	1.90	7.26
R4/312	BEDROOM	W4/312	20.49	18.48	2.01	9.81
R5/312	BEDROOM	W5/312	21.94	20.03	1.91	8.71



DAYLIGHT ANALYSIS


Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

WITHOUT DECK ACCESS / OVERHANGS

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/313	LKD	W1/313	28.78	26.56	2.22	7.71
R1/313	LKD	W3/313	20.48	20.48	0.00	0.00
R2/313	BEDROOM	W2/313	24.18	21.97	2.21	9.14
R1/314	LKD	W1/314	31.94	29.42	2.52	7.89
R1/314	LKD	W3/314	36.39	36.39	0.00	0.00
R2/314	BEDROOM	W2/314	27.85	25.50	2.35	8.44



Appendix 3: Daylight and Sunlight Results (Existing v Consented)



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R1/10	ASSUMED	W1/10	2.37	2.10	0.27	11.39
R1/10	ASSUMED	W2/10	4.61	4.11	0.50	10.85
R2/10	ASSUMED	W3/10	6.26	5.47	0.79	12.62
R2/10	ASSUMED	W4/10	4.38	4.24	0.14	3.20
R3/10	LKD	W5/10	7.20	5.24	1.96	27.22
R3/10	LKD	W6/10	8.82	6.29	2.53	28.68
R4/10	BEDROOM	W7/10	9.86	7.00	2.86	29.01
R4/10	BEDROOM	W8/10	8.62	6.15	2.47	28.65
R5/10	BEDROOM	W9/10	10.69	6.88	3.81	35.64
R5/10	BEDROOM	W10/10	12.08	7.80	4.28	35.43
R6/10	LKD	W11/10	12.59	7.79	4.80	38.13
R6/10	LKD	W12/10	11.07	7.10	3.97	35.86
R7/10	LKD	W13/10	12.84	6.80	6.04	47.04
R8/10	BEDROOM	W14/10	13.86	7.26	6.60	47.62
R9/10	BEDROOM	W15/10	12.09	6.64	5.45	45.08
R10/10	LKD	W16/10	14.76	6.78	7.98	54.07
R11/10	BEDROOM	W17/10	14.52	6.42	8.10	55.79
R12/10	BEDROOM	W18/10	9.70	5.24	4.46	45.98
R12/10	BEDROOM	W19/10	18.50	10.04	8.46	45.73
R13/10	BEDROOM	W20/10	18.25	11.39	6.86	37.59
R13/10	BEDROOM	W21/10	9.40	1.84	7.56	80.43
R14/10	BEDROOM	W22/10	14.51	4.22	10.29	70.92
R15/10	LKD	W23/10	14.11	3.89	10.22	72.43
R16/10	LKD	W24/10	12.37	2.35	10.02	81.00
R17/10	BEDROOM	W25/10	12.96	3.05	9.91	76.47
R18/10	LKD	W26/10	13.82	2.36	11.46	82.92
R19/10	BEDROOM	W27/10	14.55	2.43	12.12	83.30



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R20/10	BEDROOM	W28/10	9.03	1.64	7.39	81.84
R20/10	BEDROOM	W29/10	19.55	7.23	12.32	63.02
R21/10	BEDROOM	W30/10	18.25	6.92	11.33	62.08
R21/10	BEDROOM	W31/10	12.73	2.43	10.30	80.91
R22/10	BEDROOM	W32/10	17.94	3.68	14.26	79.49
R23/10	LKD	W33/10	18.04	4.01	14.03	77.77
R24/10	LKD	W34/10	17.43	5.90	11.53	66.15
R25/10	BEDROOM	W35/10	19.43	7.53	11.90	61.25
R26/10	LKD	W36/10	17.27	9.66	7.61	44.06
R27/10	BEDROOM	W37/10	18.00	11.45	6.55	36.39
R27/10	BEDROOM	W38/10	14.63	9.13	5.50	37.59
R28/10	LKD	W39/10	11.64	6.66	4.98	42.78
R28/10	LKD	W40/10	6.44	3.76	2.68	41.61
R28/10	LKD	W41/10	6.84	6.52	0.32	4.68
R28/10	LKD	W42/10	5.80	5.23	0.57	9.83
R29/10	BEDROOM	W43/10	6.00	5.73	0.27	4.50
R29/10	BEDROOM	W44/10	6.37	6.18	0.19	2.98
R1/11	ASSUMED	W1/11	2.22	1.94	0.28	12.61
R1/11	ASSUMED	W2/11	4.35	3.99	0.36	8.28
R2/11	ASSUMED	W3/11	6.86	6.02	0.84	12.24
R2/11	ASSUMED	W4/11	5.05	4.96	0.09	1.78
R3/11	LKD	W5/11	7.68	5.50	2.18	28.39
R3/11	LKD	W6/11	8.77	6.10	2.67	30.44
R4/11	BEDROOM	W7/11	10.97	7.28	3.69	33.64
R4/11	BEDROOM	W8/11	8.71	6.20	2.51	28.82
R5/11	BEDROOM	W9/11	12.44	7.36	5.08	40.84
R5/11	BEDROOM	W10/11	14.32	8.79	5.53	38.62
R6/11	LKD	W11/11	15.50	8.93	6.57	42.39
R6/11	LKD	W12/11	13.28	7.86	5.42	40.81
R7/11	LKD	W13/11	15.38	7.95	7.43	48.31



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R8/11	BEDROOM	W14/11	12.76	4.52	8.24	64.58
R9/11	BEDROOM	W15/11	14.03	7.75	6.28	44.76
R10/11	LKD	W16/11	17.91	8.25	9.66	53.94
R11/11	BEDROOM	W17/11	13.61	3.84	9.77	71.79
R12/11	BEDROOM	W18/11	21.83	11.85	9.98	45.72
R13/11	BEDROOM	W19/11	21.36	13.03	8.33	39.00
R14/11	BEDROOM	W20/11	14.14	2.36	11.78	83.31
R15/11	LKD	W21/11	17.63	5.61	12.02	68.18
R16/11	SITTINGROOM	W22/11	15.56	3.44	12.12	77.89
R17/11	BEDROOM	W23/11	12.35	3.79	8.56	69.31
R18/11	LKD	W24/11	17.43	3.54	13.89	79.69
R19/11	BEDROOM	W25/11	14.03	1.26	12.77	91.02
R20/11	BEDROOM	W26/11	21.91	8.27	13.64	62.25
R21/11	BEDROOM	W27/11	22.09	8.21	13.88	62.83
R22/11	BEDROOM	W28/11	16.13	2.64	13.49	83.63
R23/11	LKD	W29/11	20.23	4.94	15.29	75.58
R24/11	BEDROOM	W30/11	16.18	6.15	10.03	61.99
R25/11	LKD	W31/11	21.58	8.99	12.59	58.34
R26/11	LKD	W32/11	18.91	10.62	8.29	43.84
R26/11	LKD	W33/11	16.56	10.31	6.25	37.74
R27/11	BEDROOM	W34/11	13.82	8.10	5.72	41.39
R27/11	BEDROOM	W35/11	15.28	15.28	0.00	0.00
R28/11	BEDROOM	W36/11	15.83	14.77	1.06	6.70
R1/12	ASSUMED	W1/12	3.20	2.92	0.28	8.75
R1/12	ASSUMED	W2/12	5.81	5.44	0.37	6.37



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R2/12	ASSUMED	W3/12	8.50	7.66	0.84	9.88
R2/12	ASSUMED	W4/12	6.42	6.32	0.10	1.56
R3/12	LKD	W5/12	8.54	6.34	2.20	25.76
R3/12	LKD	W6/12	9.85	7.15	2.70	27.41
R4/12	BEDROOM	W7/12	12.09	8.24	3.85	31.84
R4/12	BEDROOM	W8/12	9.61	6.90	2.71	28.20
R5/12	BEDROOM	W9/12	13.87	8.23	5.64	40.66
R5/12	BEDROOM	W10/12	16.10	9.93	6.17	38.32
R6/12	LKD	W11/12	17.63	10.28	7.35	41.69
R6/12	LKD	W12/12	15.15	8.84	6.31	41.65
R7/12	LKD	W13/12	16.70	8.76	7.94	47.54
R8/12	BEDROOM	W14/12	13.91	5.23	8.68	62.40
R9/12	BEDROOM	W15/12	15.42	8.51	6.91	44.81
R10/12	LKD	W16/12	20.55	10.13	10.42	50.71
R11/12	BEDROOM	W17/12	16.09	5.70	10.39	64.57
R12/12	BEDROOM	W18/12	24.53	14.07	10.46	42.64
R13/12	BEDROOM	W19/12	24.09	15.03	9.06	37.61
R14/12	BEDROOM	W20/12	16.85	4.03	12.82	76.08
R15/12	LKD	W21/12	20.70	7.64	13.06	63.09
R16/12	LKD	W22/12	17.45	4.96	12.49	71.58
R17/12	BEDROOM	W23/12	17.67	5.59	12.08	68.36
R18/12	LKD	W24/12	20.96	5.51	15.45	73.71
R19/12	BEDROOM	W25/12	17.50	2.29	15.21	86.91
R20/12	BEDROOM	W26/12	24.25	9.67	14.58	60.12
R21/12	BEDROOM	W27/12	24.53	9.62	14.91	60.78
R22/12	BEDROOM	W28/12	17.83	3.18	14.65	82.16



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R23/12	LKD	W29/12	21.75	5.99	15.76	72.46
R24/12	LKD	W30/12	19.30	7.75	11.55	59.84
R25/12	BEDROOM	W31/12	22.17	9.77	12.40	55.93
R26/12	LKD	W32/12	19.60	11.16	8.44	43.06
R26/12	LKD	W33/12	17.16	10.66	6.50	37.88
R27/12	BEDROOM	W34/12	14.30	8.29	6.01	42.03
R27/12	BEDROOM	W35/12	16.03	16.03	0.00	0.00
R27/12	BEDROOM	W36/12	19.40	17.33	2.07	10.67
R28/12	BEDROOM	W37/12	19.50	17.52	1.98	10.15
R28/12	BEDROOM	W38/12	14.96	14.02	0.94	6.28
R1/13	ASSUMED	W1/13	4.63	4.34	0.29	6.26
R1/13	ASSUMED	W2/13	7.64	7.26	0.38	4.97
R2/13	ASSUMED	W3/13	10.55	9.86	0.69	6.54
R2/13	ASSUMED	W4/13	7.21	7.21	0.00	0.00
R3/13	LKD	W5/13	9.76	7.62	2.14	21.93
R3/13	LKD	W6/13	11.47	8.89	2.58	22.49
R4/13	BEDROOM	W7/13	13.10	9.53	3.57	27.25
R4/13	BEDROOM	W8/13	10.58	7.97	2.61	24.67
R5/13	BEDROOM	W9/13	15.88	10.45	5.43	34.19
R5/13	BEDROOM	W10/13	18.19	12.03	6.16	33.86
R6/13	LKD	W11/13	19.01	12.26	6.75	35.51
R6/13	LKD	W12/13	16.64	10.60	6.04	36.30
R7/13	LKD	W13/13	21.32	11.91	9.41	44.14
R8/13	BEDROOM	W14/13	21.19	11.90	9.29	43.84
R9/13	BEDROOM	W15/13	13.61	8.47	5.14	37.77
R9/13	BEDROOM	W16/13	26.26	17.15	9.11	34.69
R10/13	BEDROOM	W17/13	25.79	17.84	7.95	30.83
R10/13	BEDROOM	W18/13	14.71	6.15	8.56	58.19
R11/13	BEDROOM	W19/13	21.64	9.63	12.01	55.50



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R12/13	LKD	W20/13	21.40	9.20	12.20	57.01
R13/13	SITTINGROOM	W21/13	19.00	7.15	11.85	62.37
R14/13	BEDROOM	W22/13	15.09	6.75	8.34	55.27
R15/13	LKD	W23/13	21.95	7.52	14.43	65.74
R16/13	BEDROOM	W24/13	17.98	3.42	14.56	80.98
R17/13	BEDROOM	W25/13	25.16	11.34	13.82	54.93
R18/13	BEDROOM	W26/13	25.30	11.24	14.06	55.57
R19/13	BEDROOM	W27/13	18.09	4.03	14.06	77.72
R20/13	LKD	W28/13	22.32	7.43	14.89	66.71
R21/13	BEDROOM	W29/13	17.42	7.77	9.65	55.40
R22/13	LKD	W30/13	23.24	11.49	11.75	50.56
R23/13	LKD	W31/13	20.31	12.09	8.22	40.47
R23/13	LKD	W32/13	17.59	11.17	6.42	36.50
R24/13	BEDROOM	W33/13	14.63	8.65	5.98	40.87
R24/13	BEDROOM	W34/13	16.90	16.90	0.00	0.00
R25/13	BEDROOM	W35/13	17.33	16.14	1.19	6.87
R1/14	ASSUMED	W1/14	5.42	5.13	0.29	5.35
R1/14	ASSUMED	W2/14	8.85	8.35	0.50	5.65
R2/14	ASSUMED	W3/14	10.07	9.28	0.79	7.85
R2/14	ASSUMED	W4/14	7.92	7.73	0.19	2.40
R3/14	LKD	W5/14	9.84	7.76	2.08	21.14
R3/14	LKD	W6/14	11.89	9.04	2.85	23.97
R4/14	BEDROOM	W7/14	12.84	9.47	3.37	26.25
R4/14	BEDROOM	W8/14	10.96	7.96	3.00	27.37
R4/14	BEDROOM	W10/14	34.14	30.61	3.53	10.34
R4/14	BEDROOM	W11/14	34.52	30.99	3.53	10.23
R5/14	ASSUMED	W9/14	29.91	25.05	4.86	16.25
R6/14	LKD	W12/14	18.82	9.60	9.22	48.99



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R7/14	BEDROOM	W13/14	19.19	9.94	9.25	48.20
R8/14	LKD	W14/14	22.57	10.12	12.45	55.16
R9/14	BEDROOM	W15/14	18.57	5.49	13.08	70.44
R10/14	BEDROOM	W16/14	25.62	13.43	12.19	47.58
R11/14	BEDROOM	W17/14	25.68	13.20	12.48	48.60
R12/14	BEDROOM	W18/14	18.71	5.64	13.07	69.86
R13/14	LKD	W19/14	22.90	9.42	13.48	58.86
R14/14	LKD	W20/14	20.62	10.66	9.96	48.30
R15/14	BEDROOM	W21/14	23.47	12.89	10.58	45.08
R16/14	LKD	W22/14	21.05	13.40	7.65	36.34
R16/14	LKD	W23/14	18.13	12.14	5.99	33.04
R17/14	BEDROOM	W24/14	15.10	9.43	5.67	37.55
R17/14	BEDROOM	W25/14	17.75	17.75	0.00	0.00
R17/14	BEDROOM	W26/14	21.46	19.30	2.16	10.07
R18/14	BEDROOM	W27/14	21.56	19.44	2.12	9.83
R18/14	BEDROOM	W28/14	16.35	15.27	1.08	6.61
R1/15	SITTINGROOM	W1/15	24.34	16.32	8.02	32.95
R2/15	BEDROOM	W2/15	19.17	13.12	6.05	31.56
R3/15	LKD	W3/15	23.05	12.96	10.09	43.77
R4/15	BEDROOM	W4/15	19.46	8.48	10.98	56.42
R5/15	BEDROOM	W5/15	26.08	15.95	10.13	38.84
R6/15	BEDROOM	W6/15	26.10	15.53	10.57	40.50
R7/15	BEDROOM	W7/15	19.46	7.93	11.53	59.25
R8/15	LKD	W8/15	23.23	11.48	11.75	50.58
R9/15	BEDROOM	W9/15	18.38	10.40	7.98	43.42



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R10/15	LKD	W10/15	24.48	15.10	9.38	38.32
R11/15	LKD	W11/15	21.57	14.80	6.77	31.39
R11/15	LKD	W12/15	18.39	13.08	5.31	28.87
R12/15	BEDROOM	W13/15	15.23	10.21	5.02	32.96
R12/15	BEDROOM	W14/15	18.38	18.38	0.00	0.00
R13/15	BEDROOM	W15/15	18.75	17.45	1.30	6.93
R1/16	LKD	W1/16	20.89	12.83	8.06	38.58
R2/16	BEDROOM	W2/16	21.43	12.45	8.98	41.90
R3/16	BEDROOM	W3/16	13.95	9.12	4.83	34.62
R3/16	BEDROOM	W4/16	27.25	19.48	7.77	28.51
R4/16	BEDROOM	W5/16	27.20	18.88	8.32	30.59
R4/16	BEDROOM	W6/16	17.47	9.28	8.19	46.88
R5/16	BEDROOM	W7/16	23.37	13.60	9.77	41.81
R6/16	LKD	W8/16	22.68	12.98	9.70	42.77
R7/16	LKD	W9/16	17.75	11.87	5.88	33.13
R8/16	BEDROOM	W10/16	17.61	10.89	6.72	38.16
R9/16	LKD	W11/16	21.88	16.19	5.69	26.01
R9/16	LKD	W12/16	18.67	14.15	4.52	24.21
R10/16	BEDROOM	W13/16	15.48	11.22	4.26	27.52
R10/16	BEDROOM	W14/16	18.72	18.72	0.00	0.00
R10/16	BEDROOM	W15/16	22.63	20.72	1.91	8.44
R11/16	BEDROOM	W16/16	22.76	20.88	1.88	8.26
R11/16	BEDROOM	W17/16	17.09	15.92	1.17	6.85
R1/17	LKD	W1/17	21.85	17.41	4.44	20.32
R1/17	LKD	W2/17	18.50	14.89	3.61	19.51
R2/17	BEDROOM	W3/17	15.29	11.88	3.41	22.30
R2/17	BEDROOM	W4/17	20.86	20.86	0.00	0.00
R3/17	BEDROOM	W5/17	21.22	20.19	1.03	4.85
R1/18	LKD	W1/18	17.39	17.39	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R1/18	LKD	W2/18	21.14	20.08	1.06	5.01
R2/18	BEDROOM	W3/18	17.60	16.90	0.70	3.98

Battersea Power Station Phase 4 and 4A (Buildings A1.1-1.5)

R1/51	LD	W1/51	23.59	23.57	0.02	0.08
R1/51	LD	W2/51	37.25	37.23	0.02	0.05
R1/51	LD	W3/51	29.62	17.14	12.48	42.13
R2/51	BEDROOM	W4/51	21.00	19.70	1.30	6.19
R3/51	LD	W5/51	11.96	1.38	10.58	88.46
R3/51	LD	W6/51	11.67	2.75	8.92	76.44
R4/51	LD	W7/51	25.67	6.61	19.06	74.25
R4/51	LD	W8/51	17.69	4.45	13.24	74.84
R4/51	LD	W9/51	13.85	5.36	8.49	61.30
R5/51	LD	W10/51	13.21	3.81	9.40	71.16
R5/51	LD	W11/51	14.46	8.37	6.09	42.12
R5/51	LD	W12/51	7.05	7.05	0.00	0.00
R6/51	LD	W13/51	6.19	6.19	0.00	0.00
R6/51	LD	W14/51	3.76	1.95	1.81	48.14
R1/52	LKD	W1/52	23.59	23.58	0.01	0.04
R2/52	BEDROOM	W2/52	37.26	37.23	0.03	0.08
R2/52	BEDROOM	W3/52	30.33	17.31	13.02	42.93
R3/52	BEDROOM	W4/52	21.15	19.72	1.43	6.76
R4/52	LD	W5/52	12.82	2.63	10.19	79.49
R4/52	LD	W6/52	12.31	3.53	8.78	71.32
R5/52	LD	W7/52	27.19	8.42	18.77	69.03
R5/52	LD	W8/52	13.32	3.38	9.94	74.62
R6/52	BEDROOM	W9/52	22.61	11.65	10.96	48.47
R7/52	BEDROOM	W10/52	21.73	11.82	9.91	45.61
R8/52	LD	W11/52	10.37	4.18	6.19	59.69
R8/52	LD	W12/52	7.84	7.84	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R9/52	LD	W13/52	7.10	7.07	0.03	0.42
R9/52	LD	W14/52	4.73	2.97	1.76	37.21
R1/53	LKD	W1/53	23.60	23.59	0.01	0.04
R2/53	BEDROOM	W2/53	37.27	37.24	0.03	0.08
R2/53	BEDROOM	W3/53	30.90	17.51	13.39	43.33
R3/53	BEDROOM	W4/53	21.17	19.74	1.43	6.75
R4/53	LD	W5/53	13.48	4.00	9.48	70.33
R4/53	LD	W6/53	12.84	4.67	8.17	63.63
R5/53	LD	W7/53	28.13	10.58	17.55	62.39
R5/53	LD	W8/53	20.38	8.37	12.01	58.93
R6/53	BEDROOM	W9/53	16.93	8.39	8.54	50.44
R7/53	BEDROOM	W10/53	15.64	6.76	8.88	56.78
R8/53	LD	W11/53	17.78	11.70	6.08	34.20
R8/53	LD	W12/53	8.77	8.77	0.00	0.00
R9/53	LD	W13/53	8.11	7.99	0.12	1.48
R9/53	LD	W14/53	5.84	4.05	1.79	30.65
R1/54	LKD	W1/54	23.60	23.59	0.01	0.04
R2/54	BEDROOM	W2/54	37.28	37.25	0.03	0.08
R2/54	BEDROOM	W3/54	31.43	17.74	13.69	43.56
R3/54	BEDROOM	W4/54	21.18	19.75	1.43	6.75
R4/54	LD	W5/54	14.12	5.32	8.80	62.32
R4/54	LD	W6/54	13.37	6.09	7.28	54.45
R5/54	LD	W7/54	29.06	12.93	16.13	55.51
R5/54	LD	W8/54	16.10	7.47	8.63	53.60
R6/54	BEDROOM	W9/54	25.72	15.93	9.79	38.06
R7/54	BEDROOM	W10/54	24.67	15.70	8.97	36.36
R8/54	LD	W11/54	13.63	7.50	6.13	44.97
R8/54	LD	W12/54	9.82	9.82	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R9/54	LD	W13/54	9.20	8.98	0.22	2.39
R9/54	LD	W14/54	7.02	5.20	1.82	25.93
R1/55	LKD	W1/55	23.61	23.59	0.02	0.08
R2/55	BEDROOM	W2/55	37.36	37.33	0.03	0.08
R2/55	BEDROOM	W3/55	31.89	18.05	13.84	43.40
R3/55	BEDROOM	W4/55	21.19	19.77	1.42	6.70
R4/55	LD	W5/55	14.70	5.94	8.76	59.59
R4/55	LD	W6/55	13.90	6.92	6.98	50.22
R5/55	LD	W7/55	29.93	14.22	15.71	52.49
R5/55	LD	W8/55	23.42	13.01	10.41	44.45
R6/55	BEDROOM	W9/55	20.12	12.01	8.11	40.31
R7/55	BEDROOM	W10/55	19.04	10.62	8.42	44.22
R8/55	LD	W11/55	21.63	15.34	6.29	29.08
R8/55	LD	W12/55	11.00	11.00	0.00	0.00
R9/55	LD	W13/55	10.38	10.06	0.32	3.08
R9/55	LD	W14/55	8.27	6.41	1.86	22.49
R1/56	LKD	W1/56	26.21	26.19	0.02	0.08
R2/56	BEDROOM	W2/56	37.46	37.43	0.03	0.08
R2/56	BEDROOM	W3/56	32.39	18.54	13.85	42.76
R3/56	BEDROOM	W4/56	22.48	21.09	1.39	6.18
R4/56	LD	W5/56	16.95	8.09	8.86	52.27
R4/56	LD	W6/56	14.79	8.07	6.72	45.44
R5/56	LD	W7/56	30.84	15.29	15.55	50.42
R5/56	LD	W8/56	21.70	12.21	9.49	43.73
R6/56	BEDROOM	W9/56	29.52	20.27	9.25	31.33
R7/56	BEDROOM	W10/56	28.85	20.64	8.21	28.46
R8/56	LD	W11/56	20.18	13.16	7.02	34.79
R8/56	LD	W12/56	12.42	12.41	0.01	0.08
R9/56	LD	W13/56	11.73	11.30	0.43	3.67



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R9/56	LD	W14/56	11.00	9.11	1.89	17.18
R1/57	LKD	W1/57	26.20	26.18	0.02	0.08
R2/57	BEDROOM	W2/57	37.49	37.46	0.03	0.08
R2/57	BEDROOM	W3/57	33.11	19.46	13.65	41.23
R3/57	BEDROOM	W4/57	22.49	21.12	1.37	6.09
R4/57	LD	W5/57	17.48	9.25	8.23	47.08
R4/57	LD	W6/57	15.24	9.01	6.23	40.88
R5/57	LD	W7/57	31.90	16.76	15.14	47.46
R5/57	LD	W8/57	27.61	18.33	9.28	33.61
R6/57	BEDROOM	W9/57	25.45	16.73	8.72	34.26
R7/57	BEDROOM	W10/57	24.91	17.31	7.60	30.51
R8/57	LD	W11/57	26.87	20.03	6.84	25.46
R8/57	LD	W12/57	14.30	14.29	0.01	0.07
R9/57	LD	W13/57	13.02	12.49	0.53	4.07
R9/57	LD	W14/57	12.39	10.52	1.87	15.09
R1/58	LKD	W1/58	23.66	23.64	0.02	0.08
R2/58	BEDROOM	W2/58	38.03	38.00	0.03	0.08
R2/58	BEDROOM	W3/58	34.42	21.09	13.33	38.73
R3/58	BEDROOM	W4/58	21.20	19.87	1.33	6.27
R4/58	LD	W5/58	16.22	8.79	7.43	45.81
R4/58	LD	W6/58	15.73	10.12	5.61	35.66
R5/58	LD	W7/58	33.47	18.84	14.63	43.71
R5/58	LD	W8/58	21.66	13.26	8.40	38.78
R6/58	BEDROOM	W9/58	33.21	25.35	7.86	23.67
R7/58	BEDROOM	W10/58	32.98	26.20	6.78	20.56
R8/58	LD	W11/58	21.18	15.05	6.13	28.94
R8/58	LD	W12/58	16.70	16.69	0.01	0.06
R9/58	LD	W13/58	14.50	14.00	0.50	3.45
R9/58	LD	W14/58	12.04	10.38	1.66	13.79



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R1/59	LKD	W1/59	39.62	39.60	0.02	0.05
R2/59	BEDROOM	W2/59	39.62	39.59	0.03	0.08
R2/59	BEDROOM	W3/59	37.34	24.39	12.95	34.68
R3/59	BEDROOM	W4/59	27.20	25.93	1.27	4.67
R4/59	LD	W5/59	25.05	18.38	6.67	26.63
R4/59	LD	W6/59	19.72	14.30	5.42	27.48
R5/59	LD	W7/59	36.63	22.56	14.07	38.41
R5/59	LD	W8/59	37.34	29.95	7.39	19.79
R6/59	BEDROOM	W9/59	37.27	30.39	6.88	18.46
R7/59	BEDROOM	W10/59	37.23	31.36	5.87	15.77
R8/59	LD	W11/59	37.15	31.88	5.27	14.19
R8/59	LD	W12/59	20.09	20.09	0.00	0.00
R9/59	LD	W13/59	16.53	16.12	0.41	2.48
R9/59	LD	W14/59	20.77	19.41	1.36	6.55
R1/60	LD	W1/60	11.89	11.89	0.00	0.00
R2/60	BEDROOM	W2/60	39.60	39.59	0.01	0.03
R2/60	BEDROOM	W3/60	39.15	26.48	12.67	32.36
R3/60	BEDROOM	W4/60	39.07	24.59	14.48	37.06
R4/60	KITCHEN	W5/60	39.00	24.52	14.48	37.13
R5/60	LD	W6/60	38.94	25.75	13.19	33.87
R5/60	LD	W7/60	17.55	11.97	5.58	31.79
R6/60	BEDROOM	W8/60	14.97	10.29	4.68	31.26
R7/60	BEDROOM	W9/60	15.22	11.95	3.27	21.48
R8/60	LD	W10/60	17.88	14.39	3.49	19.52
R8/60	LD	W11/60	24.21	24.21	0.00	0.00
R1/61	LD	W1/61	11.89	11.89	0.00	0.00
R2/61	BEDROOM	W2/61	39.62	39.60	0.02	0.05
R2/61	BEDROOM	W3/61	39.33	27.63	11.70	29.75



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R3/61	BEDROOM	W4/61	39.25	25.88	13.37	34.06
R4/61	KITCHEN	W5/61	39.17	25.83	13.34	34.06
R5/61	LD	W6/61	39.09	27.07	12.02	30.75
R5/61	LD	W7/61	17.85	13.47	4.38	24.54
R6/61	BEDROOM	W8/61	15.28	11.63	3.65	23.89
R7/61	BEDROOM	W9/61	15.41	12.91	2.50	16.22
R8/61	LD	W10/61	18.17	15.52	2.65	14.58
R8/61	LD	W11/61	28.51	28.50	0.01	0.04
R1/62	LD	W1/62	11.89	11.89	0.00	0.00
R2/62	BEDROOM	W2/62	39.61	39.60	0.01	0.03
R2/62	BEDROOM	W3/62	39.40	28.97	10.43	26.47
R3/62	BEDROOM	W4/62	39.34	27.36	11.98	30.45
R4/62	KITCHEN	W5/62	39.27	27.36	11.91	30.33
R5/62	LD	W6/62	39.20	28.55	10.65	27.17
R5/62	LD	W7/62	18.08	14.96	3.12	17.26
R6/62	BEDROOM	W8/62	15.46	12.91	2.55	16.49
R7/62	BEDROOM	W9/62	15.54	13.84	1.70	10.94
R8/62	LD	W10/62	18.39	16.59	1.80	9.79
R8/62	LD	W11/62	31.94	31.94	0.00	0.00
R1/63	LD	W1/63	11.89	11.89	0.00	0.00
R2/63	BEDROOM	W2/63	39.61	39.60	0.01	0.03
R2/63	BEDROOM	W3/63	39.45	30.52	8.93	22.64
R3/63	BEDROOM	W4/63	39.41	29.09	10.32	26.19
R4/63	KITCHEN	W5/63	39.35	29.11	10.24	26.02
R5/63	LD	W6/63	39.29	30.23	9.06	23.06
R5/63	LD	W7/63	18.30	16.43	1.87	10.22
R6/63	BEDROOM	W8/63	15.65	14.17	1.48	9.46



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R7/63	BEDROOM	W9/63	15.68	14.76	0.92	5.87
R8/63	LD	W10/63	18.60	17.63	0.97	5.22
R8/63	LD	W11/63	35.25	35.25	0.00	0.00
R1/64	LD	W1/64	19.64	19.64	0.00	0.00
R2/64	BEDROOM	W2/64	39.61	39.60	0.01	0.03
R2/64	BEDROOM	W3/64	39.51	32.37	7.14	18.07
R3/64	BEDROOM	W4/64	39.47	31.18	8.29	21.00
R4/64	KITCHEN	W5/64	39.43	31.21	8.22	20.85
R5/64	LD	W6/64	39.37	32.20	7.17	18.21
R5/64	LD	W7/64	26.36	25.62	0.74	2.81
R6/64	BEDROOM	W8/64	22.53	21.99	0.54	2.40
R7/64	BEDROOM	W9/64	22.41	22.14	0.27	1.20
R8/64	LD	W10/64	26.77	26.47	0.30	1.12
R8/64	LD	W11/64	36.24	36.24	0.00	0.00
R1/71	LKD	W1/71	4.63	1.98	2.65	57.24
R1/71	LKD	W2/71	7.36	4.62	2.74	37.23
R2/71	LD	W3/71	10.00	5.91	4.09	40.90
R2/71	LD	W4/71	7.24	3.48	3.76	51.93
R2/71	LD	W5/71	5.23	3.53	1.70	32.50
R2/71	LD	W6/71	13.95	12.56	1.39	9.96
R3/71	LD	W7/71	13.73	11.46	2.27	16.53
R3/71	LD	W8/71	5.66	3.61	2.05	36.22
R3/71	LD	W9/71	7.10	6.19	0.91	12.82
R3/71	LD	W10/71	8.98	8.98	0.00	0.00
R4/71	LD	W11/71	2.92	2.92	0.00	0.00
R1/72	LKD	W1/72	5.51	2.78	2.73	49.55
R1/72	LKD	W2/72	8.11	5.23	2.88	35.51
R2/72	LD	W3/72	10.58	6.76	3.82	36.11
R2/72	LD	W4/72	8.48	4.86	3.62	42.69
R2/72	LD	W5/72	6.49	4.67	1.82	28.04



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R3/72	BEDROOM	W6/72	15.83	14.32	1.51	9.54
R4/72	BEDROOM	W7/72	15.58	13.34	2.24	14.38
R5/72	LD	W8/72	6.83	4.81	2.02	29.58
R5/72	LD	W9/72	8.27	7.22	1.05	12.70
R5/72	LD	W10/72	9.76	9.76	0.00	0.00
R6/72	LD	W11/72	10.43	10.43	0.00	0.00
R1/73	LKD	W1/73	6.51	3.53	2.98	45.78
R1/73	LKD	W2/73	8.88	5.74	3.14	35.36
R2/73	LD	W3/73	11.16	7.60	3.56	31.90
R2/73	LD	W4/73	9.88	6.41	3.47	35.12
R2/73	LD	W5/73	7.93	5.99	1.94	24.46
R3/73	BEDROOM	W6/73	17.95	16.29	1.66	9.25
R4/73	BEDROOM	W7/73	17.68	15.48	2.20	12.44
R5/73	LD	W8/73	8.07	6.06	2.01	24.91
R5/73	LD	W9/73	9.48	8.26	1.22	12.87
R5/73	LD	W10/73	10.55	10.55	0.00	0.00
R6/73	LD	W11/73	11.41	11.41	0.00	0.00
R1/74	LKD	W1/74	7.54	4.36	3.18	42.18
R1/74	LKD	W2/74	9.70	6.28	3.42	35.26
R2/74	LD	W3/74	11.86	8.43	3.43	28.92
R2/74	LD	W4/74	11.98	8.37	3.61	30.13
R2/74	LD	W5/74	10.10	7.74	2.36	23.37
R3/74	BEDROOM	W6/74	20.31	18.24	2.07	10.19
R4/74	BEDROOM	W7/74	20.03	17.65	2.38	11.88
R5/74	LD	W8/74	10.11	7.95	2.16	21.36
R5/74	LD	W9/74	11.47	9.97	1.50	13.08
R5/74	LD	W10/74	11.32	11.32	0.00	0.00
R6/74	LD	W11/74	12.50	12.50	0.00	0.00
R1/75	LKD	W1/75	8.64	5.29	3.35	38.77
R1/75	LKD	W2/75	10.55	6.92	3.63	34.41



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R2/75	LD	W3/75	12.68	9.35	3.33	26.26
R2/75	LD	W4/75	14.43	10.60	3.83	26.54
R2/75	LD	W5/75	12.61	9.76	2.85	22.60
R3/75	BEDROOM	W6/75	22.95	20.45	2.50	10.89
R4/75	BEDROOM	W7/75	22.64	20.11	2.53	11.17
R5/75	LD	W8/75	12.48	10.20	2.28	18.27
R5/75	LD	W9/75	13.76	12.01	1.75	12.72
R5/75	LD	W10/75	12.07	12.07	0.00	0.00
R6/75	LD	W11/75	13.69	13.69	0.00	0.00
R1/76	LKD	W1/76	11.12	7.70	3.42	30.76
R1/76	LKD	W2/76	12.11	8.32	3.79	31.30
R2/76	LD	W3/76	13.71	10.55	3.16	23.05
R2/76	LD	W4/76	19.46	15.45	4.01	20.61
R2/76	LD	W5/76	17.94	14.37	3.57	19.90
R3/76	BEDROOM	W6/76	26.46	23.33	3.13	11.83
R4/76	BEDROOM	W7/76	26.14	23.50	2.64	10.10
R5/76	LD	W8/76	17.65	15.27	2.38	13.48
R5/76	LD	W9/76	18.66	16.56	2.10	11.25
R5/76	LD	W10/76	12.95	12.95	0.00	0.00
R6/76	LD	W11/76	15.02	15.02	0.00	0.00
R1/77	LKD	W1/77	18.02	14.72	3.30	18.31
R1/77	LKD	W2/77	15.56	11.90	3.66	23.52
R2/77	LD	W3/77	15.29	12.36	2.93	19.16
R2/77	LD	W4/77	32.82	28.73	4.09	12.46
R2/77	LD	W5/77	32.60	28.81	3.79	11.63
R3/77	BEDROOM	W6/77	32.38	29.06	3.32	10.25
R4/77	BEDROOM	W7/77	32.05	29.36	2.69	8.39
R5/77	LD	W8/77	32.11	29.70	2.41	7.51
R5/77	LD	W9/77	32.09	29.94	2.15	6.70
R5/77	LD	W10/77	14.27	14.27	0.00	0.00
R6/77	LD	W11/77	16.52	16.52	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R1/78	KITCHEN	W3/78	11.01	9.60	1.41	12.81
R2/78	BEDROOM	W4/78	11.49	10.86	0.63	5.48
R3/78	LKD	W1/78	17.49	17.37	0.12	0.69
R3/78	LKD	W2/78	14.78	14.55	0.23	1.56
R3/78	LKD	W5/78	17.09	17.09	0.00	0.00
R4/78	LD	W6/78	13.83	11.50	2.33	16.85
R4/78	LD	W7/78	16.70	14.12	2.58	15.45
R4/78	LD	W8/78	9.06	7.99	1.07	11.81
R4/78	LD	W9/78	7.87	7.00	0.87	11.05
R5/78	BEDROOM	W10/78	12.03	10.83	1.20	9.98
R6/78	BEDROOM	W11/78	11.60	10.74	0.86	7.41
R7/78	LD	W12/78	6.92	6.39	0.53	7.66
R7/78	LD	W13/78	7.76	7.76	0.00	0.00
R7/78	LD	W14/78	15.52	15.52	0.00	0.00
R7/78	LD	W15/78	12.64	12.64	0.00	0.00
R1/79	KITCHEN	W4/79	11.92	10.73	1.19	9.98
R2/79	BEDROOM	W3/79	12.33	11.78	0.55	4.46
R3/79	LKD	W1/79	18.31	18.13	0.18	0.98
R3/79	LKD	W2/79	15.66	15.37	0.29	1.85
R3/79	LKD	W5/79	17.10	17.10	0.00	0.00
R4/79	LD	W6/79	14.99	12.98	2.01	13.41
R4/79	LD	W7/79	17.80	15.58	2.22	12.47
R4/79	LD	W8/79	9.83	8.95	0.88	8.95
R4/79	LD	W9/79	8.74	8.00	0.74	8.47
R5/79	BEDROOM	W10/79	13.38	12.37	1.01	7.55
R6/79	BEDROOM	W11/79	13.12	12.36	0.76	5.79
R7/79	LD	W12/79	8.19	7.67	0.52	6.35
R7/79	LD	W13/79	9.07	9.03	0.04	0.44
R7/79	LD	W14/79	16.30	16.30	0.00	0.00
R7/79	LD	W15/79	13.28	13.28	0.00	0.00
R1/80	KITCHEN	W3/80	13.21	12.24	0.97	7.34



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R2/80	BEDROOM	W4/80	13.53	13.08	0.45	3.33
R3/80	LKD	W1/80	19.38	19.16	0.22	1.14
R3/80	LKD	W2/80	16.80	16.49	0.31	1.85
R3/80	LKD	W5/80	17.10	17.10	0.00	0.00
R4/80	LD	W6/80	16.36	14.70	1.66	10.15
R4/80	LD	W7/80	19.05	17.21	1.84	9.66
R4/80	LD	W8/80	10.52	9.83	0.69	6.56
R4/80	LD	W9/80	9.50	8.89	0.61	6.42
R5/80	BEDROOM	W10/80	14.61	13.78	0.83	5.68
R6/80	BEDROOM	W11/80	14.51	13.80	0.71	4.89
R7/80	LD	W12/80	9.38	8.81	0.57	6.08
R7/80	LD	W13/80	10.28	10.13	0.15	1.46
R7/80	LD	W14/80	17.11	17.11	0.00	0.00
R7/80	LD	W15/80	14.00	14.00	0.00	0.00
R1/81	KITCHEN	W4/81	15.13	14.40	0.73	4.82
R2/81	BEDROOM	W3/81	15.39	15.06	0.33	2.14
R3/81	LKD	W1/81	20.87	20.70	0.17	0.81
R3/81	LKD	W2/81	18.43	18.20	0.23	1.25
R3/81	LKD	W5/81	17.10	17.10	0.00	0.00
R4/81	LD	W6/81	18.14	16.84	1.30	7.17
R4/81	LD	W7/81	20.69	19.25	1.44	6.96
R4/81	LD	W8/81	10.74	10.23	0.51	4.75
R4/81	LD	W9/81	9.75	9.29	0.46	4.72
R5/81	BEDROOM	W10/81	14.99	14.36	0.63	4.20
R6/81	BEDROOM	W11/81	14.98	14.40	0.58	3.87
R7/81	LD	W12/81	9.80	9.29	0.51	5.20
R7/81	LD	W13/81	10.70	10.53	0.17	1.59
R7/81	LD	W14/81	17.90	17.90	0.00	0.00
R7/81	LD	W15/81	14.82	14.82	0.00	0.00
R1/82	KITCHEN	W3/82	18.33	17.85	0.48	2.62
R2/82	BEDROOM	W4/82	18.53	18.32	0.21	1.13
R3/82	LKD	W1/82	23.34	23.22	0.12	0.51



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R3/82	LKD	W2/82	21.18	21.02	0.16	0.76
R3/82	LKD	W5/82	24.55	24.55	0.00	0.00
R4/82	LD	W6/82	21.00	20.09	0.91	4.33
R4/82	LD	W7/82	23.24	22.23	1.01	4.35
R4/82	LD	W8/82	14.43	14.12	0.31	2.15
R4/82	LD	W9/82	13.54	13.26	0.28	2.07
R5/82	BEDROOM	W10/82	20.81	20.43	0.38	1.83
R6/82	BEDROOM	W11/82	20.81	20.46	0.35	1.68
R7/82	LD	W12/82	13.67	13.32	0.35	2.56
R7/82	LD	W13/82	14.38	14.28	0.10	0.70
R7/82	LD	W14/82	18.74	18.74	0.00	0.00
R7/82	LD	W15/82	15.77	15.77	0.00	0.00
R1/91	LKD	W1/91	3.26	3.26	0.00	0.00
R2/91	BEDROOM	W2/91	5.24	4.16	1.08	20.61
R3/91	BEDROOM	W3/91	8.29	6.09	2.20	26.54
R3/91	BEDROOM	W4/91	8.13	6.95	1.18	14.51
R4/91	BEDROOM	W5/91	17.10	16.64	0.46	2.69
R5/91	BEDROOM	W6/91	10.57	10.36	0.21	1.99
R6/91	LD	W7/91	18.29	17.27	1.02	5.58
R6/91	LD	W8/91	9.92	8.94	0.98	9.88
R6/91	LD	W9/91	11.17	11.17	0.00	0.00
R7/91	LD	W10/91	9.80	9.78	0.02	0.20
R7/91	LD	W11/91	7.57	7.26	0.31	4.10
R1/92	LKD	W1/92	4.14	4.13	0.01	0.24
R2/92	BEDROOM	W2/92	5.76	4.69	1.07	18.58
R3/92	BEDROOM	W3/92	9.03	6.88	2.15	23.81
R3/92	BEDROOM	W4/92	8.12	6.98	1.14	14.04
R4/92	BEDROOM	W5/92	8.51	7.96	0.55	6.46
R5/92	BEDROOM	W6/92	11.33	11.16	0.17	1.50
R6/92	LD	W7/92	9.59	8.63	0.96	10.01



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R6/92	LD	W8/92	10.21	9.62	0.59	5.78
R6/92	LD	W9/92	11.98	11.98	0.00	0.00
R7/92	LD	W10/92	10.76	10.75	0.01	0.09
R7/92	LD	W11/92	8.61	8.36	0.25	2.90
R1/93	LKD	W1/93	5.21	5.13	0.08	1.54
R2/93	BEDROOM	W2/93	6.29	5.27	1.02	16.22
R3/93	BEDROOM	W3/93	9.83	7.75	2.08	21.16
R3/93	BEDROOM	W4/93	10.37	9.24	1.13	10.90
R4/93	BEDROOM	W5/93	20.91	20.26	0.65	3.11
R5/93	BEDROOM	W6/93	12.09	11.96	0.13	1.08
R6/93	LD	W7/93	22.18	21.24	0.94	4.24
R6/93	LD	W8/93	12.52	11.66	0.86	6.87
R6/93	LD	W9/93	12.84	12.84	0.00	0.00
R7/93	LD	W10/93	11.75	11.74	0.01	0.09
R7/93	LD	W11/93	9.70	9.50	0.20	2.06
R1/94	LKD	W1/94	6.34	6.20	0.14	2.21
R2/94	BEDROOM	W2/94	6.83	5.82	1.01	14.79
R3/94	BEDROOM	W3/94	10.67	8.70	1.97	18.46
R3/94	BEDROOM	W4/94	22.54	21.46	1.08	4.79
R4/94	BEDROOM	W5/94	12.57	11.62	0.95	7.56
R5/94	BEDROOM	W6/94	12.96	12.88	0.08	0.62
R6/94	LD	W7/94	13.96	13.10	0.86	6.16
R6/94	LD	W8/94	24.83	24.20	0.63	2.54
R6/94	LD	W9/94	13.76	13.76	0.00	0.00
R7/94	LD	W10/94	12.75	12.75	0.00	0.00
R7/94	LD	W11/94	10.77	10.63	0.14	1.30
R1/95	LKD	W1/95	7.57	7.36	0.21	2.77
R2/95	BEDROOM	W2/95	7.41	6.46	0.95	12.82
R3/95	BEDROOM	W3/95	11.55	9.71	1.84	15.93



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R3/95	BEDROOM	W4/95	14.23	13.23	1.00	7.03
R4/95	BEDROOM	W5/95	25.13	24.40	0.73	2.90
R5/95	BEDROOM	W6/95	13.90	13.84	0.06	0.43
R6/95	LD	W7/95	26.38	25.55	0.83	3.15
R6/95	LD	W8/95	16.38	15.64	0.74	4.52
R6/95	LD	W9/95	14.68	14.68	0.00	0.00
R7/95	LD	W10/95	13.73	13.73	0.00	0.00
R7/95	LD	W11/95	11.78	11.68	0.10	0.85
R1/96	LKD	W1/96	10.99	10.72	0.27	2.46
R2/96	BEDROOM	W2/96	8.04	7.13	0.91	11.32
R3/96	BEDROOM	W3/96	12.56	10.87	1.69	13.46
R3/96	BEDROOM	W4/96	27.30	26.37	0.93	3.41
R4/96	BEDROOM	W5/96	20.67	19.83	0.84	4.06
R5/96	BEDROOM	W6/96	14.81	14.77	0.04	0.27
R6/96	LD	W7/96	21.96	21.19	0.77	3.51
R6/96	LD	W8/96	29.45	28.77	0.68	2.31
R6/96	LD	W9/96	15.59	15.59	0.00	0.00
R7/96	LD	W10/96	14.73	14.73	0.00	0.00
R7/96	LD	W11/96	15.04	14.98	0.06	0.40
R1/97	LKD	W1/97	12.41	12.08	0.33	2.66
R2/97	BEDROOM	W2/97	8.85	8.00	0.85	9.60
R3/97	BEDROOM	W3/97	13.81	12.30	1.51	10.93
R3/97	BEDROOM	W4/97	22.79	21.97	0.82	3.60
R4/97	BEDROOM	W5/97	29.76	29.01	0.75	2.52
R5/97	BEDROOM	W6/97	16.04	16.02	0.02	0.12
R6/97	LD	W7/97	30.78	30.11	0.67	2.18
R6/97	LD	W8/97	24.61	24.02	0.59	2.40
R6/97	LD	W9/97	16.82	16.82	0.00	0.00
R7/97	LD	W10/97	15.62	15.62	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R7/97	LD	W11/97	16.07	16.03	0.04	0.25
R1/98	LKD	W1/98	11.52	11.17	0.35	3.04
R2/98	BEDROOM	W2/98	9.80	9.05	0.75	7.65
R3/98	BEDROOM	W3/98	15.41	14.10	1.31	8.50
R3/98	BEDROOM	W4/98	31.75	31.03	0.72	2.27
R4/98	BEDROOM	W5/98	21.25	20.61	0.64	3.01
R5/98	BEDROOM	W6/98	17.02	17.01	0.01	0.06
R6/98	LD	W7/98	22.16	21.60	0.56	2.53
R6/98	LD	W8/98	33.38	32.89	0.49	1.47
R6/98	LD	W9/98	18.51	18.51	0.00	0.00
R7/98	LD	W10/98	16.28	16.28	0.00	0.00
R7/98	LD	W11/98	14.58	14.56	0.02	0.14
R1/99	LKD	W1/99	13.99	13.56	0.43	3.07
R2/99	BEDROOM	W2/99	11.17	10.45	0.72	6.45
R3/99	BEDROOM	W3/99	17.75	16.52	1.23	6.93
R3/99	BEDROOM	W4/99	25.46	24.67	0.79	3.10
R4/99	BEDROOM	W5/99	34.37	33.66	0.71	2.07
R5/99	BEDROOM	W6/99	17.84	17.82	0.02	0.11
R6/99	LD	W7/99	34.77	34.15	0.62	1.78
R6/99	LD	W8/99	26.30	25.75	0.55	2.09
R6/99	LD	W9/99	20.55	20.55	0.00	0.00
R7/99	LD	W10/99	16.57	16.57	0.00	0.00
R7/99	LD	W11/99	16.36	16.35	0.01	0.06
R1/100	LKD	W1/100	13.58	13.07	0.51	3.76
R2/100	KITCHEN	W2/100	15.04	14.34	0.70	4.65
R3/100	LD	W3/100	21.70	20.53	1.17	5.39
R3/100	LD	W4/100	24.29	23.31	0.98	4.03
R4/100	BEDROOM	W5/100	37.05	36.16	0.89	2.40



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R5/100	BEDROOM	W6/100	37.04	36.24	0.80	2.16
R6/100	LD	W7/100	24.49	23.77	0.72	2.94
R6/100	LD	W8/100	24.10	24.10	0.00	0.00
R7/100	LD	W9/100	17.19	17.19	0.00	0.00
R7/100	LD	W10/100	15.04	15.04	0.00	0.00
R1/101	LKD	W1/101	23.69	23.27	0.42	1.77
R2/101	KITCHEN	W2/101	22.64	22.09	0.55	2.43
R3/101	LD	W3/101	27.92	26.98	0.94	3.37
R3/101	LD	W4/101	39.02	38.18	0.84	2.15
R4/101	BEDROOM	W5/101	39.08	38.30	0.78	2.00
R5/101	BEDROOM	W6/101	39.08	38.38	0.70	1.79
R6/101	LD	W7/101	39.11	38.48	0.63	1.61
R6/101	LD	W8/101	29.85	29.85	0.00	0.00
R7/101	LD	W9/101	19.70	19.70	0.00	0.00
R7/101	LD	W10/101	25.19	25.19	0.00	0.00
R1/102	KITCHEN	W1/102	33.19	33.07	0.12	0.36
R2/102	BEDROOM	W3/102	33.35	33.25	0.10	0.30
R3/102	BEDROOM	W2/102	34.89	34.84	0.05	0.14
R3/102	BEDROOM	W4/102	39.60	39.60	0.00	0.00
R4/102	LD	W5/102	34.57	33.94	0.63	1.82
R4/102	LD	W6/102	15.60	15.41	0.19	1.22
R5/102	BEDROOM	W7/102	13.39	13.17	0.22	1.64
R6/102	BEDROOM	W8/102	13.34	13.33	0.01	0.07
R7/102	LD	W9/102	15.73	15.66	0.07	0.45
R7/102	LD	W10/102	35.40	35.40	0.00	0.00
R1/103	BEDROOM	W2/103	37.76	37.48	0.28	0.74
R1/103	BEDROOM	W4/103	39.60	39.60	0.00	0.00
R2/103	BEDROOM	W3/103	37.57	37.23	0.34	0.90



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R3/103	KITCHEN	W1/103	37.57	37.18	0.39	1.04
R4/103	LD	W5/103	37.74	37.27	0.47	1.25
R4/103	LD	W6/103	15.72	15.65	0.07	0.45
R5/103	BEDROOM	W7/103	13.45	13.38	0.07	0.52
R6/103	BEDROOM	W8/103	13.43	13.42	0.01	0.07
R7/103	LD	W9/103	15.84	15.82	0.02	0.13
R7/103	LD	W10/103	39.44	39.44	0.00	0.00
R1/104	BEDROOM	W2/104	38.61	38.21	0.40	1.04
R1/104	BEDROOM	W4/104	39.60	39.60	0.00	0.00
R2/104	BEDROOM	W3/104	38.53	38.08	0.45	1.17
R3/104	KITCHEN	W1/104	38.53	38.06	0.47	1.22
R4/104	LD	W5/104	38.62	38.12	0.50	1.29
R4/104	LD	W6/104	15.77	15.75	0.02	0.13
R5/104	BEDROOM	W7/104	13.50	13.49	0.01	0.07
R6/104	BEDROOM	W8/104	13.49	13.48	0.01	0.07
R7/104	LD	W9/104	15.88	15.88	0.00	0.00
R7/104	LD	W10/104	39.60	39.60	0.00	0.00
R1/105	BEDROOM	W2/105	39.39	38.85	0.54	1.37
R1/105	BEDROOM	W4/105	39.60	39.60	0.00	0.00
R2/105	BEDROOM	W3/105	39.39	38.82	0.57	1.45
R3/105	KITCHEN	W1/105	39.39	38.84	0.55	1.40
R4/105	LD	W5/105	39.41	38.85	0.56	1.42
R4/105	LD	W6/105	15.78	15.78	0.00	0.00
R5/105	BEDROOM	W7/105	13.51	13.51	0.00	0.00
R6/105	BEDROOM	W8/105	13.50	13.50	0.00	0.00
R7/105	LD	W9/105	15.89	15.89	0.00	0.00
R7/105	LD	W10/105	39.60	39.60	0.00	0.00
R1/106	BEDROOM	W2/106	39.56	39.17	0.39	0.99



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R1/106	BEDROOM	W4/106	39.60	39.60	0.00	0.00
R2/106	BEDROOM	W3/106	39.58	39.17	0.41	1.04
R3/106	KITCHEN	W1/106	39.58	39.19	0.39	0.99
R4/106	LD	W5/106	39.59	39.21	0.38	0.96
R4/106	LD	W6/106	15.79	15.79	0.00	0.00
R5/106	BEDROOM	W7/106	13.52	13.52	0.00	0.00
R6/106	BEDROOM	W8/106	13.52	13.52	0.00	0.00
R7/106	LD	W9/106	15.90	15.90	0.00	0.00
R7/106	LD	W10/106	39.60	39.60	0.00	0.00
R1/107	BEDROOM	W2/107	39.58	39.38	0.20	0.51
R1/107	BEDROOM	W4/107	39.60	39.60	0.00	0.00
R2/107	BEDROOM	W3/107	39.60	39.39	0.21	0.53
R3/107	KITCHEN	W1/107	39.60	39.40	0.20	0.51
R4/107	LD	W5/107	39.62	39.42	0.20	0.50
R4/107	LD	W6/107	21.53	21.53	0.00	0.00
R5/107	BEDROOM	W7/107	18.69	18.69	0.00	0.00
R6/107	BEDROOM	W8/107	18.69	18.69	0.00	0.00
R7/107	LD	W9/107	21.69	21.69	0.00	0.00
R7/107	LD	W10/107	39.60	39.60	0.00	0.00
R1/111	LKD	W1/111	10.71	10.35	0.36	3.36
R1/111	LKD	W2/111	5.89	5.49	0.40	6.79
R2/111	BEDROOM	W3/111	7.41	6.80	0.61	8.23
R3/111	BEDROOM	W4/111	9.55	8.30	1.25	13.09
R3/111	BEDROOM	W5/111	11.71	10.87	0.84	7.17
R3/111	BEDROOM	W6/111	13.00	12.22	0.78	6.00
R4/111	BEDROOM	W7/111	22.52	21.88	0.64	2.84
R5/111	BEDROOM	W8/111	9.69	9.66	0.03	0.31
R6/111	LKD	W9/111	23.00	22.15	0.85	3.70



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R6/111	LKD	W10/111	13.70	12.96	0.74	5.40
R6/111	LKD	W11/111	14.97	14.28	0.69	4.61
R6/111	LKD	W12/111	15.33	15.33	0.00	0.00
R6/111	LKD	W13/111	12.79	12.79	0.00	0.00
R7/111	LKD	W14/111	12.36	12.36	0.00	0.00
R7/111	LKD	W15/111	16.62	16.62	0.00	0.00
R1/112	LKD	W1/112	11.87	11.56	0.31	2.61
R1/112	LKD	W2/112	6.72	6.37	0.35	5.21
R2/112	BEDROOM	W3/112	7.97	7.32	0.65	8.16
R3/112	BEDROOM	W4/112	10.21	8.99	1.22	11.95
R3/112	BEDROOM	W5/112	13.53	12.72	0.81	5.99
R3/112	BEDROOM	W6/112	14.65	13.86	0.79	5.39
R4/112	BEDROOM	W7/112	24.41	23.76	0.65	2.66
R5/112	BEDROOM	W8/112	11.00	10.97	0.03	0.27
R6/112	LKD	W9/112	25.10	24.25	0.85	3.39
R6/112	LKD	W10/112	15.71	14.97	0.74	4.71
R6/112	LKD	W11/112	16.76	16.08	0.68	4.06
R6/112	LKD	W12/112	16.19	16.19	0.00	0.00
R6/112	LKD	W13/112	13.47	13.47	0.00	0.00
R7/112	LKD	W14/112	13.33	13.33	0.00	0.00
R7/112	LKD	W15/112	17.94	17.94	0.00	0.00
R1/113	LKD	W1/113	13.09	12.85	0.24	1.83
R1/113	LKD	W2/113	7.60	7.32	0.28	3.68
R2/113	BEDROOM	W3/113	8.53	7.82	0.71	8.32
R3/113	BEDROOM	W4/113	10.88	9.63	1.25	11.49
R3/113	BEDROOM	W5/113	15.60	14.86	0.74	4.74
R3/113	BEDROOM	W6/113	16.55	15.79	0.76	4.59
R4/113	BEDROOM	W7/113	26.37	25.73	0.64	2.43
R5/113	BEDROOM	W8/113	12.43	12.42	0.01	0.08
R6/113	LKD	W9/113	27.20	26.39	0.81	2.98
R6/113	LKD	W10/113	17.81	17.11	0.70	3.93
R6/113	LKD	W11/113	18.73	18.07	0.66	3.52
R6/113	LKD	W12/113	17.14	17.14	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R6/113	LKD	W13/113	14.21	14.21	0.00	0.00
R7/113	LKD	W14/113	14.22	14.22	0.00	0.00
R7/113	LKD	W15/113	19.21	19.20	0.01	0.05
R1/114	LKD	W1/114	14.34	14.15	0.19	1.32
R1/114	LKD	W2/114	8.59	8.37	0.22	2.56
R2/114	BEDROOM	W3/114	9.07	8.45	0.62	6.84
R3/114	BEDROOM	W4/114	11.54	10.39	1.15	9.97
R3/114	BEDROOM	W5/114	17.63	16.95	0.68	3.86
R3/114	BEDROOM	W6/114	18.53	17.84	0.69	3.72
R4/114	BEDROOM	W7/114	28.35	27.74	0.61	2.15
R5/114	BEDROOM	W8/114	13.82	13.81	0.01	0.07
R6/114	LKD	W9/114	29.14	28.40	0.74	2.54
R6/114	LKD	W10/114	19.65	19.01	0.64	3.26
R6/114	LKD	W11/114	20.45	19.84	0.61	2.98
R6/114	LKD	W12/114	18.26	18.26	0.00	0.00
R6/114	LKD	W13/114	15.07	15.07	0.00	0.00
R7/114	LKD	W14/114	14.72	14.72	0.00	0.00
R7/114	LKD	W15/114	20.17	20.13	0.04	0.20
R1/115	LKD	W1/115	15.56	15.43	0.13	0.84
R1/115	LKD	W2/115	9.61	9.44	0.17	1.77
R2/115	BEDROOM	W3/115	9.68	9.03	0.65	6.71
R3/115	BEDROOM	W4/115	12.25	11.14	1.11	9.06
R3/115	BEDROOM	W5/115	19.47	18.87	0.60	3.08
R3/115	BEDROOM	W6/115	20.30	19.69	0.61	3.00
R4/115	BEDROOM	W7/115	30.17	29.61	0.56	1.86
R5/115	BEDROOM	W8/115	14.95	14.95	0.00	0.00
R6/115	LKD	W9/115	30.79	30.13	0.66	2.14
R6/115	LKD	W10/115	21.12	20.53	0.59	2.79
R6/115	LKD	W11/115	21.80	21.24	0.56	2.57
R6/115	LKD	W12/115	19.76	19.76	0.00	0.00
R6/115	LKD	W13/115	16.24	16.24	0.00	0.00
R7/115	LKD	W14/115	15.06	15.06	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R7/115	LKD	W15/115	21.10	21.05	0.05	0.24
R1/116	LKD	W1/116	17.87	17.78	0.09	0.50
R1/116	LKD	W2/116	12.23	12.12	0.11	0.90
R2/116	BEDROOM	W3/116	10.30	9.69	0.61	5.92
R3/116	BEDROOM	W4/116	13.06	12.00	1.06	8.12
R3/116	BEDROOM	W5/116	24.84	24.32	0.52	2.09
R3/116	BEDROOM	W6/116	25.44	24.90	0.54	2.12
R4/116	BEDROOM	W7/116	32.06	31.51	0.55	1.72
R5/116	BEDROOM	W8/116	16.07	16.07	0.00	0.00
R6/116	LKD	W9/116	32.51	31.91	0.60	1.85
R6/116	LKD	W10/116	26.05	25.52	0.53	2.03
R6/116	LKD	W11/116	26.53	26.02	0.51	1.92
R6/116	LKD	W12/116	21.75	21.75	0.00	0.00
R6/116	LKD	W13/116	17.68	17.68	0.00	0.00
R7/116	LKD	W14/116	17.06	17.06	0.00	0.00
R7/116	LKD	W15/116	23.22	23.18	0.04	0.17
R1/117	LKD	W1/117	18.96	18.90	0.06	0.32
R1/117	LKD	W2/117	12.86	12.78	0.08	0.62
R2/117	BEDROOM	W3/117	11.19	10.71	0.48	4.29
R3/117	BEDROOM	W4/117	14.13	13.24	0.89	6.30
R3/117	BEDROOM	W5/117	25.58	25.15	0.43	1.68
R3/117	BEDROOM	W6/117	26.16	25.73	0.43	1.64
R4/117	BEDROOM	W7/117	33.89	33.43	0.46	1.36
R5/117	BEDROOM	W8/117	17.35	17.35	0.00	0.00
R6/117	LKD	W9/117	34.11	33.60	0.51	1.50
R6/117	LKD	W10/117	26.35	25.88	0.47	1.78
R6/117	LKD	W11/117	26.66	26.20	0.46	1.73
R6/117	LKD	W12/117	25.42	25.42	0.00	0.00
R6/117	LKD	W13/117	20.64	20.64	0.00	0.00
R7/117	LKD	W14/117	16.72	16.72	0.00	0.00
R7/117	LKD	W15/117	24.34	24.31	0.03	0.12
R1/118	LKD	W1/118	19.39	19.33	0.06	0.31



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R1/118	LKD	W2/118	12.79	12.73	0.06	0.47
R2/118	BEDROOM	W3/118	12.22	11.75	0.47	3.85
R3/118	BEDROOM	W4/118	15.35	14.54	0.81	5.28
R3/118	BEDROOM	W5/118	24.95	24.57	0.38	1.52
R3/118	BEDROOM	W6/118	25.57	25.18	0.39	1.53
R4/118	BEDROOM	W7/118	36.02	35.60	0.42	1.17
R5/118	BEDROOM	W8/118	18.39	18.39	0.00	0.00
R6/118	LKD	W9/118	36.06	35.60	0.46	1.28
R6/118	LKD	W10/118	25.36	24.93	0.43	1.70
R6/118	LKD	W11/118	25.55	25.12	0.43	1.68
R6/118	LKD	W12/118	30.45	30.45	0.00	0.00
R6/118	LKD	W13/118	25.44	25.44	0.00	0.00
R7/118	LKD	W14/118	16.37	16.37	0.00	0.00
R7/118	LKD	W15/118	25.43	25.40	0.03	0.12
R1/119	LKD	W1/119	23.88	23.74	0.14	0.59
R1/119	LKD	W2/119	19.20	19.04	0.16	0.83
R2/119	BEDROOM	W3/119	13.86	13.40	0.46	3.32
R3/119	BEDROOM	W4/119	17.00	16.24	0.76	4.47
R3/119	BEDROOM	W5/119	38.44	38.00	0.44	1.14
R3/119	BEDROOM	W6/119	38.50	38.07	0.43	1.12
R4/119	BEDROOM	W7/119	38.55	38.11	0.44	1.14
R5/119	BEDROOM	W8/119	18.63	18.61	0.02	0.11
R6/119	LKD	W9/119	38.63	38.20	0.43	1.11
R6/119	LKD	W10/119	38.66	38.23	0.43	1.11
R6/119	LKD	W11/119	38.68	38.27	0.41	1.06
R6/119	LKD	W12/119	36.78	36.78	0.00	0.00
R6/119	LKD	W13/119	33.24	33.24	0.00	0.00
R7/119	LKD	W14/119	25.60	25.59	0.01	0.04
R7/119	LKD	W15/119	31.39	31.36	0.03	0.10
R1/120	KITCHEN	W3/120	13.95	13.74	0.21	1.51
R2/120	BEDROOM	W4/120	14.14	14.03	0.11	0.78



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R3/120	LKD	W1/120	19.29	19.29	0.00	0.00
R3/120	LKD	W2/120	16.95	16.95	0.00	0.00
R3/120	LKD	W5/120	16.79	16.79	0.00	0.00
R4/120	LD	W6/120	16.48	15.98	0.50	3.03
R4/120	LD	W7/120	18.77	18.01	0.76	4.05
R4/120	LD	W8/120	14.31	14.09	0.22	1.54
R4/120	LD	W9/120	15.82	15.82	0.00	0.00
R5/120	BEDROOM	W10/120	12.64	12.59	0.05	0.40
R6/120	BEDROOM	W11/120	13.15	13.13	0.02	0.15
R7/120	LD	W12/120	15.87	15.87	0.00	0.00
R7/120	LD	W13/120	14.13	14.12	0.01	0.07
R7/120	LD	W14/120	39.56	39.56	0.00	0.00
R7/120	LD	W15/120	39.55	39.55	0.00	0.00
R1/121	LKD	W1/121	20.01	20.01	0.00	0.00
R1/121	LKD	W2/121	17.69	17.69	0.00	0.00
R1/121	LKD	W5/121	16.79	16.79	0.00	0.00
R2/121	KITCHEN	W4/121	14.72	14.52	0.20	1.36
R3/121	BEDROOM	W3/121	14.85	14.75	0.10	0.67
R4/121	LD	W6/121	17.40	16.94	0.46	2.64
R4/121	LD	W7/121	19.71	19.03	0.68	3.45
R4/121	LD	W8/121	14.44	14.25	0.19	1.32
R4/121	LD	W9/121	15.95	15.95	0.00	0.00
R5/121	BEDROOM	W10/121	12.76	12.72	0.04	0.31
R6/121	BEDROOM	W11/121	13.27	13.26	0.01	0.08
R7/121	LD	W12/121	16.00	16.00	0.00	0.00
R7/121	LD	W13/121	14.25	14.24	0.01	0.07
R7/121	LD	W14/121	39.57	39.57	0.00	0.00
R7/121	LD	W15/121	39.57	39.57	0.00	0.00
R1/122	LKD	W1/122	20.91	20.91	0.00	0.00
R1/122	LKD	W2/122	18.65	18.63	0.02	0.11
R1/122	LKD	W5/122	24.04	24.04	0.00	0.00
R2/122	KITCHEN	W3/122	15.72	15.60	0.12	0.76
R3/122	BEDROOM	W4/122	15.82	15.76	0.06	0.38



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R4/122	LD	W6/122	18.43	18.10	0.33	1.79
R4/122	LD	W7/122	20.68	20.19	0.49	2.37
R4/122	LD	W8/122	20.00	19.86	0.14	0.70
R4/122	LD	W9/122	22.30	22.30	0.00	0.00
R5/122	BEDROOM	W10/122	18.12	18.09	0.03	0.17
R6/122	BEDROOM	W11/122	18.84	18.83	0.01	0.05
R7/122	LD	W12/122	22.44	22.44	0.00	0.00
R7/122	LD	W13/122	19.69	19.68	0.01	0.05
R7/122	LD	W14/122	39.58	39.58	0.00	0.00
R7/122	LD	W15/122	39.58	39.58	0.00	0.00

Battersea Power Station Phase 4 and 4A (Building A2)

R1/41	LKD	W1/41	19.70	18.74	0.96	4.87
R1/41	LKD	W2/41	13.32	12.22	1.10	8.26
R1/41	LKD	W3/41	20.27	19.25	1.02	5.03
R1/41	LKD	W21/41	28.44	28.44	0.00	0.00
R2/41	LD	W4/41	11.74	10.56	1.18	10.05
R2/41	LD	W5/41	15.95	14.56	1.39	8.71
R3/41	BEDROOM	W6/41	14.32	12.42	1.90	13.27
R3/41	BEDROOM	W7/41	21.10	19.06	2.04	9.67
R4/41	BEDROOM	W8/41	26.67	24.35	2.32	8.70
R5/41	BEDROOM	W9/41	28.19	25.64	2.55	9.05
R6/41	LKD	W10/41	28.66	26.01	2.65	9.25
R6/41	LKD	W11/41	29.52	26.69	2.83	9.59
R6/41	LKD	W12/41	3.56	1.85	1.71	48.03
R7/41	BEDROOM	W13/41	10.60	7.78	2.82	26.60
R8/41	KITCHEN	W14/41	14.10	11.62	2.48	17.59
R9/41	LD	W15/41	15.22	13.05	2.17	14.26
R9/41	LD	W16/41	7.28	7.08	0.20	2.75
R9/41	LD	W17/41	3.38	3.17	0.21	6.21
R10/41	BEDROOM	W18/41	5.03	4.88	0.15	2.98
R10/41	BEDROOM	W19/41	8.80	8.71	0.09	1.02
						0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R11/41	BEDROOM	W20/41	17.66	17.66	0.00	4.37
R1/42	LKD	W1/42	23.10	22.09	1.01	6.52
R1/42	LKD	W2/42	16.72	15.63	1.09	4.36
R1/42	LKD	W3/42	23.84	22.80	1.04	0.00
R1/42	LKD	W21/42	31.10	31.10	0.00	8.09
R2/42	LD	W4/42	15.08	13.86	1.22	7.51
R2/42	LD	W5/42	19.32	17.87	1.45	10.74
R3/42	BEDROOM	W6/42	17.51	15.63	1.88	8.29
R3/42	BEDROOM	W7/42	24.25	22.24	2.01	7.73
R4/42	BEDROOM	W8/42	29.77	27.47	2.30	8.18
R5/42	BEDROOM	W9/42	31.05	28.51	2.54	8.41
R6/42	LKD	W10/42	31.39	28.75	2.64	8.95
R6/42	LKD	W11/42	32.05	29.18	2.87	45.92
R6/42	LKD	W12/42	3.92	2.12	1.80	23.88
R7/42	BEDROOM	W13/42	11.81	8.99	2.82	15.97
R8/42	KITCHEN	W14/42	15.28	12.84	2.44	12.84
R9/42	LD	W15/42	16.36	14.26	2.10	2.41
R9/42	LD	W16/42	8.31	8.11	0.20	4.71
R9/42	LD	W17/42	4.03	3.84	0.19	2.59
R10/42	BEDROOM	W18/42	5.80	5.65	0.15	0.90
R10/42	BEDROOM	W19/42	10.03	9.94	0.09	0.00
R11/42	BEDROOM	W20/42	20.33	20.33	0.00	3.48
R1/43	LKD	W1/43	26.99	26.05	0.94	4.87
R1/43	LKD	W2/43	20.34	19.35	0.99	3.40
R1/43	LKD	W3/43	28.49	27.52	0.97	0.00
R1/43	LKD	W21/43	33.97	33.97	0.00	6.12
R2/43	LD	W4/43	18.80	17.65	1.15	5.93
R2/43	LD	W5/43	23.59	22.19	1.40	8.46
R3/43	BEDROOM	W6/43	20.68	18.93	1.75	6.82
R3/43	BEDROOM	W7/43	27.73	25.84	1.89	6.45
R4/43	BEDROOM	W8/43	33.01	30.88	2.13	6.91



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R5/43	BEDROOM	W9/43	33.74	31.41	2.33	7.14
R6/43	LKD	W10/43	33.91	31.49	2.42	7.73
R6/43	LKD	W11/43	34.26	31.61	2.65	42.17
R6/43	LKD	W12/43	4.34	2.51	1.83	20.38
R7/43	BEDROOM	W13/43	13.05	10.39	2.66	13.94
R8/43	KITCHEN	W14/43	16.57	14.26	2.31	11.29
R9/43	LD	W15/43	17.62	15.63	1.99	1.93
R9/43	LD	W16/43	9.82	9.63	0.19	3.85
R9/43	LD	W17/43	4.94	4.75	0.19	2.22
R10/43	BEDROOM	W18/43	6.76	6.61	0.15	0.83
R10/43	BEDROOM	W19/43	12.05	11.95	0.10	0.00
R11/43	BEDROOM	W20/43	22.70	22.70	0.00	2.97
R1/44	LKD	W1/44	35.36	34.31	1.05	3.05
R1/44	LKD	W2/44	35.42	34.34	1.08	3.33
R1/44	LKD	W3/44	35.46	34.28	1.18	0.00
R1/44	LKD	W21/44	37.71	37.71	0.00	3.72
R2/44	LD	W4/44	35.52	34.20	1.32	4.04
R2/44	LD	W5/44	35.61	34.17	1.44	4.45
R3/44	BEDROOM	W6/44	35.75	34.16	1.59	4.64
R3/44	BEDROOM	W7/44	35.81	34.15	1.66	4.99
R4/44	BEDROOM	W8/44	35.89	34.10	1.79	5.42
R5/44	BEDROOM	W9/44	35.97	34.02	1.95	5.67
R6/44	LKD	W10/44	35.99	33.95	2.04	6.24
R6/44	LKD	W11/44	36.04	33.79	2.25	29.95
R6/44	LKD	W12/44	5.91	4.14	1.77	15.27
R7/44	BEDROOM	W13/44	15.46	13.10	2.36	11.82
R8/44	KITCHEN	W14/44	18.11	15.97	2.14	9.58
R9/44	LD	W15/44	19.10	17.27	1.83	1.12
R9/44	LD	W16/44	16.10	15.92	0.18	1.10
R9/44	LD	W17/44	16.32	16.14	0.18	0.90
R10/44	BEDROOM	W18/44	16.60	16.45	0.15	0.90



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R10/44	BEDROOM	W19/44	16.62	16.47	0.15	0.00
R11/44	BEDROOM	W20/44	37.62	37.62	0.00	0.00
R1/45	BEDROOM	W1/45	38.34	38.34	0.00	0.03
R2/45	BEDROOM	W2/45	38.26	38.25	0.01	3.91
R2/45	BEDROOM	W3/45	37.07	35.62	1.45	4.29
R3/45	BEDROOM	W4/45	37.03	35.44	1.59	4.43
R3/45	BEDROOM	W5/45	37.00	35.36	1.64	4.98
R4/45	LKD	W6/45	36.95	35.11	1.84	29.90
R4/45	LKD	W7/45	5.25	3.68	1.57	12.56
R4/45	LKD	W8/45	16.24	14.20	2.04	9.81
R5/45	BEDROOM	W9/45	19.98	18.02	1.96	8.05
R6/45	BEDROOM	W10/45	20.86	19.18	1.68	0.95
R6/45	BEDROOM	W11/45	17.88	17.71	0.17	0.99
R6/45	BEDROOM	W12/45	18.12	17.94	0.18	0.71
R7/45	BEDROOM	W13/45	18.43	18.30	0.13	0.70
R7/45	BEDROOM	W14/45	18.44	18.31	0.13	0.00
R1/46	BEDROOM	W1/46	38.71	38.71	0.00	0.03
R2/46	BEDROOM	W2/46	38.73	38.72	0.01	3.08
R2/46	BEDROOM	W3/46	37.70	36.54	1.16	3.35
R3/46	BEDROOM	W4/46	37.65	36.39	1.26	3.48
R3/46	BEDROOM	W5/46	37.63	36.32	1.31	3.94
R4/46	LKD	W6/46	37.57	36.09	1.48	20.15
R4/46	LKD	W7/46	6.85	5.47	1.38	9.52
R4/46	LKD	W8/46	18.28	16.54	1.74	7.99
R5/46	BEDROOM	W9/46	22.04	20.28	1.76	6.72
R6/46	BEDROOM	W10/46	22.76	21.23	1.53	0.86
R6/46	BEDROOM	W11/46	19.73	19.56	0.17	0.80
R6/46	BEDROOM	W12/46	19.96	19.80	0.16	0.69
R7/46	BEDROOM	W13/46	20.32	20.18	0.14	0.69
R7/46	BEDROOM	W14/46	20.32	20.18	0.14	0.00
R1/47	BEDROOM	W1/47	38.92	38.92	0.00	



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
						0.00
R2/47	BEDROOM	W2/47	38.94	38.94	0.00	2.29
R2/47	BEDROOM	W3/47	38.03	37.16	0.87	2.53
R3/47	BEDROOM	W4/47	38.00	37.04	0.96	2.66
R3/47	BEDROOM	W5/47	37.99	36.98	1.01	3.03
R4/47	LKD	W6/47	37.94	36.79	1.15	13.00
R4/47	LKD	W7/47	9.00	7.83	1.17	6.91
R4/47	LKD	W8/47	20.68	19.25	1.43	6.35
R5/47	BATHROOM	W9/47	24.40	22.85	1.55	5.43
R6/47	BEDROOM	W10/47	24.88	23.53	1.35	0.74
R6/47	BEDROOM	W11/47	21.73	21.57	0.16	0.73
R6/47	BEDROOM	W12/47	21.97	21.81	0.16	0.54
R7/47	BEDROOM	W13/47	22.36	22.24	0.12	0.54
R7/47	BEDROOM	W14/47	22.35	22.23	0.12	0.00
R1/48	BEDROOM	W1/48	39.12	39.12	0.00	0.00
R2/48	BEDROOM	W2/48	39.12	39.12	0.00	1.49
R2/48	BEDROOM	W3/48	38.31	37.74	0.57	1.67
R3/48	BEDROOM	W4/48	38.29	37.65	0.64	1.78
R3/48	BEDROOM	W5/48	38.28	37.60	0.68	2.07
R4/48	LKD	W6/48	38.24	37.45	0.79	6.43
R4/48	LKD	W7/48	14.92	13.96	0.96	4.51
R4/48	LKD	W8/48	25.07	23.94	1.13	4.89
R5/48	BATHROOM	W9/48	27.18	25.85	1.33	4.25
R6/48	BEDROOM	W10/48	27.30	26.14	1.16	0.58
R6/48	BEDROOM	W11/48	23.98	23.84	0.14	0.58
R6/48	BEDROOM	W12/48	24.22	24.08	0.14	0.45
R7/48	BEDROOM	W13/48	24.66	24.55	0.11	0.49
R7/48	BEDROOM	W14/48	24.65	24.53	0.12	

Battersea Power Station Phase 4 and 4A (Building A3)

R1/21	LKD	W1/21	13.76	13.76	0.00	0.00
R1/21	LKD	W2/21	7.19	7.19	0.00	15.90
R1/21	LKD	W3/21	31.58	26.56	5.02	18.64



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R2/21	BEDROOM	W4/21	31.66	25.76	5.90	21.26
R3/21	BEDROOM	W5/21	31.65	24.92	6.73	25.43
R4/21	BEDROOM	W6/21	30.67	22.87	7.80	31.56
R5/21	LKD	W7/21	17.30	11.84	5.46	40.65
R6/21	BEDROOM	W8/21	15.89	9.43	6.46	37.77
R7/21	BEDROOM	W9/21	28.46	17.71	10.75	38.78
R8/21	BEDROOM	W10/21	29.09	17.81	11.28	40.48
R9/21	BEDROOM	W11/21	19.27	11.47	7.80	51.04
R10/21	LD	W12/21	16.87	8.26	8.61	48.31
R10/21	LD	W13/21	28.98	14.98	14.00	64.75
R11/21	KITCHEN	W14/21	24.48	8.63	15.85	87.33
R11/21	KITCHEN	W15/21	24.78	3.14	21.64	69.80
R12/21	BEDROOM	W16/21	22.22	6.71	15.51	84.01
R12/21	BEDROOM	W17/21	24.64	3.94	20.70	79.13
R13/21	BEDROOM	W18/21	24.29	5.07	19.22	78.74
R13/21	BEDROOM	W19/21	22.72	4.83	17.89	83.72
R14/21	BEDROOM	W20/21	23.95	3.90	20.05	74.63
R14/21	BEDROOM	W21/21	22.55	5.72	16.83	30.83
R15/21	BEDROOM	W22/21	15.21	10.52	4.69	30.32
R15/21	BEDROOM	W23/21	14.51	10.11	4.40	31.13
R16/21	BEDROOM	W24/21	12.27	8.45	3.82	55.66
R16/21	BEDROOM	W25/21	6.36	2.82	3.54	74.37
R17/21	BEDROOM	W26/21	2.77	0.71	2.06	47.95
R18/21	LD	W27/21	3.17	1.65	1.52	14.13
R18/21	LD	W28/21	9.20	7.90	1.30	18.23
R19/21	BEDROOM	W29/21	10.48	8.57	1.91	16.80
R19/21	BEDROOM	W30/21	10.06	8.37	1.69	18.43
R20/21	BEDROOM	W31/21	8.03	6.55	1.48	36.11



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R21/21	LD	W32/21	2.16	1.38	0.78	0.12
R1/22	LKD	W1/22	16.08	16.06	0.02	0.12
R1/22	LKD	W2/22	8.31	8.30	0.01	17.61
R1/22	LKD	W3/22	34.08	28.08	6.00	20.08
R2/22	BEDROOM	W4/22	34.06	27.22	6.84	22.52
R3/22	BEDROOM	W5/22	33.93	26.29	7.64	26.43
R4/22	BEDROOM	W6/22	32.77	24.11	8.66	34.20
R5/22	LKD	W7/22	19.27	12.68	6.59	42.42
R6/22	BEDROOM	W8/22	17.80	10.25	7.55	38.02
R7/22	BEDROOM	W9/22	30.27	18.76	11.51	39.00
R8/22	BEDROOM	W10/22	30.67	18.71	11.96	41.83
R9/22	BEDROOM	W11/22	20.75	12.07	8.68	51.20
R10/22	LD	W12/22	18.32	8.94	9.38	47.58
R10/22	LD	W13/22	30.41	15.94	14.47	64.00
R11/22	KITCHEN	W14/22	25.53	9.19	16.34	86.38
R11/22	KITCHEN	W15/22	26.07	3.55	22.52	68.63
R12/22	BEDROOM	W16/22	23.05	7.23	15.82	83.25
R12/22	BEDROOM	W17/22	25.97	4.35	21.62	78.12
R13/22	BEDROOM	W18/22	25.23	5.52	19.71	77.97
R13/22	BEDROOM	W19/22	24.01	5.29	18.72	82.72
R14/22	BEDROOM	W20/22	24.88	4.30	20.58	73.61
R14/22	BEDROOM	W21/22	23.87	6.30	17.57	28.87
R15/22	BEDROOM	W22/22	16.49	11.73	4.76	28.03
R15/22	BEDROOM	W23/22	15.70	11.30	4.40	28.24
R16/22	BEDROOM	W24/22	13.35	9.58	3.77	50.66
R16/22	BEDROOM	W25/22	6.85	3.38	3.47	65.83
R17/22	BEDROOM	W26/22	3.19	1.09	2.10	45.03
R18/22	LD	W27/22	3.62	1.99	1.63	13.59
R18/22	LD	W28/22	10.23	8.84	1.39	



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R19/22	BEDROOM	W29/22	11.49	9.58	1.91	16.62
R19/22	BEDROOM	W30/22	11.03	9.38	1.65	14.96
R20/22	BEDROOM	W31/22	8.87	7.44	1.43	16.12
R21/22	LD	W32/22	2.46	1.66	0.80	32.52
R1/23	LKD	W1/23	8.77	8.76	0.01	0.11
R1/23	LKD	W2/23	17.19	17.18	0.01	0.06
R1/23	LKD	W3/23	35.16	29.46	5.70	16.21
R2/23	BEDROOM	W4/23	35.06	28.54	6.52	18.60
R3/23	BEDROOM	W5/23	34.88	27.56	7.32	20.99
R4/23	BEDROOM	W6/23	33.60	25.25	8.35	24.85
R5/23	LKD	W7/23	20.10	13.44	6.66	33.13
R6/23	BEDROOM	W8/23	18.65	11.02	7.63	40.91
R7/23	BEDROOM	W9/23	31.09	19.83	11.26	36.22
R8/23	BEDROOM	W10/23	31.36	19.63	11.73	37.40
R9/23	BEDROOM	W11/23	21.41	12.67	8.74	40.82
R10/23	LD	W12/23	19.06	9.65	9.41	49.37
R10/23	LD	W13/23	31.14	16.89	14.25	45.76
R11/23	KITCHEN	W14/23	26.40	9.90	16.50	62.50
R11/23	KITCHEN	W15/23	26.85	4.07	22.78	84.84
R12/23	BEDROOM	W16/23	23.89	7.73	16.16	67.64
R12/23	BEDROOM	W17/23	26.74	4.80	21.94	82.05
R13/23	BEDROOM	W18/23	26.15	5.99	20.16	77.09
R13/23	BEDROOM	W19/23	24.69	5.78	18.91	76.59
R14/23	BEDROOM	W20/23	25.79	4.73	21.06	81.66
R14/23	BEDROOM	W21/23	24.59	6.94	17.65	71.78
R15/23	BEDROOM	W22/23	17.55	13.07	4.48	25.53
R15/23	BEDROOM	W23/23	16.79	12.65	4.14	24.66
R16/23	BEDROOM	W24/23	14.42	10.87	3.55	24.62
						44.92



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R16/23	BEDROOM	W25/23	7.28	4.01	3.27	57.75
R17/23	BEDROOM	W26/23	3.55	1.50	2.05	39.66
R18/23	LD	W27/23	4.06	2.45	1.61	12.26
R18/23	LD	W28/23	11.34	9.95	1.39	14.52
R19/23	BEDROOM	W29/23	12.60	10.77	1.83	13.03
R19/23	BEDROOM	W30/23	12.13	10.55	1.58	13.85
R20/23	BEDROOM	W31/23	9.82	8.46	1.36	28.47
R21/23	LD	W32/23	2.81	2.01	0.80	0.05
R1/24	LKD	W1/24	19.74	19.73	0.01	0.00
R1/24	LKD	W2/24	10.85	10.85	0.00	14.33
R1/24	LKD	W3/24	36.01	30.85	5.16	16.62
R2/24	BEDROOM	W4/24	35.86	29.90	5.96	18.98
R3/24	BEDROOM	W5/24	35.66	28.89	6.77	22.79
R4/24	BEDROOM	W6/24	34.27	26.46	7.81	31.66
R5/24	LKD	W7/24	20.69	14.14	6.55	39.27
R6/24	BEDROOM	W8/24	19.30	11.72	7.58	34.10
R7/24	BEDROOM	W9/24	31.82	20.97	10.85	35.47
R8/24	BEDROOM	W10/24	32.00	20.65	11.35	39.85
R9/24	BEDROOM	W11/24	22.01	13.24	8.77	47.77
R10/24	LD	W12/24	19.74	10.31	9.43	43.66
R10/24	LD	W13/24	31.86	17.95	13.91	60.54
R11/24	KITCHEN	W14/24	27.24	10.75	16.49	82.57
R11/24	KITCHEN	W15/24	27.65	4.82	22.83	66.13
R12/24	BEDROOM	W16/24	24.71	8.37	16.34	80.15
R12/24	BEDROOM	W17/24	27.51	5.46	22.05	75.64
R13/24	BEDROOM	W18/24	27.05	6.59	20.46	74.71
R13/24	BEDROOM	W19/24	25.39	6.42	18.97	80.06
R14/24	BEDROOM	W20/24	26.68	5.32	21.36	69.55



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R14/24	BEDROOM	W21/24	25.35	7.72	17.63	22.22
R15/24	BEDROOM	W22/24	18.81	14.63	4.18	21.46
R15/24	BEDROOM	W23/24	18.08	14.20	3.88	21.21
R16/24	BEDROOM	W24/24	15.65	12.33	3.32	39.46
R16/24	BEDROOM	W25/24	7.78	4.71	3.07	51.14
R17/24	LD	W26/24	3.95	1.93	2.02	35.16
R17/24	LD	W27/24	4.55	2.95	1.60	10.89
R18/24	BEDROOM	W28/24	12.67	11.29	1.38	12.42
R19/24	BEDROOM	W29/24	13.93	12.20	1.73	11.08
R19/24	BEDROOM	W30/24	13.45	11.96	1.49	11.72
R20/24	BEDROOM	W31/24	10.92	9.64	1.28	24.17
R21/24	LD	W32/24	3.31	2.51	0.80	0.00
R1/25	LKD	W1/25	21.04	21.04	0.00	0.00
R1/25	LKD	W2/25	12.32	12.32	0.00	12.48
R1/25	LKD	W3/25	36.63	32.06	4.57	14.72
R2/25	BEDROOM	W4/25	36.49	31.12	5.37	17.05
R3/25	BEDROOM	W5/25	36.31	30.12	6.19	20.66
R4/25	BEDROOM	W6/25	34.89	27.68	7.21	30.28
R5/25	LKD	W7/25	21.20	14.78	6.42	37.53
R6/25	BEDROOM	W8/25	19.93	12.45	7.48	31.74
R7/25	BEDROOM	W9/25	32.61	22.26	10.35	33.26
R8/25	BEDROOM	W10/25	32.71	21.83	10.88	38.83
R9/25	BEDROOM	W11/25	22.61	13.83	8.78	46.39
R10/25	LD	W12/25	20.35	10.91	9.44	41.38
R10/25	LD	W13/25	32.55	19.08	13.47	57.69
R11/25	KITCHEN	W14/25	28.08	11.88	16.20	79.16
R11/25	KITCHEN	W15/25	28.46	5.93	22.53	63.47
R12/25	BEDROOM	W16/25	25.54	9.33	16.21	77.22



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R12/25	BEDROOM	W17/25	28.31	6.45	21.86	73.20
R13/25	BEDROOM	W18/25	27.95	7.49	20.46	72.05
R13/25	BEDROOM	W19/25	26.12	7.30	18.82	77.58
R14/25	BEDROOM	W20/25	27.57	6.18	21.39	67.00
R14/25	BEDROOM	W21/25	26.15	8.63	17.52	19.04
R15/25	BEDROOM	W22/25	20.22	16.37	3.85	18.46
R15/25	BEDROOM	W23/25	19.56	15.95	3.61	18.26
R16/25	BEDROOM	W24/25	17.09	13.97	3.12	34.53
R16/25	BEDROOM	W25/25	8.37	5.48	2.89	45.68
R17/25	LD	W26/25	4.40	2.39	2.01	31.50
R17/25	LD	W27/25	5.08	3.48	1.60	9.75
R18/25	BEDROOM	W28/25	14.25	12.86	1.39	10.54
R19/25	BEDROOM	W29/25	15.56	13.92	1.64	9.35
R19/25	BEDROOM	W30/25	15.08	13.67	1.41	9.95
R20/25	BEDROOM	W31/25	12.26	11.04	1.22	21.19
R21/25	LD	W32/25	3.87	3.05	0.82	0.00
R1/26	LKD	W1/26	23.74	23.74	0.00	0.00
R1/26	LKD	W2/26	14.87	14.87	0.00	10.67
R1/26	LKD	W3/26	37.19	33.22	3.97	12.84
R2/26	BEDROOM	W4/26	37.08	32.32	4.76	15.04
R3/26	BEDROOM	W5/26	36.96	31.40	5.56	18.20
R4/26	BEDROOM	W6/26	35.99	29.44	6.55	28.81
R5/26	LKD	W7/26	21.66	15.42	6.24	35.78
R6/26	BEDROOM	W8/26	20.54	13.19	7.35	28.51
R7/26	BEDROOM	W9/26	34.16	24.42	9.74	30.14
R8/26	BEDROOM	W10/26	34.21	23.90	10.31	37.77
R9/26	BEDROOM	W11/26	23.19	14.43	8.76	45.15
R10/26	LD	W12/26	20.91	11.47	9.44	38.14



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R10/26	LD	W13/26	33.85	20.94	12.91	53.47
R11/26	KITCHEN	W14/26	28.97	13.48	15.49	74.16
R11/26	KITCHEN	W15/26	29.37	7.59	21.78	59.07
R12/26	BEDROOM	W16/26	26.46	10.83	15.63	72.56
R12/26	BEDROOM	W17/26	29.23	8.02	21.21	69.17
R13/26	BEDROOM	W18/26	28.93	8.92	20.01	67.58
R13/26	BEDROOM	W19/26	26.96	8.74	18.22	73.56
R14/26	BEDROOM	W20/26	28.52	7.54	20.98	63.15
R14/26	BEDROOM	W21/26	27.00	9.95	17.05	16.45
R15/26	BEDROOM	W22/26	21.83	18.24	3.59	15.93
R15/26	BEDROOM	W23/26	21.34	17.94	3.40	15.32
R16/26	BEDROOM	W24/26	19.32	16.36	2.96	30.24
R16/26	BEDROOM	W25/26	9.06	6.32	2.74	40.94
R17/26	LD	W26/26	4.91	2.90	2.01	28.62
R17/26	LD	W27/26	5.66	4.04	1.62	8.48
R18/26	BEDROOM	W28/26	16.63	15.22	1.41	8.86
R19/26	BEDROOM	W29/26	17.61	16.05	1.56	7.83
R19/26	BEDROOM	W30/26	17.12	15.78	1.34	8.11
R20/26	BEDROOM	W31/26	14.30	13.14	1.16	18.89
R21/26	LD	W32/26	4.50	3.65	0.85	0.00
R1/27	LKD	W1/27	26.95	26.95	0.00	8.97
R1/27	LKD	W2/27	19.10	19.10	0.00	10.99
R1/27	LKD	W3/27	37.59	34.22	3.37	13.04
R2/27	BEDROOM	W4/27	37.49	33.37	4.12	16.04
R3/27	BEDROOM	W5/27	37.41	32.53	4.88	19.02
R4/27	BEDROOM	W6/27	37.28	31.30	5.98	21.75
R5/27	LKD	W7/27	37.18	30.11	7.07	24.38
R6/27	BEDROOM	W8/27	37.10	29.03	8.07	
R7/27	BEDROOM	W9/27	36.95	27.94	9.01	



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R8/27	BEDROOM	W10/27	36.88	27.05	9.83	26.65
R9/27	BEDROOM	W11/27	36.76	26.13	10.63	28.92
R10/27	LD	W12/27	36.57	25.10	11.47	31.36
R10/27	LD	W13/27	36.48	24.30	12.18	33.39
R11/27	KITCHEN	W14/27	30.37	15.79	14.58	48.01
R11/27	KITCHEN	W15/27	31.50	10.37	21.13	67.08
R12/27	BEDROOM	W16/27	28.74	13.50	15.24	53.03
R12/27	BEDROOM	W17/27	31.28	10.34	20.94	66.94
R13/27	BEDROOM	W18/27	31.13	11.61	19.52	62.70
R13/27	BEDROOM	W19/27	29.08	11.15	17.93	61.66
R14/27	BEDROOM	W20/27	30.69	10.59	20.10	65.49
R14/27	BEDROOM	W21/27	28.29	12.18	16.11	56.95
R15/27	BEDROOM	W22/27	23.49	20.12	3.37	14.35
R15/27	BEDROOM	W23/27	23.14	19.97	3.17	13.70
R16/27	BEDROOM	W24/27	22.36	19.61	2.75	12.30
R16/27	BEDROOM	W25/27	22.23	19.68	2.55	11.47
R17/27	LD	W26/27	21.63	19.28	2.35	10.86
R17/27	LD	W27/27	21.07	19.07	2.00	9.49
R18/27	BEDROOM	W28/27	20.38	18.61	1.77	8.68
R19/27	BEDROOM	W29/27	19.71	18.25	1.46	7.41
R19/27	BEDROOM	W30/27	19.26	18.00	1.26	6.54
R20/27	BEDROOM	W31/27	19.29	18.21	1.08	5.60
R21/27	LD	W32/27	19.88	18.97	0.91	4.58
R1/28	LKD	W1/28	28.53	28.53	0.00	0.00
R1/28	LKD	W2/28	20.06	20.06	0.00	0.00
R1/28	LKD	W3/28	37.97	35.22	2.75	7.24
R2/28	BEDROOM	W4/28	37.90	34.51	3.39	8.94
R3/28	BEDROOM	W5/28	37.84	33.76	4.08	10.78
R4/28	BEDROOM	W6/28	37.73	32.64	5.09	13.49



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
						16.25
R5/28	BEDROOM	W7/28	37.65	31.53	6.12	18.82
R6/28	LKD	W8/28	37.57	30.50	7.07	43.77
R6/28	LKD	W9/28	27.53	15.48	12.05	55.68
R6/28	LKD	W10/28	19.97	8.85	11.12	44.53
R7/28	LKD	W11/28	22.01	12.21	9.80	6.06
R7/28	LKD	W12/28	21.96	20.63	1.33	5.25
R7/28	LKD	W13/28	21.51	20.38	1.13	4.53
R8/28	BEDROOM	W14/28	21.62	20.64	0.98	3.44
R9/28	BEDROOM	W15/28	22.07	21.31	0.76	0.00
R1/29	LKD	W1/29	29.15	29.15	0.00	0.00
R1/29	LKD	W2/29	20.34	20.34	0.00	5.80
R1/29	LKD	W3/29	38.29	36.07	2.22	7.25
R2/29	BEDROOM	W4/29	38.23	35.46	2.77	8.80
R3/29	BEDROOM	W5/29	38.18	34.82	3.36	11.13
R4/29	BEDROOM	W6/29	38.09	33.85	4.24	13.57
R5/29	BEDROOM	W7/29	38.02	32.86	5.16	15.92
R6/29	LKD	W8/29	37.95	31.91	6.04	38.40
R6/29	LKD	W9/29	28.41	17.50	10.91	48.33
R6/29	LKD	W10/29	20.98	10.84	10.14	38.21
R7/29	LKD	W11/29	23.08	14.26	8.82	4.95
R7/29	LKD	W12/29	24.24	23.04	1.20	4.32
R7/29	LKD	W13/29	23.84	22.81	1.03	3.68
R8/29	BEDROOM	W14/29	23.89	23.01	0.88	2.81
R9/29	BEDROOM	W15/29	24.22	23.54	0.68	0.00
R1/30	LKD	W1/30	29.21	29.21	0.00	0.00
R1/30	LKD	W2/30	20.20	20.20	0.00	4.48
R1/30	LKD	W3/30	38.59	36.86	1.73	5.66
R2/30	BEDROOM	W4/30	38.54	36.36	2.18	6.91
R3/30	BEDROOM	W5/30	38.50	35.84	2.66	8.82



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

DAYLIGHT

Room	Room Use	Window	Existing VSC	Consented VSC	Loss	%Loss
R4/30	BEDROOM	W6/30	38.42	35.03	3.39	10.87
R5/30	BEDROOM	W7/30	38.36	34.19	4.17	12.84
R6/30	LKD	W8/30	38.31	33.39	4.92	32.88
R6/30	LKD	W9/30	28.77	19.31	9.46	41.59
R6/30	LKD	W10/30	21.23	12.40	8.83	32.51
R7/30	LKD	W11/30	23.50	15.86	7.64	4.01
R7/30	LKD	W12/30	26.69	25.62	1.07	3.49
R7/30	LKD	W13/30	26.35	25.43	0.92	2.96
R8/30	BEDROOM	W14/30	26.34	25.56	0.78	2.30
R9/30	BEDROOM	W15/30	26.53	25.92	0.61	



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
------	----------	------------------	----------------	-----------------	------------	-------

Viridian Apartments, 75 Battersea Park Road

R1/10	ASSUMED	274.0	77.8	75.2	2.6	3.3
R2/10	ASSUMED	179.5	75.7	75.5	0.2	0.3
R3/10	LKD	230.2	111.2	94.0	17.2	15.5
R4/10	BEDROOM	113.8	95.4	76.9	18.5	19.4
R5/10	BEDROOM	125.6	125.2	92.7	32.5	26.0
R6/10	LKD	235.6	143.3	134.8	8.5	5.9
R7/10	LKD	209.7	102.7	63.0	39.8	38.8
R8/10	BEDROOM	92.4	73.4	48.2	25.2	34.3
R9/10	BEDROOM	151.1	120.4	96.8	23.6	19.6
R10/10	LKD	220.8	113.7	73.0	40.7	35.8
R11/10	BEDROOM	92.7	80.4	51.1	29.3	36.4
R12/10	BEDROOM	128.0	105.5	62.0	43.5	41.2
R13/10	BEDROOM	115.3	97.8	60.0	37.8	38.7
R14/10	BEDROOM	90.1	73.8	26.5	47.4	64.2
R15/10	LKD	204.8	92.8	33.9	58.9	63.5
R16/10	LKD	214.4	91.3	34.3	57.0	62.4
R17/10	BEDROOM	122.4	95.9	32.3	63.5	66.2
R18/10	LKD	226.4	106.7	54.4	52.3	49.0
R19/10	BEDROOM	95.3	71.0	27.1	43.9	61.8
R20/10	BEDROOM	127.0	105.9	49.9	55.9	52.8
R21/10	BEDROOM	127.8	124.6	75.6	49.1	39.4
R22/10	BEDROOM	95.6	95.5	59.0	36.5	38.2
R23/10	LKD	223.8	207.0	89.5	117.5	56.8
R24/10	LKD	206.1	194.1	160.6	33.5	17.3
R25/10	BEDROOM	113.2	111.6	108.6	3.0	2.7
R26/10	LKD	120.7	112.8	111.5	1.3	1.2
R27/10	BEDROOM	75.4	74.8	74.8	0.0	0.0
R28/10	LKD	188.8	180.7	180.7	0.0	0.0
R29/10	BEDROOM	87.9	87.3	87.1	0.2	0.2
R1/11	ASSUMED	274.0	65.3	65.3	0.0	0.0
R2/11	ASSUMED	184.7	93.9	93.9	0.0	0.0
R3/11	LKD	230.2	70.4	64.4	6.0	8.5
R4/11	BEDROOM	113.8	99.6	91.9	7.7	7.7
R5/11	BEDROOM	125.6	91.1	79.6	11.5	12.6
R6/11	LKD	235.6	187.4	135.9	51.5	27.5
R7/11	LKD	230.8	185.8	77.0	108.8	58.6
R8/11	BEDROOM	97.5	92.5	51.5	41.0	44.3
R9/11	BEDROOM	127.3	104.9	63.2	41.8	39.8
R10/11	LKD	218.9	204.7	85.8	119.0	58.1
R11/11	BEDROOM	90.1	85.0	43.7	41.3	48.6
R12/11	BEDROOM	127.3	123.2	59.6	63.5	51.5
R13/11	BEDROOM	115.3	112.1	63.8	48.3	43.1
R14/11	BEDROOM	90.1	85.3	25.7	59.6	69.9
R15/11	LKD	204.8	187.5	31.7	155.7	83.0
R16/11	SITTINGROOM	230.5	213.5	44.6	168.9	79.1



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R17/11	BEDROOM	118.6	88.3	11.4	76.9	87.1
R18/11	LKD	226.4	195.8	40.0	155.9	79.6
R19/11	BEDROOM	95.3	91.6	19.1	72.4	79.0
R20/11	BEDROOM	127.0	123.4	45.5	77.9	63.1
R21/11	BEDROOM	127.8	123.7	37.5	86.2	69.7
R22/11	BEDROOM	95.6	91.5	27.1	64.4	70.4
R23/11	LKD	223.8	209.5	87.5	122.0	58.2
R24/11	BEDROOM	115.7	81.0	28.8	52.2	64.4
R25/11	LKD	211.3	197.4	187.4	10.0	5.1
R26/11	LKD	306.3	287.4	272.1	15.3	5.3
R27/11	BEDROOM	160.8	158.6	158.1	0.5	0.3
R28/11	BEDROOM	214.7	195.7	195.7	0.0	0.0
R1/12	ASSUMED	274.0	104.3	104.3	0.0	0.0
R2/12	ASSUMED	184.7	103.5	103.5	0.0	0.0
R3/12	LKD	230.2	77.4	72.2	5.2	6.7
R4/12	BEDROOM	113.8	102.9	97.3	5.6	5.4
R5/12	BEDROOM	125.6	94.0	83.5	10.5	11.2
R6/12	LKD	235.6	194.2	147.7	46.4	23.9
R7/12	LKD	230.8	204.6	99.5	105.1	51.4
R8/12	BEDROOM	97.5	92.8	59.8	32.9	35.5
R9/12	BEDROOM	127.3	126.3	91.1	35.2	27.9
R10/12	LKD	218.9	204.7	105.0	99.7	48.7
R11/12	BEDROOM	90.1	85.0	60.9	24.1	28.4
R12/12	BEDROOM	127.3	123.2	77.5	45.6	37.0
R13/12	BEDROOM	115.3	112.1	81.1	31.0	27.7
R14/12	BEDROOM	90.1	85.3	41.4	43.9	51.5
R15/12	LKD	204.8	188.8	47.9	141.0	74.7
R16/12	LKD	214.4	203.7	50.0	153.7	75.5
R17/12	BEDROOM	136.1	132.4	40.2	92.2	69.6
R18/12	LKD	226.4	214.7	50.0	164.8	76.8
R19/12	BEDROOM	95.3	91.6	25.1	66.5	72.6
R20/12	BEDROOM	127.0	123.4	49.3	74.2	60.1
R21/12	BEDROOM	127.8	123.7	45.7	78.1	63.1
R22/12	BEDROOM	95.6	91.7	30.3	61.4	67.0
R23/12	LKD	223.8	212.7	88.4	124.2	58.4
R24/12	LKD	206.1	192.7	128.0	64.7	33.6
R25/12	BEDROOM	113.2	110.9	108.4	2.5	2.3
R26/12	LKD	306.3	290.3	276.0	14.3	4.9
R27/12	BEDROOM	160.8	160.6	160.6	0.0	0.0
R28/12	BEDROOM	214.7	204.5	198.2	6.3	3.1
R1/13	ASSUMED	274.0	122.7	122.6	0.0	0.0
R2/13	ASSUMED	184.7	104.9	102.7	2.2	2.1
R3/13	LKD	230.2	87.9	84.0	3.8	4.3
R4/13	BEDROOM	113.8	104.6	100.8	3.8	3.6
R5/13	BEDROOM	125.6	123.3	115.2	8.0	6.5
R6/13	LKD	235.6	190.0	159.7	30.3	15.9
R7/13	LKD	220.7	208.0	136.6	71.4	34.3



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R8/13	BEDROOM	92.7	92.7	92.7	0.0	0.0
R9/13	BEDROOM	127.3	126.8	119.6	7.2	5.7
R10/13	BEDROOM	115.3	114.8	103.7	11.1	9.7
R11/13	BEDROOM	90.1	90.1	74.5	15.6	17.3
R12/13	LKD	204.8	190.6	91.2	99.4	52.2
R13/13	SITTINGROOM	230.5	219.6	82.9	136.7	62.2
R14/13	BEDROOM	118.6	88.3	25.4	62.9	71.2
R15/13	LKD	226.4	214.9	62.7	152.1	70.8
R16/13	BEDROOM	95.3	91.6	31.9	59.7	65.2
R17/13	BEDROOM	127.0	123.4	53.2	70.3	57.0
R18/13	BEDROOM	127.8	123.7	52.9	70.8	57.2
R19/13	BEDROOM	95.6	91.7	34.1	57.5	62.7
R20/13	LKD	223.8	212.7	90.3	122.3	57.5
R21/13	BEDROOM	115.7	83.7	30.4	53.2	63.6
R22/13	LKD	211.3	197.6	188.0	9.6	4.9
R23/13	LKD	306.3	292.2	285.1	7.1	2.4
R24/13	BEDROOM	160.8	158.7	158.3	0.4	0.3
R25/13	BEDROOM	214.7	206.5	206.5	0.0	0.0
R1/14	ASSUMED	274.0	148.6	148.5	0.1	0.1
R2/14	ASSUMED	184.7	120.5	120.5	0.0	0.0
R3/14	LKD	230.2	135.4	125.6	9.8	7.2
R4/14	BEDROOM	113.8	113.3	113.3	0.0	0.0
R5/14	ASSUMED	216.4	151.0	120.5	30.5	20.2
R6/14	LKD	214.4	203.7	105.1	98.6	48.4
R7/14	BEDROOM	136.1	132.4	93.7	38.7	29.2
R8/14	LKD	226.4	214.9	90.5	124.3	57.8
R9/14	BEDROOM	95.3	91.6	43.8	47.7	52.1
R10/14	BEDROOM	127.0	123.4	60.8	62.6	50.7
R11/14	BEDROOM	127.8	123.7	66.6	57.1	46.2
R12/14	BEDROOM	95.6	91.7	39.7	51.9	56.6
R13/14	LKD	223.8	212.7	97.8	114.8	54.0
R14/14	LKD	206.1	192.7	133.8	58.9	30.6
R15/14	BEDROOM	113.2	110.9	108.9	2.0	1.8
R16/14	LKD	306.3	292.2	287.8	4.4	1.5
R17/14	BEDROOM	160.8	160.6	160.6	0.0	0.0
R18/14	BEDROOM	214.7	204.7	198.2	6.5	3.2
R1/15	SITTINGROOM	212.9	200.4	194.8	5.6	2.8
R2/15	BEDROOM	104.7	104.7	104.7	0.0	0.0
R3/15	LKD	226.4	214.9	125.1	89.8	41.8
R4/15	BEDROOM	95.3	91.6	64.6	27.0	29.5
R5/15	BEDROOM	127.0	123.4	73.5	49.9	40.4
R6/15	BEDROOM	127.8	123.9	86.8	37.1	29.9
R7/15	BEDROOM	95.6	91.7	49.3	42.4	46.2
R8/15	LKD	223.8	212.7	108.7	104.0	48.9
R9/15	BEDROOM	115.7	83.9	38.7	45.2	53.9
R10/15	LKD	211.3	197.6	188.9	8.7	4.4
R11/15	LKD	306.3	292.2	290.1	2.1	0.7



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R12/15	BEDROOM	160.8	158.7	158.5	0.2	0.1
R13/15	BEDROOM	214.7	206.5	206.5	0.0	0.0
R1/16	LKD	226.4	217.5	186.9	30.6	14.1
R2/16	BEDROOM	95.3	95.3	94.4	0.9	0.9
R3/16	BEDROOM	127.0	126.5	115.3	11.2	8.9
R4/16	BEDROOM	127.8	127.6	119.3	8.3	6.5
R5/16	BEDROOM	95.6	95.6	90.0	5.6	5.9
R6/16	LKD	223.8	213.2	135.9	77.3	36.3
R7/16	LKD	189.6	179.9	161.8	18.1	10.1
R8/16	BEDROOM	98.8	98.8	98.7	0.1	0.1
R9/16	LKD	306.3	292.2	290.6	1.6	0.5
R10/16	BEDROOM	160.8	160.6	160.6	0.0	0.0
R11/16	BEDROOM	214.7	204.7	199.6	5.2	2.5
R1/17	LKD	306.3	292.3	290.6	1.7	0.6
R2/17	BEDROOM	160.8	158.7	158.7	0.0	0.0
R3/17	BEDROOM	214.7	206.5	206.5	0.0	0.0
R1/18	LKD	168.4	166.9	166.9	0.0	0.0
R2/18	BEDROOM	88.7	88.5	88.5	0.0	0.0

Battersea Power Station Phase 4 and 4A (Buildings A1.1-1.5)

R1/51	LD	271.5	266.4	260.5	5.9	2.2
R2/51	BEDROOM	151.5	120.6	120.6	0.0	0.0
R3/51	LD	182.1	167.0	70.3	96.6	57.8
R4/51	LD	288.1	287.3	156.0	131.3	45.7
R5/51	LD	286.9	271.5	208.8	62.8	23.1
R6/51	LD	196.4	111.2	96.2	15.0	13.5
R1/52	LKD	266.1	265.1	265.1	0.0	0.0
R2/52	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/52	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/52	LD	182.1	168.0	93.8	74.1	44.1
R5/52	LD	163.9	160.6	130.0	30.6	19.1
R6/52	BEDROOM	151.5	130.9	55.2	75.7	57.8
R7/52	BEDROOM	152.0	98.0	64.5	33.5	34.2
R8/52	LD	163.6	137.5	111.1	26.4	19.2
R9/52	LD	196.4	129.6	123.1	6.5	5.0
R1/53	LKD	266.1	265.1	265.1	0.0	0.0
R2/53	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/53	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/53	LD	182.1	168.2	136.2	32.0	19.0
R5/53	LD	163.9	162.0	152.3	9.6	5.9
R6/53	BEDROOM	151.5	125.1	57.1	68.0	54.4
R7/53	BEDROOM	152.0	83.3	32.6	50.7	60.9
R8/53	LD	163.6	148.6	147.9	0.7	0.5
R9/53	LD	196.4	159.1	150.8	8.3	5.2
R1/54	LKD	266.1	265.1	265.1	0.0	0.0
R2/54	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/54	BEDROOM	151.5	120.6	120.6	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R4/54	LD	182.1	168.2	150.9	17.3	10.3
R5/54	LD	163.9	162.0	157.8	4.2	2.6
R6/54	BEDROOM	151.5	136.0	73.7	62.3	45.8
R7/54	BEDROOM	152.0	124.4	117.8	6.6	5.3
R8/54	LD	163.6	151.6	149.5	2.1	1.4
R9/54	LD	196.4	171.9	163.8	8.1	4.7
R1/55	LKD	266.1	265.1	265.1	0.0	0.0
R2/55	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/55	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/55	LD	182.1	168.2	154.6	13.6	8.1
R5/55	LD	163.9	162.0	159.6	2.3	1.4
R6/55	BEDROOM	151.5	127.0	71.5	55.5	43.7
R7/55	BEDROOM	152.0	119.3	110.8	8.5	7.1
R8/55	LD	163.6	159.9	159.7	0.2	0.1
R9/55	LD	196.4	181.7	177.8	3.9	2.1
R1/56	LKD	266.1	265.1	265.1	0.0	0.0
R2/56	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/56	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/56	LD	182.1	168.2	157.6	10.6	6.3
R5/56	LD	163.9	162.1	159.8	2.2	1.4
R6/56	BEDROOM	151.5	137.6	92.1	45.5	33.1
R7/56	BEDROOM	152.0	138.7	138.7	0.0	0.0
R8/56	LD	163.6	161.0	160.6	0.5	0.3
R9/56	LD	196.4	184.2	183.8	0.4	0.2
R1/57	LKD	266.1	265.1	265.1	0.0	0.0
R2/57	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/57	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/57	LD	182.1	168.2	158.0	10.2	6.1
R5/57	LD	163.9	162.1	160.0	2.1	1.3
R6/57	BEDROOM	151.5	137.6	86.7	50.8	36.9
R7/57	BEDROOM	152.0	138.7	138.5	0.2	0.1
R8/57	LD	163.6	161.0	161.0	0.0	0.0
R9/57	LD	196.4	184.2	184.2	0.0	0.0
R1/58	LKD	266.1	265.1	265.1	0.0	0.0
R2/58	BEDROOM	138.2	133.1	128.2	4.9	3.7
R3/58	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/58	LD	182.1	168.2	158.0	10.2	6.1
R5/58	LD	163.9	162.1	159.8	2.2	1.4
R6/58	BEDROOM	151.5	137.6	95.5	42.0	30.5
R7/58	BEDROOM	152.0	138.7	138.7	0.0	0.0
R8/58	LD	163.6	161.0	160.8	0.2	0.1
R9/58	LD	196.4	184.4	184.2	0.1	0.1
R1/59	LKD	266.1	265.1	265.1	0.0	0.0
R2/59	BEDROOM	138.2	133.9	129.3	4.7	3.5
R3/59	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/59	LD	182.1	168.4	163.9	4.5	2.7
R5/59	LD	163.9	162.1	160.2	1.8	1.1



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R6/59	BEDROOM	151.5	137.6	108.5	29.1	21.1
R7/59	BEDROOM	152.0	138.7	138.7	0.0	0.0
R8/59	LD	163.6	161.0	161.0	0.0	0.0
R9/59	LD	196.4	186.3	186.3	0.0	0.0
R1/60	LD	178.6	177.2	177.2	0.0	0.0
R2/60	BEDROOM	137.2	131.6	125.3	6.3	4.8
R3/60	BEDROOM	134.8	124.4	86.8	37.5	30.1
R4/60	KITCHEN	74.3	63.6	56.1	7.5	11.8
R5/60	LD	217.3	209.3	207.5	1.8	0.9
R6/60	BEDROOM	128.1	102.1	72.3	29.8	29.2
R7/60	BEDROOM	139.9	114.9	114.9	0.0	0.0
R8/60	LD	189.7	186.4	186.4	0.0	0.0
R1/61	LD	178.6	177.2	177.2	0.0	0.0
R2/61	BEDROOM	137.2	131.6	125.3	6.3	4.8
R3/61	BEDROOM	134.8	124.4	91.0	33.4	26.8
R4/61	KITCHEN	74.3	63.8	59.2	4.5	7.1
R5/61	LD	217.3	209.2	207.4	1.8	0.9
R6/61	BEDROOM	128.1	102.2	87.1	15.1	14.8
R7/61	BEDROOM	139.9	114.8	114.8	0.0	0.0
R8/61	LD	189.7	186.5	186.5	0.0	0.0
R1/62	LD	178.6	177.2	177.2	0.0	0.0
R2/62	BEDROOM	137.2	131.6	125.3	6.3	4.8
R3/62	BEDROOM	134.8	124.4	96.7	27.7	22.3
R4/62	KITCHEN	74.3	63.8	63.8	0.0	0.0
R5/62	LD	217.3	209.2	207.4	1.8	0.9
R6/62	BEDROOM	128.1	102.2	102.2	0.0	0.0
R7/62	BEDROOM	139.9	114.8	114.8	0.0	0.0
R8/62	LD	189.7	187.1	187.1	0.0	0.0
R1/63	LD	178.6	177.2	177.2	0.0	0.0
R2/63	BEDROOM	137.2	131.6	125.3	6.3	4.8
R3/63	BEDROOM	134.8	124.4	106.6	17.8	14.3
R4/63	KITCHEN	74.3	63.8	63.8	0.0	0.0
R5/63	LD	217.3	209.2	207.4	1.8	0.9
R6/63	BEDROOM	128.1	102.2	102.2	0.0	0.0
R7/63	BEDROOM	139.9	114.8	114.8	0.0	0.0
R8/63	LD	189.7	188.0	188.0	0.0	0.0
R1/64	LD	178.6	177.2	177.2	0.0	0.0
R2/64	BEDROOM	137.2	131.6	131.3	0.3	0.2
R3/64	BEDROOM	134.8	124.4	124.4	0.0	0.0
R4/64	KITCHEN	74.3	63.8	63.8	0.0	0.0
R5/64	LD	217.3	209.2	209.2	0.0	0.0
R6/64	BEDROOM	128.1	102.2	102.2	0.0	0.0
R7/64	BEDROOM	139.9	114.8	114.8	0.0	0.0
R8/64	LD	189.7	188.0	188.0	0.0	0.0
R1/71	LKD	251.6	153.6	140.0	13.6	8.9
R2/71	LD	286.9	276.2	244.0	32.2	11.7
R3/71	LD	287.4	265.0	251.3	13.7	5.2



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R4/71	LD	195.5	110.8	110.8	0.0	0.0
R1/72	LKD	251.6	159.0	148.7	10.3	6.5
R2/72	LD	170.2	155.2	122.2	32.9	21.2
R3/72	BEDROOM	152.3	72.8	65.1	7.7	10.6
R4/72	BEDROOM	152.4	88.8	88.8	0.0	0.0
R5/72	LD	164.4	150.2	136.1	14.1	9.4
R6/72	LD	195.5	140.6	140.6	0.0	0.0
R1/73	LKD	251.6	170.1	163.7	6.5	3.8
R2/73	LD	170.2	160.7	140.6	20.0	12.4
R3/73	BEDROOM	152.3	91.8	86.9	4.9	5.3
R4/73	BEDROOM	152.4	97.4	95.2	2.2	2.3
R5/73	LD	164.4	158.3	152.3	6.0	3.8
R6/73	LD	195.5	145.4	145.4	0.0	0.0
R1/74	LKD	251.6	192.9	187.9	4.9	2.5
R2/74	LD	170.2	162.4	157.5	4.8	3.0
R3/74	BEDROOM	152.3	128.1	111.5	16.6	13.0
R4/74	BEDROOM	152.4	107.2	100.1	7.1	6.6
R5/74	LD	164.4	159.7	157.3	2.4	1.5
R6/74	LD	195.5	150.7	150.7	0.0	0.0
R1/75	LKD	251.6	203.2	201.9	1.2	0.6
R2/75	LD	170.2	164.3	161.6	2.7	1.6
R3/75	BEDROOM	152.3	132.5	126.4	6.1	4.6
R4/75	BEDROOM	152.4	111.3	107.7	3.7	3.3
R5/75	LD	164.4	162.5	161.9	0.7	0.4
R6/75	LD	195.5	151.8	151.8	0.0	0.0
R1/76	LKD	251.6	223.8	223.4	0.4	0.2
R2/76	LD	170.2	164.7	164.0	0.6	0.4
R3/76	BEDROOM	152.3	141.2	137.6	3.6	2.5
R4/76	BEDROOM	152.4	130.6	130.6	0.0	0.0
R5/76	LD	164.4	162.6	162.5	0.0	0.0
R6/76	LD	195.5	157.0	157.0	0.0	0.0
R1/77	LKD	251.6	229.0	229.0	0.0	0.0
R2/77	LD	170.2	168.1	168.1	0.0	0.0
R3/77	BEDROOM	152.3	142.4	140.7	1.8	1.3
R4/77	BEDROOM	152.4	142.9	142.9	0.0	0.0
R5/77	LD	164.4	162.6	162.6	0.0	0.0
R6/77	LD	195.5	157.1	157.1	0.0	0.0
R1/78	KITCHEN	74.0	19.7	19.7	0.0	0.0
R2/78	BEDROOM	135.3	35.7	35.7	0.0	0.0
R3/78	LKD	264.2	258.6	258.6	0.0	0.0
R4/78	LD	217.0	207.3	198.6	8.7	4.2
R5/78	BEDROOM	127.8	115.1	112.3	2.8	2.4
R6/78	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/78	LD	188.5	186.2	186.2	0.0	0.0
R1/79	KITCHEN	74.0	21.1	21.1	0.0	0.0
R2/79	BEDROOM	135.3	38.1	38.1	0.0	0.0
R3/79	LKD	264.2	258.6	258.6	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R4/79	LD	217.0	207.3	205.4	1.9	0.9
R5/79	BEDROOM	127.8	115.1	114.8	0.3	0.3
R6/79	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/79	LD	188.5	186.5	186.5	0.0	0.0
R1/80	KITCHEN	74.0	25.3	25.3	0.0	0.0
R2/80	BEDROOM	135.3	40.7	40.7	0.0	0.0
R3/80	LKD	264.2	258.7	258.7	0.0	0.0
R4/80	LD	217.0	207.3	207.3	0.0	0.0
R5/80	BEDROOM	127.8	115.1	115.1	0.0	0.0
R6/80	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/80	LD	188.5	186.5	186.5	0.0	0.0
R1/81	KITCHEN	74.0	33.6	33.6	0.0	0.0
R2/81	BEDROOM	135.3	46.7	46.7	0.0	0.0
R3/81	LKD	264.2	258.7	258.7	0.0	0.0
R4/81	LD	217.0	207.3	207.3	0.0	0.0
R5/81	BEDROOM	127.8	115.1	115.1	0.0	0.0
R6/81	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/81	LD	188.5	186.5	186.5	0.0	0.0
R1/82	KITCHEN	74.0	64.5	64.5	0.0	0.0
R2/82	BEDROOM	135.3	70.7	70.7	0.0	0.0
R3/82	LKD	264.2	258.7	258.7	0.0	0.0
R4/82	LD	217.0	208.0	208.0	0.0	0.0
R5/82	BEDROOM	127.8	115.2	115.2	0.0	0.0
R6/82	BEDROOM	140.5	128.0	128.0	0.0	0.0
R7/82	LD	188.5	186.5	186.5	0.0	0.0
R1/91	LKD	250.4	126.7	126.2	0.5	0.4
R2/91	BEDROOM	113.0	37.5	26.4	11.0	29.3
R3/91	BEDROOM	134.1	126.4	122.8	3.6	2.8
R4/91	BEDROOM	94.8	90.2	90.2	0.0	0.0
R5/91	BEDROOM	84.1	50.4	50.4	0.0	0.0
R6/91	LD	308.1	306.6	306.6	0.0	0.0
R7/91	LD	209.7	189.4	189.4	0.0	0.0
R1/92	LKD	250.4	141.2	140.2	0.9	0.6
R2/92	BEDROOM	113.0	37.9	30.6	7.4	19.5
R3/92	BEDROOM	134.1	128.7	128.7	0.0	0.0
R4/92	BEDROOM	94.8	86.7	86.3	0.4	0.5
R5/92	BEDROOM	84.1	52.2	52.2	0.0	0.0
R6/92	LD	308.1	306.6	306.1	0.5	0.2
R7/92	LD	209.7	189.5	189.5	0.0	0.0
R1/93	LKD	250.4	164.2	159.1	5.1	3.1
R2/93	BEDROOM	113.0	38.1	33.2	4.9	12.9
R3/93	BEDROOM	134.1	130.1	130.1	0.0	0.0
R4/93	BEDROOM	94.8	90.2	90.2	0.0	0.0
R5/93	BEDROOM	84.1	54.7	54.7	0.0	0.0
R6/93	LD	308.1	306.6	306.6	0.0	0.0
R7/93	LD	209.7	189.5	189.5	0.0	0.0
R1/94	LKD	250.4	194.3	186.9	7.4	3.8



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R2/94	BEDROOM	113.0	38.2	34.8	3.4	8.9
R3/94	BEDROOM	134.1	130.4	130.4	0.0	0.0
R4/94	BEDROOM	94.8	90.2	90.2	0.0	0.0
R5/94	BEDROOM	84.1	58.1	58.1	0.0	0.0
R6/94	LD	308.1	306.6	306.6	0.0	0.0
R7/94	LD	209.7	189.8	189.8	0.0	0.0
R1/95	LKD	250.4	196.2	192.1	4.1	2.1
R2/95	BEDROOM	113.0	38.9	38.4	0.5	1.3
R3/95	BEDROOM	134.1	130.1	130.1	0.0	0.0
R4/95	BEDROOM	94.8	92.5	92.5	0.0	0.0
R5/95	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/95	LD	308.1	306.6	306.6	0.0	0.0
R7/95	LD	209.7	192.0	192.0	0.0	0.0
R1/96	LKD	250.4	205.0	204.4	0.6	0.3
R2/96	BEDROOM	113.0	39.5	39.3	0.1	0.3
R3/96	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/96	BEDROOM	94.8	93.1	93.1	0.0	0.0
R5/96	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/96	LD	308.1	306.6	306.6	0.0	0.0
R7/96	LD	209.7	194.5	194.5	0.0	0.0
R1/97	LKD	250.4	207.5	207.4	0.1	0.0
R2/97	BEDROOM	113.0	40.7	40.5	0.1	0.2
R3/97	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/97	BEDROOM	94.8	94.4	94.4	0.0	0.0
R5/97	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/97	LD	308.1	306.6	306.6	0.0	0.0
R7/97	LD	209.7	194.5	194.5	0.0	0.0
R1/98	LKD	217.1	166.5	166.2	0.3	0.2
R2/98	BEDROOM	113.0	42.6	42.6	0.0	0.0
R3/98	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/98	BEDROOM	94.8	94.4	94.4	0.0	0.0
R5/98	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/98	LD	308.1	306.6	306.6	0.0	0.0
R7/98	LD	209.7	195.4	195.4	0.0	0.0
R1/99	LKD	217.1	166.5	166.5	0.0	0.0
R2/99	BEDROOM	113.0	51.7	51.7	0.0	0.0
R3/99	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/99	BEDROOM	94.8	94.4	94.4	0.0	0.0
R5/99	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/99	LD	308.1	306.6	306.6	0.0	0.0
R7/99	LD	209.7	195.4	195.4	0.0	0.0
R1/100	LKD	217.1	166.5	166.5	0.0	0.0
R2/100	KITCHEN	67.4	56.5	56.5	0.0	0.0
R3/100	LD	169.2	165.5	165.5	0.0	0.0
R4/100	BEDROOM	152.1	137.5	137.5	0.0	0.0
R5/100	BEDROOM	151.9	136.9	136.9	0.0	0.0
R6/100	LD	164.0	161.4	161.4	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R7/100	LD	209.7	195.4	195.4	0.0	0.0
R1/101	LKD	217.1	190.7	190.7	0.0	0.0
R2/101	KITCHEN	67.4	61.0	61.0	0.0	0.0
R3/101	LD	169.2	167.5	167.5	0.0	0.0
R4/101	BEDROOM	152.1	137.5	137.5	0.0	0.0
R5/101	BEDROOM	151.9	136.9	136.9	0.0	0.0
R6/101	LD	164.0	163.3	163.3	0.0	0.0
R7/101	LD	209.7	200.4	200.4	0.0	0.0
R1/102	KITCHEN	74.1	63.9	63.9	0.0	0.0
R2/102	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/102	BEDROOM	137.2	136.9	136.9	0.0	0.0
R4/102	LD	216.5	207.6	207.6	0.0	0.0
R5/102	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/102	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/102	LD	188.3	188.1	188.1	0.0	0.0
R1/103	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/103	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/103	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/103	LD	216.5	207.6	207.6	0.0	0.0
R5/103	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/103	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/103	LD	188.3	188.1	188.1	0.0	0.0
R1/104	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/104	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/104	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/104	LD	216.5	207.6	207.6	0.0	0.0
R5/104	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/104	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/104	LD	188.3	188.1	188.1	0.0	0.0
R1/105	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/105	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/105	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/105	LD	216.5	207.6	207.6	0.0	0.0
R5/105	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/105	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/105	LD	188.3	188.1	188.1	0.0	0.0
R1/106	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/106	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/106	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/106	LD	216.5	207.6	207.6	0.0	0.0
R5/106	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/106	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/106	LD	188.3	188.1	188.1	0.0	0.0
R1/107	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/107	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/107	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/107	LD	216.5	207.6	207.6	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R5/107	BEDROOM	128.6	105.3	105.3	0.0	0.0
R6/107	BEDROOM	140.6	116.6	116.6	0.0	0.0
R7/107	LD	188.3	188.1	188.1	0.0	0.0
R1/111	LKD	313.2	278.4	278.4	0.0	0.0
R2/111	BEDROOM	117.8	57.6	57.6	0.0	0.0
R3/111	BEDROOM	148.0	142.7	142.7	0.0	0.0
R4/111	BEDROOM	86.2	70.3	70.3	0.0	0.0
R5/111	BEDROOM	84.1	55.3	55.3	0.0	0.0
R6/111	LKD	413.5	378.0	374.9	3.1	0.8
R7/111	LKD	307.6	293.5	293.5	0.0	0.0
R1/112	LKD	313.2	288.3	288.3	0.0	0.0
R2/112	BEDROOM	117.8	61.0	61.0	0.0	0.0
R3/112	BEDROOM	148.0	142.7	142.7	0.0	0.0
R4/112	BEDROOM	86.2	71.6	71.6	0.0	0.0
R5/112	BEDROOM	84.1	58.8	58.8	0.0	0.0
R6/112	LKD	413.5	379.1	377.5	1.6	0.4
R7/112	LKD	307.6	293.5	293.5	0.0	0.0
R1/113	LKD	313.2	289.6	289.6	0.0	0.0
R2/113	BEDROOM	117.8	65.1	65.1	0.0	0.0
R3/113	BEDROOM	148.0	142.7	142.7	0.0	0.0
R4/113	BEDROOM	86.2	73.5	73.5	0.0	0.0
R5/113	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/113	LKD	413.5	394.7	394.7	0.0	0.0
R7/113	LKD	307.6	293.5	293.5	0.0	0.0
R1/114	LKD	313.2	289.6	289.6	0.0	0.0
R2/114	BEDROOM	117.8	65.9	65.9	0.0	0.0
R3/114	BEDROOM	148.0	142.8	142.8	0.0	0.0
R4/114	BEDROOM	86.2	77.3	77.3	0.0	0.0
R5/114	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/114	LKD	413.5	394.9	394.9	0.0	0.0
R7/114	LKD	307.6	293.5	293.5	0.0	0.0
R1/115	LKD	313.2	289.6	289.6	0.0	0.0
R2/115	BEDROOM	117.8	66.1	66.1	0.0	0.0
R3/115	BEDROOM	148.0	145.6	145.6	0.0	0.0
R4/115	BEDROOM	86.2	82.1	82.1	0.0	0.0
R5/115	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/115	LKD	413.5	395.1	395.1	0.0	0.0
R7/115	LKD	307.6	293.7	293.7	0.0	0.0
R1/116	LKD	313.2	289.6	289.6	0.0	0.0
R2/116	BEDROOM	117.8	66.1	66.1	0.0	0.0
R3/116	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/116	BEDROOM	86.2	82.1	82.1	0.0	0.0
R5/116	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/116	LKD	413.5	399.9	399.9	0.0	0.0
R7/116	LKD	307.6	294.9	294.9	0.0	0.0
R1/117	LKD	313.2	289.8	289.8	0.0	0.0
R2/117	BEDROOM	117.8	67.5	67.5	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R3/117	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/117	BEDROOM	86.2	82.1	82.1	0.0	0.0
R5/117	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/117	LKD	413.5	411.1	411.1	0.0	0.0
R7/117	LKD	307.6	295.5	295.5	0.0	0.0
R1/118	LKD	313.2	289.8	289.8	0.0	0.0
R2/118	BEDROOM	117.8	66.4	66.4	0.0	0.0
R3/118	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/118	BEDROOM	86.2	82.8	82.8	0.0	0.0
R5/118	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/118	LKD	413.5	413.1	413.1	0.0	0.0
R7/118	LKD	307.6	300.6	300.6	0.0	0.0
R1/119	LKD	313.2	291.2	291.2	0.0	0.0
R2/119	BEDROOM	117.8	67.6	67.6	0.0	0.0
R3/119	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/119	BEDROOM	86.2	82.8	82.8	0.0	0.0
R5/119	BEDROOM	84.1	61.4	61.4	0.0	0.0
R6/119	LKD	413.5	413.3	413.3	0.0	0.0
R7/119	LKD	307.6	301.3	301.3	0.0	0.0
R1/120	KITCHEN	73.9	29.2	29.2	0.0	0.0
R2/120	BEDROOM	135.0	48.3	48.3	0.0	0.0
R3/120	LKD	263.4	257.1	257.1	0.0	0.0
R4/120	LD	216.7	207.4	207.4	0.0	0.0
R5/120	BEDROOM	127.7	115.2	115.2	0.0	0.0
R6/120	BEDROOM	139.7	128.1	128.1	0.0	0.0
R7/120	LD	188.6	187.0	187.0	0.0	0.0
R1/121	LKD	263.4	257.4	257.4	0.0	0.0
R2/121	KITCHEN	73.9	30.2	30.2	0.0	0.0
R3/121	BEDROOM	135.0	50.0	50.0	0.0	0.0
R4/121	LD	216.7	207.4	207.4	0.0	0.0
R5/121	BEDROOM	127.7	115.2	115.2	0.0	0.0
R6/121	BEDROOM	139.7	128.1	128.1	0.0	0.0
R7/121	LD	188.6	187.0	187.0	0.0	0.0
R1/122	LKD	263.4	257.5	257.5	0.0	0.0
R2/122	KITCHEN	73.9	32.3	32.3	0.0	0.0
R3/122	BEDROOM	135.0	52.2	52.2	0.0	0.0
R4/122	LD	216.7	207.4	207.4	0.0	0.0
R5/122	BEDROOM	127.7	115.8	115.8	0.0	0.0
R6/122	BEDROOM	139.7	128.4	128.4	0.0	0.0
R7/122	LD	188.6	187.0	187.0	0.0	0.0

Battersea Power Station Phase 4 and 4A (Building A2)

R1/41	LKD	269.4	265.3	265.3	0.0	0.0
R2/41	LD	236.9	171.5	171.5	0.0	0.0
R3/41	BEDROOM	132.2	126.4	126.4	0.0	0.8
R4/41	BEDROOM	137.8	124.0	124.0	0.0	0.0
R5/41	BEDROOM	149.8	133.0	131.9	1.0	21.1



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R6/41	LKD	331.0	309.6	309.6	0.0	0.0
R7/41	BEDROOM	149.1	95.1	75.0	20.1	6.9
R8/41	KITCHEN	66.0	56.8	56.8	0.0	0.0
R9/41	LD	274.2	157.8	146.9	10.9	0.0
R10/41	BEDROOM	127.1	69.3	69.3	0.0	0.0
R11/41	BEDROOM	133.6	131.0	131.0	0.0	0.0
R1/42	LKD	269.4	267.2	267.2	0.0	0.0
R2/42	LD	236.9	202.5	202.5	0.0	0.0
R3/42	BEDROOM	132.2	126.7	126.7	0.0	0.2
R4/42	BEDROOM	137.8	134.1	134.1	0.0	0.0
R5/42	BEDROOM	149.8	133.4	133.1	0.3	16.6
R6/42	LKD	331.0	321.4	321.4	0.0	0.0
R7/42	BEDROOM	149.1	95.6	79.8	15.9	6.0
R8/42	KITCHEN	66.0	59.1	59.1	0.0	0.0
R9/42	LD	274.2	164.8	154.9	9.9	0.0
R10/42	BEDROOM	127.1	78.1	78.1	0.0	0.0
R11/42	BEDROOM	133.6	131.4	131.4	0.0	0.0
R1/43	LKD	269.4	267.2	267.2	0.0	0.0
R2/43	LD	236.9	236.0	236.0	0.0	0.0
R3/43	BEDROOM	132.2	126.7	126.7	0.0	0.0
R4/43	BEDROOM	137.8	134.1	134.1	0.0	0.0
R5/43	BEDROOM	149.8	133.4	133.4	0.0	13.8
R6/43	LKD	331.0	327.7	327.7	0.0	0.0
R7/43	BEDROOM	149.1	96.4	83.1	13.3	4.9
R8/43	KITCHEN	66.0	60.3	60.3	0.0	0.0
R9/43	LD	274.2	170.1	161.7	8.4	0.0
R10/43	BEDROOM	127.1	90.0	90.0	0.0	0.0
R11/43	BEDROOM	133.6	131.4	131.4	0.0	0.0
R1/44	LKD	269.4	267.2	267.2	0.0	0.0
R2/44	LD	236.9	236.0	236.0	0.0	0.0
R3/44	BEDROOM	132.2	126.7	126.7	0.0	0.0
R4/44	BEDROOM	137.8	134.1	134.1	0.0	0.0
R5/44	BEDROOM	149.8	133.4	133.4	0.0	5.1
R6/44	LKD	331.0	327.8	327.8	0.0	0.0
R7/44	BEDROOM	149.1	97.2	92.1	5.0	0.9
R8/44	KITCHEN	66.0	61.8	61.8	0.0	0.0
R9/44	LD	274.2	211.1	209.1	2.0	0.0
R10/44	BEDROOM	127.1	120.3	120.3	0.0	0.0
R11/44	BEDROOM	133.6	131.4	131.4	0.0	0.0
R1/45	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/45	BEDROOM	128.6	125.2	125.2	0.0	0.7
R3/45	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/45	LKD	324.5	319.4	317.1	2.3	0.0
R5/45	BEDROOM	86.5	81.0	81.0	0.0	0.0
R6/45	BEDROOM	136.1	133.3	133.3	0.0	0.0
R7/45	BEDROOM	125.8	123.9	123.9	0.0	0.0
R1/46	BEDROOM	102.7	92.2	92.2	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R2/46	BEDROOM	128.6	125.2	125.2	0.0	0.5
R3/46	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/46	LKD	324.5	319.4	317.9	1.5	0.0
R5/46	BEDROOM	86.5	82.0	82.0	0.0	0.0
R6/46	BEDROOM	136.1	133.2	133.2	0.0	0.0
R7/46	BEDROOM	125.8	123.9	123.9	0.0	0.0
R1/47	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/47	BEDROOM	128.6	125.2	125.2	0.0	0.0
R3/47	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/47	LKD	324.5	319.4	319.4	0.0	0.0
R5/47	BATHROOM	86.7	82.6	82.6	0.0	0.0
R6/47	BEDROOM	132.5	129.4	129.4	0.0	0.0
R7/47	BEDROOM	157.7	148.3	148.3	0.0	0.0
R1/48	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/48	BEDROOM	128.6	125.2	125.2	0.0	0.0
R3/48	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/48	LKD	324.5	321.4	321.4	0.0	0.0
R5/48	BATHROOM	86.7	84.3	84.3	0.0	0.0
R6/48	BEDROOM	132.5	129.4	129.4	0.0	0.0
R7/48	BEDROOM	157.7	149.3	149.3	0.0	0.6

Battersea Power Station Phase 4 and 4A (Building A3)

R1/21	LKD	351.9	322.5	320.5	2.0	2.0
R2/21	BEDROOM	91.3	87.6	87.6	0.0	22.2
R3/21	BEDROOM	135.5	124.8	122.3	2.5	18.8
R4/21	BEDROOM	145.3	137.2	106.8	30.4	30.9
R5/21	LKD	305.7	289.3	235.1	54.3	35.0
R6/21	BEDROOM	91.0	87.7	60.5	27.1	23.8
R7/21	BEDROOM	135.9	128.8	83.7	45.1	8.7
R8/21	BEDROOM	147.1	143.2	109.0	34.1	30.6
R9/21	BEDROOM	92.1	89.6	81.7	7.8	38.7
R10/21	LD	299.8	280.7	194.7	86.0	83.2
R11/21	KITCHEN	82.6	82.5	50.6	31.9	85.9
R12/21	BEDROOM	143.2	142.0	23.8	118.2	84.9
R13/21	BEDROOM	144.8	143.0	20.2	122.9	8.3
R14/21	BEDROOM	105.3	104.7	15.8	88.9	15.6
R15/21	BEDROOM	149.8	111.5	102.3	9.2	34.3
R16/21	BEDROOM	131.8	97.0	81.9	15.1	28.8
R17/21	BEDROOM	90.8	17.8	11.7	6.1	0.7
R18/21	LD	236.4	90.2	64.2	26.0	0.0
R19/21	BEDROOM	144.4	81.9	81.3	0.6	20.1
R20/21	BEDROOM	129.4	52.3	52.3	0.0	0.3
R21/21	LD	245.7	36.8	29.4	7.4	0.0
R1/22	LKD	351.9	327.6	326.5	1.1	1.2
R2/22	BEDROOM	91.3	87.6	87.6	0.0	17.9
R3/22	BEDROOM	135.5	124.8	123.3	1.5	15.6
R4/22	BEDROOM	145.3	137.2	112.6	24.5	28.5



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R5/22	LKD	305.7	289.3	244.3	45.1	33.3
R6/22	BEDROOM	91.0	88.4	63.2	25.2	22.2
R7/22	BEDROOM	135.9	129.1	86.2	43.0	7.6
R8/22	BEDROOM	147.1	143.2	111.4	31.8	31.1
R9/22	BEDROOM	92.1	89.6	82.8	6.8	38.3
R10/22	LD	299.8	282.8	195.0	87.9	82.0
R11/22	KITCHEN	82.6	82.5	50.8	31.6	85.6
R12/22	BEDROOM	143.2	142.0	25.6	116.5	83.9
R13/22	BEDROOM	144.8	143.0	20.6	122.4	6.7
R14/22	BEDROOM	105.3	104.7	16.9	87.8	6.6
R15/22	BEDROOM	149.8	119.4	111.3	8.0	22.6
R16/22	BEDROOM	131.8	104.7	97.8	6.9	15.2
R17/22	BEDROOM	90.8	27.0	20.9	6.1	0.6
R18/22	LD	236.4	102.5	86.9	15.6	0.0
R19/22	BEDROOM	144.4	93.6	93.0	0.6	14.7
R20/22	BEDROOM	129.4	62.3	62.3	0.0	0.3
R21/22	LD	245.4	50.5	43.1	7.4	0.0
R1/23	LKD	351.9	332.8	331.9	0.9	0.8
R2/23	BEDROOM	91.3	87.6	87.6	0.0	15.8
R3/23	BEDROOM	135.5	124.8	123.8	1.0	13.3
R4/23	BEDROOM	145.3	137.2	115.4	21.7	26.4
R5/23	LKD	305.7	289.3	251.0	38.4	32.8
R6/23	BEDROOM	91.0	88.4	65.1	23.3	21.4
R7/23	BEDROOM	135.9	129.1	86.8	42.3	6.4
R8/23	BEDROOM	147.1	143.2	112.6	30.6	31.0
R9/23	BEDROOM	92.1	89.6	83.9	5.7	38.1
R10/23	LD	299.8	282.8	195.1	87.7	81.9
R11/23	KITCHEN	82.6	82.5	51.1	31.4	85.0
R12/23	BEDROOM	143.2	142.0	25.7	116.3	82.1
R13/23	BEDROOM	144.8	143.0	21.5	121.5	5.1
R14/23	BEDROOM	105.3	104.7	18.6	86.0	3.1
R15/23	BEDROOM	149.8	123.4	117.1	6.3	14.4
R16/23	BEDROOM	131.8	106.8	103.6	3.3	10.8
R17/23	BEDROOM	90.8	38.2	32.7	5.5	0.6
R18/23	LD	236.4	129.1	115.1	14.0	0.0
R19/23	BEDROOM	144.4	99.4	98.8	0.6	10.4
R20/23	BEDROOM	129.4	66.0	66.0	0.0	0.0
R21/23	LD	245.4	71.1	63.7	7.4	0.0
R1/24	LKD	351.9	333.8	333.8	0.0	0.0
R2/24	BEDROOM	91.3	87.6	87.6	0.0	12.1
R3/24	BEDROOM	135.5	124.8	124.8	0.0	10.1
R4/24	BEDROOM	145.3	137.2	120.5	16.6	24.3
R5/24	LKD	305.7	289.8	260.6	29.2	31.9
R6/24	BEDROOM	91.0	88.4	66.9	21.5	20.2
R7/24	BEDROOM	135.9	129.1	88.0	41.2	5.2
R8/24	BEDROOM	147.1	143.2	114.3	28.9	31.0
R9/24	BEDROOM	92.1	89.6	84.9	4.7	36.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R10/24	LD	299.8	282.8	195.1	87.7	81.1
R11/24	KITCHEN	82.6	82.5	52.7	29.7	83.5
R12/24	BEDROOM	143.2	142.0	26.9	115.1	80.7
R13/24	BEDROOM	144.8	143.0	23.7	119.4	0.5
R14/24	BEDROOM	111.1	110.5	21.3	89.2	1.3
R15/24	BEDROOM	141.0	120.1	119.5	0.6	1.4
R16/24	BEDROOM	149.1	120.1	118.5	1.6	0.0
R17/24	LD	307.0	156.2	153.9	2.2	0.5
R18/24	BEDROOM	91.8	64.2	64.2	0.0	0.0
R19/24	BEDROOM	142.7	109.8	109.2	0.5	6.8
R20/24	BEDROOM	128.2	69.4	69.4	0.0	0.0
R21/24	LD	245.3	105.7	98.5	7.2	0.0
R1/25	LKD	351.9	333.9	333.9	0.0	0.0
R2/25	BEDROOM	91.3	87.6	87.6	0.0	11.2
R3/25	BEDROOM	135.5	124.8	124.8	0.0	7.2
R4/25	BEDROOM	145.3	137.2	121.9	15.3	24.1
R5/25	LKD	305.7	289.8	268.9	20.9	31.5
R6/25	BEDROOM	91.0	88.4	67.1	21.3	19.7
R7/25	BEDROOM	135.9	129.1	88.4	40.7	5.0
R8/25	BEDROOM	147.1	143.2	115.0	28.2	30.8
R9/25	BEDROOM	92.1	89.6	85.1	4.5	35.0
R10/25	LD	299.8	284.1	196.6	87.5	78.0
R11/25	KITCHEN	82.6	82.5	53.6	28.9	80.8
R12/25	BEDROOM	143.2	142.0	31.3	110.7	76.6
R13/25	BEDROOM	144.8	143.0	27.4	115.6	0.5
R14/25	BEDROOM	111.1	110.5	25.9	84.6	0.3
R15/25	BEDROOM	141.0	122.5	121.9	0.6	1.0
R16/25	BEDROOM	149.1	122.8	122.5	0.4	0.0
R17/25	LD	307.0	221.5	219.3	2.2	0.4
R18/25	BEDROOM	91.8	66.8	66.8	0.0	0.0
R19/25	BEDROOM	142.7	113.2	112.7	0.5	4.4
R20/25	BEDROOM	128.2	72.3	72.3	0.0	0.0
R21/25	LD	245.3	156.5	149.5	6.9	0.0
R1/26	LKD	351.9	334.5	334.5	0.0	0.0
R2/26	BEDROOM	91.3	87.6	87.6	0.0	7.7
R3/26	BEDROOM	135.5	124.8	124.8	0.0	6.7
R4/26	BEDROOM	145.3	137.2	126.6	10.5	23.9
R5/26	LKD	305.7	290.0	270.7	19.4	28.8
R6/26	BEDROOM	91.0	88.4	67.3	21.1	17.9
R7/26	BEDROOM	135.9	129.1	91.9	37.2	5.0
R8/26	BEDROOM	147.1	143.2	117.5	25.7	30.7
R9/26	BEDROOM	92.1	89.6	85.1	4.5	35.0
R10/26	LD	299.8	284.8	197.3	87.5	72.7
R11/26	KITCHEN	82.6	82.5	53.6	28.9	74.7
R12/26	BEDROOM	143.2	142.0	38.7	103.3	70.3
R13/26	BEDROOM	144.8	143.2	36.3	106.9	0.5
R14/26	BEDROOM	111.1	110.5	32.8	77.7	0.1



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R15/26	BEDROOM	141.0	127.5	126.9	0.6	0.9
R16/26	BEDROOM	149.1	126.7	126.6	0.1	0.0
R17/26	LD	307.0	242.2	240.0	2.2	0.0
R18/26	BEDROOM	91.8	71.3	71.3	0.0	0.0
R19/26	BEDROOM	142.7	115.8	115.8	0.0	3.4
R20/26	BEDROOM	128.2	77.6	77.6	0.0	0.0
R21/26	LD	245.3	178.3	172.3	6.0	0.0
R1/27	LKD	351.9	335.0	335.0	0.0	0.0
R2/27	BEDROOM	91.3	87.6	87.6	0.0	4.6
R3/27	BEDROOM	135.5	124.8	124.8	0.0	1.3
R4/27	BEDROOM	145.3	137.2	130.9	6.3	10.2
R5/27	LKD	305.7	290.3	286.6	3.8	26.3
R6/27	BEDROOM	91.0	88.4	79.4	9.0	16.1
R7/27	BEDROOM	135.9	129.1	95.1	34.0	2.0
R8/27	BEDROOM	147.1	143.2	120.1	23.1	30.1
R9/27	BEDROOM	92.1	89.6	87.8	1.8	34.9
R10/27	LD	299.8	284.8	199.2	85.6	68.9
R11/27	KITCHEN	82.6	82.5	53.7	28.8	70.1
R12/27	BEDROOM	143.2	142.0	44.1	97.9	47.8
R13/27	BEDROOM	144.8	143.3	42.8	100.5	0.2
R14/27	BEDROOM	111.1	110.6	57.7	52.9	0.0
R15/27	BEDROOM	141.0	132.4	132.0	0.3	0.0
R16/27	BEDROOM	149.1	138.7	138.7	0.0	0.0
R17/27	LD	307.0	263.7	263.7	0.0	0.0
R18/27	BEDROOM	91.8	77.4	77.4	0.0	0.0
R19/27	BEDROOM	142.7	121.3	121.3	0.0	0.0
R20/27	BEDROOM	128.2	85.0	85.0	0.0	0.0
R21/27	LD	245.3	207.6	207.6	0.0	0.0
R1/28	LKD	320.6	319.0	319.0	0.0	0.0
R2/28	BEDROOM	130.4	123.9	123.9	0.0	6.2
R3/28	BEDROOM	150.3	145.6	145.6	0.0	1.7
R4/28	BEDROOM	150.1	141.6	132.8	8.8	4.7
R5/28	BEDROOM	127.8	125.0	122.9	2.1	1.0
R6/28	LKD	293.6	282.8	269.5	13.3	0.0
R7/28	LKD	291.4	254.3	251.7	2.5	0.0
R8/28	BEDROOM	128.5	104.2	104.2	0.0	0.0
R9/28	BEDROOM	140.0	106.2	106.2	0.0	0.0
R1/29	LKD	320.6	319.0	319.0	0.0	0.0
R2/29	BEDROOM	130.4	123.9	123.9	0.0	0.0
R3/29	BEDROOM	150.3	145.6	145.6	0.0	0.0
R4/29	BEDROOM	150.1	141.6	141.6	0.0	3.0
R5/29	BEDROOM	127.8	125.0	125.0	0.0	0.0
R6/29	LKD	293.6	284.5	276.0	8.5	0.0
R7/29	LKD	291.4	261.7	261.7	0.0	0.0
R8/29	BEDROOM	128.5	107.8	107.8	0.0	0.0
R9/29	BEDROOM	140.0	115.5	115.5	0.0	0.0
R1/30	LKD	320.6	319.0	319.0	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

NSL

Room	Room Use	Whole Room sq ft	Existing sq ft	Consented sq ft	Loss sq ft	%Loss
R2/30	BEDROOM	130.4	123.9	123.9	0.0	0.0
R3/30	BEDROOM	150.3	145.6	145.6	0.0	0.0
R4/30	BEDROOM	150.1	141.6	141.6	0.0	2.9
R5/30	BEDROOM	127.8	125.0	125.0	0.0	0.0
R6/30	LKD	293.6	285.1	277.0	8.2	0.0
R7/30	LKD	291.4	269.4	269.4	0.0	0.0
R8/30	BEDROOM	128.5	111.1	111.1	0.0	
R9/30	BEDROOM	140.0	121.6	121.6	0.0	



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		

Viridian Apartments, 75 Battersea Park Road

R1/10	W1/10	ASSUMED	0	4	0	4	-	0.0						
R1/10	W2/10	ASSUMED	3	7	3	7	0.0	0.0	3	9	3	9	0.0	0.0
R2/10	W3/10	ASSUMED	3	5	3	5	0.0	0.0						
R2/10	W4/10	ASSUMED	3	7	3	7	0.0	0.0	3	7	3	7	0.0	0.0
R3/10	W5/10	LKD	0	4	0	4	-	0.0						
R3/10	W6/10	LKD	0	6	0	5	-	16.7	0	6	0	5	-	16.7
R1/11	W1/11	ASSUMED	0	3	0	3	-	0.0						
R1/11	W2/11	ASSUMED	2	8	2	8	0.0	0.0	2	8	2	8	0.0	0.0
R2/11	W3/11	ASSUMED	5	10	5	10	0.0	0.0						
R2/11	W4/11	ASSUMED	4	10	4	10	0.0	0.0	5	12	5	12	0.0	0.0
R3/11	W5/11	LKD	0	9	0	8	-	11.1						
R3/11	W6/11	LKD	0	8	0	7	-	12.5	0	9	0	8	-	11.1
R1/12	W1/12	ASSUMED	0	9	0	9	-	0.0						
R1/12	W2/12	ASSUMED	2	12	2	12	0.0	0.0	2	13	2	13	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R2/12	W3/12	ASSUMED	7	15	7	15	0.0	0.0						
R2/12	W4/12	ASSUMED	5	14	5	14	0.0	0.0	7	16	7	16	0.0	0.0
R3/12	W5/12	LKD	0	10	0	8	-	20.0						
R3/12	W6/12	LKD	0	10	0	8	-	20.0	0	11	0	9	-	18.2
R1/13	W1/13	ASSUMED	0	12	0	12	-	0.0						
R1/13	W2/13	ASSUMED	4	18	4	18	0.0	0.0	4	19	4	19	0.0	0.0
R2/13	W3/13	ASSUMED	8	20	8	20	0.0	0.0						
R2/13	W4/13	ASSUMED	7	19	7	19	0.0	0.0	8	21	8	21	0.0	0.0
R3/13	W5/13	LKD	0	12	0	10	-	16.7						
R3/13	W6/13	LKD	0	14	0	12	-	14.3	0	14	0	12	-	14.3
R1/14	W1/14	ASSUMED	1	14	1	14	0.0	0.0						
R1/14	W2/14	ASSUMED	8	21	8	21	0.0	0.0	8	22	8	22	0.0	0.0
R2/14	W3/14	ASSUMED	8	20	8	20	0.0	0.0						
R2/14	W4/14	ASSUMED	7	20	7	20	0.0	0.0	8	22	8	22	0.0	0.0
R3/14	W5/14	LKD	0	15	0	13	-	13.3						
R3/14	W6/14	LKD	2	16	2	14	0.0	12.5	2	18	2	16	0.0	11.1



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		

Battersea Power Station Phase 4 and 4A (Buildings A1.1-1.5)

R1/51	W1/51	LD	23	41	23	41	0.0	0.0						
R1/51	W2/51	LD	23	66	23	66	0.0	0.0						
R1/51	W3/51	LD	5	31	5	30	0.0	3.2	23	66	23	66	0.0	0.0
R2/51	W4/51	BEDROOM	10	32	10	32	0.0	0.0	10	32	10	32	0.0	0.0
R5/51	W10/51	LD	1	2	1	2	0.0	0.0						
R5/51	W11/51	LD	1	8	1	8	0.0	0.0						
R5/51	W12/51	LD	0	4	0	4	-	0.0	1	9	1	9	0.0	0.0
R1/52	W1/52	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/52	W2/52	BEDROOM	23	66	23	66	0.0	0.0						
R2/52	W3/52	BEDROOM	5	31	5	30	0.0	3.2	23	66	23	66	0.0	0.0
R3/52	W4/52	BEDROOM	10	32	10	32	0.0	0.0	10	32	10	32	0.0	0.0
R8/52	W11/52	LD	2	8	2	8	0.0	0.0						
R8/52	W12/52	LD	0	4	0	4	-	0.0	2	9	2	9	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/53	W1/53	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/53	W2/53	BEDROOM	23	66	23	66	0.0	0.0						
R2/53	W3/53	BEDROOM	5	31	5	30	0.0	3.2	23	66	23	66	0.0	0.0
R3/53	W4/53	BEDROOM	10	32	10	32	0.0	0.0	10	32	10	32	0.0	0.0
R8/53	W11/53	LD	2	13	2	13	0.0	0.0						
R8/53	W12/53	LD	0	4	0	4	-	0.0	2	13	2	13	0.0	0.0
R1/54	W1/54	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/54	W2/54	BEDROOM	23	66	23	66	0.0	0.0						
R2/54	W3/54	BEDROOM	5	31	5	30	0.0	3.2	23	66	23	66	0.0	0.0
R3/54	W4/54	BEDROOM	10	32	10	32	0.0	0.0	10	32	10	32	0.0	0.0
R8/54	W11/54	LD	2	12	2	12	0.0	0.0						
R8/54	W12/54	LD	0	6	0	6	-	0.0	2	13	2	13	0.0	0.0
R1/55	W1/55	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R2/55	W2/55	BEDROOM	23	67	23	67	0.0	0.0						
R2/55	W3/55	BEDROOM	5	31	5	30	0.0	3.2	23	67	23	67	0.0	0.0
R3/55	W4/55	BEDROOM	10	33	10	32	0.0	3.0	10	33	10	32	0.0	3.0
R8/55	W11/55	LD	2	15	2	15	0.0	0.0						
R8/55	W12/55	LD	0	6	0	6	-	0.0	2	15	2	15	0.0	0.0
R1/56	W1/56	LKD	24	52	24	52	0.0	0.0	24	52	24	52	0.0	0.0
R2/56	W2/56	BEDROOM	23	66	23	66	0.0	0.0						
R2/56	W3/56	BEDROOM	5	31	5	30	0.0	3.2	23	66	23	66	0.0	0.0
R3/56	W4/56	BEDROOM	10	37	10	36	0.0	2.7	10	37	10	36	0.0	2.7
R8/56	W11/56	LD	2	14	2	14	0.0	0.0						
R8/56	W12/56	LD	1	9	1	9	0.0	0.0	2	15	2	15	0.0	0.0
R1/57	W1/57	LKD	24	52	24	52	0.0	0.0	24	52	24	52	0.0	0.0
R2/57	W2/57	BEDROOM	23	65	23	65	0.0	0.0						
R2/57	W3/57	BEDROOM	5	31	5	30	0.0	3.2	23	65	23	65	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R3/57	W4/57	BEDROOM	10	37	10	36	0.0	2.7	10	37	10	36	0.0	2.7
R8/57	W11/57	LD	2	17	2	17	0.0	0.0						
R8/57	W12/57	LD	1	13	1	13	0.0	0.0	2	20	2	20	0.0	0.0
R1/58	W1/58	LKD	23	42	23	42	0.0	0.0	23	42	23	42	0.0	0.0
R2/58	W2/58	BEDROOM	23	70	23	70	0.0	0.0						
R2/58	W3/58	BEDROOM	5	31	5	30	0.0	3.2	23	70	23	70	0.0	0.0
R3/58	W4/58	BEDROOM	10	33	10	32	0.0	3.0	10	33	10	32	0.0	3.0
R8/58	W11/58	LD	2	17	2	17	0.0	0.0						
R8/58	W12/58	LD	1	22	1	22	0.0	0.0	2	28	2	28	0.0	0.0
R1/59	W1/59	LKD	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R2/59	W2/59	BEDROOM	28	79	28	79	0.0	0.0						
R2/59	W3/59	BEDROOM	5	31	5	30	0.0	3.2	28	79	28	79	0.0	0.0
R3/59	W4/59	BEDROOM	10	43	10	42	0.0	2.3	10	43	10	42	0.0	2.3
R8/59	W11/59	LD	2	21	2	21	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R8/59	W12/59	LD	5	34	5	34	0.0	0.0	6	41	6	41	0.0	0.0
R1/60	W1/60	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/60	W2/60	BEDROOM	28	79	28	79	0.0	0.0						
R2/60	W3/60	BEDROOM	6	32	6	31	0.0	3.1	28	79	28	79	0.0	0.0
R8/60	W10/60	LD	2	6	2	6	0.0	0.0						
R8/60	W11/60	LD	10	44	10	44	0.0	0.0	11	46	11	46	0.0	0.0
R1/61	W1/61	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/61	W2/61	BEDROOM	28	79	28	79	0.0	0.0						
R2/61	W3/61	BEDROOM	6	32	6	31	0.0	3.1	28	79	28	79	0.0	0.0
R8/61	W10/61	LD	2	6	2	6	0.0	0.0						
R8/61	W11/61	LD	13	54	13	54	0.0	0.0	14	56	14	56	0.0	0.0
R1/62	W1/62	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/62	W2/62	BEDROOM	28	79	28	79	0.0	0.0						
R2/62	W3/62	BEDROOM	6	32	6	31	0.0	3.1	28	79	28	79	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R8/62	W10/62	LD	2	6	2	6	0.0	0.0						
R8/62	W11/62	LD	18	61	18	61	0.0	0.0	19	62	19	62	0.0	0.0
R1/63	W1/63	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/63	W2/63	BEDROOM	28	79	28	79	0.0	0.0						
R2/63	W3/63	BEDROOM	6	32	6	31	0.0	3.1	28	79	28	79	0.0	0.0
R8/63	W10/63	LD	2	6	2	6	0.0	0.0						
R8/63	W11/63	LD	20	63	20	63	0.0	0.0	20	63	20	63	0.0	0.0
R1/64	W1/64	LD	16	36	16	36	0.0	0.0	16	36	16	36	0.0	0.0
R2/64	W2/64	BEDROOM	28	79	28	79	0.0	0.0						
R2/64	W3/64	BEDROOM	6	32	6	31	0.0	3.1	28	79	28	79	0.0	0.0
R8/64	W10/64	LD	2	10	2	10	0.0	0.0						
R8/64	W11/64	LD	21	64	21	64	0.0	0.0	21	64	21	64	0.0	0.0
R3/71	W7/71	LD	2	2	2	2	0.0	0.0						
R3/71	W8/71	LD	2	6	2	6	0.0	0.0						
R3/71	W9/71	LD	2	11	2	11	0.0	0.0						
R3/71	W10/71	LD	0	6	0	6	-	0.0	2	12	2	12	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R5/72	W8/72	LD	2	8	2	8	0.0	0.0						
R5/72	W9/72	LD	2	12	2	12	0.0	0.0						
R5/72	W10/72	LD	0	6	0	6	-	0.0	2	13	2	13	0.0	0.0
R5/73	W8/73	LD	2	8	2	8	0.0	0.0						
R5/73	W9/73	LD	2	12	2	12	0.0	0.0						
R5/73	W10/73	LD	0	8	0	8	-	0.0	2	14	2	14	0.0	0.0
R5/74	W8/74	LD	2	10	2	10	0.0	0.0						
R5/74	W9/74	LD	2	14	2	14	0.0	0.0						
R5/74	W10/74	LD	0	7	0	7	-	0.0	2	17	2	17	0.0	0.0
R5/75	W8/75	LD	2	10	2	10	0.0	0.0						
R5/75	W9/75	LD	2	16	2	16	0.0	0.0						
R5/75	W10/75	LD	0	9	0	9	-	0.0	2	17	2	17	0.0	0.0
R5/76	W8/76	LD	2	11	2	11	0.0	0.0						
R5/76	W9/76	LD	2	16	2	16	0.0	0.0						
R5/76	W10/76	LD	1	15	1	15	0.0	0.0	2	20	2	20	0.0	0.0
R5/77	W8/77	LD	2	20	2	20	0.0	0.0						
R5/77	W9/77	LD	2	18	2	18	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R5/77	W10/77	LD	3	18	3	18	0.0	0.0	4	27	4	27	0.0	0.0
R3/78	W1/78	LKD	6	31	6	31	0.0	0.0						
R3/78	W2/78	LKD	6	29	6	29	0.0	0.0						
R3/78	W5/78	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/78	W12/78	LD	0	0	0	0	-	-						
R7/78	W13/78	LD	2	9	2	9	0.0	0.0						
R7/78	W14/78	LD	4	23	4	23	0.0	0.0						
R7/78	W15/78	LD	4	19	4	19	0.0	0.0	6	28	6	28	0.0	0.0
R3/79	W1/79	LKD	6	31	6	31	0.0	0.0						
R3/79	W2/79	LKD	6	29	6	29	0.0	0.0						
R3/79	W5/79	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/79	W12/79	LD	0	0	0	0	-	-						
R7/79	W13/79	LD	2	9	2	9	0.0	0.0						
R7/79	W14/79	LD	5	25	5	25	0.0	0.0						
R7/79	W15/79	LD	4	21	4	21	0.0	0.0	6	29	6	29	0.0	0.0
R3/80	W1/80	LKD	6	31	6	31	0.0	0.0						
R3/80	W2/80	LKD	6	29	6	29	0.0	0.0						
R3/80	W5/80	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/80	W12/80	LD	0	0	0	0	-	-						
R7/80	W13/80	LD	2	9	2	9	0.0	0.0						
R7/80	W14/80	LD	5	26	5	26	0.0	0.0						
R7/80	W15/80	LD	5	22	5	22	0.0	0.0	7	30	7	30	0.0	0.0
R3/81	W1/81	LKD	6	31	6	31	0.0	0.0						
R3/81	W2/81	LKD	6	29	6	29	0.0	0.0						
R3/81	W5/81	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/81	W12/81	LD	0	0	0	0	-	-						
R7/81	W13/81	LD	2	9	2	9	0.0	0.0						
R7/81	W14/81	LD	7	29	7	29	0.0	0.0						
R7/81	W15/81	LD	7	25	7	25	0.0	0.0	9	33	9	33	0.0	0.0
R3/82	W1/82	LKD	6	31	6	31	0.0	0.0						
R3/82	W2/82	LKD	6	29	6	29	0.0	0.0						
R3/82	W5/82	LKD	18	43	18	43	0.0	0.0	18	56	18	56	0.0	0.0
R7/82	W12/82	LD	0	2	0	2	-	0.0						
R7/82	W13/82	LD	2	9	2	9	0.0	0.0						
R7/82	W14/82	LD	7	30	7	30	0.0	0.0						
R7/82	W15/82	LD	7	26	7	26	0.0	0.0	9	34	9	34	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/91	W7/91	LD	2	4	2	4	0.0	0.0						
R6/91	W8/91	LD	1	11	1	11	0.0	0.0						
R6/91	W9/91	LD	1	10	1	10	0.0	0.0	2	14	2	14	0.0	0.0
R6/92	W7/92	LD	2	5	2	5	0.0	0.0						
R6/92	W8/92	LD	2	13	2	13	0.0	0.0						
R6/92	W9/92	LD	1	11	1	11	0.0	0.0	2	15	2	15	0.0	0.0
R6/93	W7/93	LD	2	6	2	6	0.0	0.0						
R6/93	W8/93	LD	2	15	2	15	0.0	0.0						
R6/93	W9/93	LD	1	11	1	11	0.0	0.0	2	16	2	16	0.0	0.0
R6/94	W7/94	LD	2	13	2	13	0.0	0.0						
R6/94	W8/94	LD	2	16	2	16	0.0	0.0						
R6/94	W9/94	LD	1	11	1	11	0.0	0.0	2	17	2	17	0.0	0.0
R6/95	W7/95	LD	2	7	2	7	0.0	0.0						
R6/95	W8/95	LD	2	17	2	17	0.0	0.0						
R6/95	W9/95	LD	1	12	1	12	0.0	0.0	2	17	2	17	0.0	0.0
R6/96	W7/96	LD	2	18	2	18	0.0	0.0						
R6/96	W8/96	LD	2	18	2	18	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/96	W9/96	LD	2	16	2	16	0.0	0.0	2	21	2	21	0.0	0.0
R6/97	W7/97	LD	2	10	2	10	0.0	0.0						
R6/97	W8/97	LD	2	20	2	20	0.0	0.0						
R6/97	W9/97	LD	2	15	2	15	0.0	0.0	2	21	2	21	0.0	0.0
R6/98	W7/98	LD	2	17	2	17	0.0	0.0						
R6/98	W8/98	LD	2	21	2	21	0.0	0.0						
R6/98	W9/98	LD	1	17	1	17	0.0	0.0	2	23	2	23	0.0	0.0
R6/99	W7/99	LD	2	10	2	10	0.0	0.0						
R6/99	W8/99	LD	2	21	2	21	0.0	0.0						
R6/99	W9/99	LD	2	24	2	24	0.0	0.0	2	28	2	28	0.0	0.0
R6/100	W7/100	LD	2	20	2	20	0.0	0.0						
R6/100	W8/100	LD	2	38	2	38	0.0	0.0	2	40	2	40	0.0	0.0
R6/101	W7/101	LD	2	21	2	21	0.0	0.0						
R6/101	W8/101	LD	13	55	13	55	0.0	0.0	13	56	13	56	0.0	0.0
R3/102	W2/102	BEDROOM	5	30	5	30	0.0	0.0						
R3/102	W4/102	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/102	W9/102	LD	2	6	2	6	0.0	0.0						
R7/102	W10/102	LD	22	65	22	65	0.0	0.0	22	65	22	65	0.0	0.0
R1/103	W2/103	BEDROOM	5	31	5	31	0.0	0.0						
R1/103	W4/103	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/103	W9/103	LD	2	6	2	6	0.0	0.0						
R7/103	W10/103	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/104	W2/104	BEDROOM	5	31	5	31	0.0	0.0						
R1/104	W4/104	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/104	W9/104	LD	2	6	2	6	0.0	0.0						
R7/104	W10/104	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/105	W2/105	BEDROOM	5	31	5	31	0.0	0.0						
R1/105	W4/105	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/105	W9/105	LD	2	6	2	6	0.0	0.0						
R7/105	W10/105	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/106	W2/106	BEDROOM	5	31	5	31	0.0	0.0						
R1/106	W4/106	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/106	W9/106	LD	2	6	2	6	0.0	0.0						
R7/106	W10/106	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/107	W2/107	BEDROOM	5	31	5	31	0.0	0.0						
R1/107	W4/107	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/107	W9/107	LD	2	12	2	12	0.0	0.0						
R7/107	W10/107	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R6/111	W9/111	LKD	1	7	1	7	0.0	0.0						
R6/111	W10/111	LKD	1	8	1	8	0.0	0.0						
R6/111	W11/111	LKD	1	19	1	19	0.0	0.0						
R6/111	W12/111	LKD	1	14	1	14	0.0	0.0						
R6/111	W13/111	LKD	0	10	0	10	-	0.0	1	20	1	20	0.0	0.0
R6/112	W9/112	LKD	2	9	2	9	0.0	0.0						
R6/112	W10/112	LKD	2	10	2	10	0.0	0.0						
R6/112	W11/112	LKD	1	20	1	20	0.0	0.0						
R6/112	W12/112	LKD	1	15	1	15	0.0	0.0						
R6/112	W13/112	LKD	0	10	0	10	-	0.0	2	21	2	21	0.0	0.0
R6/113	W9/113	LKD	2	9	2	9	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/113	W10/113	LKD	2	10	2	10	0.0	0.0						
R6/113	W11/113	LKD	2	21	2	21	0.0	0.0						
R6/113	W12/113	LKD	2	16	2	16	0.0	0.0						
R6/113	W13/113	LKD	0	10	0	10	-	0.0	2	21	2	21	0.0	0.0
R6/114	W9/114	LKD	2	9	2	9	0.0	0.0						
R6/114	W10/114	LKD	2	10	2	10	0.0	0.0						
R6/114	W11/114	LKD	2	21	2	21	0.0	0.0						
R6/114	W12/114	LKD	2	18	2	18	0.0	0.0						
R6/114	W13/114	LKD	0	11	0	11	-	0.0	2	23	2	23	0.0	0.0
R6/115	W9/115	LKD	2	9	2	9	0.0	0.0						
R6/115	W10/115	LKD	2	10	2	10	0.0	0.0						
R6/115	W11/115	LKD	2	21	2	21	0.0	0.0						
R6/115	W12/115	LKD	2	20	2	20	0.0	0.0						
R6/115	W13/115	LKD	0	14	0	14	-	0.0	2	24	2	24	0.0	0.0
R6/116	W9/116	LKD	2	10	2	10	0.0	0.0						
R6/116	W10/116	LKD	2	14	2	14	0.0	0.0						
R6/116	W11/116	LKD	2	21	2	21	0.0	0.0						
R6/116	W12/116	LKD	2	25	2	25	0.0	0.0						
R6/116	W13/116	LKD	0	18	0	18	-	0.0	2	27	2	27	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/117	W9/117	LKD	2	9	2	9	0.0	0.0						
R6/117	W10/117	LKD	2	13	2	13	0.0	0.0						
R6/117	W11/117	LKD	2	21	2	21	0.0	0.0						
R6/117	W12/117	LKD	3	35	3	35	0.0	0.0						
R6/117	W13/117	LKD	1	23	1	23	0.0	0.0	3	35	3	35	0.0	0.0
R6/118	W9/118	LKD	2	9	2	9	0.0	0.0						
R6/118	W10/118	LKD	2	10	2	10	0.0	0.0						
R6/118	W11/118	LKD	2	21	2	21	0.0	0.0						
R6/118	W12/118	LKD	7	47	7	47	0.0	0.0						
R6/118	W13/118	LKD	3	33	3	33	0.0	0.0	7	47	7	47	0.0	0.0
R6/119	W9/119	LKD	2	21	2	21	0.0	0.0						
R6/119	W10/119	LKD	2	21	2	21	0.0	0.0						
R6/119	W11/119	LKD	2	21	2	21	0.0	0.0						
R6/119	W12/119	LKD	19	62	19	62	0.0	0.0						
R6/119	W13/119	LKD	10	52	10	52	0.0	0.0	19	62	19	62	0.0	0.0
R3/120	W1/120	LKD	6	31	6	31	0.0	0.0						
R3/120	W2/120	LKD	6	31	6	31	0.0	0.0						
R3/120	W5/120	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/120	W12/120	LD	0	1	0	1	-	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/120	W13/120	LD	2	12	2	12	0.0	0.0						
R7/120	W14/120	LD	24	67	24	67	0.0	0.0						
R7/120	W15/120	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/121	W1/121	LKD	6	31	6	31	0.0	0.0						
R1/121	W2/121	LKD	6	31	6	31	0.0	0.0						
R1/121	W5/121	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/121	W12/121	LD	0	1	0	1	-	0.0						
R7/121	W13/121	LD	2	12	2	12	0.0	0.0						
R7/121	W14/121	LD	24	67	24	67	0.0	0.0						
R7/121	W15/121	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/122	W1/122	LKD	6	31	6	31	0.0	0.0						
R1/122	W2/122	LKD	6	31	6	31	0.0	0.0						
R1/122	W5/122	LKD	18	42	18	42	0.0	0.0	18	55	18	55	0.0	0.0
R7/122	W12/122	LD	0	4	0	4	-	0.0						
R7/122	W13/122	LD	2	13	2	13	0.0	0.0						
R7/122	W14/122	LD	24	67	24	67	0.0	0.0						
R7/122	W15/122	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0

Battersea Power Station Phase 4 and 4A (Building A2)



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/41	W1/41	LKD	0	17	0	17	-	0.0						
R1/41	W2/41	LKD	0	17	0	17	-	0.0						
R1/41	W3/41	LKD	1	6	1	6	0.0	0.0						
R1/41	W21/41	LKD	9	40	9	40	0.0	0.0	10	41	10	41	0.0	0.0
R9/41	W15/41	LD	0	4	0	4	-	0.0						
R9/41	W16/41	LD	3	8	3	8	0.0	0.0						
R9/41	W17/41	LD	4	4	4	4	0.0	0.0	4	9	4	9	0.0	0.0
R10/41	W18/41	BEDROOM	5	16	5	16	0.0	0.0						
R10/41	W19/41	BEDROOM	3	19	3	19	0.0	0.0	5	22	5	22	0.0	0.0
R11/41	W20/41	BEDROOM	12	32	12	32	0.0	0.0	12	32	12	32	0.0	0.0
R1/42	W1/42	LKD	1	19	1	19	0.0	0.0						
R1/42	W2/42	LKD	1	18	1	18	0.0	0.0						
R1/42	W3/42	LKD	1	6	1	6	0.0	0.0						
R1/42	W21/42	LKD	11	44	11	44	0.0	0.0	11	44	11	44	0.0	0.0
R9/42	W15/42	LD	0	6	0	6	-	0.0						
R9/42	W16/42	LD	3	8	3	8	0.0	0.0						
R9/42	W17/42	LD	5	5	5	5	0.0	0.0	5	12	5	12	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R10/42	W18/42	BEDROOM	6	19	6	19	0.0	0.0						
R10/42	W19/42	BEDROOM	5	24	5	24	0.0	0.0	7	28	7	28	0.0	0.0
R11/42	W20/42	BEDROOM	15	37	15	37	0.0	0.0	15	37	15	37	0.0	0.0
R1/43	W1/43	LKD	2	21	2	21	0.0	0.0						
R1/43	W2/43	LKD	2	20	2	20	0.0	0.0						
R1/43	W3/43	LKD	2	8	2	8	0.0	0.0						
R1/43	W21/43	LKD	15	51	15	51	0.0	0.0	15	51	15	51	0.0	0.0
R9/43	W15/43	LD	0	6	0	6	-	0.0						
R9/43	W16/43	LD	3	11	3	11	0.0	0.0						
R9/43	W17/43	LD	5	5	5	5	0.0	0.0	5	14	5	14	0.0	0.0
R10/43	W18/43	BEDROOM	6	24	6	24	0.0	0.0						
R10/43	W19/43	BEDROOM	5	30	5	30	0.0	0.0	7	32	7	32	0.0	0.0
R11/43	W20/43	BEDROOM	19	41	19	41	0.0	0.0	19	41	19	41	0.0	0.0
R1/44	W1/44	LKD	2	21	2	21	0.0	0.0						
R1/44	W2/44	LKD	2	20	2	20	0.0	0.0						
R1/44	W3/44	LKD	2	20	2	20	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/44	W21/44	LKD	21	64	21	64	0.0	0.0	21	64	21	64	0.0	0.0
R9/44	W15/44	LD	1	9	1	9	0.0	0.0						
R9/44	W16/44	LD	10	37	10	37	0.0	0.0						
R9/44	W17/44	LD	10	38	10	38	0.0	0.0	11	40	11	40	0.0	0.0
R10/44	W18/44	BEDROOM	10	38	10	38	0.0	0.0						
R10/44	W19/44	BEDROOM	10	37	10	37	0.0	0.0	10	38	10	38	0.0	0.0
R11/44	W20/44	BEDROOM	21	64	21	64	0.0	0.0	21	64	21	64	0.0	0.0
R1/45	W1/45	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0
R2/45	W2/45	BEDROOM	20	58	20	58	0.0	0.0						
R2/45	W3/45	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/45	W10/45	BEDROOM	1	12	1	12	0.0	0.0						
R6/45	W11/45	BEDROOM	12	41	12	41	0.0	0.0						
R6/45	W12/45	BEDROOM	12	43	12	43	0.0	0.0	13	46	13	46	0.0	0.0
R7/45	W13/45	BEDROOM	13	43	13	43	0.0	0.0						
R7/45	W14/45	BEDROOM	12	41	12	41	0.0	0.0	13	43	13	43	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/46	W1/46	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0
R2/46	W2/46	BEDROOM	20	58	20	58	0.0	0.0						
R2/46	W3/46	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/46	W10/46	BEDROOM	1	13	1	13	0.0	0.0						
R6/46	W11/46	BEDROOM	13	46	13	46	0.0	0.0						
R6/46	W12/46	BEDROOM	13	48	13	48	0.0	0.0	14	50	14	50	0.0	0.0
R7/46	W13/46	BEDROOM	15	47	15	47	0.0	0.0						
R7/46	W14/46	BEDROOM	15	46	15	46	0.0	0.0	15	47	15	47	0.0	0.0
R1/47	W1/47	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0
R2/47	W2/47	BEDROOM	20	58	20	58	0.0	0.0						
R2/47	W3/47	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/47	W10/47	BEDROOM	1	16	1	16	0.0	0.0						
R6/47	W11/47	BEDROOM	14	49	14	49	0.0	0.0						
R6/47	W12/47	BEDROOM	14	49	14	49	0.0	0.0	15	51	15	51	0.0	0.0
R7/47	W13/47	BEDROOM	17	49	17	49	0.0	0.0						
R7/47	W14/47	BEDROOM	16	49	16	49	0.0	0.0	17	51	17	51	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/48	W1/48	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0
R2/48	W2/48	BEDROOM	20	58	20	58	0.0	0.0						
R2/48	W3/48	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/48	W10/48	BEDROOM	2	18	2	18	0.0	0.0						
R6/48	W11/48	BEDROOM	18	56	18	56	0.0	0.0						
R6/48	W12/48	BEDROOM	17	54	17	54	0.0	0.0	19	57	19	57	0.0	0.0
R7/48	W13/48	BEDROOM	19	55	19	55	0.0	0.0						
R7/48	W14/48	BEDROOM	18	53	18	53	0.0	0.0	19	55	19	55	0.0	0.0

Battersea Power Station Phase 4 and 4A (Building A3)

R1/21	W1/21	LKD	4	19	4	19	0.0	0.0						
R1/21	W2/21	LKD	4	12	4	12	0.0	0.0						
R1/21	W3/21	LKD	1	15	1	15	0.0	0.0	5	22	5	22	0.0	0.0
R11/21	W14/21	KITCHEN	0	5	0	0	-	100.0						
R11/21	W15/21	KITCHEN	2	21	0	3	100.0	85.7	2	21	0	3	100.0	85.7
R12/21	W16/21	BEDROOM	0	5	0	0	-	100.0						
R12/21	W17/21	BEDROOM	2	21	1	5	50.0	76.2	2	21	1	5	50.0	76.2



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R13/21	W18/21	BEDROOM	0	10	0	0	-	100.0						
R13/21	W19/21	BEDROOM	2	20	2	7	0.0	65.0	2	20	2	7	0.0	65.0
R14/21	W20/21	BEDROOM	0	10	0	0	-	100.0						
R14/21	W21/21	BEDROOM	2	19	2	6	0.0	68.4	2	19	2	6	0.0	68.4
R15/21	W22/21	BEDROOM	3	33	3	22	0.0	33.3						
R15/21	W23/21	BEDROOM	4	32	4	22	0.0	31.3	5	37	5	27	0.0	27.0
R16/21	W24/21	BEDROOM	1	20	1	10	0.0	50.0						
R16/21	W25/21	BEDROOM	0	10	0	0	-	100.0	1	20	1	10	0.0	50.0
R17/21	W26/21	BEDROOM	2	8	2	2	0.0	75.0	2	8	2	2	0.0	75.0
R18/21	W27/21	LD	3	17	3	13	0.0	23.5						
R18/21	W28/21	LD	3	21	3	18	0.0	14.3	4	26	4	22	0.0	15.4
R19/21	W29/21	BEDROOM	3	21	3	16	0.0	23.8						
R19/21	W30/21	BEDROOM	2	18	2	14	0.0	22.2	4	22	4	17	0.0	22.7
R20/21	W31/21	BEDROOM	1	10	1	6	0.0	40.0	1	10	1	6	0.0	40.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R21/21	W32/21	LD	4	10	4	6	0.0	40.0	4	10	4	6	0.0	40.0
R1/22	W1/22	LKD	5	24	5	24	0.0	0.0						
R1/22	W2/22	LKD	5	15	5	15	0.0	0.0						
R1/22	W3/22	LKD	1	18	1	18	0.0	0.0	6	28	6	28	0.0	0.0
R11/22	W14/22	KITCHEN	0	5	0	0	-	100.0						
R11/22	W15/22	KITCHEN	2	22	0	4	100.0	81.8	2	22	0	4	100.0	81.8
R12/22	W16/22	BEDROOM	0	5	0	0	-	100.0						
R12/22	W17/22	BEDROOM	2	22	1	6	50.0	72.7	2	22	1	6	50.0	72.7
R13/22	W18/22	BEDROOM	0	10	0	0	-	100.0						
R13/22	W19/22	BEDROOM	2	21	2	8	0.0	61.9	2	21	2	8	0.0	61.9
R14/22	W20/22	BEDROOM	0	10	0	0	-	100.0						
R14/22	W21/22	BEDROOM	2	20	2	7	0.0	65.0	2	20	2	7	0.0	65.0
R15/22	W22/22	BEDROOM	4	36	4	25	0.0	30.6						
R15/22	W23/22	BEDROOM	4	33	4	24	0.0	27.3	6	39	6	30	0.0	23.1
R16/22	W24/22	BEDROOM	1	21	1	12	0.0	42.9						
R16/22	W25/22	BEDROOM	0	11	0	1	-	90.9	1	22	1	13	0.0	40.9



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R17/22	W26/22	BEDROOM	2	9	2	3	0.0	66.7	2	9	2	3	0.0	66.7
R18/22	W27/22	LD	4	18	4	14	0.0	22.2						
R18/22	W28/22	LD	4	23	4	20	0.0	13.0	5	28	5	24	0.0	14.3
R19/22	W29/22	BEDROOM	4	23	4	18	0.0	21.7						
R19/22	W30/22	BEDROOM	3	20	3	16	0.0	20.0	5	24	5	19	0.0	20.8
R20/22	W31/22	BEDROOM	1	11	1	7	0.0	36.4	1	11	1	7	0.0	36.4
R21/22	W32/22	LD	5	11	5	7	0.0	36.4	5	11	5	7	0.0	36.4
R1/23	W1/23	LKD	5	17	5	17	0.0	0.0						
R1/23	W2/23	LKD	7	29	7	29	0.0	0.0						
R1/23	W3/23	LKD	1	18	1	18	0.0	0.0	8	32	8	32	0.0	0.0
R11/23	W14/23	KITCHEN	0	5	0	0	-	100.0						
R11/23	W15/23	KITCHEN	2	22	0	4	100.0	81.8	2	22	0	4	100.0	81.8
R12/23	W16/23	BEDROOM	0	5	0	0	-	100.0						
R12/23	W17/23	BEDROOM	2	23	1	7	50.0	69.6	2	23	1	7	50.0	69.6



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R13/23	W18/23	BEDROOM	0	10	0	0	-	100.0						
R13/23	W19/23	BEDROOM	2	22	2	9	0.0	59.1	2	22	2	9	0.0	59.1
R14/23	W20/23	BEDROOM	0	10	0	0	-	100.0						
R14/23	W21/23	BEDROOM	2	21	2	8	0.0	61.9	2	21	2	8	0.0	61.9
R15/23	W22/23	BEDROOM	4	37	4	28	0.0	24.3						
R15/23	W23/23	BEDROOM	4	34	4	26	0.0	23.5	6	40	6	32	0.0	20.0
R16/23	W24/23	BEDROOM	1	23	1	14	0.0	39.1						
R16/23	W25/23	BEDROOM	0	12	0	2	-	83.3	1	25	1	16	0.0	36.0
R17/23	W26/23	BEDROOM	2	10	2	4	0.0	60.0	2	10	2	4	0.0	60.0
R18/23	W27/23	LD	4	18	4	14	0.0	22.2						
R18/23	W28/23	LD	4	24	4	21	0.0	12.5	5	29	5	25	0.0	13.8
R19/23	W29/23	BEDROOM	4	24	4	19	0.0	20.8						
R19/23	W30/23	BEDROOM	3	22	3	18	0.0	18.2	5	26	5	21	0.0	19.2
R20/23	W31/23	BEDROOM	1	12	1	8	0.0	33.3	1	12	1	8	0.0	33.3
R21/23	W32/23	LD	5	12	5	8	0.0	33.3	5	12	5	8	0.0	33.3



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/24	W1/24	LKD	8	32	8	32	0.0	0.0						
R1/24	W2/24	LKD	6	20	6	20	0.0	0.0						
R1/24	W3/24	LKD	2	21	2	21	0.0	0.0	9	35	9	35	0.0	0.0
R11/24	W14/24	KITCHEN	0	5	0	0	-	100.0						
R11/24	W15/24	KITCHEN	2	23	0	5	100.0	78.3	2	23	0	5	100.0	78.3
R12/24	W16/24	BEDROOM	0	5	0	0	-	100.0						
R12/24	W17/24	BEDROOM	2	23	1	7	50.0	69.6	2	23	1	7	50.0	69.6
R13/24	W18/24	BEDROOM	0	10	0	0	-	100.0						
R13/24	W19/24	BEDROOM	2	23	2	11	0.0	52.2	2	23	2	11	0.0	52.2
R14/24	W20/24	BEDROOM	0	10	0	0	-	100.0						
R14/24	W21/24	BEDROOM	2	21	2	9	0.0	57.1	2	21	2	9	0.0	57.1
R15/24	W22/24	BEDROOM	5	39	5	30	0.0	23.1						
R15/24	W23/24	BEDROOM	5	36	5	28	0.0	22.2	7	42	7	34	0.0	19.0
R16/24	W24/24	BEDROOM	1	25	1	16	0.0	36.0						
R16/24	W25/24	BEDROOM	0	12	0	3	-	75.0	1	27	1	19	0.0	29.6



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R17/24	W26/24	LD	2	10	2	4	0.0	60.0						
R17/24	W27/24	LD	6	21	6	17	0.0	19.0	6	23	6	17	0.0	26.1
R18/24	W28/24	BEDROOM	6	31	6	28	0.0	9.7	6	31	6	28	0.0	9.7
R19/24	W29/24	BEDROOM	5	29	5	24	0.0	17.2						
R19/24	W30/24	BEDROOM	4	25	4	21	0.0	16.0	6	30	6	25	0.0	16.7
R20/24	W31/24	BEDROOM	1	15	1	11	0.0	26.7	1	15	1	11	0.0	26.7
R21/24	W32/24	LD	6	13	6	9	0.0	30.8	6	13	6	9	0.0	30.8
R1/25	W1/25	LKD	9	35	9	35	0.0	0.0						
R1/25	W2/25	LKD	5	21	5	21	0.0	0.0						
R1/25	W3/25	LKD	2	19	2	19	0.0	0.0	9	36	9	36	0.0	0.0
R11/25	W14/25	KITCHEN	0	6	0	0	-	100.0						
R11/25	W15/25	KITCHEN	2	24	0	6	100.0	75.0	2	24	0	6	100.0	75.0
R12/25	W16/25	BEDROOM	0	6	0	0	-	100.0						
R12/25	W17/25	BEDROOM	2	25	1	9	50.0	64.0	2	25	1	9	50.0	64.0
R13/25	W18/25	BEDROOM	0	10	0	0	-	100.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R13/25	W19/25	BEDROOM	2	23	2	12	0.0	47.8	2	23	2	12	0.0	47.8
R14/25	W20/25	BEDROOM	0	10	0	0	-	100.0						
R14/25	W21/25	BEDROOM	2	23	2	12	0.0	47.8	2	23	2	12	0.0	47.8
R15/25	W22/25	BEDROOM	5	44	5	35	0.0	20.5						
R15/25	W23/25	BEDROOM	6	40	6	32	0.0	20.0	8	48	8	40	0.0	16.7
R16/25	W24/25	BEDROOM	3	28	3	21	0.0	25.0						
R16/25	W25/25	BEDROOM	2	14	2	5	0.0	64.3	4	31	4	24	0.0	22.6
R17/25	W26/25	LD	4	12	4	6	0.0	50.0						
R17/25	W27/25	LD	8	23	8	19	0.0	17.4	9	26	9	20	0.0	23.1
R18/25	W28/25	BEDROOM	7	35	7	32	0.0	8.6	7	35	7	32	0.0	8.6
R19/25	W29/25	BEDROOM	6	35	6	30	0.0	14.3						
R19/25	W30/25	BEDROOM	5	30	5	26	0.0	13.3	7	36	7	31	0.0	13.9
R20/25	W31/25	BEDROOM	4	20	4	16	0.0	20.0	4	20	4	16	0.0	20.0
R21/25	W32/25	LD	8	15	8	11	0.0	26.7	8	15	8	11	0.0	26.7



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/26	W1/26	LKD	10	37	10	37	0.0	0.0						
R1/26	W2/26	LKD	7	25	7	25	0.0	0.0						
R1/26	W3/26	LKD	2	21	2	21	0.0	0.0	10	37	10	37	0.0	0.0
R11/26	W14/26	KITCHEN	0	6	0	0	-	100.0						
R11/26	W15/26	KITCHEN	2	26	0	12	100.0	53.8	2	26	0	12	100.0	53.8
R12/26	W16/26	BEDROOM	0	6	0	0	-	100.0						
R12/26	W17/26	BEDROOM	2	25	2	13	0.0	48.0	2	25	2	13	0.0	48.0
R13/26	W18/26	BEDROOM	0	11	0	0	-	100.0						
R13/26	W19/26	BEDROOM	2	25	2	13	0.0	48.0	2	25	2	13	0.0	48.0
R14/26	W20/26	BEDROOM	0	11	0	0	-	100.0						
R14/26	W21/26	BEDROOM	2	25	2	13	0.0	48.0	2	25	2	13	0.0	48.0
R15/26	W22/26	BEDROOM	6	47	6	37	0.0	21.3						
R15/26	W23/26	BEDROOM	8	48	8	40	0.0	16.7	9	51	9	43	0.0	15.7
R16/26	W24/26	BEDROOM	3	35	3	28	0.0	20.0						
R16/26	W25/26	BEDROOM	3	16	3	8	0.0	50.0	5	38	5	31	0.0	18.4
R17/26	W26/26	LD	5	14	5	8	0.0	42.9						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R17/26	W27/26	LD	8	25	8	21	0.0	16.0	9	28	9	22	0.0	21.4
R18/26	W28/26	BEDROOM	8	40	8	37	0.0	7.5	8	40	8	37	0.0	7.5
R19/26	W29/26	BEDROOM	7	41	7	37	0.0	9.8						
R19/26	W30/26	BEDROOM	5	37	5	33	0.0	10.8	7	42	7	38	0.0	9.5
R20/26	W31/26	BEDROOM	5	23	5	19	0.0	17.4	5	23	5	19	0.0	17.4
R21/26	W32/26	LD	9	18	9	14	0.0	22.2	9	18	9	14	0.0	22.2
R1/27	W1/27	LKD	13	41	13	41	0.0	0.0						
R1/27	W2/27	LKD	9	30	9	30	0.0	0.0						
R1/27	W3/27	LKD	2	19	2	19	0.0	0.0	13	41	13	41	0.0	0.0
R11/27	W14/27	KITCHEN	0	6	0	0	-	100.0						
R11/27	W15/27	KITCHEN	2	29	0	15	100.0	48.3	2	29	0	15	100.0	48.3
R12/27	W16/27	BEDROOM	0	6	0	0	-	100.0						
R12/27	W17/27	BEDROOM	2	29	2	18	0.0	37.9	2	29	2	18	0.0	37.9
R13/27	W18/27	BEDROOM	0	11	0	1	-	90.9						
R13/27	W19/27	BEDROOM	2	29	2	18	0.0	37.9	2	29	2	18	0.0	37.9



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Existing vs Consented Scheme 27/10/15
P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R14/27	W20/27	BEDROOM	0	11	0	1	-	90.9						
R14/27	W21/27	BEDROOM	2	26	2	15	0.0	42.3	2	26	2	15	0.0	42.3
R15/27	W22/27	BEDROOM	9	52	9	43	0.0	17.3						
R15/27	W23/27	BEDROOM	9	51	9	43	0.0	15.7	10	54	10	46	0.0	14.8
R16/27	W24/27	BEDROOM	10	50	10	44	0.0	12.0						
R16/27	W25/27	BEDROOM	9	50	9	43	0.0	14.0	11	53	11	47	0.0	11.3
R17/27	W26/27	LD	9	48	9	41	0.0	14.6						
R17/27	W27/27	LD	9	47	9	43	0.0	8.5	10	50	10	45	0.0	10.0
R18/27	W28/27	BEDROOM	8	43	8	39	0.0	9.3	8	43	8	39	0.0	9.3
R19/27	W29/27	BEDROOM	7	43	7	39	0.0	9.3						
R19/27	W30/27	BEDROOM	7	42	7	38	0.0	9.5	7	44	7	40	0.0	9.1
R20/27	W31/27	BEDROOM	10	47	10	43	0.0	8.5	10	47	10	43	0.0	8.5
R21/27	W32/27	LD	10	47	10	43	0.0	8.5	10	47	10	43	0.0	8.5
R1/28	W1/28	LKD	14	42	14	42	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/28	W2/28	LKD	10	30	10	30	0.0	0.0						
R1/28	W3/28	LKD	2	21	2	21	0.0	0.0	14	42	14	42	0.0	0.0
R7/28	W11/28	LKD	1	13	1	8	0.0	38.5						
R7/28	W12/28	LKD	8	50	8	46	0.0	8.0						
R7/28	W13/28	LKD	8	51	8	47	0.0	7.8	9	55	9	51	0.0	7.3
R8/28	W14/28	BEDROOM	10	53	10	49	0.0	7.5	10	53	10	49	0.0	7.5
R9/28	W15/28	BEDROOM	9	52	9	48	0.0	7.7	9	52	9	48	0.0	7.7
R1/29	W1/29	LKD	16	43	16	43	0.0	0.0						
R1/29	W2/29	LKD	13	31	13	31	0.0	0.0						
R1/29	W3/29	LKD	2	21	2	21	0.0	0.0	16	43	16	43	0.0	0.0
R7/29	W11/29	LKD	1	16	1	11	0.0	31.3						
R7/29	W12/29	LKD	10	57	10	53	0.0	7.0						
R7/29	W13/29	LKD	12	60	12	56	0.0	6.7	13	61	13	57	0.0	6.6
R8/29	W14/29	BEDROOM	13	60	13	56	0.0	6.7	13	60	13	56	0.0	6.7
R9/29	W15/29	BEDROOM	11	58	11	54	0.0	6.9	11	58	11	54	0.0	6.9



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Consented Scheme 27/10/15

P2874 - rel4

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Existing		Consented				Existing		Consented			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/30	W1/30	LKD	16	43	16	43	0.0	0.0						
R1/30	W2/30	LKD	13	31	13	31	0.0	0.0						
R1/30	W3/30	LKD	2	21	2	21	0.0	0.0	16	43	16	43	0.0	0.0
R7/30	W11/30	LKD	2	18	2	13	0.0	27.8						
R7/30	W12/30	LKD	12	60	12	56	0.0	6.7						
R7/30	W13/30	LKD	13	62	13	58	0.0	6.5	15	64	15	60	0.0	6.3
R8/30	W14/30	BEDROOM	14	62	14	58	0.0	6.5	14	62	14	58	0.0	6.5
R9/30	W15/30	BEDROOM	14	61	14	57	0.0	6.6	14	61	14	57	0.0	6.6

The background features a dark blue field with a large, abstract teal shape on the left side. This shape consists of a vertical bar on the left, a diagonal line extending from the top-left towards the bottom-right, and a horizontal line at the bottom that meets the diagonal one. The overall composition is minimalist and modern.

Daylight and Sunlight Results
(Existing v Consented)
Without Balconies



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/10	ASSUMED	W1/10	9.76	9.60	0.16	1.64
R1/10	ASSUMED	W2/10	13.93	13.84	0.09	0.65
R2/10	ASSUMED	W3/10	16.04	15.92	0.12	0.75
R2/10	ASSUMED	W4/10	13.29	13.21	0.08	0.60
R3/10	LKD	W5/10	14.40	14.18	0.22	1.53
R3/10	LKD	W6/10	17.55	17.12	0.43	2.45
R4/10	BEDROOM	W7/10	17.72	17.27	0.45	2.54
R4/10	BEDROOM	W8/10	14.51	15.21	-0.70	-4.82
R5/10	BEDROOM	W9/10	15.99	13.97	2.02	12.63
R5/10	BEDROOM	W10/10	19.09	16.62	2.47	12.94
R6/10	LKD	W11/10	19.07	16.04	3.03	15.89
R6/10	LKD	W12/10	16.06	13.70	2.36	14.69
R7/10	LKD	W13/10	15.11	12.21	2.90	19.19
R8/10	BEDROOM	W14/10	17.14	14.09	3.05	17.79
R9/10	BEDROOM	W15/10	15.23	11.70	3.53	23.18
R10/10	LKD	W16/10	14.95	12.85	2.10	14.05
R11/10	BEDROOM	W17/10	15.09	12.70	2.39	15.84
R12/10	BEDROOM	W18/10	11.20	9.40	1.80	16.07
R12/10	BEDROOM	W19/10	10.04	9.04	1.00	9.96
R13/10	BEDROOM	W20/10	11.40	8.51	2.89	25.35
R13/10	BEDROOM	W21/10	7.56	7.38	0.18	2.38
R14/10	BEDROOM	W22/10	12.63	12.77	-0.14	-1.11
R15/10	LKD	W23/10	12.47	12.35	0.12	0.96
R16/10	LKD	W24/10	8.79	10.49	-1.70	-19.34
R17/10	BEDROOM	W25/10	10.11	10.63	-0.52	-5.14
R18/10	LKD	W26/10	10.36	14.68	-4.32	-41.70
R19/10	BEDROOM	W27/10	10.66	16.11	-5.45	-51.13



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R20/10	BEDROOM	W28/10	7.85	6.28	1.57	20.00
R20/10	BEDROOM	W29/10	7.23	15.20	-7.97	-110.24
R21/10	BEDROOM	W30/10	6.94	11.40	-4.46	-64.27
R21/10	BEDROOM	W31/10	7.74	17.35	-9.61	-124.16
R22/10	BEDROOM	W32/10	11.50	19.70	-8.20	-71.30
R23/10	LKD	W33/10	11.27	19.48	-8.21	-72.85
R24/10	LKD	W34/10	12.54	20.86	-8.32	-66.35
R25/10	BEDROOM	W35/10	14.70	21.12	-6.42	-43.67
R26/10	LKD	W36/10	16.67	22.65	-5.98	-35.87
R27/10	BEDROOM	W37/10	18.45	22.36	-3.91	-21.19
R27/10	BEDROOM	W38/10	14.73	18.34	-3.61	-24.51
R28/10	LKD	W39/10	12.42	15.64	-3.22	-25.93
R28/10	LKD	W40/10	8.68	9.38	-0.70	-8.06
R28/10	LKD	W41/10	12.18	12.16	0.02	0.16
R28/10	LKD	W42/10	9.87	10.82	-0.95	-9.63
R29/10	BEDROOM	W43/10	10.65	11.20	-0.55	-5.16
R29/10	BEDROOM	W44/10	10.91	11.37	-0.46	-4.22
R1/11	ASSUMED	W1/11	9.64	9.47	0.17	1.76
R1/11	ASSUMED	W2/11	13.33	13.17	0.16	1.20
R2/11	ASSUMED	W3/11	17.82	17.69	0.13	0.73
R2/11	ASSUMED	W4/11	14.67	14.60	0.07	0.48
R3/11	LKD	W5/11	14.45	14.24	0.21	1.45
R3/11	LKD	W6/11	17.52	17.17	0.35	2.00
R4/11	BEDROOM	W7/11	18.19	17.93	0.26	1.43
R4/11	BEDROOM	W8/11	14.49	14.89	-0.40	-2.76
R5/11	BEDROOM	W9/11	15.58	13.48	2.10	13.48
R5/11	BEDROOM	W10/11	19.53	16.97	2.56	13.11
R6/11	LKD	W11/11	20.32	16.68	3.64	17.91
R6/11	LKD	W12/11	16.84	14.39	2.45	14.55
R7/11	LKD	W13/11	16.37	12.83	3.54	21.62



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R8/11	BEDROOM	W14/11	19.40	15.24	4.16	21.44
R9/11	BEDROOM	W15/11	16.11	12.48	3.63	22.53
R10/11	LKD	W16/11	16.08	12.83	3.25	20.21
R11/11	BEDROOM	W17/11	17.09	13.37	3.72	21.77
R12/11	BEDROOM	W18/11	11.85	9.74	2.11	17.81
R13/11	BEDROOM	W19/11	13.04	9.18	3.86	29.60
R14/11	BEDROOM	W20/11	14.95	13.75	1.20	8.03
R15/11	LKD	W21/11	13.78	12.20	1.58	11.47
R16/11	SITTINGROOM	W22/11	10.59	11.45	-0.86	-8.12
R17/11	BEDROOM	W23/11	10.24	6.91	3.33	32.52
R18/11	LKD	W24/11	11.06	14.62	-3.56	-32.19
R19/11	BEDROOM	W25/11	12.43	16.98	-4.55	-36.60
R20/11	BEDROOM	W26/11	8.27	15.75	-7.48	-90.45
R21/11	BEDROOM	W27/11	8.22	12.84	-4.62	-56.20
R22/11	BEDROOM	W28/11	13.01	20.28	-7.27	-55.88
R23/11	LKD	W29/11	11.87	19.46	-7.59	-63.94
R24/11	BEDROOM	W30/11	11.72	20.32	-8.60	-73.38
R25/11	LKD	W31/11	15.95	21.83	-5.88	-36.87
R26/11	LKD	W32/11	17.85	23.56	-5.71	-31.99
R26/11	LKD	W33/11	16.03	19.45	-3.42	-21.33
R27/11	BEDROOM	W34/11	13.20	16.26	-3.06	-23.18
R27/11	BEDROOM	W35/11	22.18	22.18	0.00	0.00
R28/11	BEDROOM	W36/11	21.14	22.13	-0.99	-4.68
R1/12	ASSUMED	W1/12	10.63	10.44	0.19	1.79
R1/12	ASSUMED	W2/12	14.88	14.70	0.18	1.21



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/12	ASSUMED	W3/12	19.61	19.46	0.15	0.76
R2/12	ASSUMED	W4/12	16.27	16.19	0.08	0.49
R3/12	LKD	W5/12	15.38	15.09	0.29	1.89
R3/12	LKD	W6/12	18.85	18.42	0.43	2.28
R4/12	BEDROOM	W7/12	19.43	19.07	0.36	1.85
R4/12	BEDROOM	W8/12	15.45	15.83	-0.38	-2.46
R5/12	BEDROOM	W9/12	15.99	13.63	2.36	14.76
R5/12	BEDROOM	W10/12	20.09	17.20	2.89	14.39
R6/12	LKD	W11/12	20.97	16.82	4.15	19.79
R6/12	LKD	W12/12	17.34	14.56	2.78	16.03
R7/12	LKD	W13/12	18.31	14.01	4.30	23.48
R8/12	BEDROOM	W14/12	21.85	16.82	5.03	23.02
R9/12	BEDROOM	W15/12	17.98	13.69	4.29	23.86
R10/12	LKD	W16/12	17.40	13.02	4.38	25.17
R11/12	BEDROOM	W17/12	18.28	13.30	4.98	27.24
R12/12	BEDROOM	W18/12	14.07	10.60	3.47	24.66
R13/12	BEDROOM	W19/12	15.04	10.02	5.02	33.38
R14/12	BEDROOM	W20/12	16.16	13.64	2.52	15.59
R15/12	LKD	W21/12	15.12	12.40	2.72	17.99
R16/12	LKD	W22/12	12.18	11.59	0.59	4.84
R17/12	BEDROOM	W23/12	13.06	10.87	2.19	16.77
R18/12	LKD	W24/12	12.90	15.45	-2.55	-19.77
R19/12	BEDROOM	W25/12	14.25	17.77	-3.52	-24.70
R20/12	BEDROOM	W26/12	9.67	16.39	-6.72	-69.49
R21/12	BEDROOM	W27/12	9.64	13.45	-3.81	-39.52
R22/12	BEDROOM	W28/12	14.60	21.10	-6.50	-44.52



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R23/12	LKD	W29/12	13.26	20.17	-6.91	-52.11
R24/12	LKD	W30/12	14.40	22.06	-7.66	-53.19
R25/12	BEDROOM	W31/12	16.87	22.23	-5.36	-31.77
R26/12	LKD	W32/12	18.97	24.39	-5.42	-28.57
R26/12	LKD	W33/12	16.89	20.09	-3.20	-18.95
R27/12	BEDROOM	W34/12	13.91	16.76	-2.85	-20.49
R27/12	BEDROOM	W35/12	23.11	23.11	0.00	0.00
R27/12	BEDROOM	W36/12	25.35	27.47	-2.12	-8.36
R28/12	BEDROOM	W37/12	25.71	27.49	-1.78	-6.92
R28/12	BEDROOM	W38/12	20.08	20.92	-0.84	-4.18
R1/13	ASSUMED	W1/13	11.23	11.03	0.20	1.78
R1/13	ASSUMED	W2/13	15.86	15.66	0.20	1.26
R2/13	ASSUMED	W3/13	20.10	19.62	0.48	2.39
R2/13	ASSUMED	W4/13	15.21	15.21	0.00	0.00
R3/13	LKD	W5/13	15.72	15.35	0.37	2.35
R3/13	LKD	W6/13	19.42	18.91	0.51	2.63
R4/13	BEDROOM	W7/13	19.78	19.35	0.43	2.17
R4/13	BEDROOM	W8/13	15.76	16.08	-0.32	-2.03
R5/13	BEDROOM	W9/13	10.47	8.38	2.09	19.96
R5/13	BEDROOM	W10/13	12.08	9.22	2.86	23.68
R6/13	LKD	W11/13	12.30	8.58	3.72	30.24
R6/13	LKD	W12/13	10.63	7.39	3.24	30.48
R7/13	LKD	W13/13	11.91	7.02	4.89	41.06
R8/13	BEDROOM	W14/13	11.91	6.51	5.40	45.34
R9/13	BEDROOM	W15/13	8.47	4.94	3.53	41.68
R9/13	BEDROOM	W16/13	17.15	12.22	4.93	28.75
R10/13	BEDROOM	W17/13	17.84	11.59	6.25	35.03
R10/13	BEDROOM	W18/13	6.15	3.01	3.14	51.06
R11/13	BEDROOM	W19/13	9.63	6.63	3.00	31.15



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R12/13	LKD	W20/13	9.20	6.43	2.77	30.11
R13/13	SITTINGROOM	W21/13	14.90	13.24	1.66	11.14
R14/13	BEDROOM	W22/13	13.60	8.72	4.88	35.88
R15/13	LKD	W23/13	15.01	16.32	-1.31	-8.73
R16/13	BEDROOM	W24/13	16.34	18.59	-2.25	-13.77
R17/13	BEDROOM	W25/13	11.34	17.07	-5.73	-50.53
R18/13	BEDROOM	W26/13	11.25	14.13	-2.88	-25.60
R19/13	BEDROOM	W27/13	16.43	21.95	-5.52	-33.60
R20/13	LKD	W28/13	14.83	20.90	-6.07	-40.93
R21/13	BEDROOM	W29/13	13.74	21.46	-7.72	-56.19
R22/13	LKD	W30/13	18.94	23.61	-4.67	-24.66
R23/13	LKD	W31/13	20.18	25.21	-5.03	-24.93
R23/13	LKD	W32/13	17.79	20.70	-2.91	-16.36
R24/13	BEDROOM	W33/13	14.68	17.27	-2.59	-17.64
R24/13	BEDROOM	W34/13	23.95	23.95	0.00	0.00
R25/13	BEDROOM	W35/13	23.01	23.89	-0.88	-3.82
R1/14	ASSUMED	W1/14	5.45	5.24	0.21	3.85
R1/14	ASSUMED	W2/14	8.75	8.44	0.31	3.54
R2/14	ASSUMED	W3/14	9.67	9.40	0.27	2.79
R2/14	ASSUMED	W4/14	8.17	8.03	0.14	1.71
R3/14	LKD	W5/14	8.10	7.99	0.11	1.36
R3/14	LKD	W6/14	9.19	8.88	0.31	3.37
R4/14	BEDROOM	W7/14	9.60	9.00	0.60	6.25
R4/14	BEDROOM	W8/14	8.12	8.48	-0.36	-4.43
R4/14	BEDROOM	W10/14	30.61	26.24	4.37	14.28
R4/14	BEDROOM	W11/14	30.99	26.49	4.50	14.52
R5/14	ASSUMED	W9/14	25.04	20.65	4.39	17.53
R6/14	LKD	W12/14	18.06	14.53	3.53	19.55



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R7/14	BEDROOM	W13/14	18.00	13.54	4.46	24.78
R8/14	LKD	W14/14	17.30	17.12	0.18	1.04
R9/14	BEDROOM	W15/14	18.59	19.33	-0.74	-3.98
R10/14	BEDROOM	W16/14	13.43	17.83	-4.40	-32.76
R11/14	BEDROOM	W17/14	13.22	14.93	-1.71	-12.93
R12/14	BEDROOM	W18/14	18.40	22.71	-4.31	-23.42
R13/14	LKD	W19/14	16.52	21.57	-5.05	-30.57
R14/14	LKD	W20/14	17.24	23.57	-6.33	-36.72
R15/14	BEDROOM	W21/14	19.97	24.04	-4.07	-20.38
R16/14	LKD	W22/14	21.48	26.00	-4.52	-21.04
R16/14	LKD	W23/14	18.73	21.30	-2.57	-13.72
R17/14	BEDROOM	W24/14	15.49	17.78	-2.29	-14.78
R17/14	BEDROOM	W25/14	24.73	24.73	0.00	0.00
R17/14	BEDROOM	W26/14	27.58	29.51	-1.93	-7.00
R18/14	BEDROOM	W27/14	27.91	29.49	-1.58	-5.66
R18/14	BEDROOM	W28/14	21.63	22.32	-0.69	-3.19
R1/15	SITTINGROOM	W1/15	16.33	11.63	4.70	28.78
R2/15	BEDROOM	W2/15	13.13	6.93	6.20	47.22
R3/15	LKD	W3/15	19.24	17.31	1.93	10.03
R4/15	BEDROOM	W4/15	20.16	19.15	1.01	5.01
R5/15	BEDROOM	W5/15	15.95	18.70	-2.75	-17.24
R6/15	BEDROOM	W6/15	15.55	15.90	-0.35	-2.25
R7/15	BEDROOM	W7/15	19.71	22.61	-2.90	-14.71
R8/15	LKD	W8/15	17.86	21.69	-3.83	-21.44
R9/15	BEDROOM	W9/15	16.28	22.57	-6.29	-38.64



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R10/15	LKD	W10/15	22.55	25.72	-3.17	-14.06
R11/15	LKD	W11/15	22.78	26.66	-3.88	-17.03
R11/15	LKD	W12/15	19.65	21.81	-2.16	-10.99
R12/15	BEDROOM	W13/15	16.27	18.17	-1.90	-11.68
R12/15	BEDROOM	W14/15	25.34	25.34	0.00	0.00
R13/15	BEDROOM	W15/15	24.70	25.38	-0.68	-2.75
R1/16	LKD	W1/16	12.83	9.46	3.37	26.27
R2/16	BEDROOM	W2/16	12.46	10.19	2.27	18.22
R3/16	BEDROOM	W3/16	9.14	3.07	6.07	66.41
R3/16	BEDROOM	W4/16	19.48	20.39	-0.91	-4.67
R4/16	BEDROOM	W5/16	18.90	17.70	1.20	6.35
R4/16	BEDROOM	W6/16	9.28	13.63	-4.35	-46.88
R5/16	BEDROOM	W7/16	13.60	15.21	-1.61	-11.84
R6/16	LKD	W8/16	12.98	15.22	-2.24	-17.26
R7/16	LKD	W9/16	11.98	15.92	-3.94	-32.89
R8/16	BEDROOM	W10/16	11.01	13.15	-2.14	-19.44
R9/16	LKD	W11/16	23.62	26.69	-3.07	-13.00
R9/16	LKD	W12/16	20.12	21.78	-1.66	-8.25
R10/16	BEDROOM	W13/16	16.63	18.09	-1.46	-8.78
R10/16	BEDROOM	W14/16	25.67	25.67	0.00	0.00
R10/16	BEDROOM	W15/16	29.21	30.77	-1.56	-5.34
R11/16	BEDROOM	W16/16	29.66	30.86	-1.20	-4.05
R11/16	BEDROOM	W17/16	22.69	23.13	-0.44	-1.94
R1/17	LKD	W1/17	17.41	19.54	-2.13	-12.23
R1/17	LKD	W2/17	14.89	16.00	-1.11	-7.45
R2/17	BEDROOM	W3/17	11.88	12.85	-0.97	-8.16
R2/17	BEDROOM	W4/17	25.46	25.46	0.00	0.00
R3/17	BEDROOM	W5/17	25.17	25.50	-0.33	-1.31
R1/18	LKD	W1/18	17.63	17.63	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/18	LKD	W2/18	20.33	20.89	-0.56	-2.75
R2/18	BEDROOM	W3/18	17.11	17.29	-0.18	-1.05

Battersea Power Station Phase 4A (Building A1.1-A1.5)

R1/51	LD	W1/51	31.66	31.68	-0.02	-0.06
R1/51	LD	W2/51	32.05	32.07	-0.02	-0.06
R1/51	LD	W3/51	15.89	15.62	0.27	1.70
R2/51	BEDROOM	W4/51	22.84	22.46	0.38	1.66
R3/51	LD	W5/51	7.44	6.55	0.89	11.96
R3/51	LD	W6/51	5.64	4.15	1.49	26.42
R4/51	LD	W7/51	6.65	3.92	2.73	41.05
R4/51	LD	W8/51	13.01	12.98	0.03	0.23
R4/51	LD	W9/51	13.51	13.12	0.39	2.89
R5/51	LD	W10/51	14.26	13.40	0.86	6.03
R5/51	LD	W11/51	14.53	13.60	0.93	6.40
R5/51	LD	W12/51	8.25	8.25	0.00	0.00
R6/51	LD	W13/51	7.59	7.59	0.00	0.00
R6/51	LD	W14/51	9.09	8.65	0.44	4.84
R1/52	LKD	W1/52	39.40	39.42	-0.02	-0.05
R2/52	BEDROOM	W2/52	39.41	39.43	-0.02	-0.05
R2/52	BEDROOM	W3/52	17.31	16.95	0.36	2.08
R3/52	BEDROOM	W4/52	25.54	25.15	0.39	1.53
R4/52	LD	W5/52	9.02	7.48	1.54	17.07
R4/52	LD	W6/52	6.90	4.92	1.98	28.70
R5/52	LD	W7/52	8.47	4.85	3.62	42.74
R5/52	LD	W8/52	15.11	14.66	0.45	2.98
R6/52	BEDROOM	W9/52	15.53	14.82	0.71	4.57
R7/52	BEDROOM	W10/52	16.21	15.11	1.10	6.79
R8/52	LD	W11/52	16.50	15.38	1.12	6.79
R8/52	LD	W12/52	9.03	9.03	0.00	0.00
R9/52	LD	W13/52	8.56	8.58	-0.02	-0.23



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R9/52	LD	W14/52	10.26	9.79	0.47	4.58
R1/53	LKD	W1/53	39.59	39.61	-0.02	-0.05
R2/53	BEDROOM	W2/53	39.59	39.61	-0.02	-0.05
R2/53	BEDROOM	W3/53	17.55	17.09	0.46	2.62
R3/53	BEDROOM	W4/53	25.63	25.23	0.40	1.56
R4/53	LD	W5/53	10.77	8.57	2.20	20.43
R4/53	LD	W6/53	8.27	5.83	2.44	29.50
R5/53	LD	W7/53	10.64	5.99	4.65	43.70
R5/53	LD	W8/53	17.48	16.56	0.92	5.26
R6/53	BEDROOM	W9/53	17.79	16.72	1.07	6.01
R7/53	BEDROOM	W10/53	18.34	17.00	1.34	7.31
R8/53	LD	W11/53	18.66	17.35	1.31	7.02
R8/53	LD	W12/53	9.93	9.93	0.00	0.00
R9/53	LD	W13/53	9.57	9.61	-0.04	-0.42
R9/53	LD	W14/53	11.45	10.92	0.53	4.63
R1/54	LKD	W1/54	39.59	39.61	-0.02	-0.05
R2/54	BEDROOM	W2/54	39.59	39.61	-0.02	-0.05
R2/54	BEDROOM	W3/54	17.79	17.22	0.57	3.20
R3/54	BEDROOM	W4/54	25.65	25.26	0.39	1.52
R4/54	LD	W5/54	12.54	9.76	2.78	22.17
R4/54	LD	W6/54	9.71	6.79	2.92	30.07
R5/54	LD	W7/54	13.01	7.31	5.70	43.81
R5/54	LD	W8/54	20.06	18.64	1.42	7.08
R6/54	BEDROOM	W9/54	20.17	18.79	1.38	6.84
R7/54	BEDROOM	W10/54	20.50	19.05	1.45	7.07
R8/54	LD	W11/54	20.78	19.40	1.38	6.64
R8/54	LD	W12/54	10.99	11.00	-0.01	-0.09
R9/54	LD	W13/54	10.69	10.73	-0.04	-0.37
R9/54	LD	W14/54	12.77	12.16	0.61	4.78



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/55	LKD	W1/55	39.59	39.61	-0.02	-0.05
R2/55	BEDROOM	W2/55	39.59	39.61	-0.02	-0.05
R2/55	BEDROOM	W3/55	18.11	17.40	0.71	3.92
R3/55	BEDROOM	W4/55	25.67	25.29	0.38	1.48
R4/55	LD	W5/55	13.70	10.91	2.79	20.36
R4/55	LD	W6/55	10.54	7.79	2.75	26.09
R5/55	LD	W7/55	14.30	8.77	5.53	38.67
R5/55	LD	W8/55	22.06	20.85	1.21	5.49
R6/55	BEDROOM	W9/55	22.18	20.98	1.20	5.41
R7/55	BEDROOM	W10/55	22.60	21.21	1.39	6.15
R8/55	LD	W11/55	22.91	21.53	1.38	6.02
R8/55	LD	W12/55	12.29	12.30	-0.01	-0.08
R9/55	LD	W13/55	11.92	11.96	-0.04	-0.34
R9/55	LD	W14/55	14.22	13.54	0.68	4.78
R1/56	LKD	W1/56	39.59	39.61	-0.02	-0.05
R2/56	BEDROOM	W2/56	39.59	39.61	-0.02	-0.05
R2/56	BEDROOM	W3/56	18.60	17.70	0.90	4.84
R3/56	BEDROOM	W4/56	25.71	25.33	0.38	1.48
R4/56	LD	W5/56	14.80	12.07	2.73	18.45
R4/56	LD	W6/56	11.37	8.71	2.66	23.39
R5/56	LD	W7/56	15.36	10.22	5.14	33.46
R5/56	LD	W8/56	24.05	22.92	1.13	4.70
R6/56	BEDROOM	W9/56	24.28	23.08	1.20	4.94
R7/56	BEDROOM	W10/56	24.88	23.38	1.50	6.03
R8/56	LD	W11/56	25.23	23.69	1.54	6.10
R8/56	LD	W12/56	14.05	14.05	0.00	0.00
R9/56	LD	W13/56	13.34	13.33	0.01	0.07
R9/56	LD	W14/56	15.95	15.16	0.79	4.95



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/57	LKD	W1/57	39.59	39.61	-0.02	-0.05
R2/57	BEDROOM	W2/57	39.59	39.61	-0.02	-0.05
R2/57	BEDROOM	W3/57	19.46	18.23	1.23	6.32
R3/57	BEDROOM	W4/57	25.76	25.37	0.39	1.51
R4/57	LD	W5/57	16.12	13.01	3.11	19.29
R4/57	LD	W6/57	12.35	9.40	2.95	23.89
R5/57	LD	W7/57	16.76	11.17	5.59	33.35
R5/57	LD	W8/57	26.16	24.45	1.71	6.54
R6/57	BEDROOM	W9/57	26.51	24.69	1.82	6.87
R7/57	BEDROOM	W10/57	27.31	25.25	2.06	7.54
R8/57	LD	W11/57	27.72	25.66	2.06	7.43
R8/57	LD	W12/57	16.49	16.47	0.02	0.12
R9/57	LD	W13/57	14.88	14.80	0.08	0.54
R9/57	LD	W14/57	17.98	17.06	0.92	5.12
R1/58	LKD	W1/58	39.60	39.61	-0.01	-0.03
R2/58	BEDROOM	W2/58	39.59	39.61	-0.02	-0.05
R2/58	BEDROOM	W3/58	21.09	19.18	1.91	9.06
R3/58	BEDROOM	W4/58	25.83	25.41	0.42	1.63
R4/58	LD	W5/58	17.60	14.13	3.47	19.72
R4/58	LD	W6/58	13.39	10.16	3.23	24.12
R5/58	LD	W7/58	18.84	12.67	6.17	32.75
R5/58	LD	W8/58	28.05	25.94	2.11	7.52
R6/58	BEDROOM	W9/58	28.45	26.27	2.18	7.66
R7/58	BEDROOM	W10/58	29.40	27.02	2.38	8.10
R8/58	LD	W11/58	29.87	27.54	2.33	7.80
R8/58	LD	W12/58	19.16	19.14	0.02	0.10
R9/58	LD	W13/58	16.15	16.07	0.08	0.50
R9/58	LD	W14/58	19.75	18.78	0.97	4.91
R1/59	LKD	W1/59	39.60	39.61	-0.01	-0.03



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/59	BEDROOM	W2/59	39.59	39.61	-0.02	-0.05
R2/59	BEDROOM	W3/59	24.39	21.04	3.35	13.74
R3/59	BEDROOM	W4/59	25.93	25.48	0.45	1.74
R4/59	LD	W5/59	19.35	15.52	3.83	19.79
R4/59	LD	W6/59	14.47	10.95	3.52	24.33
R5/59	LD	W7/59	22.56	15.61	6.95	30.81
R5/59	LD	W8/59	29.99	27.44	2.55	8.50
R6/59	BEDROOM	W9/59	30.43	27.86	2.57	8.45
R7/59	BEDROOM	W10/59	31.43	28.73	2.70	8.59
R8/59	LD	W11/59	31.95	29.34	2.61	8.17
R8/59	LD	W12/59	22.39	22.38	0.01	0.04
R9/59	LD	W13/59	17.36	17.26	0.10	0.58
R9/59	LD	W14/59	21.38	20.23	1.15	5.38
R1/60	LD	W1/60	28.70	28.70	0.00	0.00
R2/60	BEDROOM	W2/60	39.59	39.60	-0.01	-0.03
R2/60	BEDROOM	W3/60	26.48	22.16	4.32	16.31
R3/60	BEDROOM	W4/60	24.59	18.53	6.06	24.64
R4/60	KITCHEN	W5/60	24.52	17.30	7.22	29.45
R5/60	LD	W6/60	25.75	18.07	7.68	29.83
R5/60	LD	W7/60	32.52	29.33	3.19	9.81
R6/60	BEDROOM	W8/60	32.93	29.82	3.11	9.44
R7/60	BEDROOM	W9/60	33.72	30.74	2.98	8.84
R8/60	LD	W10/60	34.25	31.21	3.04	8.88
R8/60	LD	W11/60	26.23	26.19	0.04	0.15
R1/61	LD	W1/61	28.73	28.73	0.00	0.00
R2/61	BEDROOM	W2/61	39.60	39.61	-0.01	-0.03
R2/61	BEDROOM	W3/61	27.63	22.80	4.83	17.48
R3/61	BEDROOM	W4/61	25.88	19.29	6.59	25.46



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/61	KITCHEN	W5/61	25.83	18.11	7.72	29.89
R5/61	LD	W6/61	27.07	18.91	8.16	30.14
R5/61	LD	W7/61	34.16	30.56	3.60	10.54
R6/61	BEDROOM	W8/61	34.50	31.05	3.45	10.00
R7/61	BEDROOM	W9/61	35.16	31.94	3.22	9.16
R8/61	LD	W10/61	35.58	32.38	3.20	8.99
R8/61	LD	W11/61	29.98	29.96	0.02	0.07
R1/62	LD	W1/62	28.79	28.79	0.00	0.00
R2/62	BEDROOM	W2/62	39.60	39.61	-0.01	-0.03
R2/62	BEDROOM	W3/62	28.97	23.57	5.40	18.64
R3/62	BEDROOM	W4/62	27.36	20.19	7.17	26.21
R4/62	KITCHEN	W5/62	27.36	19.08	8.28	30.26
R5/62	LD	W6/62	28.55	19.91	8.64	30.26
R5/62	LD	W7/62	35.68	31.75	3.93	11.01
R6/62	BEDROOM	W8/62	35.96	32.22	3.74	10.40
R7/62	BEDROOM	W9/62	36.46	33.06	3.40	9.33
R8/62	LD	W10/62	36.77	33.47	3.30	8.97
R8/62	LD	W11/62	32.82	32.81	0.01	0.03
R1/63	LD	W1/63	28.96	28.96	0.00	0.00
R2/63	BEDROOM	W2/63	39.60	39.61	-0.01	-0.03
R2/63	BEDROOM	W3/63	30.52	24.51	6.01	19.69
R3/63	BEDROOM	W4/63	29.09	21.29	7.80	26.81
R4/63	KITCHEN	W5/63	29.11	20.27	8.84	30.37
R5/63	LD	W6/63	30.23	21.11	9.12	30.17
R5/63	LD	W7/63	37.16	32.99	4.17	11.22
R6/63	BEDROOM	W8/63	37.37	33.44	3.93	10.52
R7/63	BEDROOM	W9/63	37.71	34.20	3.51	9.31



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R8/63	LD	W10/63	37.91	34.57	3.34	8.81
R8/63	LD	W11/63	35.54	35.53	0.01	0.03
R1/64	LD	W1/64	29.70	29.70	0.00	0.00
R2/64	BEDROOM	W2/64	39.60	39.61	-0.01	-0.03
R2/64	BEDROOM	W3/64	32.37	25.72	6.65	20.54
R3/64	BEDROOM	W4/64	31.18	22.72	8.46	27.13
R4/64	KITCHEN	W5/64	31.21	21.81	9.40	30.12
R5/64	LD	W6/64	32.20	22.67	9.53	29.60
R5/64	LD	W7/64	38.49	34.28	4.21	10.94
R6/64	BEDROOM	W8/64	38.62	34.68	3.94	10.20
R7/64	BEDROOM	W9/64	38.79	35.34	3.45	8.89
R8/64	LD	W10/64	38.87	35.66	3.21	8.26
R8/64	LD	W11/64	36.45	36.45	0.00	0.00
R1/71	LKD	W1/71	8.28	7.34	0.94	11.35
R1/71	LKD	W2/71	6.99	6.01	0.98	14.02
R2/71	LD	W3/71	6.72	5.93	0.79	11.76
R2/71	LD	W4/71	15.18	14.32	0.86	5.67
R2/71	LD	W5/71	15.37	14.50	0.87	5.66
R2/71	LD	W6/71	15.63	14.78	0.85	5.44
R3/71	LD	W7/71	16.25	15.43	0.82	5.05
R3/71	LD	W8/71	16.71	15.90	0.81	4.85
R3/71	LD	W9/71	17.04	16.25	0.79	4.64
R3/71	LD	W10/71	10.37	10.37	0.00	0.00
R4/71	LD	W11/71	10.08	10.08	0.00	0.00
R1/72	LKD	W1/72	9.33	8.34	0.99	10.61
R1/72	LKD	W2/72	7.85	6.78	1.07	13.63
R2/72	LD	W3/72	7.53	6.64	0.89	11.82
R2/72	LD	W4/72	17.18	16.14	1.04	6.05
R2/72	LD	W5/72	17.36	16.31	1.05	6.05
R3/72	BEDROOM	W6/72	17.58	16.57	1.01	5.75



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/72	BEDROOM	W7/72	18.14	17.17	0.97	5.35
R5/72	LD	W8/72	18.58	17.63	0.95	5.11
R5/72	LD	W9/72	18.89	17.97	0.92	4.87
R5/72	LD	W10/72	11.02	11.02	0.00	0.00
R6/72	LD	W11/72	10.97	10.97	0.00	0.00
R1/73	LKD	W1/73	10.34	9.31	1.03	9.96
R1/73	LKD	W2/73	8.63	7.48	1.15	13.33
R2/73	LD	W3/73	8.39	7.42	0.97	11.56
R2/73	LD	W4/73	19.42	18.20	1.22	6.28
R2/73	LD	W5/73	19.57	18.35	1.22	6.23
R3/73	BEDROOM	W6/73	19.74	18.57	1.17	5.93
R4/73	BEDROOM	W7/73	20.20	19.09	1.11	5.50
R5/73	LD	W8/73	20.60	19.53	1.07	5.19
R5/73	LD	W9/73	20.89	19.86	1.03	4.93
R5/73	LD	W10/73	11.70	11.70	0.00	0.00
R6/73	LD	W11/73	11.94	11.94	0.00	0.00
R1/74	LKD	W1/74	11.46	10.36	1.10	9.60
R1/74	LKD	W2/74	9.46	8.20	1.26	13.32
R2/74	LD	W3/74	9.20	8.27	0.93	10.11
R2/74	LD	W4/74	21.57	20.31	1.26	5.84
R2/74	LD	W5/74	21.70	20.43	1.27	5.85
R3/74	BEDROOM	W6/74	21.85	20.61	1.24	5.68
R4/74	BEDROOM	W7/74	22.24	21.10	1.14	5.13
R5/74	LD	W8/74	22.62	21.54	1.08	4.77
R5/74	LD	W9/74	22.92	21.89	1.03	4.49
R5/74	LD	W10/74	12.39	12.39	0.00	0.00
R6/74	LD	W11/74	13.01	13.01	0.00	0.00
R1/75	LKD	W1/75	12.73	11.55	1.18	9.27
R1/75	LKD	W2/75	10.34	8.96	1.38	13.35
R2/75	LD	W3/75	10.12	9.28	0.84	8.30
R2/75	LD	W4/75	23.82	22.46	1.36	5.71



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/75	LD	W5/75	23.92	22.56	1.36	5.69
R3/75	BEDROOM	W6/75	24.04	22.72	1.32	5.49
R4/75	BEDROOM	W7/75	24.41	23.25	1.16	4.75
R5/75	LD	W8/75	24.75	23.70	1.05	4.24
R5/75	LD	W9/75	25.05	24.07	0.98	3.91
R5/75	LD	W10/75	13.11	13.11	0.00	0.00
R6/75	LD	W11/75	14.23	14.23	0.00	0.00
R1/76	LKD	W1/76	14.32	13.05	1.27	8.87
R1/76	LKD	W2/76	11.37	9.87	1.50	13.19
R2/76	LD	W3/76	11.36	10.44	0.92	8.10
R2/76	LD	W4/76	26.30	24.74	1.56	5.93
R2/76	LD	W5/76	26.37	24.83	1.54	5.84
R3/76	BEDROOM	W6/76	26.49	25.04	1.45	5.47
R4/76	BEDROOM	W7/76	26.86	25.64	1.22	4.54
R5/76	LD	W8/76	27.14	26.11	1.03	3.80
R5/76	LD	W9/76	27.44	26.50	0.94	3.43
R5/76	LD	W10/76	13.95	13.95	0.00	0.00
R6/76	LD	W11/76	15.73	15.73	0.00	0.00
R1/77	LKD	W1/77	16.35	14.95	1.40	8.56
R1/77	LKD	W2/77	12.65	11.01	1.64	12.96
R2/77	LD	W3/77	13.32	12.24	1.08	8.11
R2/77	LD	W4/77	29.06	27.28	1.78	6.13
R2/77	LD	W5/77	29.11	27.39	1.72	5.91
R3/77	BEDROOM	W6/77	29.26	27.65	1.61	5.50
R4/77	BEDROOM	W7/77	29.65	28.35	1.30	4.38
R5/77	LD	W8/77	29.88	28.85	1.03	3.45
R5/77	LD	W9/77	30.17	29.26	0.91	3.02
R5/77	LD	W10/77	15.26	15.26	0.00	0.00
R6/77	LD	W11/77	17.58	17.57	0.01	0.06
R1/78	KITCHEN	W3/78	10.32	9.25	1.07	10.37



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/78	BEDROOM	W4/78	11.05	10.63	0.42	3.80
R3/78	LKD	W1/78	17.48	17.31	0.17	0.97
R3/78	LKD	W2/78	14.61	14.38	0.23	1.57
R3/78	LKD	W5/78	34.72	34.72	0.00	0.00
R4/78	LD	W6/78	12.54	11.45	1.09	8.69
R4/78	LD	W7/78	15.44	14.09	1.35	8.74
R4/78	LD	W8/78	31.82	29.91	1.91	6.00
R4/78	LD	W9/78	31.97	30.12	1.85	5.79
R5/78	BEDROOM	W10/78	32.12	30.38	1.74	5.42
R6/78	BEDROOM	W11/78	32.64	31.24	1.40	4.29
R7/78	LD	W12/78	32.83	31.59	1.24	3.78
R7/78	LD	W13/78	33.03	31.91	1.12	3.39
R7/78	LD	W14/78	16.52	16.52	0.00	0.00
R7/78	LD	W15/78	13.32	13.32	0.00	0.00
R1/79	KITCHEN	W4/79	11.47	10.35	1.12	9.76
R2/79	BEDROOM	W3/79	12.07	11.54	0.53	4.39
R3/79	LKD	W1/79	18.26	18.00	0.26	1.42
R3/79	LKD	W2/79	15.44	15.13	0.31	2.01
R3/79	LKD	W5/79	34.73	34.73	0.00	0.00
R4/79	LD	W6/79	14.37	13.20	1.17	8.14
R4/79	LD	W7/79	17.40	15.79	1.61	9.25
R4/79	LD	W8/79	33.95	31.88	2.07	6.10
R4/79	LD	W9/79	34.12	32.13	1.99	5.83
R5/79	BEDROOM	W10/79	34.29	32.38	1.91	5.57
R6/79	BEDROOM	W11/79	34.76	33.17	1.59	4.57
R7/79	LD	W12/79	34.92	33.46	1.46	4.18
R7/79	LD	W13/79	35.06	33.72	1.34	3.82
R7/79	LD	W14/79	17.45	17.45	0.00	0.00
R7/79	LD	W15/79	14.16	14.16	0.00	0.00
R1/80	KITCHEN	W3/80	13.00	11.83	1.17	9.00
R2/80	BEDROOM	W4/80	13.37	12.82	0.55	4.11



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R3/80	LKD	W1/80	19.28	19.01	0.27	1.40
R3/80	LKD	W2/80	16.56	16.25	0.31	1.87
R3/80	LKD	W5/80	34.75	34.75	0.00	0.00
R4/80	LD	W6/80	16.25	14.99	1.26	7.75
R4/80	LD	W7/80	19.32	17.55	1.77	9.16
R4/80	LD	W8/80	35.86	33.55	2.31	6.44
R4/80	LD	W9/80	36.04	33.85	2.19	6.08
R5/80	BEDROOM	W10/80	36.23	34.09	2.14	5.91
R6/80	BEDROOM	W11/80	36.58	34.77	1.81	4.95
R7/80	LD	W12/80	36.68	34.99	1.69	4.61
R7/80	LD	W13/80	36.78	35.20	1.58	4.30
R7/80	LD	W14/80	18.57	18.56	0.01	0.05
R7/80	LD	W15/80	15.19	15.18	0.01	0.07
R1/81	KITCHEN	W4/81	15.13	13.93	1.20	7.93
R2/81	BEDROOM	W3/81	15.32	14.77	0.55	3.59
R3/81	LKD	W1/81	20.81	20.54	0.27	1.30
R3/81	LKD	W2/81	18.26	17.95	0.31	1.70
R3/81	LKD	W5/81	34.82	34.82	0.00	0.00
R4/81	LD	W6/81	18.28	16.96	1.32	7.22
R4/81	LD	W7/81	21.25	19.43	1.82	8.56
R4/81	LD	W8/81	36.93	34.56	2.37	6.42
R4/81	LD	W9/81	37.10	34.85	2.25	6.06
R5/81	BEDROOM	W10/81	37.27	35.06	2.21	5.93
R6/81	BEDROOM	W11/81	37.55	35.66	1.89	5.03
R7/81	LD	W12/81	37.62	35.85	1.77	4.70
R7/81	LD	W13/81	37.71	36.04	1.67	4.43
R7/81	LD	W14/81	19.94	19.94	0.00	0.00
R7/81	LD	W15/81	16.45	16.44	0.01	0.06
R1/82	KITCHEN	W3/82	18.49	17.29	1.20	6.49
R2/82	BEDROOM	W4/82	18.54	17.99	0.55	2.97
R3/82	LKD	W1/82	23.31	23.05	0.26	1.12
R3/82	LKD	W2/82	21.07	20.76	0.31	1.47
R3/82	LKD	W5/82	35.23	35.23	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/82	LD	W6/82	21.33	19.97	1.36	6.38
R4/82	LD	W7/82	24.01	22.18	1.83	7.62
R4/82	LD	W8/82	37.79	35.45	2.34	6.19
R4/82	LD	W9/82	37.91	35.69	2.22	5.86
R5/82	BEDROOM	W10/82	38.04	35.89	2.15	5.65
R6/82	BEDROOM	W11/82	38.23	36.41	1.82	4.76
R7/82	LD	W12/82	38.28	36.58	1.70	4.44
R7/82	LD	W13/82	38.35	36.74	1.61	4.20
R7/82	LD	W14/82	21.26	21.26	0.00	0.00
R7/82	LD	W15/82	17.72	17.72	0.00	0.00
R1/91	LKD	W1/91	11.13	10.84	0.29	2.61
R2/91	BEDROOM	W2/91	4.49	3.94	0.55	12.25
R3/91	BEDROOM	W3/91	7.04	6.22	0.82	11.65
R3/91	BEDROOM	W4/91	20.96	20.06	0.90	4.29
R4/91	BEDROOM	W5/91	21.57	20.53	1.04	4.82
R5/91	BEDROOM	W6/91	11.10	10.53	0.57	5.14
R6/91	LD	W7/91	22.66	21.64	1.02	4.50
R6/91	LD	W8/91	22.99	22.13	0.86	3.74
R6/91	LD	W9/91	12.43	12.43	0.00	0.00
R7/91	LD	W10/91	11.82	11.84	-0.02	-0.17
R7/91	LD	W11/91	15.84	15.36	0.48	3.03
R1/92	LKD	W1/92	12.06	11.74	0.32	2.65
R2/92	BEDROOM	W2/92	5.07	4.44	0.63	12.43
R3/92	BEDROOM	W3/92	7.80	6.90	0.90	11.54
R3/92	BEDROOM	W4/92	22.62	21.66	0.96	4.24
R4/92	BEDROOM	W5/92	23.24	22.15	1.09	4.69
R5/92	BEDROOM	W6/92	11.80	11.25	0.55	4.66
R6/92	LD	W7/92	24.35	23.31	1.04	4.27
R6/92	LD	W8/92	24.72	23.82	0.90	3.64
R6/92	LD	W9/92	13.24	13.24	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R7/92	LD	W10/92	12.77	12.78	-0.01	-0.08
R7/92	LD	W11/92	16.93	16.45	0.48	2.84
R1/93	LKD	W1/93	13.06	12.75	0.31	2.37
R2/93	BEDROOM	W2/93	5.72	5.04	0.68	11.89
R3/93	BEDROOM	W3/93	8.67	7.70	0.97	11.19
R3/93	BEDROOM	W4/93	24.42	23.39	1.03	4.22
R4/93	BEDROOM	W5/93	25.03	23.89	1.14	4.55
R5/93	BEDROOM	W6/93	12.56	12.03	0.53	4.22
R6/93	LD	W7/93	26.15	25.09	1.06	4.05
R6/93	LD	W8/93	26.56	25.63	0.93	3.50
R6/93	LD	W9/93	14.05	14.05	0.00	0.00
R7/93	LD	W10/93	13.74	13.75	-0.01	-0.07
R7/93	LD	W11/93	18.05	17.57	0.48	2.66
R1/94	LKD	W1/94	14.16	13.90	0.26	1.84
R2/94	BEDROOM	W2/94	6.47	5.76	0.71	10.97
R3/94	BEDROOM	W3/94	9.66	8.67	0.99	10.25
R3/94	BEDROOM	W4/94	26.32	25.26	1.06	4.03
R4/94	BEDROOM	W5/94	26.91	25.77	1.14	4.24
R5/94	BEDROOM	W6/94	13.39	12.88	0.51	3.81
R6/94	LD	W7/94	28.05	26.99	1.06	3.78
R6/94	LD	W8/94	28.50	27.55	0.95	3.33
R6/94	LD	W9/94	14.91	14.91	0.00	0.00
R7/94	LD	W10/94	14.72	14.73	-0.01	-0.07
R7/94	LD	W11/94	19.14	18.66	0.48	2.51
R1/95	LKD	W1/95	15.41	15.21	0.20	1.30
R2/95	BEDROOM	W2/95	7.37	6.67	0.70	9.50
R3/95	BEDROOM	W3/95	10.84	9.84	1.00	9.23
R3/95	BEDROOM	W4/95	28.23	27.21	1.02	3.61



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/95	BEDROOM	W5/95	28.83	27.72	1.11	3.85
R5/95	BEDROOM	W6/95	14.27	13.80	0.47	3.29
R6/95	LD	W7/95	29.98	28.94	1.04	3.47
R6/95	LD	W8/95	30.46	29.51	0.95	3.12
R6/95	LD	W9/95	15.78	15.78	0.00	0.00
R7/95	LD	W10/95	15.67	15.67	0.00	0.00
R7/95	LD	W11/95	20.18	19.72	0.46	2.28
R1/96	LKD	W1/96	16.87	16.72	0.15	0.89
R2/96	BEDROOM	W2/96	8.51	7.68	0.83	9.75
R3/96	BEDROOM	W3/96	12.37	11.34	1.03	8.33
R3/96	BEDROOM	W4/96	30.19	29.19	1.00	3.31
R4/96	BEDROOM	W5/96	30.78	29.70	1.08	3.51
R5/96	BEDROOM	W6/96	15.19	14.76	0.43	2.83
R6/96	LD	W7/96	31.87	30.85	1.02	3.20
R6/96	LD	W8/96	32.34	31.38	0.96	2.97
R6/96	LD	W9/96	16.63	16.63	0.00	0.00
R7/96	LD	W10/96	16.54	16.54	0.00	0.00
R7/96	LD	W11/96	21.19	20.75	0.44	2.08
R1/97	LKD	W1/97	18.55	18.22	0.33	1.78
R2/97	BEDROOM	W2/97	9.67	8.72	0.95	9.82
R3/97	BEDROOM	W3/97	14.49	13.44	1.05	7.25
R3/97	BEDROOM	W4/97	32.49	31.52	0.97	2.99
R4/97	BEDROOM	W5/97	33.04	32.00	1.04	3.15
R5/97	BEDROOM	W6/97	16.25	15.87	0.38	2.34
R6/97	LD	W7/97	34.03	33.04	0.99	2.91
R6/97	LD	W8/97	34.46	33.52	0.94	2.73
R6/97	LD	W9/97	17.90	17.90	0.00	0.00
R7/97	LD	W10/97	17.58	17.58	0.00	0.00
R7/97	LD	W11/97	22.42	22.01	0.41	1.83



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/98	LKD	W1/98	20.01	19.53	0.48	2.40
R2/98	BEDROOM	W2/98	10.95	9.92	1.03	9.41
R3/98	BEDROOM	W3/98	16.54	15.41	1.13	6.83
R3/98	BEDROOM	W4/98	34.76	33.76	1.00	2.88
R4/98	BEDROOM	W5/98	35.25	34.17	1.08	3.06
R5/98	BEDROOM	W6/98	17.24	16.89	0.35	2.03
R6/98	LD	W7/98	36.07	35.06	1.01	2.80
R6/98	LD	W8/98	36.45	35.48	0.97	2.66
R6/98	LD	W9/98	19.69	19.69	0.00	0.00
R7/98	LD	W10/98	18.59	18.59	0.00	0.00
R7/98	LD	W11/98	23.71	23.35	0.36	1.52
R1/99	LKD	W1/99	21.41	20.78	0.63	2.94
R2/99	BEDROOM	W2/99	12.60	11.54	1.06	8.41
R3/99	BEDROOM	W3/99	18.71	17.57	1.14	6.09
R3/99	BEDROOM	W4/99	36.31	35.21	1.10	3.03
R4/99	BEDROOM	W5/99	36.64	35.48	1.16	3.17
R5/99	BEDROOM	W6/99	17.90	17.46	0.44	2.46
R6/99	LD	W7/99	37.16	36.07	1.09	2.93
R6/99	LD	W8/99	37.41	36.34	1.07	2.86
R6/99	LD	W9/99	21.95	21.95	0.00	0.00
R7/99	LD	W10/99	19.20	19.20	0.00	0.00
R7/99	LD	W11/99	24.68	24.37	0.31	1.26
R1/100	LKD	W1/100	23.12	22.27	0.85	3.68
R2/100	KITCHEN	W2/100	15.58	14.50	1.08	6.93
R3/100	LD	W3/100	22.42	21.29	1.13	5.04
R3/100	LD	W4/100	37.47	36.32	1.15	3.07
R4/100	BEDROOM	W5/100	37.65	36.54	1.11	2.95
R5/100	BEDROOM	W6/100	37.84	36.79	1.05	2.77



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/100	LD	W7/100	38.01	37.00	1.01	2.66
R6/100	LD	W8/100	25.41	25.41	0.00	0.00
R7/100	LD	W9/100	19.76	19.76	0.00	0.00
R7/100	LD	W10/100	25.74	25.49	0.25	0.97
R1/101	LKD	W1/101	25.06	24.19	0.87	3.47
R2/101	KITCHEN	W2/101	22.78	21.71	1.07	4.70
R3/101	LD	W3/101	28.36	27.23	1.13	3.98
R3/101	LD	W4/101	38.18	37.03	1.15	3.01
R4/101	BEDROOM	W5/101	38.30	37.21	1.09	2.85
R5/101	BEDROOM	W6/101	38.38	37.39	0.99	2.58
R6/101	LD	W7/101	38.48	37.55	0.93	2.42
R6/101	LD	W8/101	30.79	30.79	0.00	0.00
R7/101	LD	W9/101	20.39	20.39	0.00	0.00
R7/101	LD	W10/101	27.05	26.88	0.17	0.63
R1/102	KITCHEN	W1/102	33.26	31.97	1.29	3.88
R2/102	BEDROOM	W3/102	33.57	32.57	1.00	2.98
R3/102	BEDROOM	W2/102	35.27	34.38	0.89	2.52
R3/102	BEDROOM	W4/102	39.60	39.60	0.00	0.00
R4/102	LD	W5/102	34.60	32.81	1.79	5.17
R4/102	LD	W6/102	38.70	37.60	1.10	2.84
R5/102	BEDROOM	W7/102	38.75	37.74	1.01	2.61
R6/102	BEDROOM	W8/102	38.82	37.91	0.91	2.34
R7/102	LD	W9/102	38.87	38.02	0.85	2.19
R7/102	LD	W10/102	35.89	35.89	0.00	0.00
R1/103	BEDROOM	W2/103	37.55	35.99	1.56	4.15
R1/103	BEDROOM	W4/103	39.60	39.60	0.00	0.00
R2/103	BEDROOM	W3/103	37.32	35.64	1.68	4.50
R3/103	KITCHEN	W1/103	37.28	35.45	1.83	4.91



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/103	LD	W5/103	37.38	35.08	2.30	6.15
R4/103	LD	W6/103	39.10	38.08	1.02	2.61
R5/103	BEDROOM	W7/103	39.13	38.20	0.93	2.38
R6/103	BEDROOM	W8/103	39.17	38.34	0.83	2.12
R7/103	LD	W9/103	39.20	38.43	0.77	1.96
R7/103	LD	W10/103	39.45	39.45	0.00	0.00
R1/104	BEDROOM	W2/104	38.25	36.75	1.50	3.92
R1/104	BEDROOM	W4/104	39.60	39.60	0.00	0.00
R2/104	BEDROOM	W3/104	38.12	36.50	1.62	4.25
R3/104	KITCHEN	W1/104	38.11	36.34	1.77	4.64
R4/104	LD	W5/104	38.17	36.06	2.11	5.53
R4/104	LD	W6/104	39.36	38.48	0.88	2.24
R5/104	BEDROOM	W7/104	39.38	38.57	0.81	2.06
R6/104	BEDROOM	W8/104	39.40	38.68	0.72	1.83
R7/104	LD	W9/104	39.41	38.75	0.66	1.67
R7/104	LD	W10/104	39.60	39.60	0.00	0.00
R1/105	BEDROOM	W2/105	38.86	37.47	1.39	3.58
R1/105	BEDROOM	W4/105	39.60	39.60	0.00	0.00
R2/105	BEDROOM	W3/105	38.82	37.31	1.51	3.89
R3/105	KITCHEN	W1/105	38.84	37.19	1.65	4.25
R4/105	LD	W5/105	38.86	37.00	1.86	4.79
R4/105	LD	W6/105	39.50	38.83	0.67	1.70
R5/105	BEDROOM	W7/105	39.51	38.90	0.61	1.54
R6/105	BEDROOM	W8/105	39.52	38.98	0.54	1.37
R7/105	LD	W9/105	39.53	39.03	0.50	1.26
R7/105	LD	W10/105	39.60	39.60	0.00	0.00
R1/106	BEDROOM	W2/106	39.17	37.99	1.18	3.01
R1/106	BEDROOM	W4/106	39.60	39.60	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/106	BEDROOM	W3/106	39.17	37.89	1.28	3.27
R3/106	KITCHEN	W1/106	39.19	37.82	1.37	3.50
R4/106	LD	W5/106	39.21	37.70	1.51	3.85
R4/106	LD	W6/106	39.59	39.17	0.42	1.06
R5/106	BEDROOM	W7/106	39.59	39.21	0.38	0.96
R6/106	BEDROOM	W8/106	39.60	39.26	0.34	0.86
R7/106	LD	W9/106	39.60	39.29	0.31	0.78
R7/106	LD	W10/106	39.60	39.60	0.00	0.00
R1/107	BEDROOM	W2/107	39.38	38.48	0.90	2.29
R1/107	BEDROOM	W4/107	39.60	39.60	0.00	0.00
R2/107	BEDROOM	W3/107	39.39	38.43	0.96	2.44
R3/107	KITCHEN	W1/107	39.40	38.39	1.01	2.56
R4/107	LD	W5/107	39.42	38.34	1.08	2.74
R4/107	LD	W6/107	39.62	39.45	0.17	0.43
R5/107	BEDROOM	W7/107	39.62	39.46	0.16	0.40
R6/107	BEDROOM	W8/107	39.62	39.49	0.13	0.33
R7/107	LD	W9/107	39.62	39.50	0.12	0.30
R7/107	LD	W10/107	39.60	39.60	0.00	0.00
R1/111	LKD	W1/111	14.48	13.94	0.54	3.73
R1/111	LKD	W2/111	11.47	10.81	0.66	5.75
R2/111	BEDROOM	W3/111	7.21	6.68	0.53	7.35
R3/111	BEDROOM	W4/111	9.03	8.28	0.75	8.31
R3/111	BEDROOM	W5/111	24.42	23.51	0.91	3.73
R3/111	BEDROOM	W6/111	24.77	24.01	0.76	3.07
R4/111	BEDROOM	W7/111	25.12	24.55	0.57	2.27
R5/111	BEDROOM	W8/111	10.35	10.38	-0.03	-0.29
R6/111	LKD	W9/111	25.88	25.34	0.54	2.09
R6/111	LKD	W10/111	26.21	25.81	0.40	1.53
R6/111	LKD	W11/111	26.89	26.58	0.31	1.15



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/111	LKD	W12/111	15.37	15.37	0.00	0.00
R6/111	LKD	W13/111	12.91	12.91	0.00	0.00
R7/111	LKD	W14/111	19.10	19.10	0.00	0.00
R7/111	LKD	W15/111	20.55	20.55	0.00	0.00
R1/112	LKD	W1/112	15.71	15.16	0.55	3.50
R1/112	LKD	W2/112	12.36	11.69	0.67	5.42
R2/112	BEDROOM	W3/112	7.73	7.16	0.57	7.37
R3/112	BEDROOM	W4/112	9.65	8.86	0.79	8.19
R3/112	BEDROOM	W5/112	26.51	25.58	0.93	3.51
R3/112	BEDROOM	W6/112	26.91	26.11	0.80	2.97
R4/112	BEDROOM	W7/112	27.29	26.68	0.61	2.24
R5/112	BEDROOM	W8/112	11.73	11.75	-0.02	-0.17
R6/112	LKD	W9/112	28.05	27.48	0.57	2.03
R6/112	LKD	W10/112	28.38	27.95	0.43	1.52
R6/112	LKD	W11/112	28.97	28.64	0.33	1.14
R6/112	LKD	W12/112	16.24	16.24	0.00	0.00
R6/112	LKD	W13/112	13.62	13.62	0.00	0.00
R7/112	LKD	W14/112	20.15	20.15	0.00	0.00
R7/112	LKD	W15/112	21.88	21.88	0.00	0.00
R1/113	LKD	W1/113	17.01	16.46	0.55	3.23
R1/113	LKD	W2/113	13.33	12.66	0.67	5.03
R2/113	BEDROOM	W3/113	8.29	7.68	0.61	7.36
R3/113	BEDROOM	W4/113	10.32	9.49	0.83	8.04
R3/113	BEDROOM	W5/113	28.65	27.69	0.96	3.35
R3/113	BEDROOM	W6/113	29.07	28.25	0.82	2.82
R4/113	BEDROOM	W7/113	29.48	28.83	0.65	2.20
R5/113	BEDROOM	W8/113	13.20	13.21	-0.01	-0.08
R6/113	LKD	W9/113	30.23	29.63	0.60	1.98
R6/113	LKD	W10/113	30.54	30.09	0.45	1.47
R6/113	LKD	W11/113	31.05	30.70	0.35	1.13
R6/113	LKD	W12/113	17.20	17.20	0.00	0.00
R6/113	LKD	W13/113	14.42	14.42	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R7/113	LKD	W14/113	21.14	21.15	-0.01	-0.05
R7/113	LKD	W15/113	23.17	23.17	0.00	0.00
R1/114	LKD	W1/114	18.27	17.73	0.54	2.96
R1/114	LKD	W2/114	14.38	13.69	0.69	4.80
R2/114	BEDROOM	W3/114	8.90	8.25	0.65	7.30
R3/114	BEDROOM	W4/114	11.06	10.19	0.87	7.87
R3/114	BEDROOM	W5/114	30.66	29.69	0.97	3.16
R3/114	BEDROOM	W6/114	31.11	30.26	0.85	2.73
R4/114	BEDROOM	W7/114	31.51	30.83	0.68	2.16
R5/114	BEDROOM	W8/114	14.54	14.54	0.00	0.00
R6/114	LKD	W9/114	32.17	31.55	0.62	1.93
R6/114	LKD	W10/114	32.39	31.92	0.47	1.45
R6/114	LKD	W11/114	32.80	32.43	0.37	1.13
R6/114	LKD	W12/114	18.34	18.34	0.00	0.00
R6/114	LKD	W13/114	15.37	15.37	0.00	0.00
R7/114	LKD	W14/114	21.79	21.79	0.00	0.00
R7/114	LKD	W15/114	24.13	24.17	-0.04	-0.17
R1/115	LKD	W1/115	19.54	19.00	0.54	2.76
R1/115	LKD	W2/115	15.48	14.79	0.69	4.46
R2/115	BEDROOM	W3/115	9.57	8.87	0.70	7.31
R3/115	BEDROOM	W4/115	11.87	10.95	0.92	7.75
R3/115	BEDROOM	W5/115	32.40	31.40	1.00	3.09
R3/115	BEDROOM	W6/115	32.76	31.88	0.88	2.69
R4/115	BEDROOM	W7/115	33.09	32.37	0.72	2.18
R5/115	BEDROOM	W8/115	15.50	15.50	0.00	0.00
R6/115	LKD	W9/115	33.64	32.98	0.66	1.96
R6/115	LKD	W10/115	33.79	33.29	0.50	1.48
R6/115	LKD	W11/115	34.13	33.73	0.40	1.17
R6/115	LKD	W12/115	19.86	19.86	0.00	0.00
R6/115	LKD	W13/115	16.65	16.65	0.00	0.00
R7/115	LKD	W14/115	22.36	22.37	-0.01	-0.04
R7/115	LKD	W15/115	25.10	25.15	-0.05	-0.20



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/116	LKD	W1/116	20.86	20.33	0.53	2.54
R1/116	LKD	W2/116	16.63	15.93	0.70	4.21
R2/116	BEDROOM	W3/116	10.31	9.56	0.75	7.27
R3/116	BEDROOM	W4/116	12.77	11.80	0.97	7.60
R3/116	BEDROOM	W5/116	34.06	33.02	1.04	3.05
R3/116	BEDROOM	W6/116	34.32	33.40	0.92	2.68
R4/116	BEDROOM	W7/116	34.55	33.79	0.76	2.20
R5/116	BEDROOM	W8/116	16.44	16.44	0.00	0.00
R6/116	LKD	W9/116	34.96	34.26	0.70	2.00
R6/116	LKD	W10/116	35.07	34.53	0.54	1.54
R6/116	LKD	W11/116	35.31	34.88	0.43	1.22
R6/116	LKD	W12/116	21.85	21.85	0.00	0.00
R6/116	LKD	W13/116	18.34	18.34	0.00	0.00
R7/116	LKD	W14/116	22.97	22.97	0.00	0.00
R7/116	LKD	W15/116	26.20	26.23	-0.03	-0.11
R1/117	LKD	W1/117	22.48	21.92	0.56	2.49
R1/117	LKD	W2/117	18.02	17.28	0.74	4.11
R2/117	BEDROOM	W3/117	11.31	10.50	0.81	7.16
R3/117	BEDROOM	W4/117	14.02	12.97	1.05	7.49
R3/117	BEDROOM	W5/117	35.96	34.88	1.08	3.00
R3/117	BEDROOM	W6/117	36.11	35.15	0.96	2.66
R4/117	BEDROOM	W7/117	36.23	35.42	0.81	2.24
R5/117	BEDROOM	W8/117	17.54	17.54	0.00	0.00
R6/117	LKD	W9/117	36.45	35.73	0.72	1.98
R6/117	LKD	W10/117	36.51	35.89	0.62	1.70
R6/117	LKD	W11/117	36.63	36.09	0.54	1.47
R6/117	LKD	W12/117	25.45	25.45	0.00	0.00
R6/117	LKD	W13/117	21.39	21.39	0.00	0.00
R7/117	LKD	W14/117	23.93	23.93	0.00	0.00
R7/117	LKD	W15/117	27.98	27.93	0.05	0.18
R1/118	LKD	W1/118	24.00	23.40	0.60	2.50
R1/118	LKD	W2/118	19.27	18.51	0.76	3.94



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/118	BEDROOM	W3/118	12.44	11.61	0.83	6.67
R3/118	BEDROOM	W4/118	15.43	14.35	1.08	7.00
R3/118	BEDROOM	W5/118	37.50	36.35	1.15	3.07
R3/118	BEDROOM	W6/118	37.56	36.50	1.06	2.82
R4/118	BEDROOM	W7/118	37.59	36.62	0.97	2.58
R5/118	BEDROOM	W8/118	18.55	18.37	0.18	0.97
R6/118	LKD	W9/118	37.67	36.80	0.87	2.31
R6/118	LKD	W10/118	37.68	36.83	0.85	2.26
R6/118	LKD	W11/118	37.72	36.92	0.80	2.12
R6/118	LKD	W12/118	30.45	30.45	0.00	0.00
R6/118	LKD	W13/118	25.79	25.79	0.00	0.00
R7/118	LKD	W14/118	25.14	25.14	0.00	0.00
R7/118	LKD	W15/118	30.23	30.03	0.20	0.66
R1/119	LKD	W1/119	25.23	24.69	0.54	2.14
R1/119	LKD	W2/119	20.21	19.54	0.67	3.32
R2/119	BEDROOM	W3/119	14.24	13.48	0.76	5.34
R3/119	BEDROOM	W4/119	17.29	16.29	1.00	5.78
R3/119	BEDROOM	W5/119	38.02	36.95	1.07	2.81
R3/119	BEDROOM	W6/119	38.08	37.07	1.01	2.65
R4/119	BEDROOM	W7/119	38.12	37.14	0.98	2.57
R5/119	BEDROOM	W8/119	20.33	20.12	0.21	1.03
R6/119	LKD	W9/119	38.20	37.32	0.88	2.30
R6/119	LKD	W10/119	38.23	37.35	0.88	2.30
R6/119	LKD	W11/119	38.27	37.42	0.85	2.22
R6/119	LKD	W12/119	36.78	36.78	0.00	0.00
R6/119	LKD	W13/119	33.24	33.24	0.00	0.00
R7/119	LKD	W14/119	26.50	26.51	-0.01	-0.04
R7/119	LKD	W15/119	32.50	32.28	0.22	0.68
R1/120	KITCHEN	W3/120	14.61	14.36	0.25	1.71
R2/120	BEDROOM	W4/120	14.45	14.19	0.26	1.80
R3/120	LKD	W1/120	19.45	19.39	0.06	0.31
R3/120	LKD	W2/120	17.11	16.97	0.14	0.82



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R3/120	LKD	W5/120	34.33	34.33	0.00	0.00
R4/120	LD	W6/120	17.14	16.47	0.67	3.91
R4/120	LD	W7/120	19.42	18.52	0.90	4.63
R4/120	LD	W8/120	38.36	37.50	0.86	2.24
R4/120	LD	W9/120	38.44	37.60	0.84	2.19
R5/120	BEDROOM	W10/120	38.48	37.69	0.79	2.05
R6/120	BEDROOM	W11/120	38.57	37.76	0.81	2.10
R7/120	LD	W12/120	38.59	37.84	0.75	1.94
R7/120	LD	W13/120	38.64	37.91	0.73	1.89
R7/120	LD	W14/120	39.56	39.56	0.00	0.00
R7/120	LD	W15/120	39.55	39.55	0.00	0.00
R1/121	LKD	W1/121	20.22	20.17	0.05	0.25
R1/121	LKD	W2/121	17.93	17.81	0.12	0.67
R1/121	LKD	W5/121	34.39	34.39	0.00	0.00
R2/121	KITCHEN	W4/121	15.62	15.28	0.34	2.18
R3/121	BEDROOM	W3/121	15.25	15.01	0.24	1.57
R4/121	LD	W6/121	18.48	17.74	0.74	4.00
R4/121	LD	W7/121	20.91	20.08	0.83	3.97
R4/121	LD	W8/121	38.70	37.95	0.75	1.94
R4/121	LD	W9/121	38.75	38.03	0.72	1.86
R5/121	BEDROOM	W10/121	38.79	38.10	0.69	1.78
R6/121	BEDROOM	W11/121	38.85	38.15	0.70	1.80
R7/121	LD	W12/121	38.86	38.21	0.65	1.67
R7/121	LD	W13/121	38.90	38.27	0.63	1.62
R7/121	LD	W14/121	39.57	39.57	0.00	0.00
R7/121	LD	W15/121	39.57	39.57	0.00	0.00
R1/122	LKD	W1/122	21.13	21.02	0.11	0.52
R1/122	LKD	W2/122	18.89	18.74	0.15	0.79
R1/122	LKD	W5/122	34.79	34.79	0.00	0.00
R2/122	KITCHEN	W3/122	16.69	16.35	0.34	2.04
R3/122	BEDROOM	W4/122	16.26	16.08	0.18	1.11
R4/122	LD	W6/122	19.67	18.93	0.74	3.76



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R4/122	LD	W7/122	22.32	21.54	0.78	3.49
R4/122	LD	W8/122	39.01	38.36	0.65	1.67
R4/122	LD	W9/122	39.04	38.42	0.62	1.59
R5/122	BEDROOM	W10/122	39.06	38.46	0.60	1.54
R6/122	BEDROOM	W11/122	39.10	38.51	0.59	1.51
R7/122	LD	W12/122	39.10	38.56	0.54	1.38
R7/122	LD	W13/122	39.14	38.61	0.53	1.35
R7/122	LD	W14/122	39.58	39.58	0.00	0.00
R7/122	LD	W15/122	39.58	39.58	0.00	0.00

Battersea Power Station Phase 4A (Building A2)

R1/41	LKD	W1/41	24.25	23.04	1.21	4.99
R1/41	LKD	W2/41	24.15	22.84	1.31	5.42
R1/41	LKD	W3/41	24.03	22.51	1.52	6.33
R1/41	LKD	W21/41	31.14	31.14	0.00	0.00
R2/41	LD	W4/41	24.16	22.47	1.69	7.00
R2/41	LD	W5/41	24.35	22.56	1.79	7.35
R3/41	BEDROOM	W6/41	24.68	23.01	1.67	6.77
R3/41	BEDROOM	W7/41	24.90	23.36	1.54	6.18
R4/41	BEDROOM	W8/41	25.26	23.66	1.60	6.33
R5/41	BEDROOM	W9/41	25.84	24.32	1.52	5.88
R6/41	LKD	W10/41	26.12	24.53	1.59	6.09
R6/41	LKD	W11/41	26.73	25.01	1.72	6.43
R6/41	LKD	W12/41	15.83	15.20	0.63	3.98
R7/41	BEDROOM	W13/41	14.17	13.88	0.29	2.05
R8/41	KITCHEN	W14/41	12.18	11.96	0.22	1.81
R9/41	LD	W15/41	13.68	12.76	0.92	6.73
R9/41	LD	W16/41	12.23	12.05	0.18	1.47
R9/41	LD	W17/41	12.39	12.22	0.17	1.37
R10/41	BEDROOM	W18/41	12.60	12.44	0.16	1.27
R10/41	BEDROOM	W19/41	12.70	12.54	0.16	1.26
R11/41	BEDROOM	W20/41	31.26	31.26	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/42	LKD	W1/42	27.63	26.30	1.33	4.81
R1/42	LKD	W2/42	27.56	26.14	1.42	5.15
R1/42	LKD	W3/42	27.46	25.86	1.60	5.83
R1/42	LKD	W21/42	33.98	33.98	0.00	0.00
R2/42	LD	W4/42	27.55	25.82	1.73	6.28
R2/42	LD	W5/42	27.67	25.87	1.80	6.51
R3/42	BEDROOM	W6/42	27.90	26.20	1.70	6.09
R3/42	BEDROOM	W7/42	28.05	26.48	1.57	5.60
R4/42	BEDROOM	W8/42	28.27	26.63	1.64	5.80
R5/42	BEDROOM	W9/42	28.65	27.05	1.60	5.58
R6/42	LKD	W10/42	28.83	27.14	1.69	5.86
R6/42	LKD	W11/42	29.20	27.37	1.83	6.27
R6/42	LKD	W12/42	17.14	16.39	0.75	4.38
R7/42	BEDROOM	W13/42	15.48	15.08	0.40	2.58
R8/42	KITCHEN	W14/42	13.45	13.17	0.28	2.08
R9/42	LD	W15/42	14.92	13.97	0.95	6.37
R9/42	LD	W16/42	13.49	13.31	0.18	1.33
R9/42	LD	W17/42	13.66	13.48	0.18	1.32
R10/42	BEDROOM	W18/42	13.90	13.74	0.16	1.15
R10/42	BEDROOM	W19/42	14.01	13.85	0.16	1.14
R11/42	BEDROOM	W20/42	34.01	34.01	0.00	0.00
R1/43	LKD	W1/43	31.21	29.74	1.47	4.71
R1/43	LKD	W2/43	31.18	29.62	1.56	5.00
R1/43	LKD	W3/43	31.11	29.43	1.68	5.40
R1/43	LKD	W21/43	36.37	36.37	0.00	0.00
R2/43	LD	W4/43	31.10	29.36	1.74	5.59
R2/43	LD	W5/43	31.13	29.35	1.78	5.72
R3/43	BEDROOM	W6/43	31.20	29.50	1.70	5.45
R3/43	BEDROOM	W7/43	31.26	29.70	1.56	4.99
R4/43	BEDROOM	W8/43	31.31	29.65	1.66	5.30
R5/43	BEDROOM	W9/43	31.46	29.78	1.68	5.34



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/43	LKD	W10/43	31.52	29.74	1.78	5.65
R6/43	LKD	W11/43	31.62	29.68	1.94	6.14
R6/43	LKD	W12/43	18.62	17.75	0.87	4.67
R7/43	BEDROOM	W13/43	16.97	16.47	0.50	2.95
R8/43	KITCHEN	W14/43	14.89	14.56	0.33	2.22
R9/43	LD	W15/43	16.32	15.35	0.97	5.94
R9/43	LD	W16/43	14.86	14.69	0.17	1.14
R9/43	LD	W17/43	15.04	14.86	0.18	1.20
R10/43	BEDROOM	W18/43	15.32	15.16	0.16	1.04
R10/43	BEDROOM	W19/43	15.45	15.29	0.16	1.04
R11/43	BEDROOM	W20/43	36.32	36.32	0.00	0.00
R1/44	LKD	W1/44	34.31	32.98	1.33	3.88
R1/44	LKD	W2/44	34.34	32.90	1.44	4.19
R1/44	LKD	W3/44	34.28	32.80	1.48	4.32
R1/44	LKD	W21/44	37.71	37.71	0.00	0.00
R2/44	LD	W4/44	34.20	32.67	1.53	4.47
R2/44	LD	W5/44	34.17	32.59	1.58	4.62
R3/44	BEDROOM	W6/44	34.16	32.57	1.59	4.65
R3/44	BEDROOM	W7/44	34.15	32.64	1.51	4.42
R4/44	BEDROOM	W8/44	34.10	32.39	1.71	5.01
R5/44	BEDROOM	W9/44	34.02	32.27	1.75	5.14
R6/44	LKD	W10/44	33.95	32.10	1.85	5.45
R6/44	LKD	W11/44	33.79	31.78	2.01	5.95
R6/44	LKD	W12/44	20.39	19.41	0.98	4.81
R7/44	BEDROOM	W13/44	18.77	18.17	0.60	3.20
R8/44	KITCHEN	W14/44	16.65	16.26	0.39	2.34
R9/44	LD	W15/44	17.98	16.99	0.99	5.51
R9/44	LD	W16/44	16.50	16.32	0.18	1.09
R9/44	LD	W17/44	16.69	16.51	0.18	1.08
R10/44	BEDROOM	W18/44	16.99	16.82	0.17	1.00
R10/44	BEDROOM	W19/44	17.13	16.97	0.16	0.93



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R11/44	BEDROOM	W20/44	37.62	37.62	0.00	0.00
R1/45	BEDROOM	W1/45	38.34	38.34	0.00	0.00
R2/45	BEDROOM	W2/45	38.25	38.26	-0.01	-0.03
R2/45	BEDROOM	W3/45	35.62	33.89	1.73	4.86
R3/45	BEDROOM	W4/45	35.44	33.66	1.78	5.02
R3/45	BEDROOM	W5/45	35.36	33.45	1.91	5.40
R4/45	LKD	W6/45	35.11	33.06	2.05	5.84
R4/45	LKD	W7/45	22.48	21.40	1.08	4.80
R4/45	LKD	W8/45	20.91	20.22	0.69	3.30
R5/45	BEDROOM	W9/45	18.74	18.29	0.45	2.40
R6/45	BEDROOM	W10/45	19.92	18.92	1.00	5.02
R6/45	BEDROOM	W11/45	18.36	18.17	0.19	1.03
R6/45	BEDROOM	W12/45	18.55	18.37	0.18	0.97
R7/45	BEDROOM	W13/45	18.88	18.71	0.17	0.90
R7/45	BEDROOM	W14/45	19.04	18.88	0.16	0.84
R1/46	BEDROOM	W1/46	38.71	38.71	0.00	0.00
R2/46	BEDROOM	W2/46	38.72	38.73	-0.01	-0.03
R2/46	BEDROOM	W3/46	36.54	34.82	1.72	4.71
R3/46	BEDROOM	W4/46	36.39	34.61	1.78	4.89
R3/46	BEDROOM	W5/46	36.32	34.41	1.91	5.26
R4/46	LKD	W6/46	36.09	34.04	2.05	5.68
R4/46	LKD	W7/46	24.72	23.54	1.18	4.77
R4/46	LKD	W8/46	23.26	22.46	0.80	3.44
R5/46	BEDROOM	W9/46	20.98	20.45	0.53	2.53
R6/46	BEDROOM	W10/46	21.97	20.93	1.04	4.73
R6/46	BEDROOM	W11/46	20.25	20.06	0.19	0.94
R6/46	BEDROOM	W12/46	20.45	20.27	0.18	0.88
R7/46	BEDROOM	W13/46	20.81	20.64	0.17	0.82
R7/46	BEDROOM	W14/46	20.98	20.81	0.17	0.81
R1/47	BEDROOM	W1/47	38.92	38.92	0.00	0.00
R2/47	BEDROOM	W2/47	38.94	38.94	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R2/47	BEDROOM	W3/47	37.16	35.47	1.69	4.55
R3/47	BEDROOM	W4/47	37.04	35.28	1.76	4.75
R3/47	BEDROOM	W5/47	36.98	35.10	1.88	5.08
R4/47	LKD	W6/47	36.79	34.77	2.02	5.49
R4/47	LKD	W7/47	27.24	25.97	1.27	4.66
R4/47	LKD	W8/47	25.92	25.02	0.90	3.47
R5/47	BATHROOM	W9/47	23.51	22.88	0.63	2.68
R6/47	BEDROOM	W10/47	24.25	23.17	1.08	4.45
R6/47	BEDROOM	W11/47	22.30	22.10	0.20	0.90
R6/47	BEDROOM	W12/47	22.50	22.31	0.19	0.84
R7/47	BEDROOM	W13/47	22.89	22.71	0.18	0.79
R7/47	BEDROOM	W14/47	23.08	22.90	0.18	0.78
R1/48	BEDROOM	W1/48	39.12	39.12	0.00	0.00
R2/48	BEDROOM	W2/48	39.12	39.12	0.00	0.00
R2/48	BEDROOM	W3/48	37.74	36.09	1.65	4.37
R3/48	BEDROOM	W4/48	37.65	35.93	1.72	4.57
R3/48	BEDROOM	W5/48	37.60	35.78	1.82	4.84
R4/48	LKD	W6/48	37.45	35.48	1.97	5.26
R4/48	LKD	W7/48	30.11	28.34	1.77	5.88
R4/48	LKD	W8/48	29.00	27.60	1.40	4.83
R5/48	BATHROOM	W9/48	26.42	25.49	0.93	3.52
R6/48	BEDROOM	W10/48	26.80	25.43	1.37	5.11
R6/48	BEDROOM	W11/48	24.59	24.39	0.20	0.81
R6/48	BEDROOM	W12/48	24.80	24.60	0.20	0.81
R7/48	BEDROOM	W13/48	25.21	25.03	0.18	0.71
R7/48	BEDROOM	W14/48	25.41	25.23	0.18	0.71

Battersea Power Station Phase 4A (Building A3)

R1/21	LKD	W1/21	21.49	21.45	0.04	0.19
R1/21	LKD	W2/21	19.35	19.30	0.05	0.26
R1/21	LKD	W3/21	26.67	24.67	2.00	7.50
R2/21	BEDROOM	W4/21	25.94	24.14	1.80	6.94



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R3/21	BEDROOM	W5/21	25.24	23.73	1.51	5.98
R4/21	BEDROOM	W6/21	24.17	22.83	1.34	5.54
R5/21	LKD	W7/21	23.12	22.26	0.86	3.72
R6/21	BEDROOM	W8/21	22.22	21.64	0.58	2.61
R7/21	BEDROOM	W9/21	21.35	21.17	0.18	0.84
R8/21	BEDROOM	W10/21	20.66	20.58	0.08	0.39
R9/21	BEDROOM	W11/21	19.92	20.07	-0.15	-0.75
R10/21	LD	W12/21	18.95	19.53	-0.58	-3.06
R10/21	LD	W13/21	17.99	18.98	-0.99	-5.50
R11/21	KITCHEN	W14/21	8.63	4.66	3.97	46.00
R11/21	KITCHEN	W15/21	3.24	5.24	-2.00	-61.73
R12/21	BEDROOM	W16/21	6.71	2.80	3.91	58.27
R12/21	BEDROOM	W17/21	3.98	5.29	-1.31	-32.91
R13/21	BEDROOM	W18/21	5.07	2.45	2.62	51.68
R13/21	BEDROOM	W19/21	4.94	5.62	-0.68	-13.77
R14/21	BEDROOM	W20/21	3.90	2.34	1.56	40.00
R14/21	BEDROOM	W21/21	5.87	5.97	-0.10	-1.70
R15/21	BEDROOM	W22/21	11.17	9.70	1.47	13.16
R15/21	BEDROOM	W23/21	11.05	9.77	1.28	11.58
R16/21	BEDROOM	W24/21	10.70	9.33	1.37	12.80
R16/21	BEDROOM	W25/21	10.69	9.46	1.23	11.51
R17/21	BEDROOM	W26/21	10.36	9.47	0.89	8.59
R18/21	LD	W27/21	10.30	9.47	0.83	8.06
R18/21	LD	W28/21	10.15	9.40	0.75	7.39
R19/21	BEDROOM	W29/21	10.04	9.37	0.67	6.67
R19/21	BEDROOM	W30/21	9.98	9.35	0.63	6.31
R20/21	BEDROOM	W31/21	10.14	9.59	0.55	5.42
R21/21	LD	W32/21	10.42	9.93	0.49	4.70



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R1/22	LKD	W1/22	23.29	23.25	0.04	0.17
R1/22	LKD	W2/22	21.03	20.99	0.04	0.19
R1/22	LKD	W3/22	28.14	26.10	2.04	7.25
R2/22	BEDROOM	W4/22	27.34	25.56	1.78	6.51
R3/22	BEDROOM	W5/22	26.58	25.14	1.44	5.42
R4/22	BEDROOM	W6/22	25.43	24.23	1.20	4.72
R5/22	LKD	W7/22	24.30	23.63	0.67	2.76
R6/22	BEDROOM	W8/22	23.33	23.02	0.31	1.33
R7/22	BEDROOM	W9/22	22.40	22.53	-0.13	-0.58
R8/22	BEDROOM	W10/22	21.66	21.96	-0.30	-1.39
R9/22	BEDROOM	W11/22	20.88	21.44	-0.56	-2.68
R10/22	LD	W12/22	19.86	20.84	-0.98	-4.93
R10/22	LD	W13/22	18.91	20.26	-1.35	-7.14
R11/22	KITCHEN	W14/22	9.19	5.09	4.10	44.61
R11/22	KITCHEN	W15/22	3.67	5.66	-1.99	-54.22
R12/22	BEDROOM	W16/22	7.23	3.22	4.01	55.46
R12/22	BEDROOM	W17/22	4.39	5.72	-1.33	-30.30
R13/22	BEDROOM	W18/22	5.52	2.77	2.75	49.82
R13/22	BEDROOM	W19/22	5.42	6.12	-0.70	-12.92
R14/22	BEDROOM	W20/22	4.30	2.64	1.66	38.60
R14/22	BEDROOM	W21/22	6.47	6.62	-0.15	-2.32
R15/22	BEDROOM	W22/22	12.42	10.81	1.61	12.96
R15/22	BEDROOM	W23/22	12.30	10.89	1.41	11.46
R16/22	BEDROOM	W24/22	11.95	10.47	1.48	12.38
R16/22	BEDROOM	W25/22	11.93	10.60	1.33	11.15
R17/22	BEDROOM	W26/22	11.58	10.59	0.99	8.55
R18/22	LD	W27/22	11.49	10.58	0.91	7.92
R18/22	LD	W28/22	11.29	10.49	0.80	7.09
R19/22	BEDROOM	W29/22	11.14	10.42	0.72	6.46



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R19/22	BEDROOM	W30/22	11.08	10.40	0.68	6.14
R20/22	BEDROOM	W31/22	11.24	10.65	0.59	5.25
R21/22	LD	W32/22	11.56	11.04	0.52	4.50
R1/23	LKD	W1/23	22.84	22.80	0.04	0.18
R1/23	LKD	W2/23	25.17	25.13	0.04	0.16
R1/23	LKD	W3/23	29.50	27.43	2.07	7.02
R2/23	BEDROOM	W4/23	28.64	26.87	1.77	6.18
R3/23	BEDROOM	W5/23	27.83	26.45	1.38	4.96
R4/23	BEDROOM	W6/23	26.60	25.56	1.04	3.91
R5/23	LKD	W7/23	25.42	24.96	0.46	1.81
R6/23	BEDROOM	W8/23	24.41	24.39	0.02	0.08
R7/23	BEDROOM	W9/23	23.43	23.91	-0.48	-2.05
R8/23	BEDROOM	W10/23	22.65	23.38	-0.73	-3.22
R9/23	BEDROOM	W11/23	21.83	22.85	-1.02	-4.67
R10/23	LD	W12/23	20.81	22.21	-1.40	-6.73
R10/23	LD	W13/23	19.84	21.60	-1.76	-8.87
R11/23	KITCHEN	W14/23	9.90	5.71	4.19	42.32
R11/23	KITCHEN	W15/23	4.20	6.08	-1.88	-44.76
R12/23	BEDROOM	W16/23	7.73	3.69	4.04	52.26
R12/23	BEDROOM	W17/23	4.85	6.16	-1.31	-27.01
R13/23	BEDROOM	W18/23	5.99	3.18	2.81	46.91
R13/23	BEDROOM	W19/23	5.92	6.63	-0.71	-11.99
R14/23	BEDROOM	W20/23	4.73	3.03	1.70	35.94
R14/23	BEDROOM	W21/23	7.13	7.30	-0.17	-2.38
R15/23	BEDROOM	W22/23	13.77	12.03	1.74	12.64
R15/23	BEDROOM	W23/23	13.67	12.12	1.55	11.34
R16/23	BEDROOM	W24/23	13.33	11.75	1.58	11.85
R16/23	BEDROOM	W25/23	13.30	11.88	1.42	10.68



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R17/23	BEDROOM	W26/23	12.94	11.86	1.08	8.35
R18/23	LD	W27/23	12.81	11.83	0.98	7.65
R18/23	LD	W28/23	12.57	11.71	0.86	6.84
R19/23	BEDROOM	W29/23	12.37	11.61	0.76	6.14
R19/23	BEDROOM	W30/23	12.31	11.59	0.72	5.85
R20/23	BEDROOM	W31/23	12.48	11.86	0.62	4.97
R21/23	LD	W32/23	12.83	12.29	0.54	4.21
R1/24	LKD	W1/24	27.16	27.12	0.04	0.15
R1/24	LKD	W2/24	24.76	24.72	0.04	0.16
R1/24	LKD	W3/24	30.88	28.78	2.10	6.80
R2/24	BEDROOM	W4/24	29.98	28.21	1.77	5.90
R3/24	BEDROOM	W5/24	29.13	27.79	1.34	4.60
R4/24	BEDROOM	W6/24	27.85	26.94	0.91	3.27
R5/24	LKD	W7/24	26.63	26.37	0.26	0.98
R6/24	BEDROOM	W8/24	25.57	25.83	-0.26	-1.02
R7/24	BEDROOM	W9/24	24.55	25.37	-0.82	-3.34
R8/24	BEDROOM	W10/24	23.73	24.88	-1.15	-4.85
R9/24	BEDROOM	W11/24	22.87	24.37	-1.50	-6.56
R10/24	LD	W12/24	21.84	23.71	-1.87	-8.56
R10/24	LD	W13/24	20.90	23.09	-2.19	-10.48
R11/24	KITCHEN	W14/24	10.75	6.40	4.35	40.47
R11/24	KITCHEN	W15/24	4.95	6.55	-1.60	-32.32
R12/24	BEDROOM	W16/24	8.37	4.23	4.14	49.46
R12/24	BEDROOM	W17/24	5.51	6.66	-1.15	-20.87
R13/24	BEDROOM	W18/24	6.59	3.64	2.95	44.76
R13/24	BEDROOM	W19/24	6.58	7.22	-0.64	-9.73
R14/24	BEDROOM	W20/24	5.32	3.47	1.85	34.77
R14/24	BEDROOM	W21/24	7.94	8.07	-0.13	-1.64



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R15/24	BEDROOM	W22/24	15.33	13.44	1.89	12.33
R15/24	BEDROOM	W23/24	15.22	13.55	1.67	10.97
R16/24	BEDROOM	W24/24	14.88	13.22	1.66	11.16
R16/24	BEDROOM	W25/24	14.85	13.36	1.49	10.03
R17/24	LD	W26/24	14.48	13.32	1.16	8.01
R17/24	LD	W27/24	14.30	13.26	1.04	7.27
R18/24	BEDROOM	W28/24	14.03	13.12	0.91	6.49
R19/24	BEDROOM	W29/24	13.77	12.97	0.80	5.81
R19/24	BEDROOM	W30/24	13.70	12.96	0.74	5.40
R20/24	BEDROOM	W31/24	13.88	13.25	0.63	4.54
R21/24	LD	W32/24	14.27	13.71	0.56	3.92
R1/25	LKD	W1/25	29.18	29.15	0.03	0.10
R1/25	LKD	W2/25	26.80	26.76	0.04	0.15
R1/25	LKD	W3/25	32.07	29.95	2.12	6.61
R2/25	BEDROOM	W4/25	31.17	29.41	1.76	5.65
R3/25	BEDROOM	W5/25	30.28	29.01	1.27	4.19
R4/25	BEDROOM	W6/25	28.98	28.21	0.77	2.66
R5/25	LKD	W7/25	27.74	27.67	0.07	0.25
R6/25	BEDROOM	W8/25	26.66	27.20	-0.54	-2.03
R7/25	BEDROOM	W9/25	25.61	26.78	-1.17	-4.57
R8/25	BEDROOM	W10/25	24.75	26.34	-1.59	-6.42
R9/25	BEDROOM	W11/25	23.86	25.83	-1.97	-8.26
R10/25	LD	W12/25	22.81	25.16	-2.35	-10.30
R10/25	LD	W13/25	21.91	24.56	-2.65	-12.09
R11/25	KITCHEN	W14/25	11.88	7.19	4.69	39.48
R11/25	KITCHEN	W15/25	6.07	7.10	-1.03	-16.97
R12/25	BEDROOM	W16/25	9.33	4.83	4.50	48.23
R12/25	BEDROOM	W17/25	6.51	7.25	-0.74	-11.37



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R13/25	BEDROOM	W18/25	7.49	4.18	3.31	44.19
R13/25	BEDROOM	W19/25	7.48	7.90	-0.42	-5.61
R14/25	BEDROOM	W20/25	6.18	4.00	2.18	35.28
R14/25	BEDROOM	W21/25	8.87	8.97	-0.10	-1.13
R15/25	BEDROOM	W22/25	17.03	14.98	2.05	12.04
R15/25	BEDROOM	W23/25	16.88	15.12	1.76	10.43
R16/25	BEDROOM	W24/25	16.54	14.84	1.70	10.28
R16/25	BEDROOM	W25/25	16.51	14.99	1.52	9.21
R17/25	LD	W26/25	16.14	14.93	1.21	7.50
R17/25	LD	W27/25	15.93	14.85	1.08	6.78
R18/25	BEDROOM	W28/25	15.62	14.69	0.93	5.95
R19/25	BEDROOM	W29/25	15.32	14.51	0.81	5.29
R19/25	BEDROOM	W30/25	15.24	14.49	0.75	4.92
R20/25	BEDROOM	W31/25	15.44	14.81	0.63	4.08
R21/25	LD	W32/25	15.86	15.30	0.56	3.53
R1/26	LKD	W1/26	31.21	31.18	0.03	0.10
R1/26	LKD	W2/26	28.85	28.82	0.03	0.10
R1/26	LKD	W3/26	33.23	31.09	2.14	6.44
R2/26	BEDROOM	W4/26	32.34	30.61	1.73	5.35
R3/26	BEDROOM	W5/26	31.46	30.24	1.22	3.88
R4/26	BEDROOM	W6/26	30.18	29.52	0.66	2.19
R5/26	LKD	W7/26	28.96	29.03	-0.07	-0.24
R6/26	BEDROOM	W8/26	27.85	28.61	-0.76	-2.73
R7/26	BEDROOM	W9/26	26.77	28.21	-1.44	-5.38
R8/26	BEDROOM	W10/26	25.90	27.83	-1.93	-7.45
R9/26	BEDROOM	W11/26	24.98	27.33	-2.35	-9.41
R10/26	LD	W12/26	23.94	26.64	-2.70	-11.28
R10/26	LD	W13/26	23.08	26.04	-2.96	-12.82



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R11/26	KITCHEN	W14/26	13.48	8.09	5.39	39.99
R11/26	KITCHEN	W15/26	7.74	7.82	-0.08	-1.03
R12/26	BEDROOM	W16/26	10.83	5.58	5.25	48.48
R12/26	BEDROOM	W17/26	8.07	8.03	0.04	0.50
R13/26	BEDROOM	W18/26	8.92	4.87	4.05	45.40
R13/26	BEDROOM	W19/26	8.94	8.76	0.18	2.01
R14/26	BEDROOM	W20/26	7.54	4.70	2.84	37.67
R14/26	BEDROOM	W21/26	10.22	9.98	0.24	2.35
R15/26	BEDROOM	W22/26	18.82	16.73	2.09	11.11
R15/26	BEDROOM	W23/26	18.68	16.89	1.79	9.58
R16/26	BEDROOM	W24/26	18.36	16.66	1.70	9.26
R16/26	BEDROOM	W25/26	18.34	16.82	1.52	8.29
R17/26	LD	W26/26	17.97	16.75	1.22	6.79
R17/26	LD	W27/26	17.74	16.65	1.09	6.14
R18/26	BEDROOM	W28/26	17.41	16.48	0.93	5.34
R19/26	BEDROOM	W29/26	17.07	16.26	0.81	4.75
R19/26	BEDROOM	W30/26	16.98	16.23	0.75	4.42
R20/26	BEDROOM	W31/26	17.19	16.56	0.63	3.66
R21/26	LD	W32/26	17.63	17.07	0.56	3.18
R1/27	LKD	W1/27	33.18	33.15	0.03	0.09
R1/27	LKD	W2/27	30.83	30.81	0.02	0.06
R1/27	LKD	W3/27	34.22	32.07	2.15	6.28
R2/27	BEDROOM	W4/27	33.37	31.62	1.75	5.24
R3/27	BEDROOM	W5/27	32.53	31.26	1.27	3.90
R4/27	BEDROOM	W6/27	31.30	30.60	0.70	2.24
R5/27	LKD	W7/27	30.11	30.15	-0.04	-0.13
R6/27	BEDROOM	W8/27	29.03	29.79	-0.76	-2.62
R7/27	BEDROOM	W9/27	27.94	29.43	-1.49	-5.33
R8/27	BEDROOM	W10/27	27.05	29.11	-2.06	-7.62



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R9/27	BEDROOM	W11/27	26.13	28.63	-2.50	-9.57
R10/27	LD	W12/27	25.10	27.97	-2.87	-11.43
R10/27	LD	W13/27	24.30	27.36	-3.06	-12.59
R11/27	KITCHEN	W14/27	15.79	9.39	6.40	40.53
R11/27	KITCHEN	W15/27	10.53	9.97	0.56	5.32
R12/27	BEDROOM	W16/27	13.50	7.75	5.75	42.59
R12/27	BEDROOM	W17/27	10.45	10.22	0.23	2.20
R13/27	BEDROOM	W18/27	11.61	6.82	4.79	41.26
R13/27	BEDROOM	W19/27	11.42	11.16	0.26	2.28
R14/27	BEDROOM	W20/27	10.59	6.67	3.92	37.02
R14/27	BEDROOM	W21/27	12.49	11.61	0.88	7.05
R15/27	BEDROOM	W22/27	20.68	18.58	2.10	10.15
R15/27	BEDROOM	W23/27	20.58	18.78	1.80	8.75
R16/27	BEDROOM	W24/27	20.31	18.61	1.70	8.37
R16/27	BEDROOM	W25/27	20.31	18.78	1.53	7.53
R17/27	LD	W26/27	19.96	18.71	1.25	6.26
R17/27	LD	W27/27	19.72	18.61	1.11	5.63
R18/27	BEDROOM	W28/27	19.39	18.45	0.94	4.85
R19/27	BEDROOM	W29/27	19.03	18.21	0.82	4.31
R19/27	BEDROOM	W30/27	18.93	18.18	0.75	3.96
R20/27	BEDROOM	W31/27	19.14	18.51	0.63	3.29
R21/27	LD	W32/27	19.59	19.03	0.56	2.86
R1/28	LKD	W1/28	35.27	35.25	0.02	0.06
R1/28	LKD	W2/28	32.96	32.93	0.03	0.09
R1/28	LKD	W3/28	35.22	33.11	2.11	5.99
R2/28	BEDROOM	W4/28	34.51	32.73	1.78	5.16
R3/28	BEDROOM	W5/28	33.76	32.41	1.35	4.00
R4/28	BEDROOM	W6/28	32.64	31.80	0.84	2.57
R5/28	BEDROOM	W7/28	31.53	31.38	0.15	0.48



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R6/28	LKD	W8/28	30.50	31.02	-0.52	-1.70
R6/28	LKD	W9/28	22.50	17.80	4.70	20.89
R6/28	LKD	W10/28	22.42	17.93	4.49	20.03
R7/28	LKD	W11/28	22.51	17.49	5.02	22.30
R7/28	LKD	W12/28	21.40	20.58	0.82	3.83
R7/28	LKD	W13/28	21.30	20.54	0.76	3.57
R8/28	BEDROOM	W14/28	21.56	20.91	0.65	3.01
R9/28	BEDROOM	W15/28	22.05	21.48	0.57	2.59
R1/29	LKD	W1/29	36.90	36.89	0.01	0.03
R1/29	LKD	W2/29	34.60	34.58	0.02	0.06
R1/29	LKD	W3/29	36.07	34.06	2.01	5.57
R2/29	BEDROOM	W4/29	35.46	33.71	1.75	4.94
R3/29	BEDROOM	W5/29	34.82	33.42	1.40	4.02
R4/29	BEDROOM	W6/29	33.85	32.88	0.97	2.87
R5/29	BEDROOM	W7/29	32.86	32.48	0.38	1.16
R6/29	LKD	W8/29	31.91	32.15	-0.24	-0.75
R6/29	LKD	W9/29	24.57	19.24	5.33	21.69
R6/29	LKD	W10/29	24.51	19.38	5.13	20.93
R7/29	LKD	W11/29	24.61	19.28	5.33	21.66
R7/29	LKD	W12/29	23.77	22.93	0.84	3.53
R7/29	LKD	W13/29	23.68	22.91	0.77	3.25
R8/29	BEDROOM	W14/29	23.86	23.20	0.66	2.77
R9/29	BEDROOM	W15/29	24.24	23.67	0.57	2.35
R1/30	LKD	W1/30	37.78	37.76	0.02	0.05
R1/30	LKD	W2/30	36.50	36.49	0.01	0.03
R1/30	LKD	W3/30	36.86	35.00	1.86	5.05
R2/30	BEDROOM	W4/30	36.36	34.68	1.68	4.62
R3/30	BEDROOM	W5/30	35.84	34.43	1.41	3.93
R4/30	BEDROOM	W6/30	35.03	33.97	1.06	3.03



DAYLIGHT ANALYSIS


Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

WITHOUT BALCONIES

DAYLIGHT

Room	Room Use	Window	Existing VSC	Proposed VSC	Loss	%Loss
R5/30	BEDROOM	W7/30	34.19	33.60	0.59	1.73
R6/30	LKD	W8/30	33.39	33.29	0.10	0.30
R6/30	LKD	W9/30	26.88	20.85	6.03	22.43
R6/30	LKD	W10/30	26.85	21.00	5.85	21.79
R7/30	LKD	W11/30	27.66	22.00	5.66	20.46
R7/30	LKD	W12/30	26.28	25.44	0.84	3.20
R7/30	LKD	W13/30	26.21	25.43	0.78	2.98
R8/30	BEDROOM	W14/30	26.31	25.63	0.68	2.58
R9/30	BEDROOM	W15/30	26.55	25.96	0.59	2.22



Appendix 4: Daylight and Sunlight Results (Consented v Proposed)



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R1/10	ASSUMED	W1/10	2.10	1.91	0.19	9.05
R1/10	ASSUMED	W2/10	4.10	3.83	0.27	6.59
R2/10	ASSUMED	W3/10	5.44	5.21	0.23	4.23
R2/10	ASSUMED	W4/10	4.22	4.15	0.07	1.66
R3/10	LKD	W5/10	5.22	5.43	-0.21	-4.02
R3/10	LKD	W6/10	6.27	6.48	-0.21	-3.35
R4/10	BEDROOM	W7/10	6.98	6.90	0.08	1.15
R4/10	BEDROOM	W8/10	6.14	6.84	-0.70	-11.40
R5/10	BEDROOM	W9/10	6.88	5.90	0.98	14.24
R5/10	BEDROOM	W10/10	7.78	6.46	1.32	16.97
R6/10	LKD	W11/10	7.77	6.02	1.75	22.52
R6/10	LKD	W12/10	7.10	5.13	1.97	27.75
R7/10	LKD	W13/10	6.80	4.89	1.91	28.09
R8/10	BEDROOM	W14/10	7.26	5.37	1.89	26.03
R9/10	BEDROOM	W15/10	6.64	4.19	2.45	36.90
R10/10	LKD	W16/10	6.78	5.64	1.14	16.81
R11/10	BEDROOM	W17/10	6.42	5.20	1.22	19.00
R12/10	BEDROOM	W18/10	5.24	3.87	1.37	26.15
R12/10	BEDROOM	W19/10	10.04	9.04	1.00	9.96
R13/10	BEDROOM	W20/10	11.39	8.51	2.88	25.29
R13/10	BEDROOM	W21/10	1.84	2.70	-0.86	-46.74
R14/10	BEDROOM	W22/10	4.22	5.40	-1.18	-27.96
R15/10	LKD	W23/10	3.89	4.96	-1.07	-27.51
R16/10	LKD	W24/10	2.35	4.92	-2.57	-109.36
R17/10	BEDROOM	W25/10	3.05	4.70	-1.65	-54.10
R18/10	LKD	W26/10	2.36	7.41	-5.05	-213.98
R19/10	BEDROOM	W27/10	2.43	8.47	-6.04	-248.56



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R20/10	BEDROOM	W28/10	1.64	1.41	0.23	14.02
R20/10	BEDROOM	W29/10	7.23	15.20	-7.97	-110.24
R21/10	BEDROOM	W30/10	6.92	11.39	-4.47	-64.60
R21/10	BEDROOM	W31/10	2.43	11.24	-8.81	-362.55
R22/10	BEDROOM	W32/10	3.68	12.04	-8.36	-227.17
R23/10	LKD	W33/10	4.01	12.26	-8.25	-205.74
R24/10	LKD	W34/10	5.90	13.64	-7.74	-131.19
R25/10	BEDROOM	W35/10	7.53	13.90	-6.37	-84.59
R26/10	LKD	W36/10	9.66	14.66	-5.00	-51.76
R27/10	BEDROOM	W37/10	11.45	15.04	-3.59	-31.35
R27/10	BEDROOM	W38/10	9.13	12.31	-3.18	-34.83
R28/10	LKD	W39/10	6.66	9.45	-2.79	-41.89
R28/10	LKD	W40/10	3.76	4.72	-0.96	-25.53
R28/10	LKD	W41/10	6.52	6.52	0.00	0.00
R28/10	LKD	W42/10	5.23	5.79	-0.56	-10.71
R29/10	BEDROOM	W43/10	5.73	6.01	-0.28	-4.89
R29/10	BEDROOM	W44/10	6.18	6.40	-0.22	-3.56
R1/11	ASSUMED	W1/11	1.94	1.78	0.16	8.25
R1/11	ASSUMED	W2/11	3.99	3.75	0.24	6.02
R2/11	ASSUMED	W3/11	5.99	5.77	0.22	3.67
R2/11	ASSUMED	W4/11	4.94	4.87	0.07	1.42
R3/11	LKD	W5/11	5.50	5.67	-0.17	-3.09
R3/11	LKD	W6/11	6.10	6.31	-0.21	-3.44
R4/11	BEDROOM	W7/11	7.27	7.15	0.12	1.65
R4/11	BEDROOM	W8/11	6.19	6.58	-0.39	-6.30
R5/11	BEDROOM	W9/11	7.34	6.21	1.13	15.40
R5/11	BEDROOM	W10/11	8.78	7.26	1.52	17.31
R6/11	LKD	W11/11	8.92	6.49	2.43	27.24
R6/11	LKD	W12/11	7.86	5.63	2.23	28.37
R7/11	LKD	W13/11	7.95	5.25	2.70	33.96



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R8/11	BEDROOM	W14/11	4.52	2.77	1.75	38.72
R9/11	BEDROOM	W15/11	7.75	4.76	2.99	38.58
R10/11	LKD	W16/11	8.25	5.81	2.44	29.58
R11/11	BEDROOM	W17/11	3.84	2.86	0.98	25.52
R12/11	BEDROOM	W18/11	11.85	9.74	2.11	17.81
R13/11	BEDROOM	W19/11	13.03	9.18	3.85	29.55
R14/11	BEDROOM	W20/11	2.36	3.48	-1.12	-47.46
R15/11	LKD	W21/11	5.61	5.11	0.50	8.91
R16/11	SITTINGROOM	W22/11	3.44	5.22	-1.78	-51.74
R17/11	BEDROOM	W23/11	3.79	1.70	2.09	55.15
R18/11	LKD	W24/11	3.54	7.73	-4.19	-118.36
R19/11	BEDROOM	W25/11	1.26	6.58	-5.32	-422.22
R20/11	BEDROOM	W26/11	8.27	15.75	-7.48	-90.45
R21/11	BEDROOM	W27/11	8.21	12.82	-4.61	-56.15
R22/11	BEDROOM	W28/11	2.64	9.85	-7.21	-273.11
R23/11	LKD	W29/11	4.94	12.69	-7.75	-156.88
R24/11	BEDROOM	W30/11	6.15	14.50	-8.35	-135.77
R25/11	LKD	W31/11	8.99	14.94	-5.95	-66.18
R26/11	LKD	W32/11	10.62	15.71	-5.09	-47.93
R26/11	LKD	W33/11	10.31	13.61	-3.30	-32.01
R27/11	BEDROOM	W34/11	8.10	11.02	-2.92	-36.05
R27/11	BEDROOM	W35/11	15.28	15.28	0.00	0.00
R28/11	BEDROOM	W36/11	14.77	15.22	-0.45	-3.05
R1/12	ASSUMED	W1/12	2.92	2.74	0.18	6.16
R1/12	ASSUMED	W2/12	5.44	5.19	0.25	4.60



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R2/12	ASSUMED	W3/12	7.65	7.43	0.22	2.88
R2/12	ASSUMED	W4/12	6.32	6.24	0.08	1.27
R3/12	LKD	W5/12	6.34	6.45	-0.11	-1.74
R3/12	LKD	W6/12	7.15	7.25	-0.10	-1.40
R4/12	BEDROOM	W7/12	8.23	7.96	0.27	3.28
R4/12	BEDROOM	W8/12	6.89	7.27	-0.38	-5.52
R5/12	BEDROOM	W9/12	8.22	6.75	1.47	17.88
R5/12	BEDROOM	W10/12	9.92	8.00	1.92	19.35
R6/12	LKD	W11/12	10.27	7.17	3.10	30.19
R6/12	LKD	W12/12	8.84	6.20	2.64	29.86
R7/12	LKD	W13/12	8.76	5.30	3.46	39.50
R8/12	BEDROOM	W14/12	5.23	2.74	2.49	47.61
R9/12	BEDROOM	W15/12	8.51	4.85	3.66	43.01
R10/12	LKD	W16/12	10.13	6.39	3.74	36.92
R11/12	BEDROOM	W17/12	5.70	3.33	2.37	41.58
R12/12	BEDROOM	W18/12	14.07	10.60	3.47	24.66
R13/12	BEDROOM	W19/12	15.03	10.02	5.01	33.33
R14/12	BEDROOM	W20/12	4.03	3.97	0.06	1.49
R15/12	LKD	W21/12	7.64	5.74	1.90	24.87
R16/12	LKD	W22/12	4.96	5.17	-0.21	-4.23
R17/12	BEDROOM	W23/12	5.59	4.29	1.30	23.26
R18/12	LKD	W24/12	5.51	8.50	-2.99	-54.26
R19/12	BEDROOM	W25/12	2.29	7.18	-4.89	-213.54
R20/12	BEDROOM	W26/12	9.67	16.39	-6.72	-69.49
R21/12	BEDROOM	W27/12	9.62	13.44	-3.82	-39.71
R22/12	BEDROOM	W28/12	3.18	10.17	-6.99	-219.81



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R23/12	LKD	W29/12	5.99	13.09	-7.10	-118.53
R24/12	LKD	W30/12	7.75	15.35	-7.60	-98.06
R25/12	BEDROOM	W31/12	9.77	15.24	-5.47	-55.99
R26/12	LKD	W32/12	11.16	16.20	-5.04	-45.16
R26/12	LKD	W33/12	10.66	13.93	-3.27	-30.68
R27/12	BEDROOM	W34/12	8.29	11.22	-2.93	-35.34
R27/12	BEDROOM	W35/12	16.03	16.03	0.00	0.00
R27/12	BEDROOM	W36/12	17.33	18.90	-1.57	-9.06
R28/12	BEDROOM	W37/12	17.52	18.71	-1.19	-6.79
R28/12	BEDROOM	W38/12	14.02	14.40	-0.38	-2.71
R1/13	ASSUMED	W1/13	4.33	4.13	0.20	4.62
R1/13	ASSUMED	W2/13	7.26	6.99	0.27	3.72
R2/13	ASSUMED	W3/13	9.85	9.37	0.48	4.87
R2/13	ASSUMED	W4/13	7.21	7.21	0.00	0.00
R3/13	LKD	W5/13	7.62	7.63	-0.01	-0.13
R3/13	LKD	W6/13	8.89	8.81	0.08	0.90
R4/13	BEDROOM	W7/13	9.52	9.11	0.41	4.31
R4/13	BEDROOM	W8/13	7.95	8.28	-0.33	-4.15
R5/13	BEDROOM	W9/13	10.44	8.35	2.09	20.02
R5/13	BEDROOM	W10/13	12.03	9.17	2.86	23.77
R6/13	LKD	W11/13	12.25	8.53	3.72	30.37
R6/13	LKD	W12/13	10.59	7.35	3.24	30.59
R7/13	LKD	W13/13	11.91	7.02	4.89	41.06
R8/13	BEDROOM	W14/13	11.90	6.51	5.39	45.29
R9/13	BEDROOM	W15/13	8.47	4.94	3.53	41.68
R9/13	BEDROOM	W16/13	17.15	12.22	4.93	28.75
R10/13	BEDROOM	W17/13	17.84	11.59	6.25	35.03
R10/13	BEDROOM	W18/13	6.15	3.01	3.14	51.06
R11/13	BEDROOM	W19/13	9.63	6.63	3.00	31.15



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R12/13	LKD	W20/13	9.20	6.43	2.77	30.11
R13/13	SITTINGROOM	W21/13	7.15	6.05	1.10	15.38
R14/13	BEDROOM	W22/13	6.75	2.45	4.30	63.70
R15/13	LKD	W23/13	7.52	9.10	-1.58	-21.01
R16/13	BEDROOM	W24/13	3.42	7.29	-3.87	-113.16
R17/13	BEDROOM	W25/13	11.34	17.07	-5.73	-50.53
R18/13	BEDROOM	W26/13	11.24	14.12	-2.88	-25.62
R19/13	BEDROOM	W27/13	4.03	10.33	-6.30	-156.33
R20/13	LKD	W28/13	7.43	13.65	-6.22	-83.71
R21/13	BEDROOM	W29/13	7.77	15.49	-7.72	-99.36
R22/13	LKD	W30/13	11.49	16.25	-4.76	-41.43
R23/13	LKD	W31/13	12.09	17.00	-4.91	-40.61
R23/13	LKD	W32/13	11.17	14.34	-3.17	-28.38
R24/13	BEDROOM	W33/13	8.65	11.52	-2.87	-33.18
R24/13	BEDROOM	W34/13	16.90	16.90	0.00	0.00
R25/13	BEDROOM	W35/13	16.14	16.65	-0.51	-3.16
R1/14	ASSUMED	W1/14	5.13	4.92	0.21	4.09
R1/14	ASSUMED	W2/14	8.35	8.04	0.31	3.71
R2/14	ASSUMED	W3/14	9.27	9.00	0.27	2.91
R2/14	ASSUMED	W4/14	7.73	7.59	0.14	1.81
R3/14	LKD	W5/14	7.75	7.65	0.10	1.29
R3/14	LKD	W6/14	9.03	8.72	0.31	3.43
R4/14	BEDROOM	W7/14	9.46	8.87	0.59	6.24
R4/14	BEDROOM	W8/14	7.96	8.32	-0.36	-4.52
R4/14	BEDROOM	W10/14	30.61	26.24	4.37	14.28
R4/14	BEDROOM	W11/14	30.99	26.49	4.50	14.52
R5/14	ASSUMED	W9/14	25.04	20.65	4.39	17.53
R6/14	LKD	W12/14	9.60	6.29	3.31	34.48



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R7/14	BEDROOM	W13/14	9.94	5.68	4.26	42.86
R8/14	LKD	W14/14	10.12	10.00	0.12	1.19
R9/14	BEDROOM	W15/14	5.49	7.62	-2.13	-38.80
R10/14	BEDROOM	W16/14	13.43	17.83	-4.40	-32.76
R11/14	BEDROOM	W17/14	13.20	14.91	-1.71	-12.95
R12/14	BEDROOM	W18/14	5.64	10.71	-5.07	-89.89
R13/14	LKD	W19/14	9.42	14.50	-5.08	-53.93
R14/14	LKD	W20/14	10.66	16.99	-6.33	-59.38
R15/14	BEDROOM	W21/14	12.89	16.97	-4.08	-31.65
R16/14	LKD	W22/14	13.40	17.92	-4.52	-33.73
R16/14	LKD	W23/14	12.14	14.93	-2.79	-22.98
R17/14	BEDROOM	W24/14	9.43	12.01	-2.58	-27.36
R17/14	BEDROOM	W25/14	17.75	17.75	0.00	0.00
R17/14	BEDROOM	W26/14	19.30	21.01	-1.71	-8.86
R18/14	BEDROOM	W27/14	19.44	20.76	-1.32	-6.79
R18/14	BEDROOM	W28/14	15.27	15.73	-0.46	-3.01
R1/15	SITTINGROOM	W1/15	16.32	11.62	4.70	28.80
R2/15	BEDROOM	W2/15	13.12	6.92	6.20	47.26
R3/15	LKD	W3/15	12.96	11.03	1.93	14.89
R4/15	BEDROOM	W4/15	8.48	8.27	0.21	2.48
R5/15	BEDROOM	W5/15	15.95	18.70	-2.75	-17.24
R6/15	BEDROOM	W6/15	15.53	15.88	-0.35	-2.25
R7/15	BEDROOM	W7/15	7.93	11.35	-3.42	-43.13
R8/15	LKD	W8/15	11.48	15.31	-3.83	-33.36
R9/15	BEDROOM	W9/15	10.40	16.69	-6.29	-60.48



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R10/15	LKD	W10/15	15.10	18.27	-3.17	-20.99
R11/15	LKD	W11/15	14.80	18.67	-3.87	-26.15
R11/15	LKD	W12/15	13.08	15.36	-2.28	-17.43
R12/15	BEDROOM	W13/15	10.21	12.30	-2.09	-20.47
R12/15	BEDROOM	W14/15	18.38	18.38	0.00	0.00
R13/15	BEDROOM	W15/15	17.45	18.05	-0.60	-3.44
R1/16	LKD	W1/16	12.83	9.46	3.37	26.27
R2/16	BEDROOM	W2/16	12.45	10.18	2.27	18.23
R3/16	BEDROOM	W3/16	9.12	3.07	6.05	66.34
R3/16	BEDROOM	W4/16	19.48	20.39	-0.91	-4.67
R4/16	BEDROOM	W5/16	18.88	17.69	1.19	6.30
R4/16	BEDROOM	W6/16	9.28	13.63	-4.35	-46.88
R5/16	BEDROOM	W7/16	13.60	15.21	-1.61	-11.84
R6/16	LKD	W8/16	12.98	15.21	-2.23	-17.18
R7/16	LKD	W9/16	11.87	15.68	-3.81	-32.10
R8/16	BEDROOM	W10/16	10.89	12.94	-2.05	-18.82
R9/16	LKD	W11/16	16.19	19.26	-3.07	-18.96
R9/16	LKD	W12/16	14.15	15.86	-1.71	-12.08
R10/16	BEDROOM	W13/16	11.22	12.75	-1.53	-13.64
R10/16	BEDROOM	W14/16	18.72	18.72	0.00	0.00
R10/16	BEDROOM	W15/16	20.72	22.28	-1.56	-7.53
R11/16	BEDROOM	W16/16	20.88	22.08	-1.20	-5.75
R11/16	BEDROOM	W17/16	15.92	16.47	-0.55	-3.45
R1/17	LKD	W1/17	17.41	19.54	-2.13	-12.23
R1/17	LKD	W2/17	14.89	16.00	-1.11	-7.45
R2/17	BEDROOM	W3/17	11.88	12.85	-0.97	-8.16
R2/17	BEDROOM	W4/17	20.86	20.86	0.00	0.00
R3/17	BEDROOM	W5/17	20.19	20.55	-0.36	-1.78
R1/18	LKD	W1/18	17.39	17.39	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R1/18	LKD	W2/18	20.08	20.63	-0.55	-2.74
R2/18	BEDROOM	W3/18	16.90	17.08	-0.18	-1.07

Battersea Power Station Phase 4 and 4A (Buildings A1.1-1.5)

R1/51	LD	W1/51	15.66	15.67	-0.01	-0.06
R1/51	LD	W2/51	29.70	29.73	-0.03	-0.10
R1/51	LD	W3/51	15.87	15.60	0.27	1.70
R2/51	BEDROOM	W4/51	16.96	16.62	0.34	2.00
R3/51	LD	W5/51	1.38	1.31	0.07	5.07
R3/51	LD	W6/51	2.75	2.27	0.48	17.45
R4/51	LD	W7/51	6.61	3.89	2.72	41.15
R4/51	LD	W8/51	4.45	4.55	-0.10	-2.25
R4/51	LD	W9/51	5.36	5.75	-0.39	-7.28
R5/51	LD	W10/51	3.81	3.33	0.48	12.60
R5/51	LD	W11/51	8.37	8.20	0.17	2.03
R5/51	LD	W12/51	7.05	7.05	0.00	0.00
R6/51	LD	W13/51	6.19	6.19	0.00	0.00
R6/51	LD	W14/51	1.95	1.69	0.26	13.33
R1/52	LKD	W1/52	23.40	23.41	-0.01	-0.04
R2/52	BEDROOM	W2/52	37.06	37.09	-0.03	-0.08
R2/52	BEDROOM	W3/52	17.28	16.92	0.36	2.08
R3/52	BEDROOM	W4/52	19.66	19.30	0.36	1.83
R4/52	LD	W5/52	2.63	1.96	0.67	25.48
R4/52	LD	W6/52	3.53	2.70	0.83	23.51
R5/52	LD	W7/52	8.42	4.81	3.61	42.87
R5/52	LD	W8/52	3.38	3.33	0.05	1.48
R6/52	BEDROOM	W9/52	11.65	11.39	0.26	2.23
R7/52	BEDROOM	W10/52	11.82	10.88	0.94	7.95
R8/52	LD	W11/52	4.18	3.63	0.55	13.16
R8/52	LD	W12/52	7.84	7.84	0.00	0.00
R9/52	LD	W13/52	7.07	7.09	-0.02	-0.28



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R9/52	LD	W14/52	2.97	2.64	0.33	11.11
R1/53	LKD	W1/53	23.59	23.60	-0.01	-0.04
R2/53	BEDROOM	W2/53	37.24	37.27	-0.03	-0.08
R2/53	BEDROOM	W3/53	17.51	17.06	0.45	2.57
R3/53	BEDROOM	W4/53	19.74	19.38	0.36	1.82
R4/53	LD	W5/53	4.00	2.79	1.21	30.25
R4/53	LD	W6/53	4.67	3.44	1.23	26.34
R5/53	LD	W7/53	10.58	5.94	4.64	43.86
R5/53	LD	W8/53	8.37	7.55	0.82	9.80
R6/53	BEDROOM	W9/53	8.39	8.06	0.33	3.93
R7/53	BEDROOM	W10/53	6.76	5.82	0.94	13.91
R8/53	LD	W11/53	11.70	11.04	0.66	5.64
R8/53	LD	W12/53	8.77	8.77	0.00	0.00
R9/53	LD	W13/53	7.99	8.02	-0.03	-0.38
R9/53	LD	W14/53	4.05	3.59	0.46	11.36
R1/54	LKD	W1/54	23.59	23.60	-0.01	-0.04
R2/54	BEDROOM	W2/54	37.25	37.28	-0.03	-0.08
R2/54	BEDROOM	W3/54	17.74	17.18	0.56	3.16
R3/54	BEDROOM	W4/54	19.75	19.39	0.36	1.82
R4/54	LD	W5/54	5.32	3.67	1.65	31.02
R4/54	LD	W6/54	6.08	4.38	1.70	27.96
R5/54	LD	W7/54	12.93	7.25	5.68	43.93
R5/54	LD	W8/54	7.47	6.61	0.86	11.51
R6/54	BEDROOM	W9/54	15.92	14.78	1.14	7.16
R7/54	BEDROOM	W10/54	15.69	14.43	1.26	8.03
R8/54	LD	W11/54	7.49	6.77	0.72	9.61
R8/54	LD	W12/54	9.82	9.82	0.00	0.00
R9/54	LD	W13/54	8.98	9.02	-0.04	-0.45
R9/54	LD	W14/54	5.20	4.62	0.58	11.15



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R1/55	LKD	W1/55	23.59	23.61	-0.02	-0.08
R2/55	BEDROOM	W2/55	37.33	37.35	-0.02	-0.05
R2/55	BEDROOM	W3/55	18.05	17.34	0.71	3.93
R3/55	BEDROOM	W4/55	19.77	19.41	0.36	1.82
R4/55	LD	W5/55	5.94	4.50	1.44	24.24
R4/55	LD	W6/55	6.92	5.42	1.50	21.68
R5/55	LD	W7/55	14.22	8.70	5.52	38.82
R5/55	LD	W8/55	13.00	11.81	1.19	9.15
R6/55	BEDROOM	W9/55	12.01	11.61	0.40	3.33
R7/55	BEDROOM	W10/55	10.62	9.49	1.13	10.64
R8/55	LD	W11/55	15.33	14.70	0.63	4.11
R8/55	LD	W12/55	11.00	11.00	0.00	0.00
R9/55	LD	W13/55	10.06	10.09	-0.03	-0.30
R9/55	LD	W14/55	6.41	5.72	0.69	10.76
R1/56	LKD	W1/56	26.19	26.20	-0.01	-0.04
R2/56	BEDROOM	W2/56	37.43	37.45	-0.02	-0.05
R2/56	BEDROOM	W3/56	18.54	17.64	0.90	4.85
R3/56	BEDROOM	W4/56	21.09	20.71	0.38	1.80
R4/56	LD	W5/56	8.09	6.16	1.93	23.86
R4/56	LD	W6/56	8.07	6.51	1.56	19.33
R5/56	LD	W7/56	15.29	10.17	5.12	33.49
R5/56	LD	W8/56	12.21	11.99	0.22	1.80
R6/56	BEDROOM	W9/56	20.27	19.50	0.77	3.80
R7/56	BEDROOM	W10/56	20.64	19.30	1.34	6.49
R8/56	LD	W11/56	13.16	12.39	0.77	5.85
R8/56	LD	W12/56	12.41	12.41	0.00	0.00
R9/56	LD	W13/56	11.30	11.31	-0.01	-0.09
R9/56	LD	W14/56	9.11	8.34	0.77	8.45



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R1/57	LKD	W1/57	26.18	26.19	-0.01	-0.04
R2/57	BEDROOM	W2/57	37.46	37.48	-0.02	-0.05
R2/57	BEDROOM	W3/57	19.46	18.23	1.23	6.32
R3/57	BEDROOM	W4/57	21.12	20.73	0.39	1.85
R4/57	LD	W5/57	9.25	6.68	2.57	27.78
R4/57	LD	W6/57	9.01	7.13	1.88	20.87
R5/57	LD	W7/57	16.76	11.17	5.59	33.35
R5/57	LD	W8/57	18.33	16.65	1.68	9.17
R6/57	BEDROOM	W9/57	16.73	16.02	0.71	4.24
R7/57	BEDROOM	W10/57	17.31	15.45	1.86	10.75
R8/57	LD	W11/57	20.03	18.83	1.20	5.99
R8/57	LD	W12/57	14.29	14.28	0.01	0.07
R9/57	LD	W13/57	12.49	12.46	0.03	0.24
R9/57	LD	W14/57	10.52	9.63	0.89	8.46
R1/58	LKD	W1/58	23.64	23.65	-0.01	-0.04
R2/58	BEDROOM	W2/58	38.00	38.02	-0.02	-0.05
R2/58	BEDROOM	W3/58	21.09	19.18	1.91	9.06
R3/58	BEDROOM	W4/58	19.87	19.46	0.41	2.06
R4/58	LD	W5/58	8.79	6.14	2.65	30.15
R4/58	LD	W6/58	10.12	8.04	2.08	20.55
R5/58	LD	W7/58	18.84	12.67	6.17	32.75
R5/58	LD	W8/58	13.26	12.52	0.74	5.58
R6/58	BEDROOM	W9/58	25.35	23.77	1.58	6.23
R7/58	BEDROOM	W10/58	26.20	23.91	2.29	8.74
R8/58	LD	W11/58	15.05	13.64	1.41	9.37
R8/58	LD	W12/58	16.69	16.69	0.00	0.00
R9/58	LD	W13/58	14.00	13.95	0.05	0.36
R9/58	LD	W14/58	10.38	9.44	0.94	9.06
R1/59	LKD	W1/59	39.60	39.61	-0.01	-0.03



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R2/59	BEDROOM	W2/59	39.59	39.61	-0.02	-0.05
R2/59	BEDROOM	W3/59	24.39	21.04	3.35	13.74
R3/59	BEDROOM	W4/59	25.93	25.48	0.45	1.74
R4/59	LD	W5/59	18.38	14.55	3.83	20.84
R4/59	LD	W6/59	14.30	10.78	3.52	24.62
R5/59	LD	W7/59	22.56	15.61	6.95	30.81
R5/59	LD	W8/59	29.95	27.42	2.53	8.45
R6/59	BEDROOM	W9/59	30.39	27.84	2.55	8.39
R7/59	BEDROOM	W10/59	31.36	28.71	2.65	8.45
R8/59	LD	W11/59	31.88	29.31	2.57	8.06
R8/59	LD	W12/59	20.09	20.08	0.01	0.05
R9/59	LD	W13/59	16.12	16.04	0.08	0.50
R9/59	LD	W14/59	19.41	18.44	0.97	5.00
R1/60	LD	W1/60	11.89	11.89	0.00	0.00
R2/60	BEDROOM	W2/60	39.59	39.60	-0.01	-0.03
R2/60	BEDROOM	W3/60	26.48	22.16	4.32	16.31
R3/60	BEDROOM	W4/60	24.59	18.53	6.06	24.64
R4/60	KITCHEN	W5/60	24.52	17.30	7.22	29.45
R5/60	LD	W6/60	25.75	18.07	7.68	29.83
R5/60	LD	W7/60	11.97	9.11	2.86	23.89
R6/60	BEDROOM	W8/60	10.29	7.86	2.43	23.62
R7/60	BEDROOM	W9/60	11.95	10.02	1.93	16.15
R8/60	LD	W10/60	14.39	11.83	2.56	17.79
R8/60	LD	W11/60	24.21	24.17	0.04	0.17
R1/61	LD	W1/61	11.89	11.89	0.00	0.00
R2/61	BEDROOM	W2/61	39.60	39.61	-0.01	-0.03
R2/61	BEDROOM	W3/61	27.63	22.80	4.83	17.48
R3/61	BEDROOM	W4/61	25.88	19.29	6.59	25.46



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R4/61	KITCHEN	W5/61	25.83	18.11	7.72	29.89
R5/61	LD	W6/61	27.07	18.91	8.16	30.14
R5/61	LD	W7/61	13.47	10.07	3.40	25.24
R6/61	BEDROOM	W8/61	11.63	8.79	2.84	24.42
R7/61	BEDROOM	W9/61	12.91	10.83	2.08	16.11
R8/61	LD	W10/61	15.52	12.80	2.72	17.53
R8/61	LD	W11/61	28.50	28.48	0.02	0.07
R1/62	LD	W1/62	11.89	11.89	0.00	0.00
R2/62	BEDROOM	W2/62	39.60	39.61	-0.01	-0.03
R2/62	BEDROOM	W3/62	28.97	23.57	5.40	18.64
R3/62	BEDROOM	W4/62	27.36	20.19	7.17	26.21
R4/62	KITCHEN	W5/62	27.36	19.08	8.28	30.26
R5/62	LD	W6/62	28.55	19.91	8.64	30.26
R5/62	LD	W7/62	14.96	11.20	3.76	25.13
R6/62	BEDROOM	W8/62	12.91	9.80	3.11	24.09
R7/62	BEDROOM	W9/62	13.84	11.63	2.21	15.97
R8/62	LD	W10/62	16.59	13.78	2.81	16.94
R8/62	LD	W11/62	31.94	31.93	0.01	0.03
R1/63	LD	W1/63	11.89	11.89	0.00	0.00
R2/63	BEDROOM	W2/63	39.60	39.61	-0.01	-0.03
R2/63	BEDROOM	W3/63	30.52	24.51	6.01	19.69
R3/63	BEDROOM	W4/63	29.09	21.29	7.80	26.81
R4/63	KITCHEN	W5/63	29.11	20.27	8.84	30.37
R5/63	LD	W6/63	30.23	21.11	9.12	30.17
R5/63	LD	W7/63	16.43	12.41	4.02	24.47
R6/63	BEDROOM	W8/63	14.17	10.88	3.29	23.22
R7/63	BEDROOM	W9/63	14.76	12.45	2.31	15.65



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R8/63	LD	W10/63	17.63	14.78	2.85	16.17
R8/63	LD	W11/63	35.25	35.25	0.00	0.00
R1/64	LD	W1/64	19.64	19.64	0.00	0.00
R2/64	BEDROOM	W2/64	39.60	39.61	-0.01	-0.03
R2/64	BEDROOM	W3/64	32.37	25.72	6.65	20.54
R3/64	BEDROOM	W4/64	31.18	22.72	8.46	27.13
R4/64	KITCHEN	W5/64	31.21	21.81	9.40	30.12
R5/64	LD	W6/64	32.20	22.67	9.53	29.60
R5/64	LD	W7/64	25.62	21.41	4.21	16.43
R6/64	BEDROOM	W8/64	21.99	18.61	3.38	15.37
R7/64	BEDROOM	W9/64	22.14	19.85	2.29	10.34
R8/64	LD	W10/64	26.47	23.73	2.74	10.35
R8/64	LD	W11/64	36.24	36.24	0.00	0.00
R1/71	LKD	W1/71	1.98	1.39	0.59	29.80
R1/71	LKD	W2/71	4.62	4.13	0.49	10.61
R2/71	LD	W3/71	5.91	5.25	0.66	11.17
R2/71	LD	W4/71	3.48	2.87	0.61	17.53
R2/71	LD	W5/71	3.53	3.28	0.25	7.08
R2/71	LD	W6/71	12.56	12.07	0.49	3.90
R3/71	LD	W7/71	11.46	10.70	0.76	6.63
R3/71	LD	W8/71	3.61	3.14	0.47	13.02
R3/71	LD	W9/71	6.19	6.00	0.19	3.07
R3/71	LD	W10/71	8.98	8.98	0.00	0.00
R4/71	LD	W11/71	2.92	2.92	0.00	0.00
R1/72	LKD	W1/72	2.78	2.13	0.65	23.38
R1/72	LKD	W2/72	5.23	4.64	0.59	11.28
R2/72	LD	W3/72	6.76	5.89	0.87	12.87
R2/72	LD	W4/72	4.86	3.99	0.87	17.90
R2/72	LD	W5/72	4.67	4.26	0.41	8.78
R3/72	BEDROOM	W6/72	14.32	13.70	0.62	4.33



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R4/72	BEDROOM	W7/72	13.34	12.45	0.89	6.67
R5/72	LD	W8/72	4.81	4.09	0.72	14.97
R5/72	LD	W9/72	7.22	6.90	0.32	4.43
R5/72	LD	W10/72	9.76	9.76	0.00	0.00
R6/72	LD	W11/72	10.43	10.43	0.00	0.00
R1/73	LKD	W1/73	3.53	2.81	0.72	20.40
R1/73	LKD	W2/73	5.74	5.05	0.69	12.02
R2/73	LD	W3/73	7.59	6.62	0.97	12.78
R2/73	LD	W4/73	6.41	5.30	1.11	17.32
R2/73	LD	W5/73	5.99	5.42	0.57	9.52
R3/73	BEDROOM	W6/73	16.29	15.60	0.69	4.24
R4/73	BEDROOM	W7/73	15.48	14.45	1.03	6.65
R5/73	LD	W8/73	6.06	5.13	0.93	15.35
R5/73	LD	W9/73	8.26	7.82	0.44	5.33
R5/73	LD	W10/73	10.55	10.55	0.00	0.00
R6/73	LD	W11/73	11.41	11.41	0.00	0.00
R1/74	LKD	W1/74	4.36	3.54	0.82	18.81
R1/74	LKD	W2/74	6.28	5.47	0.81	12.90
R2/74	LD	W3/74	8.42	7.55	0.87	10.33
R2/74	LD	W4/74	8.37	7.16	1.21	14.46
R2/74	LD	W5/74	7.74	7.10	0.64	8.27
R3/74	BEDROOM	W6/74	18.24	17.54	0.70	3.84
R4/74	BEDROOM	W7/74	17.65	16.57	1.08	6.12
R5/74	LD	W8/74	7.95	6.95	1.00	12.58
R5/74	LD	W9/74	9.97	9.49	0.48	4.81
R5/74	LD	W10/74	11.32	11.32	0.00	0.00
R6/74	LD	W11/74	12.50	12.50	0.00	0.00
R1/75	LKD	W1/75	5.29	4.34	0.95	17.96
R1/75	LKD	W2/75	6.92	5.99	0.93	13.44
R2/75	LD	W3/75	9.35	8.53	0.82	8.77
R2/75	LD	W4/75	10.60	9.30	1.30	12.26



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R2/75	LD	W5/75	9.76	9.03	0.73	7.48
R3/75	BEDROOM	W6/75	20.45	19.70	0.75	3.67
R4/75	BEDROOM	W7/75	20.11	19.00	1.11	5.52
R5/75	LD	W8/75	10.20	9.19	1.01	9.90
R5/75	LD	W9/75	12.01	11.53	0.48	4.00
R5/75	LD	W10/75	12.07	12.07	0.00	0.00
R6/75	LD	W11/75	13.69	13.69	0.00	0.00
R1/76	LKD	W1/76	7.70	6.47	1.23	15.97
R1/76	LKD	W2/76	8.32	7.00	1.32	15.87
R2/76	LD	W3/76	10.55	9.63	0.92	8.72
R2/76	LD	W4/76	15.45	13.97	1.48	9.58
R2/76	LD	W5/76	14.37	13.32	1.05	7.31
R3/76	BEDROOM	W6/76	23.33	22.31	1.02	4.37
R4/76	BEDROOM	W7/76	23.50	22.30	1.20	5.11
R5/76	LD	W8/76	15.27	14.25	1.02	6.68
R5/76	LD	W9/76	16.56	15.91	0.65	3.93
R5/76	LD	W10/76	12.95	12.95	0.00	0.00
R6/76	LD	W11/76	15.02	15.02	0.00	0.00
R1/77	LKD	W1/77	14.72	13.34	1.38	9.38
R1/77	LKD	W2/77	11.90	10.27	1.63	13.70
R2/77	LD	W3/77	12.36	11.30	1.06	8.58
R2/77	LD	W4/77	28.73	27.03	1.70	5.92
R2/77	LD	W5/77	28.81	27.14	1.67	5.80
R3/77	BEDROOM	W6/77	29.06	27.46	1.60	5.51
R4/77	BEDROOM	W7/77	29.36	28.08	1.28	4.36
R5/77	LD	W8/77	29.70	28.67	1.03	3.47
R5/77	LD	W9/77	29.94	29.04	0.90	3.01
R5/77	LD	W10/77	14.27	14.27	0.00	0.00
R6/77	LD	W11/77	16.52	16.52	0.00	0.00
R1/78	KITCHEN	W3/78	9.60	8.74	0.86	8.96



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R2/78	BEDROOM	W4/78	10.86	10.44	0.42	3.87
R3/78	LKD	W1/78	17.37	17.20	0.17	0.98
R3/78	LKD	W2/78	14.55	14.32	0.23	1.58
R3/78	LKD	W5/78	17.09	17.09	0.00	0.00
R4/78	LD	W6/78	11.50	10.41	1.09	9.48
R4/78	LD	W7/78	14.12	12.92	1.20	8.50
R4/78	LD	W8/78	7.99	7.82	0.17	2.13
R4/78	LD	W9/78	7.00	6.73	0.27	3.86
R5/78	BEDROOM	W10/78	10.83	10.00	0.83	7.66
R6/78	BEDROOM	W11/78	10.74	10.58	0.16	1.49
R7/78	LD	W12/78	6.39	6.28	0.11	1.72
R7/78	LD	W13/78	7.76	7.71	0.05	0.64
R7/78	LD	W14/78	15.52	15.52	0.00	0.00
R7/78	LD	W15/78	12.64	12.64	0.00	0.00
R1/79	KITCHEN	W4/79	10.73	9.82	0.91	8.48
R2/79	BEDROOM	W3/79	11.78	11.33	0.45	3.82
R3/79	LKD	W1/79	18.13	17.90	0.23	1.27
R3/79	LKD	W2/79	15.37	15.08	0.29	1.89
R3/79	LKD	W5/79	17.10	17.10	0.00	0.00
R4/79	LD	W6/79	12.98	11.81	1.17	9.01
R4/79	LD	W7/79	15.58	14.27	1.31	8.41
R4/79	LD	W8/79	8.95	8.71	0.24	2.68
R4/79	LD	W9/79	8.00	7.68	0.32	4.00
R5/79	BEDROOM	W10/79	12.37	11.46	0.91	7.36
R6/79	BEDROOM	W11/79	12.36	12.04	0.32	2.59
R7/79	LD	W12/79	7.67	7.36	0.31	4.04
R7/79	LD	W13/79	9.03	8.85	0.18	1.99
R7/79	LD	W14/79	16.30	16.30	0.00	0.00
R7/79	LD	W15/79	13.28	13.28	0.00	0.00
R1/80	KITCHEN	W3/80	12.24	11.30	0.94	7.68
R2/80	BEDROOM	W4/80	13.08	12.62	0.46	3.52



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R3/80	LKD	W1/80	19.16	18.92	0.24	1.25
R3/80	LKD	W2/80	16.49	16.20	0.29	1.76
R3/80	LKD	W5/80	17.10	17.10	0.00	0.00
R4/80	LD	W6/80	14.70	13.44	1.26	8.57
R4/80	LD	W7/80	17.21	15.82	1.39	8.08
R4/80	LD	W8/80	9.83	9.42	0.41	4.17
R4/80	LD	W9/80	8.89	8.44	0.45	5.06
R5/80	BEDROOM	W10/80	13.78	12.73	1.05	7.62
R6/80	BEDROOM	W11/80	13.80	13.27	0.53	3.84
R7/80	LD	W12/80	8.81	8.28	0.53	6.02
R7/80	LD	W13/80	10.13	9.78	0.35	3.46
R7/80	LD	W14/80	17.11	17.11	0.00	0.00
R7/80	LD	W15/80	14.00	13.99	0.01	0.07
R1/81	KITCHEN	W4/81	14.40	13.43	0.97	6.74
R2/81	BEDROOM	W3/81	15.06	14.59	0.47	3.12
R3/81	LKD	W1/81	20.70	20.47	0.23	1.11
R3/81	LKD	W2/81	18.20	17.91	0.29	1.59
R3/81	LKD	W5/81	17.10	17.10	0.00	0.00
R4/81	LD	W6/81	16.84	15.52	1.32	7.84
R4/81	LD	W7/81	19.25	17.78	1.47	7.64
R4/81	LD	W8/81	10.23	9.77	0.46	4.50
R4/81	LD	W9/81	9.29	8.80	0.49	5.27
R5/81	BEDROOM	W10/81	14.36	13.29	1.07	7.45
R6/81	BEDROOM	W11/81	14.40	13.79	0.61	4.24
R7/81	LD	W12/81	9.29	8.69	0.60	6.46
R7/81	LD	W13/81	10.53	10.14	0.39	3.70
R7/81	LD	W14/81	17.90	17.89	0.01	0.06
R7/81	LD	W15/81	14.82	14.81	0.01	0.07
R1/82	KITCHEN	W3/82	17.85	16.87	0.98	5.49
R2/82	BEDROOM	W4/82	18.32	17.85	0.47	2.57
R3/82	LKD	W1/82	23.22	23.00	0.22	0.95
R3/82	LKD	W2/82	21.02	20.73	0.29	1.38
R3/82	LKD	W5/82	24.55	24.55	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R4/82	LD	W6/82	20.09	18.73	1.36	6.77
R4/82	LD	W7/82	22.23	20.73	1.50	6.75
R4/82	LD	W8/82	14.12	13.69	0.43	3.05
R4/82	LD	W9/82	13.26	12.81	0.45	3.39
R5/82	BEDROOM	W10/82	20.43	19.43	1.00	4.89
R6/82	BEDROOM	W11/82	20.46	19.89	0.57	2.79
R7/82	LD	W12/82	13.32	12.80	0.52	3.90
R7/82	LD	W13/82	14.28	13.97	0.31	2.17
R7/82	LD	W14/82	18.74	18.74	0.00	0.00
R7/82	LD	W15/82	15.77	15.77	0.00	0.00
R1/91	LKD	W1/91	3.26	3.03	0.23	7.06
R2/91	BEDROOM	W2/91	4.16	3.63	0.53	12.74
R3/91	BEDROOM	W3/91	6.09	5.27	0.82	13.46
R3/91	BEDROOM	W4/91	6.95	6.29	0.66	9.50
R4/91	BEDROOM	W5/91	16.64	16.22	0.42	2.52
R5/91	BEDROOM	W6/91	10.36	9.84	0.52	5.02
R6/91	LD	W7/91	17.27	16.29	0.98	5.67
R6/91	LD	W8/91	8.94	8.13	0.81	9.06
R6/91	LD	W9/91	11.17	11.17	0.00	0.00
R7/91	LD	W10/91	9.78	9.80	-0.02	-0.20
R7/91	LD	W11/91	7.26	6.78	0.48	6.61
R1/92	LKD	W1/92	4.13	3.84	0.29	7.02
R2/92	BEDROOM	W2/92	4.69	4.07	0.62	13.22
R3/92	BEDROOM	W3/92	6.88	5.97	0.91	13.23
R3/92	BEDROOM	W4/92	6.98	6.18	0.80	11.46
R4/92	BEDROOM	W5/92	7.96	7.48	0.48	6.03
R5/92	BEDROOM	W6/92	11.16	10.65	0.51	4.57
R6/92	LD	W7/92	8.63	7.63	1.00	11.59
R6/92	LD	W8/92	9.62	9.04	0.58	6.03
R6/92	LD	W9/92	11.98	11.98	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R7/92	LD	W10/92	10.75	10.76	-0.01	-0.09
R7/92	LD	W11/92	8.36	7.88	0.48	5.74
R1/93	LKD	W1/93	5.13	4.86	0.27	5.26
R2/93	BEDROOM	W2/93	5.27	4.59	0.68	12.90
R3/93	BEDROOM	W3/93	7.75	6.80	0.95	12.26
R3/93	BEDROOM	W4/93	9.24	8.37	0.87	9.42
R4/93	BEDROOM	W5/93	20.26	19.71	0.55	2.71
R5/93	BEDROOM	W6/93	11.96	11.47	0.49	4.10
R6/93	LD	W7/93	21.24	20.19	1.05	4.94
R6/93	LD	W8/93	11.66	10.74	0.92	7.89
R6/93	LD	W9/93	12.84	12.84	0.00	0.00
R7/93	LD	W10/93	11.74	11.75	-0.01	-0.09
R7/93	LD	W11/93	9.50	9.02	0.48	5.05
R1/94	LKD	W1/94	6.20	5.96	0.24	3.87
R2/94	BEDROOM	W2/94	5.82	5.17	0.65	11.17
R3/94	BEDROOM	W3/94	8.70	7.71	0.99	11.38
R3/94	BEDROOM	W4/94	21.46	20.54	0.92	4.29
R4/94	BEDROOM	W5/94	11.62	10.66	0.96	8.26
R5/94	BEDROOM	W6/94	12.88	12.40	0.48	3.73
R6/94	LD	W7/94	13.10	12.06	1.04	7.94
R6/94	LD	W8/94	24.20	23.55	0.65	2.69
R6/94	LD	W9/94	13.76	13.76	0.00	0.00
R7/94	LD	W10/94	12.75	12.75	0.00	0.00
R7/94	LD	W11/94	10.63	10.15	0.48	4.52
R1/95	LKD	W1/95	7.36	7.17	0.19	2.58
R2/95	BEDROOM	W2/95	6.46	5.76	0.70	10.84
R3/95	BEDROOM	W3/95	9.71	8.70	1.01	10.40
R3/95	BEDROOM	W4/95	13.23	12.28	0.95	7.18



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R4/95	BEDROOM	W5/95	24.40	23.73	0.67	2.75
R5/95	BEDROOM	W6/95	13.84	13.39	0.45	3.25
R6/95	LD	W7/95	25.55	24.51	1.04	4.07
R6/95	LD	W8/95	15.64	14.69	0.95	6.07
R6/95	LD	W9/95	14.68	14.68	0.00	0.00
R7/95	LD	W10/95	13.73	13.73	0.00	0.00
R7/95	LD	W11/95	11.68	11.22	0.46	3.94
R1/96	LKD	W1/96	10.72	10.58	0.14	1.31
R2/96	BEDROOM	W2/96	7.13	6.43	0.70	9.82
R3/96	BEDROOM	W3/96	10.87	9.84	1.03	9.48
R3/96	BEDROOM	W4/96	26.37	25.44	0.93	3.53
R4/96	BEDROOM	W5/96	19.83	18.86	0.97	4.89
R5/96	BEDROOM	W6/96	14.77	14.37	0.40	2.71
R6/96	LD	W7/96	21.19	20.21	0.98	4.62
R6/96	LD	W8/96	28.77	27.91	0.86	2.99
R6/96	LD	W9/96	15.59	15.59	0.00	0.00
R7/96	LD	W10/96	14.73	14.73	0.00	0.00
R7/96	LD	W11/96	14.98	14.54	0.44	2.94
R1/97	LKD	W1/97	12.08	11.97	0.11	0.91
R2/97	BEDROOM	W2/97	8.00	7.31	0.69	8.63
R3/97	BEDROOM	W3/97	12.30	11.25	1.05	8.54
R3/97	BEDROOM	W4/97	21.97	21.05	0.92	4.19
R4/97	BEDROOM	W5/97	29.01	28.15	0.86	2.96
R5/97	BEDROOM	W6/97	16.02	15.66	0.36	2.25
R6/97	LD	W7/97	30.11	29.12	0.99	3.29
R6/97	LD	W8/97	24.02	23.08	0.94	3.91
R6/97	LD	W9/97	16.82	16.82	0.00	0.00
R7/97	LD	W10/97	15.62	15.62	0.00	0.00
R7/97	LD	W11/97	16.03	15.62	0.41	2.56



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R1/98	LKD	W1/98	11.17	10.91	0.26	2.33
R2/98	BEDROOM	W2/98	9.05	8.29	0.76	8.40
R3/98	BEDROOM	W3/98	14.10	12.97	1.13	8.01
R3/98	BEDROOM	W4/98	31.03	30.05	0.98	3.16
R4/98	BEDROOM	W5/98	20.61	19.62	0.99	4.80
R5/98	BEDROOM	W6/98	17.01	16.67	0.34	2.00
R6/98	LD	W7/98	21.60	20.62	0.98	4.54
R6/98	LD	W8/98	32.89	32.03	0.86	2.61
R6/98	LD	W9/98	18.51	18.51	0.00	0.00
R7/98	LD	W10/98	16.28	16.28	0.00	0.00
R7/98	LD	W11/98	14.56	14.20	0.36	2.47
R1/99	LKD	W1/99	13.56	13.15	0.41	3.02
R2/99	BEDROOM	W2/99	10.45	9.66	0.79	7.56
R3/99	BEDROOM	W3/99	16.52	15.37	1.15	6.96
R3/99	BEDROOM	W4/99	24.67	23.57	1.10	4.46
R4/99	BEDROOM	W5/99	33.66	32.59	1.07	3.18
R5/99	BEDROOM	W6/99	17.82	17.38	0.44	2.47
R6/99	LD	W7/99	34.15	33.07	1.08	3.16
R6/99	LD	W8/99	25.75	24.72	1.03	4.00
R6/99	LD	W9/99	20.55	20.55	0.00	0.00
R7/99	LD	W10/99	16.57	16.57	0.00	0.00
R7/99	LD	W11/99	16.35	16.05	0.30	1.83
R1/100	LKD	W1/100	13.07	12.43	0.64	4.90
R2/100	KITCHEN	W2/100	14.34	13.55	0.79	5.51
R3/100	LD	W3/100	20.53	19.40	1.13	5.50
R3/100	LD	W4/100	23.31	22.16	1.15	4.93
R4/100	BEDROOM	W5/100	36.16	35.11	1.05	2.90
R5/100	BEDROOM	W6/100	36.24	35.20	1.04	2.87



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R6/100	LD	W7/100	23.77	22.77	1.00	4.21
R6/100	LD	W8/100	24.10	24.10	0.00	0.00
R7/100	LD	W9/100	17.19	17.19	0.00	0.00
R7/100	LD	W10/100	15.04	14.79	0.25	1.66
R1/101	LKD	W1/101	23.27	22.61	0.66	2.84
R2/101	KITCHEN	W2/101	22.09	21.28	0.81	3.67
R3/101	LD	W3/101	26.98	25.84	1.14	4.23
R3/101	LD	W4/101	38.18	37.03	1.15	3.01
R4/101	BEDROOM	W5/101	38.30	37.21	1.09	2.85
R5/101	BEDROOM	W6/101	38.38	37.39	0.99	2.58
R6/101	LD	W7/101	38.48	37.55	0.93	2.42
R6/101	LD	W8/101	29.85	29.85	0.00	0.00
R7/101	LD	W9/101	19.70	19.70	0.00	0.00
R7/101	LD	W10/101	25.19	25.01	0.18	0.71
R1/102	KITCHEN	W1/102	33.07	31.89	1.18	3.57
R2/102	BEDROOM	W3/102	33.25	32.31	0.94	2.83
R3/102	BEDROOM	W2/102	34.84	33.96	0.88	2.53
R3/102	BEDROOM	W4/102	39.60	39.60	0.00	0.00
R4/102	LD	W5/102	33.94	32.15	1.79	5.27
R4/102	LD	W6/102	15.41	14.90	0.51	3.31
R5/102	BEDROOM	W7/102	13.17	12.75	0.42	3.19
R6/102	BEDROOM	W8/102	13.33	13.27	0.06	0.45
R7/102	LD	W9/102	15.66	15.26	0.40	2.55
R7/102	LD	W10/102	35.40	35.40	0.00	0.00
R1/103	BEDROOM	W2/103	37.48	35.92	1.56	4.16
R1/103	BEDROOM	W4/103	39.60	39.60	0.00	0.00
R2/103	BEDROOM	W3/103	37.23	35.55	1.68	4.51
R3/103	KITCHEN	W1/103	37.18	35.36	1.82	4.90



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R4/103	LD	W5/103	37.27	35.08	2.19	5.88
R4/103	LD	W6/103	15.65	15.18	0.47	3.00
R5/103	BEDROOM	W7/103	13.38	12.98	0.40	2.99
R6/103	BEDROOM	W8/103	13.42	13.40	0.02	0.15
R7/103	LD	W9/103	15.82	15.51	0.31	1.96
R7/103	LD	W10/103	39.44	39.44	0.00	0.00
R1/104	BEDROOM	W2/104	38.21	36.71	1.50	3.93
R1/104	BEDROOM	W4/104	39.60	39.60	0.00	0.00
R2/104	BEDROOM	W3/104	38.08	36.45	1.63	4.28
R3/104	KITCHEN	W1/104	38.06	36.29	1.77	4.65
R4/104	LD	W5/104	38.12	36.06	2.06	5.40
R4/104	LD	W6/104	15.75	15.38	0.37	2.35
R5/104	BEDROOM	W7/104	13.49	13.15	0.34	2.52
R6/104	BEDROOM	W8/104	13.48	13.46	0.02	0.15
R7/104	LD	W9/104	15.88	15.65	0.23	1.45
R7/104	LD	W10/104	39.60	39.60	0.00	0.00
R1/105	BEDROOM	W2/105	38.85	37.46	1.39	3.58
R1/105	BEDROOM	W4/105	39.60	39.60	0.00	0.00
R2/105	BEDROOM	W3/105	38.82	37.30	1.52	3.92
R3/105	KITCHEN	W1/105	38.84	37.18	1.66	4.27
R4/105	LD	W5/105	38.85	37.00	1.85	4.76
R4/105	LD	W6/105	15.78	15.53	0.25	1.58
R5/105	BEDROOM	W7/105	13.51	13.29	0.22	1.63
R6/105	BEDROOM	W8/105	13.50	13.48	0.02	0.15
R7/105	LD	W9/105	15.89	15.75	0.14	0.88
R7/105	LD	W10/105	39.60	39.60	0.00	0.00
R1/106	BEDROOM	W2/106	39.17	37.99	1.18	3.01
R1/106	BEDROOM	W4/106	39.60	39.60	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R2/106	BEDROOM	W3/106	39.17	37.89	1.28	3.27
R3/106	KITCHEN	W1/106	39.19	37.82	1.37	3.50
R4/106	LD	W5/106	39.21	37.70	1.51	3.85
R4/106	LD	W6/106	15.79	15.68	0.11	0.70
R5/106	BEDROOM	W7/106	13.52	13.42	0.10	0.74
R6/106	BEDROOM	W8/106	13.52	13.50	0.02	0.15
R7/106	LD	W9/106	15.90	15.84	0.06	0.38
R7/106	LD	W10/106	39.60	39.60	0.00	0.00
R1/107	BEDROOM	W2/107	39.38	38.48	0.90	2.29
R1/107	BEDROOM	W4/107	39.60	39.60	0.00	0.00
R2/107	BEDROOM	W3/107	39.39	38.43	0.96	2.44
R3/107	KITCHEN	W1/107	39.40	38.39	1.01	2.56
R4/107	LD	W5/107	39.42	38.34	1.08	2.74
R4/107	LD	W6/107	21.53	21.51	0.02	0.09
R5/107	BEDROOM	W7/107	18.69	18.68	0.01	0.05
R6/107	BEDROOM	W8/107	18.69	18.68	0.01	0.05
R7/107	LD	W9/107	21.69	21.69	0.00	0.00
R7/107	LD	W10/107	39.60	39.60	0.00	0.00
R1/111	LKD	W1/111	10.35	9.80	0.55	5.31
R1/111	LKD	W2/111	5.49	4.89	0.60	10.93
R2/111	BEDROOM	W3/111	6.80	6.34	0.46	6.76
R3/111	BEDROOM	W4/111	8.30	7.64	0.66	7.95
R3/111	BEDROOM	W5/111	10.87	10.03	0.84	7.73
R3/111	BEDROOM	W6/111	12.22	11.60	0.62	5.07
R4/111	BEDROOM	W7/111	21.88	21.46	0.42	1.92
R5/111	BEDROOM	W8/111	9.66	9.69	-0.03	-0.31
R6/111	LKD	W9/111	22.15	21.62	0.53	2.39
R6/111	LKD	W10/111	12.96	12.58	0.38	2.93
R6/111	LKD	W11/111	14.28	14.07	0.21	1.47



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R6/111	LKD	W12/111	15.33	15.33	0.00	0.00
R6/111	LKD	W13/111	12.79	12.79	0.00	0.00
R7/111	LKD	W14/111	12.36	12.36	0.00	0.00
R7/111	LKD	W15/111	16.62	16.62	0.00	0.00
R1/112	LKD	W1/112	11.56	11.01	0.55	4.76
R1/112	LKD	W2/112	6.37	5.75	0.62	9.73
R2/112	BEDROOM	W3/112	7.32	6.76	0.56	7.65
R3/112	BEDROOM	W4/112	8.99	8.22	0.77	8.57
R3/112	BEDROOM	W5/112	12.72	11.85	0.87	6.84
R3/112	BEDROOM	W6/112	13.86	13.22	0.64	4.62
R4/112	BEDROOM	W7/112	23.76	23.32	0.44	1.85
R5/112	BEDROOM	W8/112	10.97	11.00	-0.03	-0.27
R6/112	LKD	W9/112	24.25	23.69	0.56	2.31
R6/112	LKD	W10/112	14.97	14.56	0.41	2.74
R6/112	LKD	W11/112	16.08	15.83	0.25	1.55
R6/112	LKD	W12/112	16.19	16.19	0.00	0.00
R6/112	LKD	W13/112	13.47	13.47	0.00	0.00
R7/112	LKD	W14/112	13.33	13.33	0.00	0.00
R7/112	LKD	W15/112	17.94	17.94	0.00	0.00
R1/113	LKD	W1/113	12.85	12.30	0.55	4.28
R1/113	LKD	W2/113	7.32	6.69	0.63	8.61
R2/113	BEDROOM	W3/113	7.82	7.26	0.56	7.16
R3/113	BEDROOM	W4/113	9.63	8.84	0.79	8.20
R3/113	BEDROOM	W5/113	14.86	13.96	0.90	6.06
R3/113	BEDROOM	W6/113	15.79	15.13	0.66	4.18
R4/113	BEDROOM	W7/113	25.73	25.27	0.46	1.79
R5/113	BEDROOM	W8/113	12.42	12.43	-0.01	-0.08
R6/113	LKD	W9/113	26.39	25.81	0.58	2.20
R6/113	LKD	W10/113	17.11	16.67	0.44	2.57
R6/113	LKD	W11/113	18.07	17.77	0.30	1.66
R6/113	LKD	W12/113	17.14	17.14	0.00	0.00
R6/113	LKD	W13/113	14.21	14.21	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R7/113	LKD	W14/113	14.22	14.22	0.00	0.00
R7/113	LKD	W15/113	19.20	19.21	-0.01	-0.05
R1/114	LKD	W1/114	14.15	13.61	0.54	3.82
R1/114	LKD	W2/114	8.37	7.72	0.65	7.77
R2/114	BEDROOM	W3/114	8.45	7.81	0.64	7.57
R3/114	BEDROOM	W4/114	10.39	9.54	0.85	8.18
R3/114	BEDROOM	W5/114	16.95	16.04	0.91	5.37
R3/114	BEDROOM	W6/114	17.84	17.10	0.74	4.15
R4/114	BEDROOM	W7/114	27.74	27.24	0.50	1.80
R5/114	BEDROOM	W8/114	13.81	13.82	-0.01	-0.07
R6/114	LKD	W9/114	28.40	27.79	0.61	2.15
R6/114	LKD	W10/114	19.01	18.54	0.47	2.47
R6/114	LKD	W11/114	19.84	19.49	0.35	1.76
R6/114	LKD	W12/114	18.26	18.26	0.00	0.00
R6/114	LKD	W13/114	15.07	15.07	0.00	0.00
R7/114	LKD	W14/114	14.72	14.72	0.00	0.00
R7/114	LKD	W15/114	20.13	20.17	-0.04	-0.20
R1/115	LKD	W1/115	15.43	14.90	0.53	3.43
R1/115	LKD	W2/115	9.44	8.79	0.65	6.89
R2/115	BEDROOM	W3/115	9.03	8.35	0.68	7.53
R3/115	BEDROOM	W4/115	11.14	10.24	0.90	8.08
R3/115	BEDROOM	W5/115	18.87	17.93	0.94	4.98
R3/115	BEDROOM	W6/115	19.69	18.86	0.83	4.22
R4/115	BEDROOM	W7/115	29.61	29.04	0.57	1.93
R5/115	BEDROOM	W8/115	14.95	14.95	0.00	0.00
R6/115	LKD	W9/115	30.13	29.49	0.64	2.12
R6/115	LKD	W10/115	20.53	20.04	0.49	2.39
R6/115	LKD	W11/115	21.24	20.85	0.39	1.84
R6/115	LKD	W12/115	19.76	19.76	0.00	0.00
R6/115	LKD	W13/115	16.24	16.24	0.00	0.00
R7/115	LKD	W14/115	15.06	15.06	0.00	0.00
R7/115	LKD	W15/115	21.05	21.10	-0.05	-0.24



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R1/116	LKD	W1/116	17.78	17.26	0.52	2.92
R1/116	LKD	W2/116	12.12	11.48	0.64	5.28
R2/116	BEDROOM	W3/116	9.69	9.04	0.65	6.71
R3/116	BEDROOM	W4/116	12.00	11.11	0.89	7.42
R3/116	BEDROOM	W5/116	24.32	23.34	0.98	4.03
R3/116	BEDROOM	W6/116	24.90	24.00	0.90	3.61
R4/116	BEDROOM	W7/116	31.51	30.80	0.71	2.25
R5/116	BEDROOM	W8/116	16.07	16.07	0.00	0.00
R6/116	LKD	W9/116	31.91	31.24	0.67	2.10
R6/116	LKD	W10/116	25.52	24.99	0.53	2.08
R6/116	LKD	W11/116	26.02	25.60	0.42	1.61
R6/116	LKD	W12/116	21.75	21.75	0.00	0.00
R6/116	LKD	W13/116	17.68	17.68	0.00	0.00
R7/116	LKD	W14/116	17.06	17.06	0.00	0.00
R7/116	LKD	W15/116	23.18	23.21	-0.03	-0.13
R1/117	LKD	W1/117	18.90	18.38	0.52	2.75
R1/117	LKD	W2/117	12.78	12.07	0.71	5.56
R2/117	BEDROOM	W3/117	10.71	9.92	0.79	7.38
R3/117	BEDROOM	W4/117	13.24	12.22	1.02	7.70
R3/117	BEDROOM	W5/117	25.15	24.10	1.05	4.17
R3/117	BEDROOM	W6/117	25.73	24.78	0.95	3.69
R4/117	BEDROOM	W7/117	33.43	32.66	0.77	2.30
R5/117	BEDROOM	W8/117	17.35	17.35	0.00	0.00
R6/117	LKD	W9/117	33.60	32.90	0.70	2.08
R6/117	LKD	W10/117	25.88	25.26	0.62	2.40
R6/117	LKD	W11/117	26.20	25.65	0.55	2.10
R6/117	LKD	W12/117	25.42	25.42	0.00	0.00
R6/117	LKD	W13/117	20.64	20.64	0.00	0.00
R7/117	LKD	W14/117	16.72	16.72	0.00	0.00
R7/117	LKD	W15/117	24.31	24.28	0.03	0.12
R1/118	LKD	W1/118	19.33	18.75	0.58	3.00
R1/118	LKD	W2/118	12.73	11.99	0.74	5.81



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R2/118	BEDROOM	W3/118	11.75	10.97	0.78	6.64
R3/118	BEDROOM	W4/118	14.54	13.49	1.05	7.22
R3/118	BEDROOM	W5/118	24.57	23.43	1.14	4.64
R3/118	BEDROOM	W6/118	25.18	24.12	1.06	4.21
R4/118	BEDROOM	W7/118	35.60	34.67	0.93	2.61
R5/118	BEDROOM	W8/118	18.39	18.21	0.18	0.98
R6/118	LKD	W9/118	35.60	34.74	0.86	2.42
R6/118	LKD	W10/118	24.93	24.08	0.85	3.41
R6/118	LKD	W11/118	25.12	24.32	0.80	3.18
R6/118	LKD	W12/118	30.45	30.45	0.00	0.00
R6/118	LKD	W13/118	25.44	25.44	0.00	0.00
R7/118	LKD	W14/118	16.37	16.37	0.00	0.00
R7/118	LKD	W15/118	25.40	25.22	0.18	0.71
R1/119	LKD	W1/119	23.74	23.19	0.55	2.32
R1/119	LKD	W2/119	19.04	18.38	0.66	3.47
R2/119	BEDROOM	W3/119	13.40	12.65	0.75	5.60
R3/119	BEDROOM	W4/119	16.24	15.24	1.00	6.16
R3/119	BEDROOM	W5/119	38.00	36.94	1.06	2.79
R3/119	BEDROOM	W6/119	38.07	37.06	1.01	2.65
R4/119	BEDROOM	W7/119	38.11	37.14	0.97	2.55
R5/119	BEDROOM	W8/119	18.61	18.40	0.21	1.13
R6/119	LKD	W9/119	38.20	37.32	0.88	2.30
R6/119	LKD	W10/119	38.23	37.35	0.88	2.30
R6/119	LKD	W11/119	38.27	37.42	0.85	2.22
R6/119	LKD	W12/119	36.78	36.78	0.00	0.00
R6/119	LKD	W13/119	33.24	33.24	0.00	0.00
R7/119	LKD	W14/119	25.59	25.60	-0.01	-0.04
R7/119	LKD	W15/119	31.36	31.14	0.22	0.70
R1/120	KITCHEN	W3/120	13.74	13.49	0.25	1.82
R2/120	BEDROOM	W4/120	14.03	13.77	0.26	1.85
R3/120	LKD	W1/120	19.29	19.23	0.06	0.31
R3/120	LKD	W2/120	16.95	16.81	0.14	0.83



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R3/120	LKD	W5/120	16.79	16.79	0.00	0.00
R4/120	LD	W6/120	15.98	15.31	0.67	4.19
R4/120	LD	W7/120	18.01	17.11	0.90	5.00
R4/120	LD	W8/120	14.09	13.73	0.36	2.56
R4/120	LD	W9/120	15.82	15.28	0.54	3.41
R5/120	BEDROOM	W10/120	12.59	12.07	0.52	4.13
R6/120	BEDROOM	W11/120	13.13	12.98	0.15	1.14
R7/120	LD	W12/120	15.87	15.53	0.34	2.14
R7/120	LD	W13/120	14.12	13.78	0.34	2.41
R7/120	LD	W14/120	39.56	39.56	0.00	0.00
R7/120	LD	W15/120	39.55	39.55	0.00	0.00
R1/121	LKD	W1/121	20.01	19.96	0.05	0.25
R1/121	LKD	W2/121	17.69	17.58	0.11	0.62
R1/121	LKD	W5/121	16.79	16.79	0.00	0.00
R2/121	KITCHEN	W4/121	14.52	14.30	0.22	1.52
R3/121	BEDROOM	W3/121	14.75	14.51	0.24	1.63
R4/121	LD	W6/121	16.94	16.32	0.62	3.66
R4/121	LD	W7/121	19.03	18.20	0.83	4.36
R4/121	LD	W8/121	14.25	13.97	0.28	1.96
R4/121	LD	W9/121	15.95	15.53	0.42	2.63
R5/121	BEDROOM	W10/121	12.72	12.31	0.41	3.22
R6/121	BEDROOM	W11/121	13.26	13.13	0.13	0.98
R7/121	LD	W12/121	16.00	15.75	0.25	1.56
R7/121	LD	W13/121	14.24	13.98	0.26	1.83
R7/121	LD	W14/121	39.57	39.57	0.00	0.00
R7/121	LD	W15/121	39.57	39.57	0.00	0.00
R1/122	LKD	W1/122	20.91	20.83	0.08	0.38
R1/122	LKD	W2/122	18.63	18.51	0.12	0.64
R1/122	LKD	W5/122	24.04	24.04	0.00	0.00
R2/122	KITCHEN	W3/122	15.60	15.39	0.21	1.35
R3/122	BEDROOM	W4/122	15.76	15.56	0.20	1.27
R4/122	LD	W6/122	18.10	17.52	0.58	3.20



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R4/122	LD	W7/122	20.19	19.41	0.78	3.86
R4/122	LD	W8/122	19.86	19.64	0.22	1.11
R4/122	LD	W9/122	22.30	22.00	0.30	1.35
R5/122	BEDROOM	W10/122	18.09	17.78	0.31	1.71
R6/122	BEDROOM	W11/122	18.83	18.73	0.10	0.53
R7/122	LD	W12/122	22.44	22.27	0.17	0.76
R7/122	LD	W13/122	19.68	19.50	0.18	0.91
R7/122	LD	W14/122	39.58	39.58	0.00	0.00
R7/122	LD	W15/122	39.58	39.58	0.00	0.00

Battersea Power Station Phase 4 and 4A (Building A2)

R1/41	LKD	W1/41	18.74	17.62	1.12	5.98
R1/41	LKD	W2/41	12.22	10.93	1.29	10.56
R1/41	LKD	W3/41	19.25	17.71	1.54	8.00
R1/41	LKD	W21/41	28.35	28.35	0.00	0.00
R2/41	LD	W4/41	10.56	8.78	1.78	16.86
R2/41	LD	W5/41	14.56	12.77	1.79	12.29
R3/41	BEDROOM	W6/41	12.42	10.75	1.67	13.45
R3/41	BEDROOM	W7/41	19.06	17.52	1.54	8.08
R4/41	BEDROOM	W8/41	24.35	22.75	1.60	6.57
R5/41	BEDROOM	W9/41	25.64	24.13	1.51	5.89
R6/41	LKD	W10/41	26.01	24.42	1.59	6.11
R6/41	LKD	W11/41	26.69	24.97	1.72	6.44
R6/41	LKD	W12/41	1.85	2.08	-0.23	-12.43
R7/41	BEDROOM	W13/41	7.78	7.93	-0.15	-1.93
R8/41	KITCHEN	W14/41	11.62	11.44	0.18	1.55
R9/41	LD	W15/41	13.05	12.15	0.90	6.90
R9/41	LD	W16/41	7.06	6.90	0.16	2.27
R9/41	LD	W17/41	3.15	3.00	0.15	4.76
R10/41	BEDROOM	W18/41	4.86	4.78	0.08	1.65
R10/41	BEDROOM	W19/41	8.69	8.64	0.05	0.58
R11/41	BEDROOM	W20/41	17.56	17.56	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R1/42	LKD	W1/42	22.09	20.85	1.24	5.61
R1/42	LKD	W2/42	15.63	14.23	1.40	8.96
R1/42	LKD	W3/42	22.80	21.17	1.63	7.15
R1/42	LKD	W21/42	31.10	31.10	0.00	0.00
R2/42	LD	W4/42	13.86	12.06	1.80	12.99
R2/42	LD	W5/42	17.87	16.08	1.79	10.02
R3/42	BEDROOM	W6/42	15.63	13.93	1.70	10.88
R3/42	BEDROOM	W7/42	22.24	20.66	1.58	7.10
R4/42	BEDROOM	W8/42	27.47	25.83	1.64	5.97
R5/42	BEDROOM	W9/42	28.51	26.91	1.60	5.61
R6/42	LKD	W10/42	28.75	27.07	1.68	5.84
R6/42	LKD	W11/42	29.18	27.35	1.83	6.27
R6/42	LKD	W12/42	2.12	2.38	-0.26	-12.26
R7/42	BEDROOM	W13/42	8.99	9.02	-0.03	-0.33
R8/42	KITCHEN	W14/42	12.84	12.62	0.22	1.71
R9/42	LD	W15/42	14.26	13.34	0.92	6.45
R9/42	LD	W16/42	8.11	7.94	0.17	2.10
R9/42	LD	W17/42	3.84	3.68	0.16	4.17
R10/42	BEDROOM	W18/42	5.65	5.56	0.09	1.59
R10/42	BEDROOM	W19/42	9.94	9.88	0.06	0.60
R11/42	BEDROOM	W20/42	20.32	20.32	0.00	0.00
R1/43	LKD	W1/43	26.05	24.64	1.41	5.41
R1/43	LKD	W2/43	19.35	17.79	1.56	8.06
R1/43	LKD	W3/43	27.52	25.81	1.71	6.21
R1/43	LKD	W21/43	33.97	33.97	0.00	0.00
R2/43	LD	W4/43	17.65	15.85	1.80	10.20
R2/43	LD	W5/43	22.19	20.44	1.75	7.89
R3/43	BEDROOM	W6/43	18.93	17.24	1.69	8.93
R3/43	BEDROOM	W7/43	25.84	24.28	1.56	6.04
R4/43	BEDROOM	W8/43	30.88	29.22	1.66	5.38
R5/43	BEDROOM	W9/43	31.41	29.73	1.68	5.35



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R6/43	LKD	W10/43	31.49	29.72	1.77	5.62
R6/43	LKD	W11/43	31.61	29.67	1.94	6.14
R6/43	LKD	W12/43	2.51	2.79	-0.28	-11.16
R7/43	BEDROOM	W13/43	10.39	10.30	0.09	0.87
R8/43	KITCHEN	W14/43	14.26	13.97	0.29	2.03
R9/43	LD	W15/43	15.63	14.68	0.95	6.08
R9/43	LD	W16/43	9.63	9.46	0.17	1.77
R9/43	LD	W17/43	4.75	4.59	0.16	3.37
R10/43	BEDROOM	W18/43	6.61	6.52	0.09	1.36
R10/43	BEDROOM	W19/43	11.95	11.89	0.06	0.50
R11/43	BEDROOM	W20/43	22.70	22.70	0.00	0.00
R1/44	LKD	W1/44	34.31	32.98	1.33	3.88
R1/44	LKD	W2/44	34.34	32.90	1.44	4.19
R1/44	LKD	W3/44	34.28	32.80	1.48	4.32
R1/44	LKD	W21/44	37.71	37.71	0.00	0.00
R2/44	LD	W4/44	34.20	32.67	1.53	4.47
R2/44	LD	W5/44	34.17	32.59	1.58	4.62
R3/44	BEDROOM	W6/44	34.16	32.57	1.59	4.65
R3/44	BEDROOM	W7/44	34.15	32.64	1.51	4.42
R4/44	BEDROOM	W8/44	34.10	32.39	1.71	5.01
R5/44	BEDROOM	W9/44	34.02	32.27	1.75	5.14
R6/44	LKD	W10/44	33.95	32.10	1.85	5.45
R6/44	LKD	W11/44	33.79	31.78	2.01	5.95
R6/44	LKD	W12/44	4.14	4.27	-0.13	-3.14
R7/44	BEDROOM	W13/44	13.10	12.86	0.24	1.83
R8/44	KITCHEN	W14/44	15.97	15.62	0.35	2.19
R9/44	LD	W15/44	17.27	16.31	0.96	5.56
R9/44	LD	W16/44	15.92	15.74	0.18	1.13
R9/44	LD	W17/44	16.14	15.98	0.16	0.99
R10/44	BEDROOM	W18/44	16.45	16.29	0.16	0.97
R10/44	BEDROOM	W19/44	16.47	16.32	0.15	0.91



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R11/44	BEDROOM	W20/44	37.62	37.62	0.00	0.00
R1/45	BEDROOM	W1/45	38.34	38.34	0.00	0.00
R2/45	BEDROOM	W2/45	38.25	38.26	-0.01	-0.03
R2/45	BEDROOM	W3/45	35.62	33.89	1.73	4.86
R3/45	BEDROOM	W4/45	35.44	33.66	1.78	5.02
R3/45	BEDROOM	W5/45	35.36	33.45	1.91	5.40
R4/45	LKD	W6/45	35.11	33.06	2.05	5.84
R4/45	LKD	W7/45	3.68	3.76	-0.08	-2.17
R4/45	LKD	W8/45	14.20	13.85	0.35	2.46
R5/45	BEDROOM	W9/45	18.02	17.63	0.39	2.16
R6/45	BEDROOM	W10/45	19.18	18.20	0.98	5.11
R6/45	BEDROOM	W11/45	17.71	17.54	0.17	0.96
R6/45	BEDROOM	W12/45	17.94	17.78	0.16	0.89
R7/45	BEDROOM	W13/45	18.30	18.14	0.16	0.87
R7/45	BEDROOM	W14/45	18.31	18.15	0.16	0.87
R1/46	BEDROOM	W1/46	38.71	38.71	0.00	0.00
R2/46	BEDROOM	W2/46	38.72	38.73	-0.01	-0.03
R2/46	BEDROOM	W3/46	36.54	34.82	1.72	4.71
R3/46	BEDROOM	W4/46	36.39	34.61	1.78	4.89
R3/46	BEDROOM	W5/46	36.32	34.41	1.91	5.26
R4/46	LKD	W6/46	36.09	34.04	2.05	5.68
R4/46	LKD	W7/46	5.47	5.41	0.06	1.10
R4/46	LKD	W8/46	16.54	16.06	0.48	2.90
R5/46	BEDROOM	W9/46	20.28	19.80	0.48	2.37
R6/46	BEDROOM	W10/46	21.23	20.22	1.01	4.76
R6/46	BEDROOM	W11/46	19.56	19.38	0.18	0.92
R6/46	BEDROOM	W12/46	19.80	19.63	0.17	0.86
R7/46	BEDROOM	W13/46	20.18	20.02	0.16	0.79
R7/46	BEDROOM	W14/46	20.18	20.02	0.16	0.79
R1/47	BEDROOM	W1/47	38.92	38.92	0.00	0.00
R2/47	BEDROOM	W2/47	38.94	38.94	0.00	0.00



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R2/47	BEDROOM	W3/47	37.16	35.47	1.69	4.55
R3/47	BEDROOM	W4/47	37.04	35.28	1.76	4.75
R3/47	BEDROOM	W5/47	36.98	35.10	1.88	5.08
R4/47	LKD	W6/47	36.79	34.77	2.02	5.49
R4/47	LKD	W7/47	7.83	7.65	0.18	2.30
R4/47	LKD	W8/47	19.25	18.65	0.60	3.12
R5/47	BATHROOM	W9/47	22.85	22.29	0.56	2.45
R6/47	BEDROOM	W10/47	23.53	22.47	1.06	4.50
R6/47	BEDROOM	W11/47	21.57	21.38	0.19	0.88
R6/47	BEDROOM	W12/47	21.81	21.63	0.18	0.83
R7/47	BEDROOM	W13/47	22.24	22.06	0.18	0.81
R7/47	BEDROOM	W14/47	22.23	22.06	0.17	0.76
R1/48	BEDROOM	W1/48	39.12	39.12	0.00	0.00
R2/48	BEDROOM	W2/48	39.12	39.12	0.00	0.00
R2/48	BEDROOM	W3/48	37.74	36.09	1.65	4.37
R3/48	BEDROOM	W4/48	37.65	35.93	1.72	4.57
R3/48	BEDROOM	W5/48	37.60	35.78	1.82	4.84
R4/48	LKD	W6/48	37.45	35.48	1.97	5.26
R4/48	LKD	W7/48	13.96	13.41	0.55	3.94
R4/48	LKD	W8/48	23.94	22.98	0.96	4.01
R5/48	BATHROOM	W9/48	25.85	25.02	0.83	3.21
R6/48	BEDROOM	W10/48	26.14	24.88	1.26	4.82
R6/48	BEDROOM	W11/48	23.84	23.64	0.20	0.84
R6/48	BEDROOM	W12/48	24.08	23.89	0.19	0.79
R7/48	BEDROOM	W13/48	24.55	24.37	0.18	0.73
R7/48	BEDROOM	W14/48	24.53	24.35	0.18	0.73

Battersea Power Station Phase 4 and 4A (Building A3)

R1/21	LKD	W1/21	13.76	13.72	0.04	0.29
R1/21	LKD	W2/21	7.19	7.18	0.01	0.14
R1/21	LKD	W3/21	26.56	24.63	1.93	7.27
R2/21	BEDROOM	W4/21	25.76	24.09	1.67	6.48



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R3/21	BEDROOM	W5/21	24.92	23.60	1.32	5.30
R4/21	BEDROOM	W6/21	22.87	21.80	1.07	4.68
R5/21	LKD	W7/21	11.84	9.31	2.53	21.37
R6/21	BEDROOM	W8/21	9.43	7.12	2.31	24.50
R7/21	BEDROOM	W9/21	17.71	18.05	-0.34	-1.92
R8/21	BEDROOM	W10/21	17.81	18.38	-0.57	-3.20
R9/21	BEDROOM	W11/21	11.47	9.79	1.68	14.65
R10/21	LD	W12/21	8.26	6.30	1.96	23.73
R10/21	LD	W13/21	14.98	15.98	-1.00	-6.68
R11/21	KITCHEN	W14/21	8.63	4.50	4.13	47.86
R11/21	KITCHEN	W15/21	3.14	5.14	-2.00	-63.69
R12/21	BEDROOM	W16/21	6.71	2.80	3.91	58.27
R12/21	BEDROOM	W17/21	3.94	5.24	-1.30	-32.99
R13/21	BEDROOM	W18/21	5.07	2.45	2.62	51.68
R13/21	BEDROOM	W19/21	4.82	5.51	-0.69	-14.32
R14/21	BEDROOM	W20/21	3.90	2.34	1.56	40.00
R14/21	BEDROOM	W21/21	5.72	5.82	-0.10	-1.75
R15/21	BEDROOM	W22/21	10.48	9.02	1.46	13.93
R15/21	BEDROOM	W23/21	10.08	8.79	1.29	12.80
R16/21	BEDROOM	W24/21	8.44	7.07	1.37	16.23
R16/21	BEDROOM	W25/21	2.81	1.59	1.22	43.42
R17/21	BEDROOM	W26/21	0.71	0.59	0.12	16.90
R18/21	LD	W27/21	1.65	1.65	0.00	0.00
R18/21	LD	W28/21	7.90	7.69	0.21	2.66
R19/21	BEDROOM	W29/21	8.57	8.10	0.47	5.48
R19/21	BEDROOM	W30/21	8.37	7.81	0.56	6.69
R20/21	BEDROOM	W31/21	6.55	6.06	0.49	7.48
R21/21	LD	W32/21	1.38	1.26	0.12	8.70



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R1/22	LKD	W1/22	16.06	16.02	0.04	0.25
R1/22	LKD	W2/22	8.30	8.28	0.02	0.24
R1/22	LKD	W3/22	28.08	26.10	1.98	7.05
R2/22	BEDROOM	W4/22	27.22	25.55	1.67	6.14
R3/22	BEDROOM	W5/22	26.29	25.04	1.25	4.75
R4/22	BEDROOM	W6/22	24.11	23.15	0.96	3.98
R5/22	LKD	W7/22	12.68	10.32	2.36	18.61
R6/22	BEDROOM	W8/22	10.25	8.25	2.00	19.51
R7/22	BEDROOM	W9/22	18.76	19.42	-0.66	-3.52
R8/22	BEDROOM	W10/22	18.71	19.66	-0.95	-5.08
R9/22	BEDROOM	W11/22	12.07	10.79	1.28	10.60
R10/22	LD	W12/22	8.94	7.38	1.56	17.45
R10/22	LD	W13/22	15.94	17.28	-1.34	-8.41
R11/22	KITCHEN	W14/22	9.19	5.09	4.10	44.61
R11/22	KITCHEN	W15/22	3.55	5.55	-2.00	-56.34
R12/22	BEDROOM	W16/22	7.23	3.22	4.01	55.46
R12/22	BEDROOM	W17/22	4.35	5.68	-1.33	-30.57
R13/22	BEDROOM	W18/22	5.52	2.77	2.75	49.82
R13/22	BEDROOM	W19/22	5.28	5.99	-0.71	-13.45
R14/22	BEDROOM	W20/22	4.30	2.64	1.66	38.60
R14/22	BEDROOM	W21/22	6.30	6.44	-0.14	-2.22
R15/22	BEDROOM	W22/22	11.73	10.12	1.61	13.73
R15/22	BEDROOM	W23/22	11.30	9.89	1.41	12.48
R16/22	BEDROOM	W24/22	9.58	8.10	1.48	15.45
R16/22	BEDROOM	W25/22	3.38	2.06	1.32	39.05
R17/22	BEDROOM	W26/22	1.09	0.90	0.19	17.43
R18/22	LD	W27/22	1.99	1.98	0.01	0.50
R18/22	LD	W28/22	8.84	8.68	0.16	1.81
R19/22	BEDROOM	W29/22	9.58	9.08	0.50	5.22



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R19/22	BEDROOM	W30/22	9.38	8.79	0.59	6.29
R20/22	BEDROOM	W31/22	7.44	6.91	0.53	7.12
R21/22	LD	W32/22	1.66	1.50	0.16	9.64
R1/23	LKD	W1/23	8.76	8.74	0.02	0.23
R1/23	LKD	W2/23	17.18	17.14	0.04	0.23
R1/23	LKD	W3/23	29.46	27.43	2.03	6.89
R2/23	BEDROOM	W4/23	28.54	26.87	1.67	5.85
R3/23	BEDROOM	W5/23	27.56	26.36	1.20	4.35
R4/23	BEDROOM	W6/23	25.25	24.41	0.84	3.33
R5/23	LKD	W7/23	13.44	11.36	2.08	15.48
R6/23	BEDROOM	W8/23	11.02	9.42	1.60	14.52
R7/23	BEDROOM	W9/23	19.83	20.84	-1.01	-5.09
R8/23	BEDROOM	W10/23	19.63	21.00	-1.37	-6.98
R9/23	BEDROOM	W11/23	12.67	11.90	0.77	6.08
R10/23	LD	W12/23	9.65	8.55	1.10	11.40
R10/23	LD	W13/23	16.89	18.65	-1.76	-10.42
R11/23	KITCHEN	W14/23	9.90	5.71	4.19	42.32
R11/23	KITCHEN	W15/23	4.07	5.96	-1.89	-46.44
R12/23	BEDROOM	W16/23	7.73	3.69	4.04	52.26
R12/23	BEDROOM	W17/23	4.80	6.11	-1.31	-27.29
R13/23	BEDROOM	W18/23	5.99	3.18	2.81	46.91
R13/23	BEDROOM	W19/23	5.78	6.49	-0.71	-12.28
R14/23	BEDROOM	W20/23	4.73	3.03	1.70	35.94
R14/23	BEDROOM	W21/23	6.94	7.10	-0.16	-2.31
R15/23	BEDROOM	W22/23	13.07	11.32	1.75	13.39
R15/23	BEDROOM	W23/23	12.65	11.11	1.54	12.17
R16/23	BEDROOM	W24/23	10.87	9.29	1.58	14.54
R16/23	BEDROOM	W25/23	4.01	2.61	1.40	34.91



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R17/23	BEDROOM	W26/23	1.50	1.25	0.25	16.67
R18/23	LD	W27/23	2.45	2.35	0.10	4.08
R18/23	LD	W28/23	9.95	9.82	0.13	1.31
R19/23	BEDROOM	W29/23	10.77	10.22	0.55	5.11
R19/23	BEDROOM	W30/23	10.55	9.95	0.60	5.69
R20/23	BEDROOM	W31/23	8.46	7.91	0.55	6.50
R21/23	LD	W32/23	2.01	1.83	0.18	8.96
R1/24	LKD	W1/24	19.73	19.69	0.04	0.20
R1/24	LKD	W2/24	10.85	10.82	0.03	0.28
R1/24	LKD	W3/24	30.85	28.78	2.07	6.71
R2/24	BEDROOM	W4/24	29.90	28.21	1.69	5.65
R3/24	BEDROOM	W5/24	28.89	27.73	1.16	4.02
R4/24	BEDROOM	W6/24	26.46	25.73	0.73	2.76
R5/24	LKD	W7/24	14.14	12.41	1.73	12.23
R6/24	BEDROOM	W8/24	11.72	10.57	1.15	9.81
R7/24	BEDROOM	W9/24	20.97	22.33	-1.36	-6.49
R8/24	BEDROOM	W10/24	20.65	22.45	-1.80	-8.72
R9/24	BEDROOM	W11/24	13.24	13.06	0.18	1.36
R10/24	LD	W12/24	10.31	9.76	0.55	5.33
R10/24	LD	W13/24	17.95	20.14	-2.19	-12.20
R11/24	KITCHEN	W14/24	10.75	6.40	4.35	40.47
R11/24	KITCHEN	W15/24	4.82	6.42	-1.60	-33.20
R12/24	BEDROOM	W16/24	8.37	4.23	4.14	49.46
R12/24	BEDROOM	W17/24	5.46	6.61	-1.15	-21.06
R13/24	BEDROOM	W18/24	6.59	3.64	2.95	44.76
R13/24	BEDROOM	W19/24	6.42	7.05	-0.63	-9.81
R14/24	BEDROOM	W20/24	5.32	3.47	1.85	34.77
R14/24	BEDROOM	W21/24	7.72	7.85	-0.13	-1.68



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R15/24	BEDROOM	W22/24	14.63	12.74	1.89	12.92
R15/24	BEDROOM	W23/24	14.20	12.54	1.66	11.69
R16/24	BEDROOM	W24/24	12.33	10.67	1.66	13.46
R16/24	BEDROOM	W25/24	4.71	3.24	1.47	31.21
R17/24	LD	W26/24	1.93	1.63	0.30	15.54
R17/24	LD	W27/24	2.95	2.80	0.15	5.08
R18/24	BEDROOM	W28/24	11.29	11.17	0.12	1.06
R19/24	BEDROOM	W29/24	12.20	11.59	0.61	5.00
R19/24	BEDROOM	W30/24	11.96	11.31	0.65	5.43
R20/24	BEDROOM	W31/24	9.64	9.07	0.57	5.91
R21/24	LD	W32/24	2.51	2.32	0.19	7.57
R1/25	LKD	W1/25	21.04	21.00	0.04	0.19
R1/25	LKD	W2/25	12.32	12.29	0.03	0.24
R1/25	LKD	W3/25	32.06	29.95	2.11	6.58
R2/25	BEDROOM	W4/25	31.12	29.41	1.71	5.49
R3/25	BEDROOM	W5/25	30.12	28.96	1.16	3.85
R4/25	BEDROOM	W6/25	27.68	27.06	0.62	2.24
R5/25	LKD	W7/25	14.78	13.43	1.35	9.13
R6/25	BEDROOM	W8/25	12.45	11.72	0.73	5.86
R7/25	BEDROOM	W9/25	22.26	23.86	-1.60	-7.19
R8/25	BEDROOM	W10/25	21.83	24.04	-2.21	-10.12
R9/25	BEDROOM	W11/25	13.83	14.26	-0.43	-3.11
R10/25	LD	W12/25	10.91	10.95	-0.04	-0.37
R10/25	LD	W13/25	19.08	21.73	-2.65	-13.89
R11/25	KITCHEN	W14/25	11.88	7.19	4.69	39.48
R11/25	KITCHEN	W15/25	5.93	6.96	-1.03	-17.37
R12/25	BEDROOM	W16/25	9.33	4.83	4.50	48.23
R12/25	BEDROOM	W17/25	6.45	7.20	-0.75	-11.63



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R13/25	BEDROOM	W18/25	7.49	4.18	3.31	44.19
R13/25	BEDROOM	W19/25	7.30	7.72	-0.42	-5.75
R14/25	BEDROOM	W20/25	6.18	4.00	2.18	35.28
R14/25	BEDROOM	W21/25	8.63	8.72	-0.09	-1.04
R15/25	BEDROOM	W22/25	16.37	14.33	2.04	12.46
R15/25	BEDROOM	W23/25	15.95	14.19	1.76	11.03
R16/25	BEDROOM	W24/25	13.97	12.26	1.71	12.24
R16/25	BEDROOM	W25/25	5.48	3.96	1.52	27.74
R17/25	LD	W26/25	2.39	2.07	0.32	13.39
R17/25	LD	W27/25	3.48	3.32	0.16	4.60
R18/25	BEDROOM	W28/25	12.86	12.73	0.13	1.01
R19/25	BEDROOM	W29/25	13.92	13.28	0.64	4.60
R19/25	BEDROOM	W30/25	13.67	13.00	0.67	4.90
R20/25	BEDROOM	W31/25	11.04	10.44	0.60	5.43
R21/25	LD	W32/25	3.05	2.85	0.20	6.56
R1/26	LKD	W1/26	23.74	23.70	0.04	0.17
R1/26	LKD	W2/26	14.87	14.84	0.03	0.20
R1/26	LKD	W3/26	33.22	31.09	2.13	6.41
R2/26	BEDROOM	W4/26	32.32	30.61	1.71	5.29
R3/26	BEDROOM	W5/26	31.40	30.22	1.18	3.76
R4/26	BEDROOM	W6/26	29.44	28.82	0.62	2.11
R5/26	LKD	W7/26	15.42	14.43	0.99	6.42
R6/26	BEDROOM	W8/26	13.19	12.82	0.37	2.81
R7/26	BEDROOM	W9/26	24.42	26.02	-1.60	-6.55
R8/26	BEDROOM	W10/26	23.90	26.25	-2.35	-9.83
R9/26	BEDROOM	W11/26	14.43	15.46	-1.03	-7.14
R10/26	LD	W12/26	11.47	12.08	-0.61	-5.32
R10/26	LD	W13/26	20.94	23.90	-2.96	-14.14



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R11/26	KITCHEN	W14/26	13.48	8.09	5.39	39.99
R11/26	KITCHEN	W15/26	7.59	7.67	-0.08	-1.05
R12/26	BEDROOM	W16/26	10.83	5.58	5.25	48.48
R12/26	BEDROOM	W17/26	8.02	7.98	0.04	0.50
R13/26	BEDROOM	W18/26	8.92	4.87	4.05	45.40
R13/26	BEDROOM	W19/26	8.74	8.57	0.17	1.95
R14/26	BEDROOM	W20/26	7.54	4.70	2.84	37.67
R14/26	BEDROOM	W21/26	9.95	9.72	0.23	2.31
R15/26	BEDROOM	W22/26	18.24	16.14	2.10	11.51
R15/26	BEDROOM	W23/26	17.94	16.16	1.78	9.92
R16/26	BEDROOM	W24/26	16.36	14.66	1.70	10.39
R16/26	BEDROOM	W25/26	6.32	4.81	1.51	23.89
R17/26	LD	W26/26	2.90	2.56	0.34	11.72
R17/26	LD	W27/26	4.04	3.88	0.16	3.96
R18/26	BEDROOM	W28/26	15.22	15.08	0.14	0.92
R19/26	BEDROOM	W29/26	16.05	15.38	0.67	4.17
R19/26	BEDROOM	W30/26	15.78	15.09	0.69	4.37
R20/26	BEDROOM	W31/26	13.14	12.54	0.60	4.57
R21/26	LD	W32/26	3.65	3.44	0.21	5.75
R1/27	LKD	W1/27	26.95	26.92	0.03	0.11
R1/27	LKD	W2/27	19.10	19.07	0.03	0.16
R1/27	LKD	W3/27	34.22	32.07	2.15	6.28
R2/27	BEDROOM	W4/27	33.37	31.62	1.75	5.24
R3/27	BEDROOM	W5/27	32.53	31.26	1.27	3.90
R4/27	BEDROOM	W6/27	31.30	30.60	0.70	2.24
R5/27	LKD	W7/27	30.11	30.15	-0.04	-0.13
R6/27	BEDROOM	W8/27	29.03	29.79	-0.76	-2.62
R7/27	BEDROOM	W9/27	27.94	29.43	-1.49	-5.33
R8/27	BEDROOM	W10/27	27.05	29.11	-2.06	-7.62



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R9/27	BEDROOM	W11/27	26.13	28.63	-2.50	-9.57
R10/27	LD	W12/27	25.10	27.97	-2.87	-11.43
R10/27	LD	W13/27	24.30	27.36	-3.06	-12.59
R11/27	KITCHEN	W14/27	15.79	9.39	6.40	40.53
R11/27	KITCHEN	W15/27	10.37	9.81	0.56	5.40
R12/27	BEDROOM	W16/27	13.50	7.75	5.75	42.59
R12/27	BEDROOM	W17/27	10.34	10.11	0.23	2.22
R13/27	BEDROOM	W18/27	11.61	6.82	4.79	41.26
R13/27	BEDROOM	W19/27	11.15	10.89	0.26	2.33
R14/27	BEDROOM	W20/27	10.59	6.67	3.92	37.02
R14/27	BEDROOM	W21/27	12.18	11.30	0.88	7.22
R15/27	BEDROOM	W22/27	20.12	18.03	2.09	10.39
R15/27	BEDROOM	W23/27	19.97	18.17	1.80	9.01
R16/27	BEDROOM	W24/27	19.61	17.90	1.71	8.72
R16/27	BEDROOM	W25/27	19.68	18.16	1.52	7.72
R17/27	LD	W26/27	19.28	18.11	1.17	6.07
R17/27	LD	W27/27	19.07	18.06	1.01	5.30
R18/27	BEDROOM	W28/27	18.61	17.70	0.91	4.89
R19/27	BEDROOM	W29/27	18.25	17.49	0.76	4.16
R19/27	BEDROOM	W30/27	18.00	17.30	0.70	3.89
R20/27	BEDROOM	W31/27	18.21	17.60	0.61	3.35
R21/27	LD	W32/27	18.97	18.43	0.54	2.85
R1/28	LKD	W1/28	28.53	28.51	0.02	0.07
R1/28	LKD	W2/28	20.06	20.04	0.02	0.10
R1/28	LKD	W3/28	35.22	33.11	2.11	5.99
R2/28	BEDROOM	W4/28	34.51	32.73	1.78	5.16
R3/28	BEDROOM	W5/28	33.76	32.41	1.35	4.00
R4/28	BEDROOM	W6/28	32.64	31.80	0.84	2.57
R5/28	BEDROOM	W7/28	31.53	31.38	0.15	0.48



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R6/28	LKD	W8/28	30.50	31.02	-0.52	-1.70
R6/28	LKD	W9/28	15.48	10.44	5.04	32.56
R6/28	LKD	W10/28	8.85	4.56	4.29	48.47
R7/28	LKD	W11/28	12.21	7.68	4.53	37.10
R7/28	LKD	W12/28	20.63	19.86	0.77	3.73
R7/28	LKD	W13/28	20.38	19.67	0.71	3.48
R8/28	BEDROOM	W14/28	20.64	20.02	0.62	3.00
R9/28	BEDROOM	W15/28	21.31	20.79	0.52	2.44
R1/29	LKD	W1/29	29.15	29.13	0.02	0.07
R1/29	LKD	W2/29	20.34	20.33	0.01	0.05
R1/29	LKD	W3/29	36.07	34.06	2.01	5.57
R2/29	BEDROOM	W4/29	35.46	33.71	1.75	4.94
R3/29	BEDROOM	W5/29	34.82	33.42	1.40	4.02
R4/29	BEDROOM	W6/29	33.85	32.88	0.97	2.87
R5/29	BEDROOM	W7/29	32.86	32.48	0.38	1.16
R6/29	LKD	W8/29	31.91	32.15	-0.24	-0.75
R6/29	LKD	W9/29	17.50	11.99	5.51	31.49
R6/29	LKD	W10/29	10.84	5.75	5.09	46.96
R7/29	LKD	W11/29	14.26	9.21	5.05	35.41
R7/29	LKD	W12/29	23.04	22.26	0.78	3.39
R7/29	LKD	W13/29	22.81	22.09	0.72	3.16
R8/29	BEDROOM	W14/29	23.01	22.38	0.63	2.74
R9/29	BEDROOM	W15/29	23.54	23.00	0.54	2.29
R1/30	LKD	W1/30	29.21	29.20	0.01	0.03
R1/30	LKD	W2/30	20.20	20.18	0.02	0.10
R1/30	LKD	W3/30	36.86	35.00	1.86	5.05
R2/30	BEDROOM	W4/30	36.36	34.68	1.68	4.62
R3/30	BEDROOM	W5/30	35.84	34.43	1.41	3.93
R4/30	BEDROOM	W6/30	35.03	33.97	1.06	3.03



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R5/30	BEDROOM	W7/30	34.19	33.60	0.59	1.73
R6/30	LKD	W8/30	33.39	33.29	0.10	0.30
R6/30	LKD	W9/30	19.31	13.27	6.04	31.28
R6/30	LKD	W10/30	12.40	6.60	5.80	46.77
R7/30	LKD	W11/30	15.86	10.38	5.48	34.55
R7/30	LKD	W12/30	25.62	24.82	0.80	3.12
R7/30	LKD	W13/30	25.43	24.69	0.74	2.91
R8/30	BEDROOM	W14/30	25.56	24.91	0.65	2.54
R9/30	BEDROOM	W15/30	25.92	25.36	0.56	2.16

142-192 Thessaly Road

R2/300	KITCHEN	W2/300	2.27	1.53	0.74	32.60
R4/300	KITCHEN	W4/300	2.16	1.81	0.35	16.20
R6/300	KITCHEN	W6/300	2.65	2.43	0.22	8.30
R8/300	KITCHEN	W8/300	2.68	2.41	0.27	10.07
R10/300	KITCHEN	W10/300	2.46	2.35	0.11	4.47
R12/300	KITCHEN	W12/300	2.30	2.17	0.13	5.65
R14/300	KITCHEN	W14/300	1.61	1.37	0.24	14.91
R16/300	KITCHEN	W16/300	1.63	1.27	0.36	22.09
R18/300	KITCHEN	W18/300	1.15	0.45	0.70	60.87
R3/301	BEDROOM	W3/301	22.00	21.15	0.85	3.86
R6/301	BEDROOM	W6/301	22.36	21.85	0.51	2.28
R9/301	BEDROOM	W9/301	23.11	22.69	0.42	1.82
R12/301	BEDROOM	W12/301	23.13	22.79	0.34	1.47
R15/301	BEDROOM	W15/301	22.88	22.72	0.16	0.70
R18/301	BEDROOM	W18/301	22.53	22.44	0.09	0.40
R21/301	BEDROOM	W21/301	21.55	21.45	0.10	0.46



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R24/301	BEDROOM	W24/301	20.69	20.32	0.37	1.79
R27/301	BEDROOM	W27/301	15.96	14.91	1.05	6.58
R2/302	KITCHEN	W2/302	5.59	4.58	1.01	18.07
R4/302	KITCHEN	W4/302	5.53	4.89	0.64	11.57
R6/302	KITCHEN	W6/302	5.90	5.35	0.55	9.32
R8/302	KITCHEN	W8/302	5.85	5.36	0.49	8.38
R10/302	KITCHEN	W10/302	5.59	5.40	0.19	3.40
R12/302	KITCHEN	W12/302	5.42	5.28	0.14	2.58
R14/302	KITCHEN	W14/302	4.88	4.69	0.19	3.89
R16/302	KITCHEN	W16/302	4.94	4.53	0.41	8.30
R18/302	KITCHEN	W18/302	3.57	2.73	0.84	23.53
R3/303	BEDROOM	W3/303	25.60	24.55	1.05	4.10
R6/303	BEDROOM	W6/303	26.06	25.23	0.83	3.18
R9/303	BEDROOM	W9/303	26.79	25.97	0.82	3.06
R12/303	BEDROOM	W12/303	26.91	26.30	0.61	2.27
R15/303	BEDROOM	W15/303	26.85	26.57	0.28	1.04
R18/303	BEDROOM	W18/303	26.79	26.67	0.12	0.45
R21/303	BEDROOM	W21/303	26.31	26.23	0.08	0.30
R24/303	BEDROOM	W24/303	25.74	25.36	0.38	1.48
R27/303	BEDROOM	W27/303	19.94	18.82	1.12	5.62
R1/310	ASSUMED	W1/310	17.22	16.43	0.79	4.59
R2/310	ASSUMED	W3/310	18.48	17.63	0.85	4.60
R3/310	ASSUMED	W4/310	21.27	20.18	1.09	5.12



DAYLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R4/310	ASSUMED	W5/310	16.74	15.48	1.26	7.53
R2/311	KITCHEN	W2/311	3.79	2.52	1.27	33.51
R3/311	KITCHEN	W3/311	2.31	1.16	1.15	49.78
R6/311	KITCHEN	W6/311	3.04	1.94	1.10	36.18
R3/312	BEDROOM	W3/312	25.72	24.28	1.44	5.60
R4/312	BEDROOM	W4/312	19.90	18.48	1.42	7.14
R5/312	BEDROOM	W5/312	21.25	20.03	1.22	5.74
R1/313	LKD	W1/313	6.12	4.71	1.41	23.04
R1/313	LKD	W3/313	20.48	20.48	0.00	0.00
R2/313	BEDROOM	W2/313	23.24	21.97	1.27	5.46
R1/314	LKD	W1/314	4.50	3.02	1.48	32.89
R1/314	LKD	W3/314	36.39	36.39	0.00	0.00
R2/314	BEDROOM	W2/314	26.83	25.50	1.33	4.96



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
------	----------	------------------	-----------------	----------------	------------	-------

Viridian Apartments, 75 Battersea Park Road

R1/10	ASSUMED	274.0	75.2	74.5	0.7	0.9
R2/10	ASSUMED	179.5	75.5	75.5	0.0	0.0
R3/10	LKD	230.2	94.0	83.6	10.4	11.1
R4/10	BEDROOM	113.8	76.9	80.1	-3.3	-4.3
R5/10	BEDROOM	125.6	92.7	111.9	-19.2	-20.7
R6/10	LKD	235.6	134.6	133.2	1.4	1.0
R7/10	LKD	209.7	63.0	82.0	-19.0	-30.2
R8/10	BEDROOM	92.4	48.2	58.6	-10.4	-21.6
R9/10	BEDROOM	151.1	96.8	110.7	-13.9	-14.4
R10/10	LKD	220.8	73.0	95.0	-22.0	-30.1
R11/10	BEDROOM	92.7	51.1	62.6	-11.4	-22.3
R12/10	BEDROOM	128.0	62.0	75.7	-13.8	-22.3
R13/10	BEDROOM	115.3	60.0	71.9	-11.8	-19.7
R14/10	BEDROOM	90.1	26.5	52.8	-26.3	-99.2
R15/10	LKD	204.8	33.9	82.3	-48.4	-142.8
R16/10	LKD	214.4	34.3	89.5	-55.2	-160.9
R17/10	BEDROOM	122.4	32.3	71.4	-39.1	-121.1
R18/10	LKD	226.4	54.4	167.5	-113.1	-207.9
R19/10	BEDROOM	95.3	27.1	81.4	-54.3	-200.4
R20/10	BEDROOM	127.0	49.9	109.0	-59.1	-118.4
R21/10	BEDROOM	127.8	75.6	127.1	-51.6	-68.3
R22/10	BEDROOM	95.6	59.0	95.6	-36.6	-62.0
R23/10	LKD	223.8	89.5	208.9	-119.4	-133.4
R24/10	LKD	206.1	160.6	194.5	-33.9	-21.1
R25/10	BEDROOM	113.2	108.6	111.6	-3.0	-2.8
R26/10	LKD	120.7	111.5	112.8	-1.3	-1.2
R27/10	BEDROOM	75.4	74.8	74.8	0.0	0.0
R28/10	LKD	188.8	180.6	180.6	0.0	0.0
R29/10	BEDROOM	87.9	87.1	87.2	0.0	0.0
R1/11	ASSUMED	274.0	65.3	65.3	0.0	0.0
R2/11	ASSUMED	184.7	93.9	93.9	0.0	0.0
R3/11	LKD	230.2	64.4	63.0	1.4	2.2
R4/11	BEDROOM	113.8	91.9	86.0	5.9	6.4
R5/11	BEDROOM	125.6	79.6	74.9	4.7	5.9
R6/11	LKD	235.6	135.9	146.2	-10.3	-7.6
R7/11	LKD	230.8	77.0	101.6	-24.5	-31.8
R8/11	BEDROOM	97.5	51.5	56.9	-5.3	-10.3
R9/11	BEDROOM	127.3	63.2	65.5	-2.3	-3.6
R10/11	LKD	218.9	85.8	92.3	-6.6	-7.7
R11/11	BEDROOM	90.1	43.7	34.5	9.2	21.1
R12/11	BEDROOM	127.3	59.6	46.6	13.0	21.8
R13/11	BEDROOM	115.3	63.8	59.5	4.3	6.7
R14/11	BEDROOM	90.1	25.7	32.0	-6.3	-24.5
R15/11	LKD	204.8	31.7	63.9	-32.1	-101.3
R16/11	SITTINGROOM	230.5	44.6	102.9	-58.3	-130.7



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R17/11	BEDROOM	118.6	11.4	24.4	-13.0	-114.0
R18/11	LKD	226.4	40.0	121.3	-81.4	-203.5
R19/11	BEDROOM	95.3	19.1	56.9	-37.8	-197.9
R20/11	BEDROOM	127.0	45.5	103.9	-58.3	-128.1
R21/11	BEDROOM	127.8	37.5	80.8	-43.3	-115.5
R22/11	BEDROOM	95.6	27.1	69.5	-42.4	-156.5
R23/11	LKD	223.8	87.5	207.8	-120.3	-137.5
R24/11	BEDROOM	115.7	28.8	62.1	-33.3	-115.6
R25/11	LKD	211.3	187.4	195.7	-8.3	-4.4
R26/11	LKD	306.3	272.1	280.2	-8.1	-3.0
R27/11	BEDROOM	160.8	158.1	158.5	-0.4	-0.3
R28/11	BEDROOM	214.7	195.7	195.7	0.0	0.0
R1/12	ASSUMED	274.0	104.3	104.3	0.0	0.0
R2/12	ASSUMED	184.7	103.5	103.5	0.0	0.0
R3/12	LKD	230.2	72.2	71.6	0.6	0.8
R4/12	BEDROOM	113.8	97.3	90.9	6.4	6.6
R5/12	BEDROOM	125.6	83.5	78.2	5.3	6.3
R6/12	LKD	235.6	147.7	151.7	-3.9	-2.6
R7/12	LKD	230.8	99.5	121.0	-21.5	-21.6
R8/12	BEDROOM	97.5	59.8	58.3	1.5	2.5
R9/12	BEDROOM	127.3	91.1	87.5	3.6	4.0
R10/12	LKD	218.9	105.0	95.1	9.9	9.4
R11/12	BEDROOM	90.1	60.9	34.5	26.4	43.3
R12/12	BEDROOM	127.3	77.5	47.6	29.9	38.6
R13/12	BEDROOM	115.3	81.1	60.4	20.7	25.5
R14/12	BEDROOM	90.1	41.4	33.7	7.7	18.6
R15/12	LKD	204.8	47.9	65.4	-17.6	-36.7
R16/12	LKD	214.4	50.0	74.1	-24.1	-48.2
R17/12	BEDROOM	136.1	40.2	88.0	-47.7	-118.7
R18/12	LKD	226.4	50.0	122.2	-72.3	-144.6
R19/12	BEDROOM	95.3	25.1	57.6	-32.5	-129.5
R20/12	BEDROOM	127.0	49.3	104.3	-55.0	-111.6
R21/12	BEDROOM	127.8	45.7	81.3	-35.7	-78.1
R22/12	BEDROOM	95.6	30.3	69.7	-39.4	-130.0
R23/12	LKD	223.8	88.4	207.9	-119.5	-135.2
R24/12	LKD	206.1	128.0	185.3	-57.3	-44.8
R25/12	BEDROOM	113.2	108.4	110.9	-2.5	-2.3
R26/12	LKD	306.3	276.0	283.5	-7.5	-2.7
R27/12	BEDROOM	160.8	160.6	160.5	0.1	0.1
R28/12	BEDROOM	214.7	198.2	201.3	-3.1	-1.6
R1/13	ASSUMED	274.0	122.6	122.7	0.0	0.0
R2/13	ASSUMED	184.7	102.7	102.2	0.5	0.5
R3/13	LKD	230.2	84.0	83.3	0.8	1.0
R4/13	BEDROOM	113.8	100.8	93.7	7.1	7.0
R5/13	BEDROOM	125.6	115.2	108.3	6.9	6.0
R6/13	LKD	235.6	159.7	176.8	-17.1	-10.7
R7/13	LKD	220.7	136.6	103.7	33.0	24.2



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R8/13	BEDROOM	92.7	92.7	63.5	29.1	31.4
R9/13	BEDROOM	127.3	119.6	87.9	31.8	26.6
R10/13	BEDROOM	115.3	103.7	73.6	30.1	29.0
R11/13	BEDROOM	90.1	74.5	58.7	15.8	21.2
R12/13	LKD	204.8	91.2	89.0	2.2	2.4
R13/13	SITTINGROOM	230.5	82.9	103.1	-20.2	-24.4
R14/13	BEDROOM	118.6	25.4	24.8	0.6	2.4
R15/13	LKD	226.4	62.7	122.3	-59.6	-95.1
R16/13	BEDROOM	95.3	31.9	58.0	-26.1	-81.8
R17/13	BEDROOM	127.0	53.2	104.4	-51.2	-96.2
R18/13	BEDROOM	127.8	52.9	81.5	-28.6	-54.1
R19/13	BEDROOM	95.6	34.1	69.7	-35.5	-104.1
R20/13	LKD	223.8	90.3	208.3	-117.9	-130.6
R21/13	BEDROOM	115.7	30.4	62.3	-31.9	-104.9
R22/13	LKD	211.3	188.0	195.7	-7.7	-4.1
R23/13	LKD	306.3	285.1	285.4	-0.3	-0.1
R24/13	BEDROOM	160.8	158.3	158.6	-0.3	-0.2
R25/13	BEDROOM	214.7	206.5	206.5	0.0	0.0
R1/14	ASSUMED	274.0	148.5	148.5	0.0	0.0
R2/14	ASSUMED	184.7	120.5	120.5	0.0	0.0
R3/14	LKD	230.2	125.6	114.9	10.6	8.4
R4/14	BEDROOM	113.8	113.3	112.8	0.4	0.4
R5/14	ASSUMED	216.4	120.5	97.6	22.9	19.0
R6/14	LKD	214.4	105.1	74.6	30.4	28.9
R7/14	BEDROOM	136.1	93.7	88.0	5.7	6.1
R8/14	LKD	226.4	90.5	122.3	-31.8	-35.1
R9/14	BEDROOM	95.3	43.8	58.1	-14.2	-32.4
R10/14	BEDROOM	127.0	60.8	105.0	-44.1	-72.5
R11/14	BEDROOM	127.8	66.6	82.3	-15.7	-23.6
R12/14	BEDROOM	95.6	39.7	69.9	-30.1	-75.8
R13/14	LKD	223.8	97.8	208.4	-110.6	-113.1
R14/14	LKD	206.1	133.8	186.0	-52.2	-39.0
R15/14	BEDROOM	113.2	108.9	110.9	-2.0	-1.8
R16/14	LKD	306.3	287.8	285.9	1.9	0.7
R17/14	BEDROOM	160.8	160.6	160.6	0.0	0.0
R18/14	BEDROOM	214.7	198.2	201.2	-3.0	-1.5
R1/15	SITTINGROOM	212.9	194.8	115.5	79.3	40.7
R2/15	BEDROOM	104.7	104.7	77.5	27.2	26.0
R3/15	LKD	226.4	125.1	122.3	2.7	2.2
R4/15	BEDROOM	95.3	64.6	58.1	6.5	10.1
R5/15	BEDROOM	127.0	73.5	105.8	-32.3	-43.9
R6/15	BEDROOM	127.8	86.8	83.5	3.3	3.8
R7/15	BEDROOM	95.6	49.3	71.6	-22.3	-45.2
R8/15	LKD	223.8	108.7	208.4	-99.7	-91.7
R9/15	BEDROOM	115.7	38.7	63.2	-24.6	-63.6
R10/15	LKD	211.3	188.9	195.7	-6.8	-3.6
R11/15	LKD	306.3	290.1	286.6	3.5	1.2



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R12/15	BEDROOM	160.8	158.5	158.6	-0.1	-0.1
R13/15	BEDROOM	214.7	206.5	206.5	0.0	0.0
R1/16	LKD	226.4	186.9	171.5	15.4	8.2
R2/16	BEDROOM	95.3	94.4	85.6	8.8	9.3
R3/16	BEDROOM	127.0	115.3	110.1	5.2	4.5
R4/16	BEDROOM	127.8	119.3	126.9	-7.5	-6.3
R5/16	BEDROOM	95.6	90.0	95.6	-5.6	-6.2
R6/16	LKD	223.8	135.9	209.3	-73.5	-54.1
R7/16	LKD	189.6	161.8	178.5	-16.8	-10.4
R8/16	BEDROOM	98.8	98.7	98.8	-0.1	-0.1
R9/16	LKD	306.3	290.6	287.9	2.6	0.9
R10/16	BEDROOM	160.8	160.6	160.6	0.0	0.0
R11/16	BEDROOM	214.7	199.6	202.6	-3.0	-1.5
R1/17	LKD	306.3	290.6	290.2	0.3	0.1
R2/17	BEDROOM	160.8	158.7	158.7	0.1	0.1
R3/17	BEDROOM	214.7	206.5	206.5	0.0	0.0
R1/18	LKD	168.4	166.9	166.9	0.0	0.0
R2/18	BEDROOM	88.7	88.5	88.5	0.0	0.0

Battersea Power Station Phase 4 and 4A (Buildings A1.1-1.5)

R1/51	LD	271.5	260.5	260.5	0.0	0.0
R2/51	BEDROOM	151.5	120.6	120.6	0.0	0.0
R3/51	LD	182.1	70.3	75.0	-4.7	-6.7
R4/51	LD	288.1	156.0	180.2	-24.2	-15.5
R5/51	LD	286.9	208.8	211.1	-2.4	-1.1
R6/51	LD	196.4	96.2	105.4	-9.2	-9.6
R1/52	LKD	266.1	265.1	265.1	0.0	0.0
R2/52	BEDROOM	138.2	128.2	128.2	0.0	0.0
R3/52	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/52	LD	182.1	93.8	84.0	9.8	10.4
R5/52	LD	163.9	130.0	100.6	29.4	22.6
R6/52	BEDROOM	151.5	55.2	68.7	-13.5	-24.5
R7/52	BEDROOM	152.0	64.5	64.2	0.3	0.5
R8/52	LD	163.6	111.1	116.9	-5.7	-5.1
R9/52	LD	196.4	123.1	122.7	0.4	0.3
R1/53	LKD	266.1	265.1	265.1	0.0	0.0
R2/53	BEDROOM	138.2	128.2	128.2	0.0	0.0
R3/53	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/53	LD	182.1	136.2	101.3	34.9	25.6
R5/53	LD	163.9	152.3	138.0	14.3	9.4
R6/53	BEDROOM	151.5	57.1	68.0	-10.9	-19.1
R7/53	BEDROOM	152.0	32.6	31.0	1.6	4.9
R8/53	LD	163.6	147.9	144.0	3.9	2.6
R9/53	LD	196.4	150.8	147.8	3.0	2.0
R1/54	LKD	266.1	265.1	265.1	0.0	0.0
R2/54	BEDROOM	138.2	128.2	128.2	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R3/54	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/54	LD	182.1	150.9	134.6	16.3	10.8
R5/54	LD	163.9	157.8	143.4	14.4	9.1
R6/54	BEDROOM	151.5	73.7	72.4	1.3	1.8
R7/54	BEDROOM	152.0	117.8	110.2	7.7	6.5
R8/54	LD	163.6	149.5	147.4	2.1	1.4
R9/54	LD	196.4	163.8	160.3	3.5	2.1
R1/55	LKD	266.1	265.1	265.1	0.0	0.0
R2/55	BEDROOM	138.2	128.2	128.2	0.0	0.0
R3/55	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/55	LD	182.1	154.6	150.6	4.1	2.7
R5/55	LD	163.9	159.6	144.6	15.1	9.5
R6/55	BEDROOM	151.5	71.5	71.8	-0.3	-0.4
R7/55	BEDROOM	152.0	110.8	92.9	18.0	16.2
R8/55	LD	163.6	159.7	156.6	3.1	1.9
R9/55	LD	196.4	177.8	173.5	4.3	2.4
R1/56	LKD	266.1	265.1	265.1	0.0	0.0
R2/56	BEDROOM	138.2	128.2	128.2	0.0	0.0
R3/56	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/56	LD	182.1	157.6	153.5	4.1	2.6
R5/56	LD	163.9	159.8	147.4	12.4	7.8
R6/56	BEDROOM	151.5	92.1	84.4	7.7	8.4
R7/56	BEDROOM	152.0	138.7	136.0	2.7	1.9
R8/56	LD	163.6	160.6	158.2	2.4	1.5
R9/56	LD	196.4	183.8	180.3	3.5	1.9
R1/57	LKD	266.1	265.1	265.1	0.0	0.0
R2/57	BEDROOM	138.2	128.2	128.2	0.0	0.0
R3/57	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/57	LD	182.1	158.0	153.7	4.3	2.7
R5/57	LD	163.9	160.0	147.4	12.6	7.9
R6/57	BEDROOM	151.5	86.7	79.1	7.6	8.8
R7/57	BEDROOM	152.0	138.5	130.4	8.1	5.8
R8/57	LD	163.6	161.0	160.0	0.9	0.6
R9/57	LD	196.4	184.2	181.1	3.1	1.7
R1/58	LKD	266.1	265.1	265.1	0.0	0.0
R2/58	BEDROOM	138.2	128.2	128.2	0.0	0.0
R3/58	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/58	LD	182.1	158.0	153.7	4.3	2.7
R5/58	LD	163.9	159.8	147.4	12.4	7.8
R6/58	BEDROOM	151.5	95.5	85.5	10.1	10.6
R7/58	BEDROOM	152.0	138.7	136.2	2.5	1.8
R8/58	LD	163.6	160.8	159.9	0.9	0.6
R9/58	LD	196.4	184.2	180.5	3.7	2.0
R1/59	LKD	266.1	265.1	265.1	0.0	0.0
R2/59	BEDROOM	138.2	129.3	129.0	0.3	0.2
R3/59	BEDROOM	151.5	120.6	120.6	0.0	0.0
R4/59	LD	182.1	163.9	157.4	6.5	4.0



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R5/59	LD	163.9	160.2	153.5	6.7	4.2
R6/59	BEDROOM	151.5	108.5	93.1	15.4	14.2
R7/59	BEDROOM	152.0	138.7	138.0	0.7	0.5
R8/59	LD	163.6	161.0	160.7	0.3	0.2
R9/59	LD	196.4	186.3	186.3	0.0	0.0
R1/60	LD	178.6	177.2	177.2	0.0	0.0
R2/60	BEDROOM	137.2	125.3	125.0	0.4	0.3
R3/60	BEDROOM	134.8	86.8	72.3	14.5	16.7
R4/60	KITCHEN	74.3	56.1	41.6	14.4	25.7
R5/60	LD	217.3	207.5	203.4	4.1	2.0
R6/60	BEDROOM	128.1	72.3	58.9	13.5	18.7
R7/60	BEDROOM	139.9	114.9	104.0	10.8	9.4
R8/60	LD	189.7	186.4	182.3	4.1	2.2
R1/61	LD	178.6	177.2	177.2	0.0	0.0
R2/61	BEDROOM	137.2	125.3	125.0	0.4	0.3
R3/61	BEDROOM	134.8	91.0	73.1	17.9	19.7
R4/61	KITCHEN	74.3	59.2	43.6	15.7	26.5
R5/61	LD	217.3	207.4	204.0	3.4	1.6
R6/61	BEDROOM	128.1	87.1	61.7	25.4	29.2
R7/61	BEDROOM	139.9	114.8	107.5	7.3	6.4
R8/61	LD	189.7	186.5	183.0	3.6	1.9
R1/62	LD	178.6	177.2	177.2	0.0	0.0
R2/62	BEDROOM	137.2	125.3	125.0	0.4	0.3
R3/62	BEDROOM	134.8	96.7	74.9	21.8	22.5
R4/62	KITCHEN	74.3	63.8	45.1	18.7	29.3
R5/62	LD	217.3	207.4	205.8	1.6	0.8
R6/62	BEDROOM	128.1	102.2	67.3	34.9	34.1
R7/62	BEDROOM	139.9	114.8	112.3	2.5	2.2
R8/62	LD	189.7	187.1	186.1	1.0	0.5
R1/63	LD	178.6	177.2	177.2	0.0	0.0
R2/63	BEDROOM	137.2	125.3	125.0	0.4	0.3
R3/63	BEDROOM	134.8	106.6	77.5	29.2	27.4
R4/63	KITCHEN	74.3	63.8	47.6	16.2	25.4
R5/63	LD	217.3	207.4	206.8	0.7	0.3
R6/63	BEDROOM	128.1	102.2	76.9	25.3	24.8
R7/63	BEDROOM	139.9	114.8	114.8	0.0	0.0
R8/63	LD	189.7	188.0	188.0	0.0	0.0
R1/64	LD	178.6	177.2	177.2	0.0	0.0
R2/64	BEDROOM	137.2	131.3	125.0	6.4	4.9
R3/64	BEDROOM	134.8	124.4	87.1	37.3	30.0
R4/64	KITCHEN	74.3	63.8	58.9	4.9	7.7
R5/64	LD	217.3	209.2	207.4	1.8	0.9
R6/64	BEDROOM	128.1	102.2	102.2	0.0	0.0
R7/64	BEDROOM	139.9	114.8	114.8	0.0	0.0
R8/64	LD	189.7	188.0	188.0	0.0	0.0
R1/71	LKD	251.6	140.0	74.2	65.8	47.0
R2/71	LD	286.9	244.0	243.6	0.4	0.2



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R3/71	LD	287.4	251.3	252.2	-0.9	-0.4
R4/71	LD	195.5	110.8	110.8	0.0	0.0
R1/72	LKD	251.6	148.7	101.6	47.0	31.6
R2/72	LD	170.2	122.2	108.6	13.6	11.1
R3/72	BEDROOM	152.3	65.1	64.0	1.1	1.7
R4/72	BEDROOM	152.4	88.8	88.8	0.0	0.0
R5/72	LD	164.4	136.1	135.5	0.6	0.4
R6/72	LD	195.5	140.6	140.6	0.0	0.0
R1/73	LKD	251.6	163.7	140.1	23.6	14.4
R2/73	LD	170.2	140.6	127.4	13.2	9.4
R3/73	BEDROOM	152.3	86.9	83.6	3.2	3.7
R4/73	BEDROOM	152.4	95.2	96.4	-1.2	-1.3
R5/73	LD	164.4	152.3	146.8	5.4	3.5
R6/73	LD	195.5	145.4	145.4	0.0	0.0
R1/74	LKD	251.6	187.9	185.5	2.4	1.3
R2/74	LD	170.2	157.5	150.9	6.6	4.2
R3/74	BEDROOM	152.3	111.5	110.4	1.1	1.0
R4/74	BEDROOM	152.4	100.1	100.3	-0.2	-0.2
R5/74	LD	164.4	157.3	153.6	3.7	2.4
R6/74	LD	195.5	150.7	150.7	0.0	0.0
R1/75	LKD	251.6	201.9	201.1	0.8	0.4
R2/75	LD	170.2	161.6	159.5	2.1	1.3
R3/75	BEDROOM	152.3	126.4	120.0	6.5	5.1
R4/75	BEDROOM	152.4	107.7	105.9	1.7	1.6
R5/75	LD	164.4	161.9	158.6	3.3	2.0
R6/75	LD	195.5	151.8	151.8	0.0	0.0
R1/76	LKD	251.6	223.4	222.6	0.7	0.3
R2/76	LD	170.2	164.0	161.9	2.1	1.3
R3/76	BEDROOM	152.3	137.6	132.6	5.0	3.6
R4/76	BEDROOM	152.4	130.6	130.6	0.0	0.0
R5/76	LD	164.4	162.5	162.3	0.2	0.1
R6/76	LD	195.5	157.0	157.0	0.0	0.0
R1/77	LKD	251.6	229.0	229.0	0.0	0.0
R2/77	LD	170.2	168.1	168.1	0.0	0.0
R3/77	BEDROOM	152.3	140.7	134.6	6.0	4.3
R4/77	BEDROOM	152.4	142.9	142.9	0.0	0.0
R5/77	LD	164.4	162.6	162.5	0.0	0.0
R6/77	LD	195.5	157.1	157.1	0.0	0.0
R1/78	KITCHEN	74.0	19.7	19.7	0.0	0.0
R2/78	BEDROOM	135.3	35.7	35.7	0.0	0.0
R3/78	LKD	264.2	258.6	258.6	0.0	0.0
R4/78	LD	217.0	198.6	202.7	-4.1	-2.1
R5/78	BEDROOM	127.8	112.3	103.6	8.7	7.7
R6/78	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/78	LD	188.5	186.2	185.9	0.3	0.2
R1/79	KITCHEN	74.0	21.1	21.1	0.0	0.0
R2/79	BEDROOM	135.3	38.1	38.1	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R3/79	LKD	264.2	258.6	258.6	0.0	0.0
R4/79	LD	217.0	205.4	205.0	0.3	0.1
R5/79	BEDROOM	127.8	114.8	104.8	10.0	8.7
R6/79	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/79	LD	188.5	186.5	186.5	0.0	0.0
R1/80	KITCHEN	74.0	25.3	25.3	0.0	0.0
R2/80	BEDROOM	135.3	40.7	40.7	0.0	0.0
R3/80	LKD	264.2	258.7	258.7	0.0	0.0
R4/80	LD	217.0	207.3	205.1	2.1	1.0
R5/80	BEDROOM	127.8	115.1	107.0	8.2	7.1
R6/80	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/80	LD	188.5	186.5	186.5	0.0	0.0
R1/81	KITCHEN	74.0	33.6	33.6	0.0	0.0
R2/81	BEDROOM	135.3	46.7	46.7	0.0	0.0
R3/81	LKD	264.2	258.7	258.7	0.0	0.0
R4/81	LD	217.0	207.3	207.0	0.3	0.1
R5/81	BEDROOM	127.8	115.1	110.1	5.0	4.3
R6/81	BEDROOM	140.5	127.9	127.9	0.0	0.0
R7/81	LD	188.5	186.5	186.5	0.0	0.0
R1/82	KITCHEN	74.0	64.5	64.5	0.0	0.0
R2/82	BEDROOM	135.3	70.7	70.7	0.0	0.0
R3/82	LKD	264.2	258.7	258.7	0.0	0.0
R4/82	LD	217.0	208.0	208.0	0.0	0.0
R5/82	BEDROOM	127.8	115.2	115.2	0.0	0.0
R6/82	BEDROOM	140.5	128.0	128.0	0.0	0.0
R7/82	LD	188.5	186.5	186.5	0.0	0.0
R1/91	LKD	250.4	126.2	120.6	5.6	4.4
R2/91	BEDROOM	113.0	26.4	23.8	2.6	9.8
R3/91	BEDROOM	134.1	122.8	116.5	6.3	5.1
R4/91	BEDROOM	94.8	90.2	88.9	1.3	1.4
R5/91	BEDROOM	84.1	50.4	50.4	0.0	0.0
R6/91	LD	308.1	306.6	303.6	3.0	1.0
R7/91	LD	209.7	189.4	189.4	0.0	0.0
R1/92	LKD	250.4	140.2	134.1	6.1	4.4
R2/92	BEDROOM	113.0	30.6	25.1	5.4	17.6
R3/92	BEDROOM	134.1	128.7	123.4	5.3	4.1
R4/92	BEDROOM	94.8	86.3	80.3	6.1	7.1
R5/92	BEDROOM	84.1	52.2	52.2	0.0	0.0
R6/92	LD	308.1	306.1	303.7	2.4	0.8
R7/92	LD	209.7	189.5	189.5	0.0	0.0
R1/93	LKD	250.4	159.1	157.8	1.3	0.8
R2/93	BEDROOM	113.0	33.2	27.8	5.3	16.0
R3/93	BEDROOM	134.1	130.1	129.6	0.5	0.4
R4/93	BEDROOM	94.8	90.2	89.3	0.9	1.0
R5/93	BEDROOM	84.1	54.7	54.7	0.0	0.0
R6/93	LD	308.1	306.6	304.1	2.5	0.8
R7/93	LD	209.7	189.5	189.5	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R1/94	LKD	250.4	186.9	184.7	2.2	1.2
R2/94	BEDROOM	113.0	34.8	30.8	4.0	11.5
R3/94	BEDROOM	134.1	130.4	130.4	0.0	0.0
R4/94	BEDROOM	94.8	90.2	84.2	6.1	6.8
R5/94	BEDROOM	84.1	58.1	58.1	0.0	0.0
R6/94	LD	308.1	306.6	306.6	0.0	0.0
R7/94	LD	209.7	189.8	189.8	0.0	0.0
R1/95	LKD	250.4	192.1	186.0	6.1	3.2
R2/95	BEDROOM	113.0	38.4	33.7	4.7	12.2
R3/95	BEDROOM	134.1	130.1	129.7	0.4	0.3
R4/95	BEDROOM	94.8	92.5	92.5	0.0	0.0
R5/95	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/95	LD	308.1	306.6	306.6	0.0	0.0
R7/95	LD	209.7	192.0	192.0	0.0	0.0
R1/96	LKD	250.4	204.4	196.5	7.8	3.8
R2/96	BEDROOM	113.0	39.3	35.9	3.4	8.7
R3/96	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/96	BEDROOM	94.8	93.1	93.1	0.0	0.0
R5/96	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/96	LD	308.1	306.6	306.6	0.0	0.0
R7/96	LD	209.7	194.5	194.5	0.0	0.0
R1/97	LKD	250.4	207.4	199.8	7.6	3.7
R2/97	BEDROOM	113.0	40.5	39.6	0.9	2.2
R3/97	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/97	BEDROOM	94.8	94.4	94.4	0.0	0.0
R5/97	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/97	LD	308.1	306.6	306.6	0.0	0.0
R7/97	LD	209.7	194.5	194.5	0.0	0.0
R1/98	LKD	217.1	166.2	156.8	9.4	5.7
R2/98	BEDROOM	113.0	42.6	42.6	0.0	0.0
R3/98	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/98	BEDROOM	94.8	94.4	94.4	0.0	0.0
R5/98	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/98	LD	308.1	306.6	306.6	0.0	0.0
R7/98	LD	209.7	195.4	195.4	0.0	0.0
R1/99	LKD	217.1	166.5	161.3	5.2	3.1
R2/99	BEDROOM	113.0	51.7	51.7	0.0	0.0
R3/99	BEDROOM	134.1	132.8	132.8	0.0	0.0
R4/99	BEDROOM	94.8	94.4	94.4	0.0	0.0
R5/99	BEDROOM	84.1	60.1	60.1	0.0	0.0
R6/99	LD	308.1	306.6	306.6	0.0	0.0
R7/99	LD	209.7	195.4	195.4	0.0	0.0
R1/100	LKD	217.1	166.5	160.1	6.5	3.9
R2/100	KITCHEN	67.4	56.5	56.5	0.0	0.0
R3/100	LD	169.2	165.5	165.5	0.0	0.0
R4/100	BEDROOM	152.1	137.5	137.5	0.0	0.0
R5/100	BEDROOM	151.9	136.9	136.9	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R6/100	LD	164.0	161.4	161.4	0.0	0.0
R7/100	LD	209.7	195.4	195.4	0.0	0.0
R1/101	LKD	217.1	190.7	190.7	0.0	0.0
R2/101	KITCHEN	67.4	61.0	61.0	0.0	0.0
R3/101	LD	169.2	167.5	167.5	0.0	0.0
R4/101	BEDROOM	152.1	137.5	137.5	0.0	0.0
R5/101	BEDROOM	151.9	136.9	136.9	0.0	0.0
R6/101	LD	164.0	163.3	163.3	0.0	0.0
R7/101	LD	209.7	200.4	200.4	0.0	0.0
R1/102	KITCHEN	74.1	63.9	63.9	0.0	0.0
R2/102	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/102	BEDROOM	137.2	136.9	136.9	0.0	0.0
R4/102	LD	216.5	207.6	207.6	0.0	0.0
R5/102	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/102	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/102	LD	188.3	188.1	188.1	0.0	0.0
R1/103	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/103	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/103	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/103	LD	216.5	207.6	207.6	0.0	0.0
R5/103	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/103	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/103	LD	188.3	188.1	188.1	0.0	0.0
R1/104	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/104	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/104	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/104	LD	216.5	207.6	207.6	0.0	0.0
R5/104	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/104	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/104	LD	188.3	188.1	188.1	0.0	0.0
R1/105	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/105	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/105	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/105	LD	216.5	207.6	207.6	0.0	0.0
R5/105	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/105	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/105	LD	188.3	188.1	188.1	0.0	0.0
R1/106	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/106	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/106	KITCHEN	74.1	63.9	63.9	0.0	0.0
R4/106	LD	216.5	207.6	207.6	0.0	0.0
R5/106	BEDROOM	128.6	104.0	104.0	0.0	0.0
R6/106	BEDROOM	140.6	116.0	116.0	0.0	0.0
R7/106	LD	188.3	188.1	188.1	0.0	0.0
R1/107	BEDROOM	137.2	136.9	136.9	0.0	0.0
R2/107	BEDROOM	134.1	123.9	123.9	0.0	0.0
R3/107	KITCHEN	74.1	63.9	63.9	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R4/107	LD	216.5	207.6	207.6	0.0	0.0
R5/107	BEDROOM	128.6	105.3	105.3	0.0	0.0
R6/107	BEDROOM	140.6	116.6	116.6	0.0	0.0
R7/107	LD	188.3	188.1	188.1	0.0	0.0
R1/111	LKD	313.2	278.4	275.3	3.1	1.1
R2/111	BEDROOM	117.8	57.6	49.3	8.3	14.4
R3/111	BEDROOM	148.0	142.7	142.5	0.1	0.1
R4/111	BEDROOM	86.2	70.3	70.3	0.0	0.0
R5/111	BEDROOM	84.1	55.3	55.3	0.0	0.0
R6/111	LKD	413.5	374.9	370.4	4.5	1.2
R7/111	LKD	307.6	293.5	293.5	0.0	0.0
R1/112	LKD	313.2	288.3	286.3	2.1	0.7
R2/112	BEDROOM	117.8	61.0	55.9	5.2	8.5
R3/112	BEDROOM	148.0	142.7	142.5	0.1	0.1
R4/112	BEDROOM	86.2	71.6	71.6	0.0	0.0
R5/112	BEDROOM	84.1	58.8	58.8	0.0	0.0
R6/112	LKD	413.5	377.5	374.4	3.1	0.8
R7/112	LKD	307.6	293.5	293.5	0.0	0.0
R1/113	LKD	313.2	289.6	289.6	0.0	0.0
R2/113	BEDROOM	117.8	65.1	64.6	0.5	0.8
R3/113	BEDROOM	148.0	142.7	142.5	0.1	0.1
R4/113	BEDROOM	86.2	73.5	73.5	0.0	0.0
R5/113	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/113	LKD	413.5	394.7	394.6	0.1	0.0
R7/113	LKD	307.6	293.5	293.5	0.0	0.0
R1/114	LKD	313.2	289.6	289.6	0.0	0.0
R2/114	BEDROOM	117.8	65.9	65.9	0.0	0.0
R3/114	BEDROOM	148.0	142.8	142.8	0.0	0.0
R4/114	BEDROOM	86.2	77.3	77.3	0.0	0.0
R5/114	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/114	LKD	413.5	394.9	394.9	0.0	0.0
R7/114	LKD	307.6	293.5	293.5	0.0	0.0
R1/115	LKD	313.2	289.6	289.6	0.0	0.0
R2/115	BEDROOM	117.8	66.1	66.0	0.1	0.2
R3/115	BEDROOM	148.0	145.6	145.6	0.0	0.0
R4/115	BEDROOM	86.2	82.1	82.1	0.0	0.0
R5/115	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/115	LKD	413.5	395.1	395.1	0.0	0.0
R7/115	LKD	307.6	293.7	293.7	0.0	0.0
R1/116	LKD	313.2	289.6	289.6	0.0	0.0
R2/116	BEDROOM	117.8	66.1	66.1	0.0	0.0
R3/116	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/116	BEDROOM	86.2	82.1	82.1	0.0	0.0
R5/116	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/116	LKD	413.5	399.9	399.9	0.0	0.0
R7/116	LKD	307.6	294.9	294.9	0.0	0.0
R1/117	LKD	313.2	289.8	289.8	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R2/117	BEDROOM	117.8	67.5	67.5	0.0	0.0
R3/117	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/117	BEDROOM	86.2	82.1	82.1	0.0	0.0
R5/117	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/117	LKD	413.5	411.1	411.1	0.0	0.0
R7/117	LKD	307.6	295.5	295.5	0.0	0.0
R1/118	LKD	313.2	289.8	289.8	0.0	0.0
R2/118	BEDROOM	117.8	66.4	66.4	0.0	0.0
R3/118	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/118	BEDROOM	86.2	82.8	82.8	0.0	0.0
R5/118	BEDROOM	84.1	60.0	60.0	0.0	0.0
R6/118	LKD	413.5	413.1	413.1	0.0	0.0
R7/118	LKD	307.6	300.6	300.6	0.0	0.0
R1/119	LKD	313.2	291.2	291.2	0.0	0.0
R2/119	BEDROOM	117.8	67.6	67.6	0.0	0.0
R3/119	BEDROOM	148.0	145.8	145.8	0.0	0.0
R4/119	BEDROOM	86.2	82.8	82.8	0.0	0.0
R5/119	BEDROOM	84.1	61.4	61.4	0.0	0.0
R6/119	LKD	413.5	413.3	413.3	0.0	0.0
R7/119	LKD	307.6	301.3	301.3	0.0	0.0
R1/120	KITCHEN	73.9	29.2	29.2	0.0	0.0
R2/120	BEDROOM	135.0	48.3	48.3	0.0	0.0
R3/120	LKD	263.4	257.1	257.1	0.0	0.0
R4/120	LD	216.7	207.4	207.4	0.0	0.0
R5/120	BEDROOM	127.7	115.2	115.2	0.0	0.0
R6/120	BEDROOM	139.7	128.1	128.1	0.0	0.0
R7/120	LD	188.6	187.0	187.0	0.0	0.0
R1/121	LKD	263.4	257.4	257.4	0.0	0.0
R2/121	KITCHEN	73.9	30.2	30.2	0.0	0.0
R3/121	BEDROOM	135.0	50.0	50.0	0.0	0.0
R4/121	LD	216.7	207.4	207.4	0.0	0.0
R5/121	BEDROOM	127.7	115.2	115.2	0.0	0.0
R6/121	BEDROOM	139.7	128.1	128.1	0.0	0.0
R7/121	LD	188.6	187.0	187.0	0.0	0.0
R1/122	LKD	263.4	257.5	257.5	0.0	0.0
R2/122	KITCHEN	73.9	32.3	32.3	0.0	0.0
R3/122	BEDROOM	135.0	52.2	52.2	0.0	0.0
R4/122	LD	216.7	207.4	207.4	0.0	0.0
R5/122	BEDROOM	127.7	115.8	115.8	0.0	0.0
R6/122	BEDROOM	139.7	128.4	128.4	0.0	0.0
R7/122	LD	188.6	187.0	187.0	0.0	0.0

Battersea Power Station Phase 4 and 4A (Building A2)

R1/41	LKD	269.4	265.3	264.4	0.9	0.3
R2/41	LD	236.9	171.5	165.9	5.6	3.3
R3/41	BEDROOM	132.2	126.4	125.7	0.7	0.6



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R4/41	BEDROOM	137.8	124.0	120.4	3.6	2.9
R5/41	BEDROOM	149.8	131.9	117.2	14.8	11.2
R6/41	LKD	331.0	309.6	308.1	1.5	0.5
R7/41	BEDROOM	149.1	75.0	72.8	2.2	2.9
R8/41	KITCHEN	66.0	56.8	56.8	0.0	0.0
R9/41	LD	274.2	146.9	136.7	10.2	6.9
R10/41	BEDROOM	127.1	69.3	69.3	0.0	0.0
R11/41	BEDROOM	133.6	131.0	131.0	0.0	0.0
R1/42	LKD	269.4	267.2	267.0	0.2	0.1
R2/42	LD	236.9	202.5	202.5	0.0	0.0
R3/42	BEDROOM	132.2	126.7	126.5	0.2	0.2
R4/42	BEDROOM	137.8	134.1	131.5	2.5	1.9
R5/42	BEDROOM	149.8	133.1	120.6	12.5	9.4
R6/42	LKD	331.0	321.4	321.4	0.0	0.0
R7/42	BEDROOM	149.1	79.8	74.5	5.3	6.6
R8/42	KITCHEN	66.0	59.1	59.1	0.0	0.0
R9/42	LD	274.2	154.9	144.2	10.7	6.9
R10/42	BEDROOM	127.1	78.1	78.1	0.0	0.0
R11/42	BEDROOM	133.6	131.4	131.4	0.0	0.0
R1/43	LKD	269.4	267.2	267.0	0.2	0.1
R2/43	LD	236.9	236.0	236.0	0.0	0.0
R3/43	BEDROOM	132.2	126.7	126.7	0.0	0.0
R4/43	BEDROOM	137.8	134.1	133.0	1.1	0.8
R5/43	BEDROOM	149.8	133.4	124.0	9.4	7.0
R6/43	LKD	331.0	327.7	327.7	0.0	0.0
R7/43	BEDROOM	149.1	83.1	76.1	7.0	8.4
R8/43	KITCHEN	66.0	60.3	60.3	0.0	0.0
R9/43	LD	274.2	161.7	151.2	10.4	6.4
R10/43	BEDROOM	127.1	90.0	90.0	0.0	0.0
R11/43	BEDROOM	133.6	131.4	131.4	0.0	0.0
R1/44	LKD	269.4	267.2	267.2	0.0	0.0
R2/44	LD	236.9	236.0	236.0	0.0	0.0
R3/44	BEDROOM	132.2	126.7	126.7	0.0	0.0
R4/44	BEDROOM	137.8	134.1	134.1	0.0	0.0
R5/44	BEDROOM	149.8	133.4	133.4	0.0	0.0
R6/44	LKD	331.0	327.8	327.8	0.0	0.0
R7/44	BEDROOM	149.1	92.1	84.8	7.3	7.9
R8/44	KITCHEN	66.0	61.8	61.8	0.0	0.0
R9/44	LD	274.2	209.1	207.1	2.1	1.0
R10/44	BEDROOM	127.1	120.3	120.3	0.0	0.0
R11/44	BEDROOM	133.6	131.4	131.4	0.0	0.0
R1/45	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/45	BEDROOM	128.6	125.2	125.2	0.0	0.0
R3/45	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/45	LKD	324.5	317.1	310.7	6.4	2.0
R5/45	BEDROOM	86.5	81.0	81.0	0.0	0.0
R6/45	BEDROOM	136.1	133.3	133.3	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R7/45	BEDROOM	125.8	123.9	123.9	0.0	0.0
R1/46	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/46	BEDROOM	128.6	125.2	125.2	0.0	0.0
R3/46	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/46	LKD	324.5	317.9	310.7	7.2	2.3
R5/46	BEDROOM	86.5	82.0	82.0	0.0	0.0
R6/46	BEDROOM	136.1	133.2	133.2	0.0	0.0
R7/46	BEDROOM	125.8	123.9	123.9	0.0	0.0
R1/47	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/47	BEDROOM	128.6	125.2	125.2	0.0	0.0
R3/47	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/47	LKD	324.5	319.4	311.4	8.0	2.5
R5/47	BATHROOM	86.7	82.6	82.6	0.0	0.0
R6/47	BEDROOM	132.5	129.4	129.4	0.0	0.0
R7/47	BEDROOM	157.7	148.3	148.3	0.0	0.0
R1/48	BEDROOM	102.7	92.2	92.2	0.0	0.0
R2/48	BEDROOM	128.6	125.2	125.2	0.0	0.0
R3/48	BEDROOM	123.7	119.4	119.4	0.0	0.0
R4/48	LKD	324.5	321.4	321.4	0.0	0.0
R5/48	BATHROOM	86.7	84.3	84.3	0.0	0.0
R6/48	BEDROOM	132.5	129.4	129.4	0.0	0.0
R7/48	BEDROOM	157.7	149.3	149.3	0.0	0.0

Battersea Power Station Phase 4 and 4A (Building A3)

R1/21	LKD	351.9	320.5	322.5	-2.0	-0.6
R2/21	BEDROOM	91.3	87.6	86.7	1.0	1.1
R3/21	BEDROOM	135.5	122.3	120.3	2.0	1.6
R4/21	BEDROOM	145.3	106.8	101.4	5.4	5.1
R5/21	LKD	305.7	235.1	224.6	10.5	4.5
R6/21	BEDROOM	91.0	60.5	61.8	-1.3	-2.1
R7/21	BEDROOM	135.9	83.7	92.6	-8.9	-10.6
R8/21	BEDROOM	147.1	109.0	109.7	-0.6	-0.6
R9/21	BEDROOM	92.1	81.7	74.8	6.9	8.4
R10/21	LD	299.8	194.7	193.2	1.5	0.8
R11/21	KITCHEN	82.6	50.6	12.1	38.5	76.1
R12/21	BEDROOM	143.2	23.8	14.3	9.5	39.9
R13/21	BEDROOM	144.8	20.2	26.3	-6.1	-30.2
R14/21	BEDROOM	105.3	15.8	35.4	-19.7	-124.7
R15/21	BEDROOM	149.8	102.3	101.4	0.8	0.8
R16/21	BEDROOM	131.8	81.9	76.3	5.7	7.0
R17/21	BEDROOM	90.8	11.7	11.6	0.1	0.9
R18/21	LD	236.4	64.2	64.2	0.1	0.2
R19/21	BEDROOM	144.4	81.3	81.2	0.1	0.1
R20/21	BEDROOM	129.4	52.3	52.3	0.0	0.0
R21/21	LD	245.7	29.4	28.6	0.8	2.7
R1/22	LKD	351.9	326.5	327.6	-1.1	-0.3



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R2/22	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/22	BEDROOM	135.5	123.3	121.8	1.4	1.1
R4/22	BEDROOM	145.3	112.6	104.7	7.9	7.0
R5/22	LKD	305.7	244.3	227.4	16.9	6.9
R6/22	BEDROOM	91.0	63.2	66.4	-3.2	-5.1
R7/22	BEDROOM	135.9	86.2	100.9	-14.7	-17.1
R8/22	BEDROOM	147.1	111.4	115.5	-4.2	-3.8
R9/22	BEDROOM	92.1	82.8	76.2	6.6	8.0
R10/22	LD	299.8	195.0	194.4	0.6	0.3
R11/22	KITCHEN	82.6	50.8	13.2	37.6	74.0
R12/22	BEDROOM	143.2	25.6	15.6	10.0	39.1
R13/22	BEDROOM	144.8	20.6	32.2	-11.6	-56.3
R14/22	BEDROOM	105.3	16.9	44.4	-27.6	-163.3
R15/22	BEDROOM	149.8	111.3	110.5	0.8	0.7
R16/22	BEDROOM	131.8	97.8	93.9	3.9	4.0
R17/22	BEDROOM	90.8	20.9	19.8	1.1	5.3
R18/22	LD	236.4	86.9	85.0	1.9	2.2
R19/22	BEDROOM	144.4	93.0	93.0	0.0	0.0
R20/22	BEDROOM	129.4	62.3	62.3	0.0	0.0
R21/22	LD	245.4	43.1	42.3	0.8	1.9
R1/23	LKD	351.9	331.9	332.8	-0.9	-0.3
R2/23	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/23	BEDROOM	135.5	123.8	123.5	0.3	0.2
R4/23	BEDROOM	145.3	115.4	107.0	8.5	7.4
R5/23	LKD	305.7	251.0	234.4	16.6	6.6
R6/23	BEDROOM	91.0	65.1	69.9	-4.8	-7.4
R7/23	BEDROOM	135.9	86.8	105.6	-18.8	-21.7
R8/23	BEDROOM	147.1	112.6	119.2	-6.6	-5.9
R9/23	BEDROOM	92.1	83.9	79.1	4.8	5.7
R10/23	LD	299.8	195.1	200.5	-5.4	-2.8
R11/23	KITCHEN	82.6	51.1	13.9	37.2	72.8
R12/23	BEDROOM	143.2	25.7	17.2	8.6	33.5
R13/23	BEDROOM	144.8	21.5	41.3	-19.8	-92.1
R14/23	BEDROOM	105.3	18.6	53.8	-35.1	-188.7
R15/23	BEDROOM	149.8	117.1	116.8	0.3	0.3
R16/23	BEDROOM	131.8	103.6	100.4	3.2	3.1
R17/23	BEDROOM	90.8	32.7	31.4	1.4	4.3
R18/23	LD	236.4	115.1	113.3	1.8	1.6
R19/23	BEDROOM	144.4	98.8	98.8	0.0	0.0
R20/23	BEDROOM	129.4	66.0	66.0	0.0	0.0
R21/23	LD	245.4	63.7	62.9	0.8	1.3
R1/24	LKD	351.9	333.8	333.8	0.0	0.0
R2/24	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/24	BEDROOM	135.5	124.8	124.6	0.2	0.2
R4/24	BEDROOM	145.3	120.5	111.6	8.9	7.4
R5/24	LKD	305.7	260.6	244.3	16.3	6.3
R6/24	BEDROOM	91.0	66.9	71.8	-4.9	-7.3



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R7/24	BEDROOM	135.9	88.0	107.6	-19.6	-22.3
R8/24	BEDROOM	147.1	114.3	123.3	-8.9	-7.8
R9/24	BEDROOM	92.1	84.9	83.2	1.8	2.1
R10/24	LD	299.8	195.1	212.5	-17.4	-8.9
R11/24	KITCHEN	82.6	52.7	15.1	37.6	71.3
R12/24	BEDROOM	143.2	26.9	18.3	8.6	32.0
R13/24	BEDROOM	144.8	23.7	50.7	-27.0	-113.9
R14/24	BEDROOM	111.1	21.3	62.8	-41.4	-194.4
R15/24	BEDROOM	141.0	119.5	119.5	0.1	0.1
R16/24	BEDROOM	149.1	118.5	117.6	0.9	0.8
R17/24	LD	307.0	153.9	153.3	0.7	0.5
R18/24	BEDROOM	91.8	64.2	64.0	0.2	0.3
R19/24	BEDROOM	142.7	109.2	109.2	0.0	0.0
R20/24	BEDROOM	128.2	69.4	69.4	0.0	0.0
R21/24	LD	245.3	98.5	97.7	0.8	0.8
R1/25	LKD	351.9	333.9	333.9	0.0	0.0
R2/25	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/25	BEDROOM	135.5	124.8	124.8	0.0	0.0
R4/25	BEDROOM	145.3	121.9	114.6	7.3	6.0
R5/25	LKD	305.7	268.9	248.0	20.9	7.8
R6/25	BEDROOM	91.0	67.1	72.1	-4.9	-7.3
R7/25	BEDROOM	135.9	88.4	108.6	-20.1	-22.7
R8/25	BEDROOM	147.1	115.0	124.6	-9.6	-8.3
R9/25	BEDROOM	92.1	85.1	86.5	-1.4	-1.6
R10/25	LD	299.8	196.6	220.9	-24.3	-12.4
R11/25	KITCHEN	82.6	53.6	15.9	37.6	70.1
R12/25	BEDROOM	143.2	31.3	20.1	11.3	36.1
R13/25	BEDROOM	144.8	27.4	51.2	-23.8	-86.9
R14/25	BEDROOM	111.1	25.9	63.5	-37.6	-145.2
R15/25	BEDROOM	141.0	121.9	121.8	0.1	0.1
R16/25	BEDROOM	149.1	122.5	122.0	0.5	0.4
R17/25	LD	307.0	219.3	218.6	0.7	0.3
R18/25	BEDROOM	91.8	66.8	66.7	0.1	0.1
R19/25	BEDROOM	142.7	112.7	112.7	0.0	0.0
R20/25	BEDROOM	128.2	72.3	72.3	0.0	0.0
R21/25	LD	245.3	149.5	148.7	0.8	0.5
R1/26	LKD	351.9	334.5	334.5	0.0	0.0
R2/26	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/26	BEDROOM	135.5	124.8	124.8	0.0	0.0
R4/26	BEDROOM	145.3	126.6	117.3	9.3	7.3
R5/26	LKD	305.7	270.7	251.0	19.7	7.3
R6/26	BEDROOM	91.0	67.3	73.1	-5.7	-8.5
R7/26	BEDROOM	135.9	91.9	110.9	-19.0	-20.7
R8/26	BEDROOM	147.1	117.5	125.7	-8.2	-7.0
R9/26	BEDROOM	92.1	85.1	87.1	-1.9	-2.2
R10/26	LD	299.8	197.3	223.2	-25.9	-13.1
R11/26	KITCHEN	82.6	53.6	16.9	36.7	68.5



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R12/26	BEDROOM	143.2	38.7	22.1	16.6	42.9
R13/26	BEDROOM	144.8	36.3	53.7	-17.5	-48.2
R14/26	BEDROOM	111.1	32.8	64.0	-31.2	-95.1
R15/26	BEDROOM	141.0	126.9	126.9	0.1	0.1
R16/26	BEDROOM	149.1	126.6	126.4	0.1	0.1
R17/26	LD	307.0	240.0	239.3	0.7	0.3
R18/26	BEDROOM	91.8	71.3	71.3	0.0	0.0
R19/26	BEDROOM	142.7	115.8	115.8	0.0	0.0
R20/26	BEDROOM	128.2	77.6	77.6	0.0	0.0
R21/26	LD	245.3	172.3	171.5	0.8	0.5
R1/27	LKD	351.9	335.0	335.0	0.0	0.0
R2/27	BEDROOM	91.3	87.6	87.6	0.0	0.0
R3/27	BEDROOM	135.5	124.8	124.8	0.0	0.0
R4/27	BEDROOM	145.3	130.9	120.8	10.1	7.7
R5/27	LKD	305.7	286.6	274.6	11.9	4.2
R6/27	BEDROOM	91.0	79.4	80.5	-1.2	-1.5
R7/27	BEDROOM	135.9	95.1	112.3	-17.2	-18.1
R8/27	BEDROOM	147.1	120.1	127.7	-7.6	-6.3
R9/27	BEDROOM	92.1	87.8	89.3	-1.4	-1.6
R10/27	LD	299.8	199.2	223.7	-24.5	-12.3
R11/27	KITCHEN	82.6	53.7	19.7	34.0	63.3
R12/27	BEDROOM	143.2	44.1	29.6	14.5	32.9
R13/27	BEDROOM	144.8	42.8	55.8	-12.9	-30.1
R14/27	BEDROOM	111.1	57.7	65.9	-8.3	-14.4
R15/27	BEDROOM	141.0	132.0	132.0	0.0	0.0
R16/27	BEDROOM	149.1	138.7	138.7	0.0	0.0
R17/27	LD	307.0	263.7	263.7	0.0	0.0
R18/27	BEDROOM	91.8	77.4	77.4	0.0	0.0
R19/27	BEDROOM	142.7	121.3	121.3	0.0	0.0
R20/27	BEDROOM	128.2	85.0	85.0	0.0	0.0
R21/27	LD	245.3	207.6	207.6	0.0	0.0
R1/28	LKD	320.6	319.0	319.0	0.0	0.0
R2/28	BEDROOM	130.4	123.9	123.9	0.0	0.0
R3/28	BEDROOM	150.3	145.6	145.6	0.0	0.0
R4/28	BEDROOM	150.1	132.8	128.3	4.5	3.4
R5/28	BEDROOM	127.8	122.9	125.0	-2.1	-1.7
R6/28	LKD	293.6	269.5	281.6	-12.1	-4.5
R7/28	LKD	291.4	251.7	246.4	5.4	2.1
R8/28	BEDROOM	128.5	104.2	104.2	0.0	0.0
R9/28	BEDROOM	140.0	106.2	106.2	0.0	0.0
R1/29	LKD	320.6	319.0	319.0	0.0	0.0
R2/29	BEDROOM	130.4	123.9	123.9	0.0	0.0
R3/29	BEDROOM	150.3	145.6	145.6	0.0	0.0
R4/29	BEDROOM	150.1	141.6	133.2	8.4	5.9
R5/29	BEDROOM	127.8	125.0	125.0	0.0	0.0
R6/29	LKD	293.6	276.0	283.9	-7.8	-2.8
R7/29	LKD	291.4	261.7	257.5	4.2	1.6



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R8/29	BEDROOM	128.5	107.8	107.8	0.0	0.0
R9/29	BEDROOM	140.0	115.5	115.5	0.0	0.0
R1/30	LKD	320.6	319.0	319.0	0.0	0.0
R2/30	BEDROOM	130.4	123.9	123.9	0.0	0.0
R3/30	BEDROOM	150.3	145.6	145.6	0.0	0.0
R4/30	BEDROOM	150.1	141.6	139.2	2.5	1.8
R5/30	BEDROOM	127.8	125.0	125.0	0.0	0.0
R6/30	LKD	293.6	277.0	284.5	-7.5	-2.7
R7/30	LKD	291.4	269.4	266.5	2.9	1.1
R8/30	BEDROOM	128.5	111.1	111.1	0.0	0.0
R9/30	BEDROOM	140.0	121.6	121.6	0.0	0.0

142-192 Thessaly Road

R2/300	KITCHEN	96.8	74.7	61.6	13.1	17.5
R4/300	KITCHEN	96.8	68.3	69.5	-1.2	-1.8
R6/300	KITCHEN	96.8	74.9	73.1	1.7	2.3
R8/300	KITCHEN	96.8	78.9	76.3	2.6	3.3
R10/300	KITCHEN	96.8	80.8	78.9	1.9	2.4
R12/300	KITCHEN	96.8	81.0	80.6	0.4	0.5
R14/300	KITCHEN	96.8	76.9	59.5	17.4	22.6
R16/300	KITCHEN	96.8	66.3	56.7	9.5	14.3
R18/300	KITCHEN	96.8	62.8	45.3	17.5	27.9
R3/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R6/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R9/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R12/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R15/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R18/301	BEDROOM	100.7	97.6	97.6	0.0	0.0
R21/301	BEDROOM	100.7	92.2	92.2	0.0	0.0
R24/301	BEDROOM	100.7	91.6	91.1	0.5	0.5
R27/301	BEDROOM	100.7	91.6	91.6	0.0	0.0
R2/302	KITCHEN	96.8	86.6	79.3	7.3	8.4
R4/302	KITCHEN	96.8	85.7	81.9	3.8	4.4
R6/302	KITCHEN	96.8	86.1	83.9	2.1	2.4
R8/302	KITCHEN	96.8	86.9	85.0	2.0	2.3
R10/302	KITCHEN	96.8	87.4	86.6	0.7	0.8
R12/302	KITCHEN	96.8	87.5	87.2	0.3	0.3
R14/302	KITCHEN	96.8	82.0	77.0	5.0	6.1
R16/302	KITCHEN	96.8	81.2	74.3	7.0	8.6
R18/302	KITCHEN	96.8	74.9	63.5	11.4	15.2
R3/303	BEDROOM	100.7	100.7	98.2	2.5	2.5
R6/303	BEDROOM	100.7	100.7	100.0	0.7	0.7
R9/303	BEDROOM	100.7	100.7	100.7	0.0	0.0
R12/303	BEDROOM	100.7	100.7	100.7	0.0	0.0
R15/303	BEDROOM	100.7	100.7	100.7	0.0	0.0
R18/303	BEDROOM	100.7	100.7	100.7	0.0	0.0



NSL ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

NSL

Room	Room Use	Whole Room sq ft	Consented sq ft	Proposed sq ft	Loss sq ft	%Loss
R21/303	BEDROOM	100.7	98.4	96.5	1.9	1.9
R24/303	BEDROOM	100.7	98.2	95.0	3.2	3.3
R27/303	BEDROOM	100.7	98.3	91.6	6.7	6.8
R1/310	ASSUMED	120.3	67.3	67.3	0.0	0.0
R2/310	ASSUMED	120.4	64.1	64.1	0.0	0.0
R3/310	ASSUMED	120.5	83.1	83.1	0.0	0.0
R4/310	ASSUMED	120.3	76.0	76.0	0.0	0.0
R2/311	KITCHEN	87.7	67.8	66.9	0.8	1.2
R3/311	KITCHEN	87.8	67.0	42.3	24.7	36.9
R6/311	KITCHEN	87.2	68.0	55.3	12.7	18.7
R3/312	BEDROOM	133.5	128.4	112.3	16.1	12.5
R4/312	BEDROOM	135.7	126.0	104.2	21.8	17.3
R5/312	BEDROOM	134.3	125.5	102.4	23.2	18.5
R1/313	LKD	337.8	305.0	303.9	1.2	0.4
R2/313	BEDROOM	138.3	126.4	126.4	0.0	0.0
R1/314	LKD	337.8	336.7	334.9	1.8	0.5
R2/314	BEDROOM	138.3	130.4	130.4	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/10	W1/10	ASSUMED	0	4	0	4	-	0.0						
R1/10	W2/10	ASSUMED	3	7	3	7	0.0	0.0	3	9	3	9	0.0	0.0
R2/10	W3/10	ASSUMED	3	5	3	5	0.0	0.0						
R2/10	W4/10	ASSUMED	3	7	3	7	0.0	0.0	3	7	3	7	0.0	0.0
R3/10	W5/10	LKD	0	4	0	4	-	0.0						
R3/10	W6/10	LKD	0	5	0	5	-	0.0	0	5	0	5	-	0.0
R1/11	W1/11	ASSUMED	0	3	0	3	-	0.0						
R1/11	W2/11	ASSUMED	2	8	2	8	0.0	0.0	2	8	2	8	0.0	0.0
R2/11	W3/11	ASSUMED	5	10	5	10	0.0	0.0						
R2/11	W4/11	ASSUMED	4	10	4	10	0.0	0.0	5	12	5	12	0.0	0.0
R3/11	W5/11	LKD	0	8	0	8	-	0.0						
R3/11	W6/11	LKD	0	7	0	7	-	0.0	0	8	0	8	-	0.0
R1/12	W1/12	ASSUMED	0	9	0	9	-	0.0						
R1/12	W2/12	ASSUMED	2	12	2	12	0.0	0.0	2	13	2	13	0.0	0.0

Viridian Apartments, 75 Battersea Park Road



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R2/12	W3/12	ASSUMED	7	15	7	15	0.0	0.0						
R2/12	W4/12	ASSUMED	5	14	5	14	0.0	0.0	7	16	7	16	0.0	0.0
R3/12	W5/12	LKD	0	8	0	8	-	0.0						
R3/12	W6/12	LKD	0	8	0	8	-	0.0	0	9	0	9	-	0.0
R1/13	W1/13	ASSUMED	0	12	0	12	-	0.0						
R1/13	W2/13	ASSUMED	4	18	4	18	0.0	0.0	4	19	4	19	0.0	0.0
R2/13	W3/13	ASSUMED	8	20	8	20	0.0	0.0						
R2/13	W4/13	ASSUMED	7	19	7	19	0.0	0.0	8	21	8	21	0.0	0.0
R3/13	W5/13	LKD	0	10	0	10	-	0.0						
R3/13	W6/13	LKD	0	12	0	12	-	0.0	0	12	0	12	-	0.0
R1/14	W1/14	ASSUMED	1	14	1	14	0.0	0.0						
R1/14	W2/14	ASSUMED	8	21	8	21	0.0	0.0	8	22	8	22	0.0	0.0
R2/14	W3/14	ASSUMED	8	20	8	20	0.0	0.0						
R2/14	W4/14	ASSUMED	7	20	7	20	0.0	0.0	8	22	8	22	0.0	0.0
R3/14	W5/14	LKD	0	13	0	13	-	0.0						
R3/14	W6/14	LKD	2	14	2	14	0.0	0.0	2	16	2	16	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/51	W1/51	LD	19	37	19	37	0.0	0.0						
R1/51	W2/51	LD	19	62	19	62	0.0	0.0						
R1/51	W3/51	LD	3	28	3	28	0.0	0.0	19	62	19	62	0.0	0.0
R2/51	W4/51	BEDROOM	9	31	9	29	0.0	6.5	9	31	9	29	0.0	6.5
R5/51	W10/51	LD	1	2	1	2	0.0	0.0						
R5/51	W11/51	LD	1	8	1	8	0.0	0.0						
R5/51	W12/51	LD	0	4	0	4	-	0.0	1	9	1	9	0.0	0.0
R1/52	W1/52	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/52	W2/52	BEDROOM	23	66	23	66	0.0	0.0						
R2/52	W3/52	BEDROOM	5	30	5	30	0.0	0.0	23	66	23	66	0.0	0.0
R3/52	W4/52	BEDROOM	10	32	10	30	0.0	6.3	10	32	10	30	0.0	6.3
R8/52	W11/52	LD	2	8	2	8	0.0	0.0						
R8/52	W12/52	LD	0	4	0	4	-	0.0	2	9	2	9	0.0	0.0

Battersea Power Station Phase 4 and 4A (Buildings A1.1-1.5)



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/53	W1/53	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/53	W2/53	BEDROOM	23	66	23	66	0.0	0.0						
R2/53	W3/53	BEDROOM	5	30	5	30	0.0	0.0	23	66	23	66	0.0	0.0
R3/53	W4/53	BEDROOM	10	32	10	30	0.0	6.3	10	32	10	30	0.0	6.3
R8/53	W11/53	LD	2	13	2	13	0.0	0.0						
R8/53	W12/53	LD	0	4	0	4	-	0.0	2	13	2	13	0.0	0.0
R1/54	W1/54	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/54	W2/54	BEDROOM	23	66	23	66	0.0	0.0						
R2/54	W3/54	BEDROOM	5	30	5	30	0.0	0.0	23	66	23	66	0.0	0.0
R3/54	W4/54	BEDROOM	10	32	10	30	0.0	6.3	10	32	10	30	0.0	6.3
R8/54	W11/54	LD	2	12	2	12	0.0	0.0						
R8/54	W12/54	LD	0	6	0	6	-	0.0	2	13	2	13	0.0	0.0
R1/55	W1/55	LKD	23	41	23	41	0.0	0.0	23	41	23	41	0.0	0.0
R2/55	W2/55	BEDROOM	23	67	23	67	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R2/55	W3/55	BEDROOM	5	30	5	30	0.0	0.0	23	67	23	67	0.0	0.0
R3/55	W4/55	BEDROOM	10	32	10	30	0.0	6.3	10	32	10	30	0.0	6.3
R8/55	W11/55	LD	2	15	2	15	0.0	0.0						
R8/55	W12/55	LD	0	6	0	6	-	0.0	2	15	2	15	0.0	0.0
R1/56	W1/56	LKD	24	52	24	52	0.0	0.0	24	52	24	52	0.0	0.0
R2/56	W2/56	BEDROOM	23	66	23	66	0.0	0.0						
R2/56	W3/56	BEDROOM	5	30	5	30	0.0	0.0	23	66	23	66	0.0	0.0
R3/56	W4/56	BEDROOM	10	36	10	34	0.0	5.6	10	36	10	34	0.0	5.6
R8/56	W11/56	LD	2	14	2	14	0.0	0.0						
R8/56	W12/56	LD	1	9	1	9	0.0	0.0	2	15	2	15	0.0	0.0
R1/57	W1/57	LKD	24	52	24	52	0.0	0.0	24	52	24	52	0.0	0.0
R2/57	W2/57	BEDROOM	23	65	23	65	0.0	0.0						
R2/57	W3/57	BEDROOM	5	30	5	30	0.0	0.0	23	65	23	65	0.0	0.0
R3/57	W4/57	BEDROOM	10	36	10	34	0.0	5.6	10	36	10	34	0.0	5.6



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R8/57	W11/57	LD	2	17	2	17	0.0	0.0						
R8/57	W12/57	LD	1	13	1	13	0.0	0.0	2	20	2	20	0.0	0.0
R1/58	W1/58	LKD	23	42	23	42	0.0	0.0	23	42	23	42	0.0	0.0
R2/58	W2/58	BEDROOM	23	70	23	70	0.0	0.0						
R2/58	W3/58	BEDROOM	5	30	5	30	0.0	0.0	23	70	23	70	0.0	0.0
R3/58	W4/58	BEDROOM	10	32	10	30	0.0	6.3	10	32	10	30	0.0	6.3
R8/58	W11/58	LD	2	17	2	17	0.0	0.0						
R8/58	W12/58	LD	1	22	1	22	0.0	0.0	2	28	2	28	0.0	0.0
R1/59	W1/59	LKD	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R2/59	W2/59	BEDROOM	28	79	28	79	0.0	0.0						
R2/59	W3/59	BEDROOM	5	30	5	30	0.0	0.0	28	79	28	79	0.0	0.0
R3/59	W4/59	BEDROOM	10	42	10	40	0.0	4.8	10	42	10	40	0.0	4.8
R8/59	W11/59	LD	2	21	2	21	0.0	0.0						
R8/59	W12/59	LD	5	34	5	34	0.0	0.0	6	41	6	41	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/60	W1/60	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/60	W2/60	BEDROOM	28	79	28	79	0.0	0.0						
R2/60	W3/60	BEDROOM	6	31	6	31	0.0	0.0	28	79	28	79	0.0	0.0
R8/60	W10/60	LD	2	6	2	6	0.0	0.0						
R8/60	W11/60	LD	10	44	10	44	0.0	0.0	11	46	11	46	0.0	0.0
R1/61	W1/61	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/61	W2/61	BEDROOM	28	79	28	79	0.0	0.0						
R2/61	W3/61	BEDROOM	6	31	6	31	0.0	0.0	28	79	28	79	0.0	0.0
R8/61	W10/61	LD	2	6	2	6	0.0	0.0						
R8/61	W11/61	LD	13	54	13	54	0.0	0.0	14	56	14	56	0.0	0.0
R1/62	W1/62	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/62	W2/62	BEDROOM	28	79	28	79	0.0	0.0						
R2/62	W3/62	BEDROOM	6	31	6	31	0.0	0.0	28	79	28	79	0.0	0.0
R8/62	W10/62	LD	2	6	2	6	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R8/62	W11/62	LD	18	61	18	61	0.0	0.0	19	62	19	62	0.0	0.0
R1/63	W1/63	LD	13	16	13	16	0.0	0.0	13	16	13	16	0.0	0.0
R2/63	W2/63	BEDROOM	28	79	28	79	0.0	0.0						
R2/63	W3/63	BEDROOM	6	31	6	31	0.0	0.0	28	79	28	79	0.0	0.0
R8/63	W10/63	LD	2	6	2	6	0.0	0.0						
R8/63	W11/63	LD	20	63	20	63	0.0	0.0	20	63	20	63	0.0	0.0
R1/64	W1/64	LD	16	36	16	36	0.0	0.0	16	36	16	36	0.0	0.0
R2/64	W2/64	BEDROOM	28	79	28	79	0.0	0.0						
R2/64	W3/64	BEDROOM	6	31	6	31	0.0	0.0	28	79	28	79	0.0	0.0
R8/64	W10/64	LD	2	10	2	10	0.0	0.0						
R8/64	W11/64	LD	21	64	21	64	0.0	0.0	21	64	21	64	0.0	0.0
R3/71	W7/71	LD	2	2	2	2	0.0	0.0						
R3/71	W8/71	LD	2	6	2	6	0.0	0.0						
R3/71	W9/71	LD	2	11	2	11	0.0	0.0						
R3/71	W10/71	LD	0	6	0	6	-	0.0	2	12	2	12	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R5/72	W8/72	LD	2	8	2	8	0.0	0.0						
R5/72	W9/72	LD	2	12	2	12	0.0	0.0						
R5/72	W10/72	LD	0	6	0	6	-	0.0	2	13	2	13	0.0	0.0
R5/73	W8/73	LD	2	8	2	8	0.0	0.0						
R5/73	W9/73	LD	2	12	2	12	0.0	0.0						
R5/73	W10/73	LD	0	8	0	8	-	0.0	2	14	2	14	0.0	0.0
R5/74	W8/74	LD	2	10	2	10	0.0	0.0						
R5/74	W9/74	LD	2	14	2	14	0.0	0.0						
R5/74	W10/74	LD	0	7	0	7	-	0.0	2	17	2	17	0.0	0.0
R5/75	W8/75	LD	2	10	2	10	0.0	0.0						
R5/75	W9/75	LD	2	16	2	16	0.0	0.0						
R5/75	W10/75	LD	0	9	0	9	-	0.0	2	17	2	17	0.0	0.0
R5/76	W8/76	LD	2	11	2	11	0.0	0.0						
R5/76	W9/76	LD	2	16	2	16	0.0	0.0						
R5/76	W10/76	LD	1	15	1	15	0.0	0.0	2	20	2	20	0.0	0.0
R5/77	W8/77	LD	2	20	2	20	0.0	0.0						
R5/77	W9/77	LD	2	18	2	18	0.0	0.0						
R5/77	W10/77	LD	3	18	3	18	0.0	0.0	4	27	4	27	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R3/78	W1/78	LKD	6	31	6	31	0.0	0.0						
R3/78	W2/78	LKD	6	29	6	29	0.0	0.0						
R3/78	W5/78	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/78	W12/78	LD	0	0	0	0	-	-						
R7/78	W13/78	LD	2	9	2	9	0.0	0.0						
R7/78	W14/78	LD	4	23	4	23	0.0	0.0						
R7/78	W15/78	LD	4	19	4	19	0.0	0.0	6	28	6	28	0.0	0.0
R3/79	W1/79	LKD	6	31	6	31	0.0	0.0						
R3/79	W2/79	LKD	6	29	6	29	0.0	0.0						
R3/79	W5/79	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/79	W12/79	LD	0	0	0	0	-	-						
R7/79	W13/79	LD	2	9	2	9	0.0	0.0						
R7/79	W14/79	LD	5	25	5	25	0.0	0.0						
R7/79	W15/79	LD	4	21	4	21	0.0	0.0	6	29	6	29	0.0	0.0
R3/80	W1/80	LKD	6	31	6	31	0.0	0.0						
R3/80	W2/80	LKD	6	29	6	29	0.0	0.0						
R3/80	W5/80	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/80	W12/80	LD	0	0	0	0	-	-						
R7/80	W13/80	LD	2	9	2	9	0.0	0.0						
R7/80	W14/80	LD	5	26	5	26	0.0	0.0						
R7/80	W15/80	LD	5	22	5	22	0.0	0.0	7	30	7	30	0.0	0.0
R3/81	W1/81	LKD	6	31	6	31	0.0	0.0						
R3/81	W2/81	LKD	6	29	6	29	0.0	0.0						
R3/81	W5/81	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/81	W12/81	LD	0	0	0	0	-	-						
R7/81	W13/81	LD	2	9	2	9	0.0	0.0						
R7/81	W14/81	LD	7	29	7	29	0.0	0.0						
R7/81	W15/81	LD	7	25	7	25	0.0	0.0	9	33	9	33	0.0	0.0
R3/82	W1/82	LKD	6	31	6	31	0.0	0.0						
R3/82	W2/82	LKD	6	29	6	29	0.0	0.0						
R3/82	W5/82	LKD	18	43	18	43	0.0	0.0	18	56	18	56	0.0	0.0
R7/82	W12/82	LD	0	2	0	2	-	0.0						
R7/82	W13/82	LD	2	9	2	9	0.0	0.0						
R7/82	W14/82	LD	7	30	7	30	0.0	0.0						
R7/82	W15/82	LD	7	26	7	26	0.0	0.0	9	34	9	34	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/91	W7/91	LD	2	4	2	4	0.0	0.0						
R6/91	W8/91	LD	1	11	1	11	0.0	0.0						
R6/91	W9/91	LD	1	10	1	10	0.0	0.0	2	14	2	14	0.0	0.0
R6/92	W7/92	LD	2	5	2	5	0.0	0.0						
R6/92	W8/92	LD	2	13	2	13	0.0	0.0						
R6/92	W9/92	LD	1	11	1	11	0.0	0.0	2	15	2	15	0.0	0.0
R6/93	W7/93	LD	2	6	2	6	0.0	0.0						
R6/93	W8/93	LD	2	15	2	15	0.0	0.0						
R6/93	W9/93	LD	1	11	1	11	0.0	0.0	2	16	2	16	0.0	0.0
R6/94	W7/94	LD	2	13	2	13	0.0	0.0						
R6/94	W8/94	LD	2	16	2	16	0.0	0.0						
R6/94	W9/94	LD	1	11	1	11	0.0	0.0	2	17	2	17	0.0	0.0
R6/95	W7/95	LD	2	7	2	7	0.0	0.0						
R6/95	W8/95	LD	2	17	2	17	0.0	0.0						
R6/95	W9/95	LD	1	12	1	12	0.0	0.0	2	17	2	17	0.0	0.0
R6/96	W7/96	LD	2	18	2	18	0.0	0.0						
R6/96	W8/96	LD	2	18	2	18	0.0	0.0						
R6/96	W9/96	LD	2	16	2	16	0.0	0.0	2	21	2	21	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/97	W7/97	LD	2	10	2	10	0.0	0.0						
R6/97	W8/97	LD	2	20	2	20	0.0	0.0						
R6/97	W9/97	LD	2	15	2	15	0.0	0.0	2	21	2	21	0.0	0.0
R6/98	W7/98	LD	2	17	2	17	0.0	0.0						
R6/98	W8/98	LD	2	21	2	21	0.0	0.0						
R6/98	W9/98	LD	1	17	1	17	0.0	0.0	2	23	2	23	0.0	0.0
R6/99	W7/99	LD	2	10	2	10	0.0	0.0						
R6/99	W8/99	LD	2	21	2	21	0.0	0.0						
R6/99	W9/99	LD	2	24	2	24	0.0	0.0	2	28	2	28	0.0	0.0
R6/100	W7/100	LD	2	20	2	20	0.0	0.0						
R6/100	W8/100	LD	2	38	2	38	0.0	0.0	2	40	2	40	0.0	0.0
R6/101	W7/101	LD	2	21	2	21	0.0	0.0						
R6/101	W8/101	LD	13	55	13	55	0.0	0.0	13	56	13	56	0.0	0.0
R3/102	W2/102	BEDROOM	5	30	5	30	0.0	0.0						
R3/102	W4/102	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/102	W9/102	LD	2	6	2	6	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/102	W10/102	LD	22	65	22	65	0.0	0.0	22	65	22	65	0.0	0.0
R1/103	W2/103	BEDROOM	5	31	5	31	0.0	0.0						
R1/103	W4/103	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/103	W9/103	LD	2	6	2	6	0.0	0.0						
R7/103	W10/103	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/104	W2/104	BEDROOM	5	31	5	31	0.0	0.0						
R1/104	W4/104	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/104	W9/104	LD	2	6	2	6	0.0	0.0						
R7/104	W10/104	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/105	W2/105	BEDROOM	5	31	5	31	0.0	0.0						
R1/105	W4/105	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/105	W9/105	LD	2	6	2	6	0.0	0.0						
R7/105	W10/105	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/106	W2/106	BEDROOM	5	31	5	31	0.0	0.0						
R1/106	W4/106	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/106	W9/106	LD	2	6	2	6	0.0	0.0						
R7/106	W10/106	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/107	W2/107	BEDROOM	5	31	5	31	0.0	0.0						
R1/107	W4/107	BEDROOM	28	79	28	79	0.0	0.0	28	79	28	79	0.0	0.0
R7/107	W9/107	LD	2	12	2	12	0.0	0.0						
R7/107	W10/107	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R6/111	W9/111	LKD	1	7	1	7	0.0	0.0						
R6/111	W10/111	LKD	1	8	1	8	0.0	0.0						
R6/111	W11/111	LKD	1	19	1	19	0.0	0.0						
R6/111	W12/111	LKD	1	14	1	14	0.0	0.0						
R6/111	W13/111	LKD	0	10	0	10	-	0.0	1	20	1	20	0.0	0.0
R6/112	W9/112	LKD	2	9	2	9	0.0	0.0						
R6/112	W10/112	LKD	2	10	2	10	0.0	0.0						
R6/112	W11/112	LKD	1	20	1	20	0.0	0.0						
R6/112	W12/112	LKD	1	15	1	15	0.0	0.0						
R6/112	W13/112	LKD	0	10	0	10	-	0.0	2	21	2	21	0.0	0.0
R6/113	W9/113	LKD	2	9	2	9	0.0	0.0						
R6/113	W10/113	LKD	2	10	2	10	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/113	W11/113	LKD	2	21	2	21	0.0	0.0						
R6/113	W12/113	LKD	2	16	2	16	0.0	0.0						
R6/113	W13/113	LKD	0	10	0	10	-	0.0	2	21	2	21	0.0	0.0
R6/114	W9/114	LKD	2	9	2	9	0.0	0.0						
R6/114	W10/114	LKD	2	10	2	10	0.0	0.0						
R6/114	W11/114	LKD	2	21	2	21	0.0	0.0						
R6/114	W12/114	LKD	2	18	2	18	0.0	0.0						
R6/114	W13/114	LKD	0	11	0	11	-	0.0	2	23	2	23	0.0	0.0
R6/115	W9/115	LKD	2	9	2	9	0.0	0.0						
R6/115	W10/115	LKD	2	10	2	10	0.0	0.0						
R6/115	W11/115	LKD	2	21	2	21	0.0	0.0						
R6/115	W12/115	LKD	2	20	2	20	0.0	0.0						
R6/115	W13/115	LKD	0	14	0	14	-	0.0	2	24	2	24	0.0	0.0
R6/116	W9/116	LKD	2	10	2	10	0.0	0.0						
R6/116	W10/116	LKD	2	14	2	14	0.0	0.0						
R6/116	W11/116	LKD	2	21	2	21	0.0	0.0						
R6/116	W12/116	LKD	2	25	2	25	0.0	0.0						
R6/116	W13/116	LKD	0	18	0	18	-	0.0	2	27	2	27	0.0	0.0
R6/117	W9/117	LKD	2	9	2	9	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/117	W10/117	LKD	2	13	2	13	0.0	0.0						
R6/117	W11/117	LKD	2	21	2	21	0.0	0.0						
R6/117	W12/117	LKD	3	35	3	35	0.0	0.0						
R6/117	W13/117	LKD	1	23	1	23	0.0	0.0	3	35	3	35	0.0	0.0
R6/118	W9/118	LKD	2	9	2	9	0.0	0.0						
R6/118	W10/118	LKD	2	10	2	10	0.0	0.0						
R6/118	W11/118	LKD	2	21	2	21	0.0	0.0						
R6/118	W12/118	LKD	7	47	7	47	0.0	0.0						
R6/118	W13/118	LKD	3	33	3	33	0.0	0.0	7	47	7	47	0.0	0.0
R6/119	W9/119	LKD	2	21	2	21	0.0	0.0						
R6/119	W10/119	LKD	2	21	2	21	0.0	0.0						
R6/119	W11/119	LKD	2	21	2	21	0.0	0.0						
R6/119	W12/119	LKD	19	62	19	62	0.0	0.0						
R6/119	W13/119	LKD	10	52	10	52	0.0	0.0	19	62	19	62	0.0	0.0
R3/120	W1/120	LKD	6	31	6	31	0.0	0.0						
R3/120	W2/120	LKD	6	31	6	31	0.0	0.0						
R3/120	W5/120	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/120	W12/120	LD	0	1	0	1	-	0.0						
R7/120	W13/120	LD	2	12	2	12	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R7/120	W14/120	LD	24	67	24	67	0.0	0.0						
R7/120	W15/120	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/121	W1/121	LKD	6	31	6	31	0.0	0.0						
R1/121	W2/121	LKD	6	31	6	31	0.0	0.0						
R1/121	W5/121	LKD	17	24	17	24	0.0	0.0	17	43	17	43	0.0	0.0
R7/121	W12/121	LD	0	1	0	1	-	0.0						
R7/121	W13/121	LD	2	12	2	12	0.0	0.0						
R7/121	W14/121	LD	24	67	24	67	0.0	0.0						
R7/121	W15/121	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0
R1/122	W1/122	LKD	6	31	6	31	0.0	0.0						
R1/122	W2/122	LKD	6	31	6	31	0.0	0.0						
R1/122	W5/122	LKD	18	42	18	42	0.0	0.0	18	55	18	55	0.0	0.0
R7/122	W12/122	LD	0	4	0	4	-	0.0						
R7/122	W13/122	LD	2	13	2	13	0.0	0.0						
R7/122	W14/122	LD	24	67	24	67	0.0	0.0						
R7/122	W15/122	LD	24	67	24	67	0.0	0.0	24	67	24	67	0.0	0.0

Battersea Power Station Phase 4 and 4A (Building A2)



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/41	W1/41	LKD	0	17	0	17	-	0.0						
R1/41	W2/41	LKD	0	17	0	17	-	0.0						
R1/41	W3/41	LKD	1	6	1	6	0.0	0.0						
R1/41	W21/41	LKD	9	40	9	40	0.0	0.0	10	41	10	41	0.0	0.0
R9/41	W15/41	LD	0	4	0	4	-	0.0						
R9/41	W16/41	LD	3	8	3	8	0.0	0.0						
R9/41	W17/41	LD	4	4	4	4	0.0	0.0	4	9	4	9	0.0	0.0
R10/41	W18/41	BEDROOM	5	16	5	16	0.0	0.0						
R10/41	W19/41	BEDROOM	3	19	3	19	0.0	0.0	5	22	5	22	0.0	0.0
R11/41	W20/41	BEDROOM	12	32	12	32	0.0	0.0	12	32	12	32	0.0	0.0
R1/42	W1/42	LKD	1	19	1	19	0.0	0.0						
R1/42	W2/42	LKD	1	18	1	18	0.0	0.0						
R1/42	W3/42	LKD	1	6	1	6	0.0	0.0						
R1/42	W21/42	LKD	11	44	11	44	0.0	0.0	11	44	11	44	0.0	0.0
R9/42	W15/42	LD	0	6	0	6	-	0.0						
R9/42	W16/42	LD	3	8	3	8	0.0	0.0						
R9/42	W17/42	LD	5	5	5	5	0.0	0.0	5	12	5	12	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R10/42	W18/42	BEDROOM	6	19	6	19	0.0	0.0						
R10/42	W19/42	BEDROOM	5	24	5	24	0.0	0.0	7	28	7	28	0.0	0.0
R11/42	W20/42	BEDROOM	15	37	15	37	0.0	0.0	15	37	15	37	0.0	0.0
R1/43	W1/43	LKD	2	21	2	21	0.0	0.0						
R1/43	W2/43	LKD	2	20	2	20	0.0	0.0						
R1/43	W3/43	LKD	2	8	2	8	0.0	0.0						
R1/43	W21/43	LKD	15	51	15	51	0.0	0.0	15	51	15	51	0.0	0.0
R9/43	W15/43	LD	0	6	0	6	-	0.0						
R9/43	W16/43	LD	3	11	3	11	0.0	0.0						
R9/43	W17/43	LD	5	5	5	5	0.0	0.0	5	14	5	14	0.0	0.0
R10/43	W18/43	BEDROOM	6	24	6	24	0.0	0.0						
R10/43	W19/43	BEDROOM	5	30	5	30	0.0	0.0	7	32	7	32	0.0	0.0
R11/43	W20/43	BEDROOM	19	41	19	41	0.0	0.0	19	41	19	41	0.0	0.0
R1/44	W1/44	LKD	2	21	2	21	0.0	0.0						
R1/44	W2/44	LKD	2	20	2	20	0.0	0.0						
R1/44	W3/44	LKD	2	20	2	20	0.0	0.0						
R1/44	W21/44	LKD	21	64	21	64	0.0	0.0	21	64	21	64	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R9/44	W15/44	LD	1	9	1	9	0.0	0.0						
R9/44	W16/44	LD	10	37	10	37	0.0	0.0						
R9/44	W17/44	LD	10	38	10	38	0.0	0.0	11	40	11	40	0.0	0.0
R10/44	W18/44	BEDROOM	10	38	10	38	0.0	0.0						
R10/44	W19/44	BEDROOM	10	37	10	37	0.0	0.0	10	38	10	38	0.0	0.0
R11/44	W20/44	BEDROOM	21	64	21	64	0.0	0.0	21	64	21	64	0.0	0.0
R1/45	W1/45	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0
R2/45	W2/45	BEDROOM	20	58	20	58	0.0	0.0						
R2/45	W3/45	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/45	W10/45	BEDROOM	1	12	1	12	0.0	0.0						
R6/45	W11/45	BEDROOM	12	41	12	41	0.0	0.0						
R6/45	W12/45	BEDROOM	12	43	12	43	0.0	0.0	13	46	13	46	0.0	0.0
R7/45	W13/45	BEDROOM	13	43	13	43	0.0	0.0						
R7/45	W14/45	BEDROOM	12	41	12	41	0.0	0.0	13	43	13	43	0.0	0.0
R1/46	W1/46	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R2/46	W2/46	BEDROOM	20	58	20	58	0.0	0.0						
R2/46	W3/46	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/46	W10/46	BEDROOM	1	13	1	13	0.0	0.0						
R6/46	W11/46	BEDROOM	13	46	13	46	0.0	0.0						
R6/46	W12/46	BEDROOM	13	48	13	48	0.0	0.0	14	50	14	50	0.0	0.0
R7/46	W13/46	BEDROOM	15	47	15	47	0.0	0.0						
R7/46	W14/46	BEDROOM	15	46	15	46	0.0	0.0	15	47	15	47	0.0	0.0
R1/47	W1/47	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0
R2/47	W2/47	BEDROOM	20	58	20	58	0.0	0.0						
R2/47	W3/47	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/47	W10/47	BEDROOM	1	16	1	16	0.0	0.0						
R6/47	W11/47	BEDROOM	14	49	14	49	0.0	0.0						
R6/47	W12/47	BEDROOM	14	49	14	49	0.0	0.0	15	51	15	51	0.0	0.0
R7/47	W13/47	BEDROOM	17	49	17	49	0.0	0.0						
R7/47	W14/47	BEDROOM	16	49	16	49	0.0	0.0	17	51	17	51	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/48	W1/48	BEDROOM	20	58	20	58	0.0	0.0	20	58	20	58	0.0	0.0
R2/48	W2/48	BEDROOM	20	58	20	58	0.0	0.0						
R2/48	W3/48	BEDROOM	2	21	2	21	0.0	0.0	20	58	20	58	0.0	0.0
R6/48	W10/48	BEDROOM	2	18	2	17	0.0	5.6						
R6/48	W11/48	BEDROOM	18	56	18	55	0.0	1.8						
R6/48	W12/48	BEDROOM	17	54	17	53	0.0	1.9	19	57	19	56	0.0	1.8
R7/48	W13/48	BEDROOM	19	55	19	54	0.0	1.8						
R7/48	W14/48	BEDROOM	18	53	18	52	0.0	1.9	19	55	19	54	0.0	1.8

Battersea Power Station Phase 4 and 4A (Building A3)

R1/21	W1/21	LKD	4	19	4	19	0.0	0.0						
R1/21	W2/21	LKD	4	12	4	12	0.0	0.0						
R1/21	W3/21	LKD	1	15	1	15	0.0	0.0	5	22	5	22	0.0	0.0
R11/21	W14/21	KITCHEN	0	0	0	0	-	-						
R11/21	W15/21	KITCHEN	0	3	0	4	-	-33.3	0	3	0	4	-	-33.3
R12/21	W16/21	BEDROOM	0	0	0	0	-	-						
R12/21	W17/21	BEDROOM	1	5	0	4	100.0	20.0	1	5	0	4	100.0	20.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R13/21	W18/21	BEDROOM	0	0	0	0	-	-						
R13/21	W19/21	BEDROOM	2	7	1	4	50.0	42.9	2	7	1	4	50.0	42.9
R14/21	W20/21	BEDROOM	0	0	0	0	-	-						
R14/21	W21/21	BEDROOM	2	6	2	4	0.0	33.3	2	6	2	4	0.0	33.3
R15/21	W22/21	BEDROOM	3	22	3	21	0.0	4.5						
R15/21	W23/21	BEDROOM	4	22	4	20	0.0	9.1	5	27	5	25	0.0	7.4
R16/21	W24/21	BEDROOM	1	10	1	10	0.0	0.0						
R16/21	W25/21	BEDROOM	0	0	0	0	-	-	1	10	1	10	0.0	0.0
R17/21	W26/21	BEDROOM	2	2	2	2	0.0	0.0	2	2	2	2	0.0	0.0
R18/21	W27/21	LD	3	13	3	13	0.0	0.0						
R18/21	W28/21	LD	3	18	3	18	0.0	0.0	4	22	4	22	0.0	0.0
R19/21	W29/21	BEDROOM	3	16	3	16	0.0	0.0						
R19/21	W30/21	BEDROOM	2	14	2	14	0.0	0.0	4	17	4	17	0.0	0.0
R20/21	W31/21	BEDROOM	1	6	1	6	0.0	0.0	1	6	1	6	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R21/21	W32/21	LD	4	6	4	6	0.0	0.0	4	6	4	6	0.0	0.0
R1/22	W1/22	LKD	5	24	5	24	0.0	0.0						
R1/22	W2/22	LKD	5	15	5	15	0.0	0.0						
R1/22	W3/22	LKD	1	18	1	18	0.0	0.0	6	28	6	28	0.0	0.0
R11/22	W14/22	KITCHEN	0	0	0	0	-	-						
R11/22	W15/22	KITCHEN	0	4	0	5	-	-25.0	0	4	0	5	-	-25.0
R12/22	W16/22	BEDROOM	0	0	0	0	-	-						
R12/22	W17/22	BEDROOM	1	6	0	5	100.0	16.7	1	6	0	5	100.0	16.7
R13/22	W18/22	BEDROOM	0	0	0	0	-	-						
R13/22	W19/22	BEDROOM	2	8	1	5	50.0	37.5	2	8	1	5	50.0	37.5
R14/22	W20/22	BEDROOM	0	0	0	0	-	-						
R14/22	W21/22	BEDROOM	2	7	2	5	0.0	28.6	2	7	2	5	0.0	28.6
R15/22	W22/22	BEDROOM	4	25	4	24	0.0	4.0						
R15/22	W23/22	BEDROOM	4	24	4	22	0.0	8.3	6	30	6	28	0.0	6.7
R16/22	W24/22	BEDROOM	1	12	1	11	0.0	8.3						
R16/22	W25/22	BEDROOM	0	1	0	1	-	0.0	1	13	1	12	0.0	7.7



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R17/22	W26/22	BEDROOM	2	3	2	3	0.0	0.0	2	3	2	3	0.0	0.0
R18/22	W27/22	LD	4	14	4	14	0.0	0.0						
R18/22	W28/22	LD	4	20	4	20	0.0	0.0	5	24	5	24	0.0	0.0
R19/22	W29/22	BEDROOM	4	18	4	18	0.0	0.0						
R19/22	W30/22	BEDROOM	3	16	3	16	0.0	0.0	5	19	5	19	0.0	0.0
R20/22	W31/22	BEDROOM	1	7	1	7	0.0	0.0	1	7	1	7	0.0	0.0
R21/22	W32/22	LD	5	7	5	7	0.0	0.0	5	7	5	7	0.0	0.0
R1/23	W1/23	LKD	5	17	5	17	0.0	0.0						
R1/23	W2/23	LKD	7	29	7	29	0.0	0.0						
R1/23	W3/23	LKD	1	18	1	18	0.0	0.0	8	32	8	32	0.0	0.0
R11/23	W14/23	KITCHEN	0	0	0	0	-	-						
R11/23	W15/23	KITCHEN	0	4	0	5	-	-25.0	0	4	0	5	-	-25.0
R12/23	W16/23	BEDROOM	0	0	0	0	-	-						
R12/23	W17/23	BEDROOM	1	7	0	6	100.0	14.3	1	7	0	6	100.0	14.3



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R13/23	W18/23	BEDROOM	0	0	0	0	-	-						
R13/23	W19/23	BEDROOM	2	9	1	6	50.0	33.3	2	9	1	6	50.0	33.3
R14/23	W20/23	BEDROOM	0	0	0	0	-	-						
R14/23	W21/23	BEDROOM	2	8	2	6	0.0	25.0	2	8	2	6	0.0	25.0
R15/23	W22/23	BEDROOM	4	28	4	25	0.0	10.7						
R15/23	W23/23	BEDROOM	4	26	4	23	0.0	11.5	6	32	6	29	0.0	9.4
R16/23	W24/23	BEDROOM	1	14	1	13	0.0	7.1						
R16/23	W25/23	BEDROOM	0	2	0	2	-	0.0	1	16	1	15	0.0	6.3
R17/23	W26/23	BEDROOM	2	4	2	4	0.0	0.0	2	4	2	4	0.0	0.0
R18/23	W27/23	LD	4	14	4	14	0.0	0.0						
R18/23	W28/23	LD	4	21	4	21	0.0	0.0	5	25	5	25	0.0	0.0
R19/23	W29/23	BEDROOM	4	19	4	19	0.0	0.0						
R19/23	W30/23	BEDROOM	3	18	3	18	0.0	0.0	5	21	5	21	0.0	0.0
R20/23	W31/23	BEDROOM	1	8	1	8	0.0	0.0	1	8	1	8	0.0	0.0
R21/23	W32/23	LD	5	8	5	8	0.0	0.0	5	8	5	8	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall
Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/24	W1/24	LKD	8	32	8	32	0.0	0.0						
R1/24	W2/24	LKD	6	20	6	20	0.0	0.0						
R1/24	W3/24	LKD	2	21	2	21	0.0	0.0	9	35	9	35	0.0	0.0
R11/24	W14/24	KITCHEN	0	0	0	0	-	-						
R11/24	W15/24	KITCHEN	0	5	0	7	-	-40.0	0	5	0	7	-	-40.0
R12/24	W16/24	BEDROOM	0	0	0	0	-	-						
R12/24	W17/24	BEDROOM	1	7	0	7	100.0	0.0	1	7	0	7	100.0	0.0
R13/24	W18/24	BEDROOM	0	0	0	0	-	-						
R13/24	W19/24	BEDROOM	2	11	1	8	50.0	27.3	2	11	1	8	50.0	27.3
R14/24	W20/24	BEDROOM	0	0	0	1	-	-						
R14/24	W21/24	BEDROOM	2	9	2	7	0.0	22.2	2	9	2	8	0.0	11.1
R15/24	W22/24	BEDROOM	5	30	5	27	0.0	10.0						
R15/24	W23/24	BEDROOM	5	28	5	25	0.0	10.7	7	34	7	31	0.0	8.8
R16/24	W24/24	BEDROOM	1	16	1	15	0.0	6.3						
R16/24	W25/24	BEDROOM	0	3	0	2	-	33.3	1	19	1	17	0.0	10.5



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R17/24	W26/24	LD	2	4	2	4	0.0	0.0						
R17/24	W27/24	LD	6	17	6	17	0.0	0.0	6	17	6	17	0.0	0.0
R18/24	W28/24	BEDROOM	6	28	6	28	0.0	0.0	6	28	6	28	0.0	0.0
R19/24	W29/24	BEDROOM	5	24	5	24	0.0	0.0						
R19/24	W30/24	BEDROOM	4	21	4	21	0.0	0.0	6	25	6	25	0.0	0.0
R20/24	W31/24	BEDROOM	1	11	1	11	0.0	0.0	1	11	1	11	0.0	0.0
R21/24	W32/24	LD	6	9	6	9	0.0	0.0	6	9	6	9	0.0	0.0
R1/25	W1/25	LKD	9	35	9	35	0.0	0.0						
R1/25	W2/25	LKD	5	21	5	21	0.0	0.0						
R1/25	W3/25	LKD	2	19	2	19	0.0	0.0	9	36	9	36	0.0	0.0
R11/25	W14/25	KITCHEN	0	0	0	0	-	-						
R11/25	W15/25	KITCHEN	0	6	0	7	-	-16.7	0	6	0	7	-	-16.7
R12/25	W16/25	BEDROOM	0	0	0	0	-	-						
R12/25	W17/25	BEDROOM	1	9	0	8	100.0	11.1	1	9	0	8	100.0	11.1
R13/25	W18/25	BEDROOM	0	0	0	0	-	-						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R13/25	W19/25	BEDROOM	2	12	1	8	50.0	33.3	2	12	1	8	50.0	33.3
R14/25	W20/25	BEDROOM	0	0	0	2	-	-						
R14/25	W21/25	BEDROOM	2	12	2	10	0.0	16.7	2	12	2	11	0.0	8.3
R15/25	W22/25	BEDROOM	5	35	5	32	0.0	8.6						
R15/25	W23/25	BEDROOM	6	32	6	29	0.0	9.4	8	40	8	37	0.0	7.5
R16/25	W24/25	BEDROOM	3	21	3	18	0.0	14.3						
R16/25	W25/25	BEDROOM	2	5	2	4	0.0	20.0	4	24	4	21	0.0	12.5
R17/25	W26/25	LD	4	6	4	6	0.0	0.0						
R17/25	W27/25	LD	8	19	8	19	0.0	0.0	9	20	9	20	0.0	0.0
R18/25	W28/25	BEDROOM	7	32	7	32	0.0	0.0	7	32	7	32	0.0	0.0
R19/25	W29/25	BEDROOM	6	30	6	29	0.0	3.3						
R19/25	W30/25	BEDROOM	5	26	5	25	0.0	3.8	7	31	7	30	0.0	3.2
R20/25	W31/25	BEDROOM	4	16	4	16	0.0	0.0	4	16	4	16	0.0	0.0
R21/25	W32/25	LD	8	11	8	11	0.0	0.0	8	11	8	11	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/26	W1/26	LKD	10	37	10	37	0.0	0.0						
R1/26	W2/26	LKD	7	25	7	25	0.0	0.0						
R1/26	W3/26	LKD	2	21	2	21	0.0	0.0	10	37	10	37	0.0	0.0
R11/26	W14/26	KITCHEN	0	0	0	0	-	-						
R11/26	W15/26	KITCHEN	0	12	0	9	-	25.0	0	12	0	9	-	25.0
R12/26	W16/26	BEDROOM	0	0	0	0	-	-						
R12/26	W17/26	BEDROOM	2	13	0	8	100.0	38.5	2	13	0	8	100.0	38.5
R13/26	W18/26	BEDROOM	0	0	0	0	-	-						
R13/26	W19/26	BEDROOM	2	13	1	9	50.0	30.8	2	13	1	9	50.0	30.8
R14/26	W20/26	BEDROOM	0	0	0	2	-	-						
R14/26	W21/26	BEDROOM	2	13	2	11	0.0	15.4	2	13	2	12	0.0	7.7
R15/26	W22/26	BEDROOM	6	37	6	34	0.0	8.1						
R15/26	W23/26	BEDROOM	8	40	8	36	0.0	10.0	9	43	9	39	0.0	9.3
R16/26	W24/26	BEDROOM	3	28	3	24	0.0	14.3						
R16/26	W25/26	BEDROOM	3	8	3	5	0.0	37.5	5	31	5	27	0.0	12.9
R17/26	W26/26	LD	5	8	5	7	0.0	12.5						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R17/26	W27/26	LD	8	21	8	20	0.0	4.8	9	22	9	21	0.0	4.5
R18/26	W28/26	BEDROOM	8	37	8	36	0.0	2.7	8	37	8	36	0.0	2.7
R19/26	W29/26	BEDROOM	7	37	7	36	0.0	2.7						
R19/26	W30/26	BEDROOM	5	33	5	33	0.0	0.0	7	38	7	37	0.0	2.6
R20/26	W31/26	BEDROOM	5	19	5	19	0.0	0.0	5	19	5	19	0.0	0.0
R21/26	W32/26	LD	9	14	9	14	0.0	0.0	9	14	9	14	0.0	0.0
R1/27	W1/27	LKD	13	41	13	41	0.0	0.0						
R1/27	W2/27	LKD	9	30	9	30	0.0	0.0						
R1/27	W3/27	LKD	2	19	2	19	0.0	0.0	13	41	13	41	0.0	0.0
R11/27	W14/27	KITCHEN	0	0	0	0	-	-						
R11/27	W15/27	KITCHEN	0	15	0	12	-	20.0	0	15	0	12	-	20.0
R12/27	W16/27	BEDROOM	0	0	0	0	-	-						
R12/27	W17/27	BEDROOM	2	18	0	12	100.0	33.3	2	18	0	12	100.0	33.3
R13/27	W18/27	BEDROOM	0	1	0	0	-	100.0						
R13/27	W19/27	BEDROOM	2	18	1	13	50.0	27.8	2	18	1	13	50.0	27.8



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R14/27	W20/27	BEDROOM	0	1	0	2	-	-100.0						
R14/27	W21/27	BEDROOM	2	15	2	12	0.0	20.0	2	15	2	13	0.0	13.3
R15/27	W22/27	BEDROOM	9	43	9	40	0.0	7.0						
R15/27	W23/27	BEDROOM	9	43	9	39	0.0	9.3	10	46	10	42	0.0	8.7
R16/27	W24/27	BEDROOM	10	44	10	39	0.0	11.4						
R16/27	W25/27	BEDROOM	9	43	9	39	0.0	9.3	11	47	11	42	0.0	10.6
R17/27	W26/27	LD	9	41	9	39	0.0	4.9						
R17/27	W27/27	LD	9	43	9	39	0.0	9.3	10	45	10	41	0.0	8.9
R18/27	W28/27	BEDROOM	8	39	8	38	0.0	2.6	8	39	8	38	0.0	2.6
R19/27	W29/27	BEDROOM	7	39	7	37	0.0	5.1						
R19/27	W30/27	BEDROOM	7	38	7	38	0.0	0.0	7	40	7	39	0.0	2.5
R20/27	W31/27	BEDROOM	10	43	10	43	0.0	0.0	10	43	10	43	0.0	0.0
R21/27	W32/27	LD	10	43	10	43	0.0	0.0	10	43	10	43	0.0	0.0
R1/28	W1/28	LKD	14	42	14	42	0.0	0.0						



SUNLIGHT ANALYSIS

Bookers, Vauxhall

Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/28	W2/28	LKD	10	30	10	30	0.0	0.0						
R1/28	W3/28	LKD	2	21	2	21	0.0	0.0	14	42	14	42	0.0	0.0
R7/28	W11/28	LKD	1	8	1	6	0.0	25.0						
R7/28	W12/28	LKD	8	46	8	45	0.0	2.2						
R7/28	W13/28	LKD	8	47	8	46	0.0	2.1	9	51	9	49	0.0	3.9
R8/28	W14/28	BEDROOM	10	49	10	49	0.0	0.0	10	49	10	49	0.0	0.0
R9/28	W15/28	BEDROOM	9	48	9	48	0.0	0.0	9	48	9	48	0.0	0.0
R1/29	W1/29	LKD	16	43	16	43	0.0	0.0						
R1/29	W2/29	LKD	13	31	13	31	0.0	0.0						
R1/29	W3/29	LKD	2	21	2	21	0.0	0.0	16	43	16	43	0.0	0.0
R7/29	W11/29	LKD	1	11	1	9	0.0	18.2						
R7/29	W12/29	LKD	10	53	10	53	0.0	0.0						
R7/29	W13/29	LKD	12	56	12	56	0.0	0.0	13	57	13	57	0.0	0.0
R8/29	W14/29	BEDROOM	13	56	13	56	0.0	0.0	13	56	13	56	0.0	0.0
R9/29	W15/29	BEDROOM	11	54	11	54	0.0	0.0	11	54	11	54	0.0	0.0



SUNLIGHT ANALYSIS

Bookers, Vauxhall


Consented vs Proposed Scheme 08/03/23

APSH

Room	Window	Room Use	Window				Winter %Loss	Annual %Loss	Room				Winter %Loss	Annual %Loss
			Consented		Proposed				Consented		Proposed			
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/30	W1/30	LKD	16	43	16	43	0.0	0.0						
R1/30	W2/30	LKD	13	31	13	31	0.0	0.0						
R1/30	W3/30	LKD	2	21	2	21	0.0	0.0	16	43	16	43	0.0	0.0
R7/30	W11/30	LKD	2	13	2	12	0.0	7.7						
R7/30	W12/30	LKD	12	56	12	56	0.0	0.0						
R7/30	W13/30	LKD	13	58	13	58	0.0	0.0	15	60	15	60	0.0	0.0
R8/30	W14/30	BEDROOM	14	58	14	58	0.0	0.0	14	58	14	58	0.0	0.0
R9/30	W15/30	BEDROOM	14	57	14	57	0.0	0.0	14	57	14	57	0.0	0.0

142-192 Thessaly Road

R1/313	W1/313	LKD	0	1	0	1	-	0.0						
R1/313	W3/313	LKD	17	39	17	39	0.0	0.0	17	40	17	40	0.0	0.0
R1/314	W1/314	LKD	0	3	0	1	-	66.7						
R1/314	W3/314	LKD	23	67	23	67	0.0	0.0	23	70	23	68	0.0	2.9



Daylight and Sunlight Results
(Consented v Proposed) –
Without Balconies



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

WITHOUT DECK ACCESS / OVERHANGS

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
142-192 Thessaly Road						
R2/300	KITCHEN	W2/300	20.22	19.45	0.77	3.81
R4/300	KITCHEN	W4/300	20.50	20.12	0.38	1.85
R6/300	KITCHEN	W6/300	21.19	20.99	0.20	0.94
R8/300	KITCHEN	W8/300	21.32	21.03	0.29	1.36
R10/300	KITCHEN	W10/300	21.04	20.93	0.11	0.52
R12/300	KITCHEN	W12/300	20.66	20.56	0.10	0.48
R14/300	KITCHEN	W14/300	19.68	19.46	0.22	1.12
R16/300	KITCHEN	W16/300	18.68	18.34	0.34	1.82
R18/300	KITCHEN	W18/300	14.43	13.52	0.91	6.31
R3/301	BEDROOM	W3/301	22.00	21.15	0.85	3.86
R6/301	BEDROOM	W6/301	22.36	21.85	0.51	2.28
R9/301	BEDROOM	W9/301	23.11	22.69	0.42	1.82
R12/301	BEDROOM	W12/301	23.13	22.79	0.34	1.47
R15/301	BEDROOM	W15/301	22.88	22.72	0.16	0.70
R18/301	BEDROOM	W18/301	22.53	22.44	0.09	0.40
R21/301	BEDROOM	W21/301	21.55	21.45	0.10	0.46
R24/301	BEDROOM	W24/301	20.69	20.32	0.37	1.79
R27/301	BEDROOM	W27/301	15.96	14.91	1.05	6.58
R2/302	KITCHEN	W2/302	23.83	22.80	1.03	4.32
R4/302	KITCHEN	W4/302	24.19	23.54	0.65	2.69
R6/302	KITCHEN	W6/302	24.86	24.29	0.57	2.29
R8/302	KITCHEN	W8/302	25.01	24.51	0.50	2.00
R10/302	KITCHEN	W10/302	24.81	24.60	0.21	0.85



DAYLIGHT ANALYSIS

Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23

WITHOUT DECK ACCESS / OVERHANGS

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R12/302	KITCHEN	W12/302	24.61	24.48	0.13	0.53
R14/302	KITCHEN	W14/302	23.93	23.76	0.17	0.71
R16/302	KITCHEN	W16/302	23.11	22.75	0.36	1.56
R18/302	KITCHEN	W18/302	18.09	16.96	1.13	6.25
R3/303	BEDROOM	W3/303	25.60	24.55	1.05	4.10
R6/303	BEDROOM	W6/303	26.06	25.23	0.83	3.18
R9/303	BEDROOM	W9/303	26.79	25.97	0.82	3.06
R12/303	BEDROOM	W12/303	26.91	26.30	0.61	2.27
R15/303	BEDROOM	W15/303	26.85	26.57	0.28	1.04
R18/303	BEDROOM	W18/303	26.79	26.67	0.12	0.45
R21/303	BEDROOM	W21/303	26.31	26.23	0.08	0.30
R24/303	BEDROOM	W24/303	25.74	25.36	0.38	1.48
R27/303	BEDROOM	W27/303	19.94	18.82	1.12	5.62
R1/310	ASSUMED	W1/310	17.22	16.43	0.79	4.59
R2/310	ASSUMED	W3/310	18.48	17.63	0.85	4.60
R3/310	ASSUMED	W4/310	21.27	20.18	1.09	5.12
R4/310	ASSUMED	W5/310	16.74	15.48	1.26	7.53
R2/311	KITCHEN	W2/311	23.73	22.45	1.28	5.39
R3/311	KITCHEN	W3/311	18.61	17.43	1.18	6.34
R6/311	KITCHEN	W6/311	19.37	18.27	1.10	5.68
R3/312	BEDROOM	W3/312	25.72	24.28	1.44	5.60
R4/312	BEDROOM	W4/312	19.90	18.48	1.42	7.14
R5/312	BEDROOM	W5/312	21.25	20.03	1.22	5.74



DAYLIGHT ANALYSIS


Bookers, Vauxhall

Existing vs Proposed Scheme 08/03/23


WITHOUT DECK ACCESS / OVERHANGS

DAYLIGHT

Room	Room Use	Window	Consented VSC	Proposed VSC	Loss	%Loss
R1/313	LKD	W1/313	28.05	26.56	1.49	5.31
R1/313	LKD	W3/313	20.48	20.48	0.00	0.00
R2/313	BEDROOM	W2/313	23.24	21.97	1.27	5.46
R1/314	LKD	W1/314	30.93	29.42	1.51	4.88
R1/314	LKD	W3/314	36.39	36.39	0.00	0.00
R2/314	BEDROOM	W2/314	26.83	25.50	1.33	4.96



Appendix 5: VSC and APSH
Façade Mapping Study Drawings
for Neighbouring Outline
Consented Developments




Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:	VSC (%)
	0%
	5%
	10%
	15%
	20%
	25%
	30%
	35%
	≥ 40%
Scheme Confirmed:	-
Date:	-

Project:	Bookers, Vauxhall, London
Drawn By:	NB
Scale:	NTS
Date:	MARCH 23

Title:	VSC Facade Study New Covent Garden Market Proposed Scheme
Dwg No:	P2874/FS 01
Rel:	11





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: VSC (%)	
0%	
5%	
10%	
15%	
20%	
25%	
30%	
35%	
≥ 40%	

Scheme Confirmed:	-
Date:	-


Project: Bookers, Vauxhall, London

Drawn By: NB	Scale: NTS	Date: MARCH 23
--------------	------------	----------------

Title: VSC Facade Study New Covent Garden Market Proposed Scheme
--

Dwg No: P2874/FS 02	Rel: 11
---------------------	---------





Sources: Point2
Site Photography

Local Planning Authority
Various Surrounding Building Layouts

Glenn Howells Architects Ltd


Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:	VSC (%)
	0%
	5%
	10%
	15%
	20%
	25%
	30%
	35%
	≥ 40%
Scheme Confirmed:	-
Date:	-

Project:	Bookers, Vauxhall, London
Drawn By:	NB
Scale:	NTS
Date:	MARCH 23

Title:	VSC Facade Study New Covent Garden Market Proposed Scheme
Dwg No:	P2874/FS 03
Rel:	11






Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:	VSC (%)
	0%
	5%
	10%
	15%
	20%
	25%
	30%
	35%
	≥ 40%
Scheme Confirmed:	-
Date:	-


Project:	Bookers, Vauxhall, London
Drawn By:	NB
Scale:	NTS
Date:	MARCH 23

Title:	VSC Facade Study New Covent Garden Market Proposed Scheme
Dwg No:	P2874/FS 04
Rel:	11





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg



Project: Bookers, Vauxhall,
 London

Title: APSh Facade Study
 New Covent Garden Market
 Proposed Scheme

Scheme Confirmed: -

Date: -

Drawn By:
 NB


Scale:
 NTS

Date:
 MARCH 23

Dwg No:
P2874/FS 05

Rel:
11





Appendix 6: External Sun on Ground (Overshadowing) Assessment Results

2-Hour Sun on Ground Results





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 24/08/22. 2278-A-3DM-220824-Plot 01 13 Storeys.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight



Project: Bookers, Vauxhall, London

Title: Site Plan
 2 Hour Overshadowing BRE test.
 Existing Buildings
 21st March

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: DEC 22

Dwg No: **P2874/SHAD/20**

Rel: **09**






Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 24/08/22. 2278-A-3DM-220824-Plot 01 13 Storeys.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight



Project: Bookers, Vauxhall, London

Title: Site Plan
 2 Hour Overshadowing.
 Existing Buildings
 21st June

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: DEC 22

Dwg No: P2874/SHAD/21

Rel: 09





Land & Buildings on the North East Side of Sleaford Street

BATTERSEA PARK RD

Viridian Apartments
SLEAFORD ST

77.3%

19.4%
(21st April)

17.2%
(8th May)

Sources: Point2
Site Photography

Local Planning Authority
Various Surrounding Building Layouts


Glenn Howells Architects Ltd

Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight



Project: Bookers, Vauxhall, London

Title: Site Plan
2 Hour Overshadowing.
Proposed dated 08/03/23

21st March

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/SHAD/26**

Rel: **11**





Sources: Point2
Site Photography

Local Planning Authority
Various Surrounding Building Layouts


Glenn Howells Architects Ltd

Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight



Project: Bookers, Vauxhall, London

Title: Site Plan
2 Hour Overshadowing.
Proposed dated 08/03/23

21st June

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: P2874/SHAD/27

Rel: 11





Sources: Point2
Site Photography

Local Planning Authority
Various Surrounding Building Layouts


Glenn Howells Architects Ltd

Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight



Project: Bookers, Vauxhall, London

Title: Site Plan
2 Hour Overshadowing.
21st March

Consented Scheme

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/SHAD/30**

Rel: **11**





Sources: Point2
Site Photography

Local Planning Authority
Various Surrounding Building Layouts

Glenn Howells Architects Ltd

Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight

Project: Bookers, Vauxhall, London

Title: Site Plan
2 Hour Overshadowing.
21st June

Consented Scheme

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/SHAD/31**

Rel: **11**






Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight



Project: Bookers, Vauxhall, London

Title: Site Plan
 2 Hour Overshadowing.
 Proposed dated 08/03/23
 21st March

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/SHAD/36**

Rel: **11**






Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight



Project: Bookers, Vauxhall, London

Title: Site Plan
 2 Hour Overshadowing.
 Proposed dated 08/03/23
 21st June

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/SHAD/37**

Rel: **11**





Sources: Point2
 Site Photography

Local Planning Authority
 Various Surrounding Building Layouts


Glenn Howells Architects Ltd

Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight



Project: Bookers, Vauxhall, London

Title: Site Plan
 2 Hour Overshadowing.
 Consented

21st March

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/SHAD/38**

Rel: **11**





Sources: Point2
 Site Photography

Local Planning Authority
 Various Surrounding Building Layouts

Glenn Howells Architects Ltd

Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight



Project: Bookers, Vauxhall, London

Title: Site Plan
 2 Hour Overshadowing.
 Consented

21st June

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/SHAD/39**

Rel: **11**



Time in Sun Analysis Results






Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Permanent Shadow
- 1-15 Minutes
- 15-30 Minutes
- 30-45 Minutes
- 45-60 Minutes
- 60-75 Minutes
- 75-90 Minutes
- 90-105 Minutes
- 105-120 Minutes
- Over 2 Hours

Area analysed



Project: Bookers, Vauxhall,
 London

Title: Site Plan
 2 Hour Overshadowing.
 Proposed dated 08/03/23
 21st March

Scheme Confirmed: -

Date: -

Drawn By:
 NB

Scale:
 1:1100

Date:
 MARCH 23

Dwg No:
P2874/TIS 07

Rel:
11





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

Area analysed


 N

< 1mins
1 - 30 mins
30 - 60 mins
60 - 90 mins
90 - 120 mins
120 - 150 mins
150 - 180 mins
180 - 210 mins
210 - 240 mins
240 - 270 mins
270 - 300 mins
≥ 300mins

Project: Bookers, Vauxhall,
 London

Title: Site Plan
 2 Hour Overshadowing.
 Proposed dated 08/03/23
 21st June

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/TIS 08**

Rel: **11**





Sources: Point2
 Site Photography

Local Planning Authority
 Various Surrounding Building Layouts

Glenn Howells Architects Ltd

Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Permanent Shadow
- 1-15 Minutes
- 15-30 Minutes
- 30-45 Minutes
- 45-60 Minutes
- 60-75 Minutes
- 75-90 Minutes
- 90-105 Minutes
- 105-120 Minutes
- Over 2 Hours

Area analysed

N

Project: Bookers, Vauxhall,
 London

Title: Site Plan
 2 Hour Overshadowing.
 Consented

21st March

Scheme Confirmed: -

Date: -

Drawn By:
 NB


Scale:
 1:1100

Date:
 MARCH 23

Dwg No:
P2874/TIS 09

Rel:
11





Sources: Point2
Site Photography

Local Planning Authority
Various Surrounding Building Layouts

Glenn Howells Architects Ltd

Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

Area analysed

	< 1mins
	1 - 30 mins
	30 - 60 mins
	60 - 90 mins
	90 - 120 mins
	120 - 150 mins
	150 - 180 mins
	180 - 210 mins
	210 - 240 mins
	240 - 270 mins
	270 - 300 mins
	≥ 300mins

N

Project: Bookers, Vauxhall,
London

Title: Site Plan
2 Hour Overshadowing.
Consented

21st June

Scheme Confirmed: -

Date: -

Drawn By:
NB


Scale:
1:1100

Date:
MARCH 23

Dwg No:
P2874/TIS 10

Rel:
11





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:	<ul style="list-style-type: none"> Permanent Shadow 1-15 Minutes 15-30 Minutes 30-45 Minutes 45-60 Minutes 60-75 Minutes 75-90 Minutes 90-105 Minutes 105-120 Minutes Over 2 Hours 	<ul style="list-style-type: none"> Area analysed
------	--	---

Project: Bookers, Vauxhall,
 London

Title: Site Plan
 2 Hour Overshadowing.
 Proposed dated 08/03/23
 21st March

Scheme Confirmed: -

Date: -

Drawn By:
 NB

Scale:
 1:1100

Date:
 MARCH 23

Dwg No:
P2874/TIS 11

Rel:
11





Sources: Point2
Site Photography

Local Planning Authority
Various Surrounding Building Layouts

Glenn Howells Architects Ltd

Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

Area analysed

	< 1mins
	1 - 30 mins
	30 - 60 mins
	60 - 90 mins
	90 - 120 mins
	120 - 150 mins
	150 - 180 mins
	180 - 210 mins
	210 - 240 mins
	240 - 270 mins
	270 - 300 mins
	≥ 300mins

N

Project: Bookers, Vauxhall,
London

Title: Site Plan
2 Hour Overshadowing.
Proposed dated 08/03/23

21st June

Scheme Confirmed: -

Date: -

Drawn By:
NB

Scale:
1:1100

Date:
MARCH 23

Dwg No:
P2874/TIS 12

Rel:
11





Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

Permanent Shadow
1-15 Minutes
15-30 Minutes
30-45 Minutes
45-60 Minutes
60-75 Minutes
75-90 Minutes
90-105 Minutes
105-120 Minutes
Over 2 Hours

Area analysed

↑ N

Project: Bookers, Vauxhall,
 London

Title: Site Plan
 2 Hour Overshadowing.
 Consented
 21st March

Scheme Confirmed: -

Date: -

Drawn By:
 NB

Scale:
 1:1100

Date:
 MARCH 23

Dwg No:
P2874/TIS 13

Rel:
11





Land & Buildings on the North East Side of Sleaford Street

BATTERSEA PARK RD

Viridian Apartments
SLEAFORD ST

99.9%

96.2%

99.9%

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

Area analysed

- < 1mins
- 1 - 30 mins
- 30 - 60 mins
- 60 - 90 mins
- 90 - 120 mins
- 120 - 150 mins
- 150 - 180 mins
- 180 - 210 mins
- 210 - 240 mins
- 240 - 270 mins
- 270 - 300 mins
- ≥ 300mins



Project: Bookers, Vauxhall,
London

Title: Site Plan
2 Hour Overshadowing.
Consented
21st June

Scheme Confirmed: -

Date: -

Drawn By:
NB

Scale:
1:1100

Date:
MARCH 23


Dwg No:
P2874/TIS 14

Rel:
11

Rel:
11



Appendix 7: Internal Daylight and Sunlight Results



Climate Based Daylight Modelling (CBDM) Results

The background features a dark blue field with a large, stylized teal shape on the left side. This shape consists of a vertical line on the left, a diagonal line extending from the top-left towards the bottom-right, and a horizontal line at the bottom. The teal shape is composed of several overlapping, semi-transparent layers, creating a sense of depth and movement.



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
Building 01				
R1/2002	LKD	200	364.3	77.7
R2/2002	BEDROOM	100	214.9	100
R3/2002	BEDROOM	100	175.9	96.6
R4/2002	LKD	200	251.3	65.3
R5/2002	BEDROOM	100	99.6	48.2
R6/2002	BEDROOM	100	90.3	39.1
R7/2002	BEDROOM	100	49.1	17.8
R8/2002	BEDROOM	100	40.4	8.5
R9/2002	BEDROOM	100	22.4	0
R10/2002	LKD	200	92.8	17.4
R11/2002	BEDROOM	100	103	53
R12/2002	BEDROOM	100	145	77.4
R13/2002	LKD	200	194.4	49.1
R14/2002	BEDROOM	100	211	81.5
R15/2002	BEDROOM	100	96.1	49.8
R16/2002	LKD	200	32.1	2.3
R17/2002	BEDROOM	100	147.5	70.7
R18/2002	BEDROOM	100	121.8	55.4
R1/2003	LKD	200	403.7	89.9
R2/2003	BEDROOM	100	274.5	100
R3/2003	BEDROOM	100	241.7	95.7
R4/2003	LKD	200	276.4	64.2
R5/2003	BEDROOM	100	102.8	53
R6/2003	BEDROOM	100	85.2	37.9
R7/2003	BEDROOM	100	52.9	19.3
R8/2003	BEDROOM	100	41.8	11.9
R9/2003	BEDROOM	100	22.6	0
R10/2003	LKD	200	104.5	19.8
R11/2003	BEDROOM	100	128.3	59.8
R12/2003	BEDROOM	100	164	88.6
R13/2003	LKD	200	265	60.3



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R14/2003	BEDROOM	100	294.1	100
R15/2003	BEDROOM	100	152.2	67.9
R16/2003	LKD	200	47.9	6.8
R17/2003	BEDROOM	100	197.6	97.3
R18/2003	BEDROOM	100	183.9	80
R1/2004	LKD	200	447.9	95.3
R2/2004	BEDROOM	100	289.2	100
R3/2004	BEDROOM	100	253.3	100
R4/2004	LKD	200	395.7	77
R5/2004	BEDROOM	100	107.9	57.2
R6/2004	BEDROOM	100	86.8	40.2
R7/2004	BEDROOM	100	46.7	18.3
R8/2004	BEDROOM	100	47.8	13.6
R9/2004	BEDROOM	100	50.4	18.1
R10/2004	LKD	200	169.9	39.9
R11/2004	BEDROOM	100	157.4	69.7
R12/2004	BEDROOM	100	201	96.2
R13/2004	LKD	200	231.2	57.7
R14/2004	BEDROOM	100	366.4	100
R15/2004	BEDROOM	100	202.1	82.2
R16/2004	LKD	200	65.5	14.7
R17/2004	BEDROOM	100	236.2	99.5
R18/2004	BEDROOM	100	234.3	94.9
R1/2005	LKD	200	518	94.8
R2/2005	BEDROOM	100	255.9	100
R3/2005	BEDROOM	100	198.5	98.8
R4/2005	LKD	200	240.1	64.4
R5/2005	BEDROOM	100	146.2	75.2
R6/2005	BEDROOM	100	88.7	41
R7/2005	BEDROOM	100	34	12.6
R8/2005	BEDROOM	100	63	21.8
R9/2005	LKD	200	253.7	70.4



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R10/2005	BEDROOM	100	105.3	53.2
R11/2005	LKD	200	144	35.4
R12/2005	BEDROOM	100	603.4	100
R13/2005	LKD	200	200.3	50.2
R14/2005	BEDROOM	100	281.2	100
R15/2005	BEDROOM	100	190.5	82.8
R1/2006	LKD	200	558.6	98.7
R2/2006	BEDROOM	100	264.2	100
R3/2006	BEDROOM	100	200.8	100
R4/2006	LKD	200	249.2	69.5
R5/2006	BEDROOM	100	150.2	78.4
R6/2006	BEDROOM	100	92.9	41.6
R7/2006	BEDROOM	100	35.9	14.3
R8/2006	BEDROOM	100	68	23.6
R9/2006	LKD	200	282.3	83.3
R10/2006	BEDROOM	100	116.4	58.1
R11/2006	LKD	200	153.1	38.8
R12/2006	BEDROOM	100	695.5	100
R13/2006	LKD	200	241.6	74.6
R14/2006	BEDROOM	100	324.1	100
R15/2006	BEDROOM	100	211.8	99.2
R1/2007	LKD	200	597.7	100
R2/2007	BEDROOM	100	269.7	100
R3/2007	BEDROOM	100	205.8	100
R4/2007	LKD	200	259	74.5
R5/2007	BEDROOM	100	157.1	83.8
R6/2007	BEDROOM	100	94.6	45.5
R7/2007	BEDROOM	100	38.2	16
R8/2007	BEDROOM	100	73.6	28.4
R9/2007	LKD	200	312.6	92.9
R10/2007	BEDROOM	100	127.1	63.1
R11/2007	LKD	200	167.9	42.1



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R12/2007	BEDROOM	100	732.1	100
R13/2007	LKD	200	275.3	79.1
R14/2007	BEDROOM	100	346.1	100
R15/2007	BEDROOM	100	237.1	100
R1/2008	LKD	200	625.5	100
R2/2008	BEDROOM	100	276.9	100
R3/2008	BEDROOM	100	212.2	100
R4/2008	LKD	200	267.8	79.9
R5/2008	BEDROOM	100	166	87
R6/2008	BEDROOM	100	100.2	50.6
R7/2008	BEDROOM	100	42	18.2
R8/2008	BEDROOM	100	80.2	32.1
R9/2008	LKD	200	349.5	98.6
R10/2008	BEDROOM	100	133.1	71
R11/2008	LKD	200	182.5	45
R12/2008	BEDROOM	100	757	100
R13/2008	LKD	200	293.5	81.1
R14/2008	BEDROOM	100	358.5	100
R15/2008	BEDROOM	100	246.3	100
R1/2009	LKD	200	641.7	100
R2/2009	BEDROOM	100	285.3	100
R3/2009	BEDROOM	100	217.6	100
R4/2009	LKD	200	277.1	87.3
R5/2009	BEDROOM	100	171.2	90.7
R6/2009	BEDROOM	100	103.3	52.5
R7/2009	BEDROOM	100	46.5	21.2
R8/2009	BEDROOM	100	89.8	41.2
R9/2009	LKD	200	388.5	100
R10/2009	BEDROOM	100	141.3	78.2
R11/2009	LKD	200	190.6	48
R12/2009	BEDROOM	100	782.3	100
R13/2009	LKD	200	306.1	81.6
R14/2009	BEDROOM	100	368.1	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R15/2009	BEDROOM	100	253.3	100
R1/2010	LKD	200	653	100
R2/2010	BEDROOM	100	293.5	100
R3/2010	BEDROOM	100	220.4	100
R4/2010	LKD	200	284.6	92.4
R5/2010	BEDROOM	100	176.9	94.1
R6/2010	BEDROOM	100	107.9	56.8
R7/2010	BEDROOM	100	52.1	23.8
R8/2010	BEDROOM	100	96.4	47.8
R9/2010	LKD	200	424.2	100
R10/2010	BEDROOM	100	148.6	84
R11/2010	LKD	200	200.8	50.2
R12/2010	BEDROOM	100	807.5	100
R13/2010	LKD	200	315.6	82.3
R14/2010	BEDROOM	100	379.4	100
R15/2010	BEDROOM	100	260.1	100
R1/2011	LKD	200	865.2	100
R2/2011	BEDROOM	100	297.3	100
R3/2011	BEDROOM	100	222.4	100
R4/2011	LKD	200	292.5	94.7
R5/2011	BEDROOM	100	186.7	96.9
R6/2011	BEDROOM	100	111.5	62.2
R7/2011	BEDROOM	100	56.3	28.1
R8/2011	BEDROOM	100	112.5	57.5
R9/2011	LKD	200	631.9	100
R10/2011	BEDROOM	100	203.7	100
R11/2011	LKD	200	311.1	74.4
R12/2011	BEDROOM	100	839.6	100
R13/2011	LKD	200	450.7	96.8
R14/2011	BEDROOM	100	404	100
R15/2011	BEDROOM	100	267.2	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R1/2012	LKD	200	441.9	97.3
R2/2012	BEDROOM	100	397.9	100
R3/2012	LKD	200	585	100
R4/2012	BEDROOM	100	144.8	75.2
R5/2012	BEDROOM	100	126.3	66
R6/2012	BEDROOM	100	78.8	42.9
R7/2012	LKD	200	248.1	67.8
R8/2012	BEDROOM	100	224.7	100
R9/2012	LKD	200	192.3	46.6
R10/2012	LKD	200	639.5	78.3
R11/2012	BEDROOM	100	325.3	100
R12/2012	BEDROOM	100	321.8	100

Building 02

R1/2101	STUDIO	200	295.4	74.8
R2/2101	STUDIO	200	515.6	100
R3/2101	STUDIO	200	132.5	44
R4/2101	STUDIO	200	130.4	42.5
R5/2101	STUDIO	200	91.4	31.7
R6/2101	STUDIO	200	83.8	28.3
R7/2101	STUDIO	200	72.6	26.6
R8/2101	STUDIO	200	69.9	24.9
R9/2101	STUDIO	200	67.6	25.5
R10/2101	STUDIO	200	168.4	57.6
R11/2101	STUDIO	200	157.8	53.5
R12/2101	STUDIO	200	166.7	54.9
R13/2101	STUDIO	200	147.6	48.9
R14/2101	STUDIO	200	152.6	51.3
R15/2101	STUDIO	200	69.9	27.6
R16/2101	STUDIO	200	65.2	31.1
R17/2101	STUDIO	200	46.9	22.9
R1/2102	STUDIO	200	322.1	77.4
R2/2102	STUDIO	200	535.5	100
R3/2102	STUDIO	200	138.9	47.7
R4/2102	STUDIO	200	137.7	44.5
R5/2102	STUDIO	200	96.5	33.8
R6/2102	STUDIO	200	91.3	31.2



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R7/2102	STUDIO	200	80.5	28.9
R8/2102	STUDIO	200	76.5	27.5
R9/2102	STUDIO	200	74.3	26.9
R10/2102	STUDIO	200	73	27.5
R11/2102	STUDIO	200	210.3	82.8
R12/2102	STUDIO	200	321.8	93.3
R13/2102	STUDIO	200	171.4	58
R14/2102	STUDIO	200	184.6	62
R15/2102	STUDIO	200	174.5	58.6
R16/2102	STUDIO	200	180.9	59.9
R17/2102	STUDIO	200	161.1	54.5
R18/2102	STUDIO	200	168.4	53.9
R19/2102	STUDIO	200	79.3	29.1
R20/2102	STUDIO	200	73.1	34.2
R21/2102	STUDIO	200	53.5	24.7
R1/2103	STUDIO	200	336.1	79.2
R2/2103	STUDIO	200	552	100
R3/2103	STUDIO	200	147	48.8
R4/2103	STUDIO	200	141.8	47.1
R5/2103	STUDIO	200	104.1	35.2
R6/2103	STUDIO	200	97.6	32.6
R7/2103	STUDIO	200	86.5	30.3
R8/2103	STUDIO	200	82.3	29.5
R9/2103	STUDIO	200	80.8	29.5
R10/2103	STUDIO	200	78.1	28.3
R11/2103	STUDIO	200	236.5	86.2
R12/2103	STUDIO	200	364.2	96.7
R13/2103	STUDIO	200	182.6	63.7
R14/2103	STUDIO	200	196.6	64
R15/2103	STUDIO	200	184.4	65.4
R16/2103	STUDIO	200	193.1	62
R17/2103	STUDIO	200	172.5	60.8
R18/2103	STUDIO	200	182.3	56
R19/2103	STUDIO	200	87.6	31.3
R20/2103	STUDIO	200	78.7	37.4
R21/2103	STUDIO	200	57.1	26.8
R1/2104	STUDIO	200	349.2	81.9
R2/2104	STUDIO	200	565.1	100
R3/2104	STUDIO	200	151.4	50.5
R4/2104	STUDIO	200	148.6	49.1
R5/2104	STUDIO	200	111.2	37.2
R6/2104	STUDIO	200	103.6	34
R7/2104	STUDIO	200	93.4	32.3
R8/2104	STUDIO	200	89.6	31.2
R9/2104	STUDIO	200	88.9	31.2



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R10/2104	STUDIO	200	86.6	30.9
R11/2104	STUDIO	200	262.7	88.5
R12/2104	STUDIO	200	404.9	99.7
R13/2104	STUDIO	200	195.8	67.4
R14/2104	STUDIO	200	205	65
R15/2104	STUDIO	200	194.2	67.6
R16/2104	STUDIO	200	202	64.4
R17/2104	STUDIO	200	182	65.9
R18/2104	STUDIO	200	192.5	58.3
R19/2104	STUDIO	200	95.5	33.5
R20/2104	STUDIO	200	86.3	38.9
R21/2104	STUDIO	200	61.5	29
R1/2105	STUDIO	200	362	84
R2/2105	STUDIO	200	579.2	100
R3/2105	STUDIO	200	158	52
R4/2105	STUDIO	200	153.8	51.4
R5/2105	STUDIO	200	116.2	38.9
R6/2105	STUDIO	200	110.3	36.3
R7/2105	STUDIO	200	100.5	34.9
R8/2105	STUDIO	200	95.6	32.6
R9/2105	STUDIO	200	93.8	34.1
R10/2105	STUDIO	200	92.6	33.2
R11/2105	STUDIO	200	289.8	90.9
R12/2105	STUDIO	200	460.1	100
R13/2105	STUDIO	200	203.5	68.8
R14/2105	STUDIO	200	215.1	67.6
R15/2105	STUDIO	200	200.6	70
R16/2105	STUDIO	200	211.4	65.6
R17/2105	STUDIO	200	184.3	68.3
R18/2105	STUDIO	200	199.2	60.4
R19/2105	STUDIO	200	100.4	34
R20/2105	STUDIO	200	94.8	40.4
R21/2105	STUDIO	200	64.9	30.8
R1/2106	STUDIO	200	373.4	87.5
R2/2106	STUDIO	200	588.3	100
R3/2106	STUDIO	200	159	53.1
R4/2106	STUDIO	200	156	53.4
R5/2106	STUDIO	200	120	41.2
R6/2106	STUDIO	200	115.5	38.3
R7/2106	STUDIO	200	106.3	36.6
R8/2106	STUDIO	200	102.7	34.9
R9/2106	STUDIO	200	103.2	35.5
R10/2106	STUDIO	200	96.6	34.9
R11/2106	STUDIO	200	312.4	92.9
R12/2106	STUDIO	200	502.6	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R13/2106	STUDIO	200	209	70.3
R14/2106	STUDIO	200	221.1	67.9
R15/2106	STUDIO	200	205.8	70.3
R16/2106	STUDIO	200	220.5	67.3
R17/2106	STUDIO	200	199.3	68.9
R18/2106	STUDIO	200	207.9	62.1
R19/2106	STUDIO	200	104.6	35.9
R20/2106	STUDIO	200	97.8	41.6
R21/2106	STUDIO	200	69.4	32.6
R1/2107	DINING	200	580.1	100
R2/2107	STUDY	200	702.2	100
R1/2108	STUDIO	200	397	97.2
R2/2108	STUDIO	200	629.8	100
R3/2108	STUDIO	200	211.2	69.9
R4/2108	STUDIO	200	208.2	69.1
R5/2108	STUDIO	200	168.7	56.7
R6/2108	STUDIO	200	168.7	56.6
R7/2108	STUDIO	200	255.2	84.1
R8/2108	STUDIO	200	438.5	100
R9/2108	STUDIO	200	213.9	73.6
R10/2108	STUDIO	200	228.8	67
R11/2108	STUDIO	200	130.8	42.8
R12/2108	STUDIO	200	133	46.5
R13/2108	STUDIO	200	90.2	38.4
R1/2109	STUDIO	200	417.3	99.1
R2/2109	STUDIO	200	643.8	100
R3/2109	STUDIO	200	217.6	70.6
R4/2109	STUDIO	200	213	69.5
R5/2109	STUDIO	200	175.7	58.1
R6/2109	STUDIO	200	177.6	58.1
R7/2109	STUDIO	200	273.6	85.3
R8/2109	STUDIO	200	456.1	100
R9/2109	STUDIO	200	221.9	75.2
R10/2109	STUDIO	200	236.4	69.9
R11/2109	STUDIO	200	139.4	46.1
R12/2109	STUDIO	200	155	51.2
R13/2109	STUDIO	200	117.5	43.1
R1/2110	STUDIO	200	461	100
R2/2110	STUDIO	200	658.1	100
R3/2110	STUDIO	200	222.7	70.9
R4/2110	STUDIO	200	220.5	70.3
R5/2110	STUDIO	200	189.6	60.1
R6/2110	STUDIO	200	190.3	60.4
R7/2110	STUDIO	200	292.9	86.7
R8/2110	STUDIO	200	472.2	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R9/2110	STUDIO	200	232.9	77
R10/2110	STUDIO	200	246.1	70.9
R11/2110	STUDIO	200	155.1	51.6
R12/2110	STUDIO	200	189.5	58.3
R13/2110	STUDIO	200	158.9	51.8
R1/2111	STUDIO	200	521.1	100
R2/2111	STUDIO	200	675.8	100
R3/2111	STUDIO	200	229.1	71.8
R4/2111	STUDIO	200	227	70.7
R5/2111	STUDIO	200	200.8	63.4
R6/2111	STUDIO	200	198.6	63
R7/2111	STUDIO	200	312.4	88.2
R8/2111	STUDIO	200	488.7	100
R9/2111	STUDIO	200	245.4	77.9
R10/2111	STUDIO	200	259.2	73.6
R11/2111	STUDIO	200	172.8	59
R12/2111	STUDIO	200	223.6	63.7
R13/2111	STUDIO	200	205	60.7
R1/2112	STUDIO	200	611.7	100
R2/2112	STUDIO	200	690	100
R3/2112	STUDIO	200	233.7	72.4
R4/2112	STUDIO	200	232.5	71.6
R5/2112	STUDIO	200	213.6	67.7
R6/2112	STUDIO	200	211.3	66
R7/2112	STUDIO	200	330	88.9
R8/2112	STUDIO	200	512.7	100
R9/2112	STUDIO	200	251.3	79.3
R10/2112	STUDIO	200	269.7	75
R11/2112	STUDIO	200	190.7	67.7
R12/2112	STUDIO	200	251.1	69.2
R13/2112	STUDIO	200	249.8	67.1
R1/2113	STUDIO	200	236.4	73.3
R2/2113	STUDIO	200	239.6	71.6
R3/2113	STUDIO	200	222.3	69.4
R4/2113	STUDIO	200	223.5	68.8
R5/2113	STUDIO	200	348.3	90.8
R6/2113	STUDIO	200	518.1	100
R7/2113	STUDIO	200	263.9	80.3
R8/2113	STUDIO	200	280.8	75
R9/2113	STUDIO	200	177.8	63.7
R10/2113	STUDIO	200	276.7	73.4
R11/2113	STUDIO	200	285.5	72.9
R12/2113	STUDENT_AMENITY	200	540.2	100
R1/2114	STUDIO	200	243.2	74.7
R2/2114	STUDIO	200	247.5	72.7



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R3/2114	STUDIO	200	238	70.8
R4/2114	STUDIO	200	231.3	71.4
R5/2114	STUDIO	200	372.6	93.6
R6/2114	STUDIO	200	538.4	100
R7/2114	STUDIO	200	267.9	80.6
R8/2114	STUDIO	200	287.1	76
R9/2114	STUDIO	200	184.1	66.9
R10/2114	STUDIO	200	286.2	75.7
R11/2114	STUDIO	200	294.3	75.5
R12/2114	STUDENT_AMENITY	200	553.1	100
R1/2115	STUDIO	200	250.1	75.9
R2/2115	STUDIO	200	255.7	73.6
R3/2115	STUDIO	200	253.2	72.4
R4/2115	STUDIO	200	243.9	73.5
R5/2115	STUDIO	200	392.2	98.5
R6/2115	STUDIO	200	549.1	100
R7/2115	STUDIO	200	271.5	80.9
R8/2115	STUDIO	200	288.7	77.4
R9/2115	STUDIO	200	186.7	70.6
R10/2115	STUDIO	200	286.9	76.4
R11/2115	STUDIO	200	298.1	75.8
R12/2115	STUDENT_AMENITY	200	560.5	100
R1/2116	STUDIO	200	254.2	77.7
R2/2116	STUDIO	200	266	74.5
R3/2116	STUDIO	200	266.1	73.5
R4/2116	STUDIO	200	254.6	75.8
R5/2116	STUDIO	200	415.1	99.7
R6/2116	STUDIO	200	580	100
R7/2116	STUDIO	200	272.8	80.9
R8/2116	STUDIO	200	291.1	76.8
R9/2116	STUDIO	200	188.3	72.2
R10/2116	STUDIO	200	291.6	77.8
R11/2116	STUDIO	200	305.4	77
R12/2116	STUDENT_AMENITY	200	567.3	100

Building 03

R1/2201	CLUSTER_LIVING	200	72.9	12.9
R2/2201	CLUSTER	150	119.9	63.3
R3/2201	CLUSTER	150	95.5	48.3
R4/2201	CLUSTER	150	85.1	44.2
R5/2201	CLUSTER_LIVING	200	32.4	15
R6/2201	CLUSTER	150	119.1	59.4
R7/2201	CLUSTER	150	105.1	51.8
R8/2201	CLUSTER	150	136.9	67.1



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R9/2201	CLUSTER	150	133.2	64.4
R10/2201	CLUSTER	150	141.5	67.5
R11/2201	CLUSTER_LIVING	200	68.2	23.6
R12/2201	CLUSTER	150	204.3	95.7
R13/2201	CLUSTER	150	230.2	100
R14/2201	CLUSTER	150	214.4	95.7
R15/2201	CLUSTER	150	239.7	96.5
R16/2201	CLUSTER	150	220.4	95.7
R17/2201	CLUSTER	150	257.4	97.2
R18/2201	CLUSTER_LIVING	200	651.6	100
R19/2201	CLUSTER_LIVING	200	510.9	98.7
R20/2201	CLUSTER	150	159.7	71.4
R21/2201	CLUSTER	150	97	47.2
R22/2201	CLUSTER	150	85.9	45.5
R23/2201	CLUSTER	150	92.8	47.6
R24/2201	CLUSTER	150	81.4	42
R25/2201	CLUSTER	150	144.4	73.4
R26/2201	CLUSTER	150	83.4	39.1
R27/2201	CLUSTER	150	35.6	16.6
R28/2201	CLUSTER	150	79.6	40.6
R29/2201	CLUSTER	150	102.8	51.1
R30/2201	CLUSTER	150	72.3	37.1
R31/2201	CLUSTER	150	123.2	58.1
R32/2201	CLUSTER	150	85	44.9
R33/2201	CLUSTER	150	83.2	43.2
R34/2201	CLUSTER	150	55.5	30.3
R35/2201	CLUSTER	150	40.4	28.1
R36/2201	CLUSTER	150	30	19.8
R1/2202	CLUSTER_LIVING	200	179	63.5
R2/2202	CLUSTER_LIVING	200	211	77.1
R3/2202	CLUSTER	150	152	78
R4/2202	CLUSTER	150	170	80.3
R5/2202	CLUSTER	150	155.1	75.3
R6/2202	CLUSTER	150	133.2	68.2
R7/2202	CLUSTER	150	115.5	55.6
R8/2202	CLUSTER	150	101.9	50.6
R9/2202	CLUSTER	150	108.7	53.6
R10/2202	CLUSTER	150	135.1	65.8
R11/2202	CLUSTER	150	124.5	60.9
R12/2202	CLUSTER	150	158.7	75.2
R13/2202	CLUSTER	150	153.4	73.6
R14/2202	CLUSTER	150	164.4	78.1
R15/2202	CLUSTER_LIVING	200	80.3	28.8
R16/2202	CLUSTER	150	228.7	100
R17/2202	CLUSTER	150	258.6	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R18/2202	CLUSTER	150	238.9	99.3
R19/2202	CLUSTER	150	262.3	100
R20/2202	CLUSTER	150	249.4	100
R21/2202	CLUSTER	150	276.4	100
R22/2202	CLUSTER_LIVING	200	739.3	100
R23/2202	CLUSTER_LIVING	200	603.5	99.5
R24/2202	CLUSTER	150	181.9	79.2
R25/2202	CLUSTER	150	109.8	55
R26/2202	CLUSTER	150	101.1	52.5
R27/2202	CLUSTER	150	105.5	53.9
R28/2202	CLUSTER	150	95.8	46.2
R29/2202	CLUSTER	150	162.1	78.4
R30/2202	CLUSTER	150	96.3	47.5
R31/2202	CLUSTER_LIVING	200	32.1	9.9
R32/2202	CLUSTER	150	90.2	45.2
R33/2202	CLUSTER	150	113.7	55.3
R34/2202	CLUSTER	150	84.5	42
R35/2202	CLUSTER	150	137.1	62.3
R36/2202	CLUSTER	150	98.1	48.6
R37/2202	CLUSTER	150	99.8	49.6
R38/2202	CLUSTER	150	63.5	35.9
R39/2202	CLUSTER	150	52.9	35.8
R40/2202	CLUSTER	150	35.9	25.4
R41/2202	CLUSTER	150	37.8	26.7
R42/2202	CLUSTER	150	42.3	26.9
R1/2203	CLUSTER_LIVING	200	199.8	69.2
R2/2203	CLUSTER_LIVING	200	223.6	80.1
R3/2203	CLUSTER	150	172.9	87.2
R4/2203	CLUSTER	150	180.8	88
R5/2203	CLUSTER	150	173.3	84.4
R6/2203	CLUSTER	150	152.2	76
R7/2203	CLUSTER	150	142.8	62.6
R8/2203	CLUSTER	150	125.6	54.6
R9/2203	CLUSTER	150	128.8	59.9
R10/2203	CLUSTER	150	161.1	74.6
R11/2203	CLUSTER	150	151.2	71.1
R12/2203	CLUSTER	150	178.9	84.4
R13/2203	CLUSTER	150	177	85.2
R14/2203	CLUSTER	150	192	89.4
R15/2203	CLUSTER_LIVING	200	94	34
R16/2203	CLUSTER	150	251.3	100
R17/2203	CLUSTER	150	274.2	100
R18/2203	CLUSTER	150	262.2	100
R19/2203	CLUSTER	150	282.8	100
R20/2203	CLUSTER	150	273.3	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R21/2203	CLUSTER	150	300.6	100
R22/2203	CLUSTER_LIVING	200	775.2	100
R23/2203	CLUSTER_LIVING	200	622.3	99.9
R24/2203	CLUSTER	150	189.2	82.3
R25/2203	CLUSTER	150	116.6	58.5
R26/2203	CLUSTER	150	105.6	56.8
R27/2203	CLUSTER	150	113.1	58.2
R28/2203	CLUSTER	150	101.8	51.1
R29/2203	CLUSTER	150	175.1	81.2
R30/2203	CLUSTER	150	100.5	50.3
R31/2203	CLUSTER_LIVING	200	33.6	10.3
R32/2203	CLUSTER	150	96.5	48
R33/2203	CLUSTER	150	120.3	58.1
R34/2203	CLUSTER	150	91.7	44.8
R35/2203	CLUSTER	150	140.8	64.4
R36/2203	CLUSTER	150	108.8	53
R37/2203	CLUSTER	150	119.1	54.5
R38/2203	CLUSTER	150	79.8	45
R39/2203	CLUSTER	150	75.5	42.9
R40/2203	CLUSTER	150	50.4	33.8
R41/2203	CLUSTER	150	54.4	35.8
R43/2203	CLUSTER	150	49.4	31.8
R1/2204	CLUSTER_LIVING	200	230.8	77.1
R2/2204	CLUSTER_LIVING	200	237.1	84.1
R3/2204	CLUSTER	150	181.6	89.4
R4/2204	CLUSTER	150	193.6	97.8
R5/2204	CLUSTER	150	204.3	93.6
R6/2204	CLUSTER	150	171.9	83.7
R7/2204	CLUSTER	150	168.5	76
R8/2204	CLUSTER	150	148.2	59.6
R9/2204	CLUSTER	150	157.7	66.1
R10/2204	CLUSTER	150	183.9	82.3
R11/2204	CLUSTER	150	179.7	85.2
R12/2204	CLUSTER	150	209.9	95
R13/2204	CLUSTER	150	200.5	92.9
R14/2204	CLUSTER	150	213.9	97.1
R15/2204	CLUSTER_LIVING	200	115.3	40.1
R16/2204	CLUSTER	150	267.2	100
R17/2204	CLUSTER	150	297	100
R18/2204	CLUSTER	150	282.2	100
R19/2204	CLUSTER	150	308.8	100
R20/2204	CLUSTER	150	291.4	100
R21/2204	CLUSTER	150	317.6	100
R22/2204	CLUSTER_LIVING	200	816.3	100
R23/2204	CLUSTER_LIVING	200	641	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R24/2204	CLUSTER	150	193	84.4
R25/2204	CLUSTER	150	121.8	64.8
R26/2204	CLUSTER	150	115.2	59.9
R27/2204	CLUSTER	150	118.3	61.7
R28/2204	CLUSTER	150	109.3	55
R29/2204	CLUSTER	150	186.4	82.6
R30/2204	CLUSTER	150	107.3	55.3
R31/2204	CLUSTER_LIVING	200	34.2	10.9
R32/2204	CLUSTER	150	100.8	50.8
R33/2204	CLUSTER	150	130.5	61.7
R34/2204	CLUSTER	150	101.1	51.1
R35/2204	CLUSTER	150	148.7	68.6
R36/2204	CLUSTER	150	121.7	57.5
R37/2204	CLUSTER	150	137.8	60.9
R38/2204	CLUSTER	150	117.8	53.1
R39/2204	CLUSTER	150	108.3	54.1
R40/2204	CLUSTER	150	91.2	46.1
R41/2204	CLUSTER	150	95.8	49.3
R43/2204	CLUSTER	150	79.5	44.8
R1/2205	CLUSTER_LIVING	200	278.4	88.1
R2/2205	CLUSTER_LIVING	200	258.1	87.1
R3/2205	CLUSTER	150	203.6	92.9
R4/2205	CLUSTER	150	206.1	99.3
R5/2205	CLUSTER	150	222.9	97.8
R6/2205	CLUSTER	150	187.1	92.9
R7/2205	CLUSTER	150	200.4	89.4
R8/2205	CLUSTER	150	173.4	65.3
R9/2205	CLUSTER	150	193.4	70
R10/2205	CLUSTER	150	216.5	95.7
R11/2205	CLUSTER	150	207.1	95
R12/2205	CLUSTER	150	225.8	100
R13/2205	CLUSTER	150	219.5	97.8
R14/2205	CLUSTER	150	237.4	100
R15/2205	CLUSTER_LIVING	200	135.9	46.7
R16/2205	CLUSTER	150	293.7	100
R17/2205	CLUSTER	150	315.8	100
R18/2205	CLUSTER	150	304.2	100
R19/2205	CLUSTER	150	327.2	100
R20/2205	CLUSTER	150	315.3	100
R21/2205	CLUSTER	150	331.8	100
R22/2205	CLUSTER_LIVING	200	850.7	100
R23/2205	CLUSTER_LIVING	200	654.1	100
R24/2205	CLUSTER	150	203.8	85.9
R25/2205	CLUSTER	150	133.6	69.1
R26/2205	CLUSTER	150	125.7	64.8



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R27/2205	CLUSTER	150	129.3	65.2
R28/2205	CLUSTER	150	118.4	59.9
R29/2205	CLUSTER	150	203.4	84.1
R30/2205	CLUSTER	150	112.6	59.5
R31/2205	CLUSTER_LIVING	200	35.8	12
R32/2205	CLUSTER	150	109.8	54.3
R33/2205	CLUSTER	150	143.6	65.2
R34/2205	CLUSTER	150	109.7	52.9
R35/2205	CLUSTER	150	166.9	71.4
R36/2205	CLUSTER	150	136.8	62.3
R37/2205	CLUSTER	150	153.3	67.2
R38/2205	CLUSTER	150	151.1	66.1
R39/2205	CLUSTER	150	148.9	64.7
R40/2205	CLUSTER	150	143	60.2
R41/2205	CLUSTER	150	143	61.9
R43/2205	CLUSTER	150	137	62
R1/2206	CLUSTER_LIVING	200	326.1	93.9
R2/2206	CLUSTER_LIVING	200	273.9	92
R3/2206	CLUSTER	150	224.8	95
R4/2206	CLUSTER	150	223	100
R5/2206	CLUSTER	150	244.3	98.6
R6/2206	CLUSTER	150	211.6	100
R7/2206	CLUSTER	150	232.9	98.6
R8/2206	CLUSTER	150	199.5	72.1
R9/2206	CLUSTER	150	226	74.1
R10/2206	CLUSTER	150	240.4	100
R11/2206	CLUSTER	150	232	100
R12/2206	CLUSTER	150	248.9	100
R13/2206	CLUSTER	150	241.9	100
R14/2206	CLUSTER	150	257.6	100
R15/2206	CLUSTER_LIVING	200	156	51.2
R16/2206	CLUSTER	150	319.4	100
R17/2206	CLUSTER	150	332	100
R18/2206	CLUSTER	150	325.4	100
R19/2206	CLUSTER	150	339.3	100
R20/2206	CLUSTER	150	329	100
R21/2206	CLUSTER	150	346.1	100
R22/2206	CLUSTER_LIVING	200	867.1	100
R23/2206	CLUSTER_LIVING	200	664.9	100
R24/2206	CLUSTER	150	211.3	89.4
R25/2206	CLUSTER	150	144.4	73.3
R26/2206	CLUSTER	150	132.2	72.6
R27/2206	CLUSTER	150	140.1	68.4
R28/2206	CLUSTER	150	128.4	64.1
R29/2206	CLUSTER	150	212.6	87.6



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R30/2206	CLUSTER	150	122.4	63
R31/2206	CLUSTER_LIVING	200	36.8	12.7
R32/2206	CLUSTER	150	115.3	57.1
R33/2206	CLUSTER	150	150	68
R34/2206	CLUSTER	150	121.5	59.9
R35/2206	CLUSTER	150	185.3	76.4
R36/2206	CLUSTER	150	152.1	65.5
R37/2206	CLUSTER	150	176.5	76.7
R38/2206	CLUSTER	150	189.8	78.8
R39/2206	CLUSTER	150	177.9	76
R40/2206	CLUSTER	150	191.3	74.6
R41/2206	CLUSTER	150	184.8	76
R43/2206	CLUSTER	150	200.8	76.7
R1/2207	LOUNGE	150	91.7	30.2
R2/2207	STUDY	150	237.4	82.9
R3/2207	STUDY	150	134.7	44
R4/2207	STUDY	150	313.8	100
R5/2207	DINING	150	166.3	57.3
R6/2207	LOUNGE	150	159.2	54.3
R1/2208	CLUSTER_LIVING	200	316.7	99.7
R2/2208	CLUSTER_LIVING	200	291.5	94.3
R3/2208	CLUSTER	150	270	100
R4/2208	CLUSTER	150	247.6	100
R5/2208	CLUSTER	150	273.5	100
R6/2208	CLUSTER	150	255.3	100
R7/2208	CLUSTER	150	285.2	100
R8/2208	CLUSTER	150	309.5	97.9
R9/2208	CLUSTER	150	319.9	100
R10/2208	CLUSTER	150	334.8	100
R11/2208	CLUSTER	150	321.6	100
R12/2208	CLUSTER	150	332.5	100
R13/2208	CLUSTER	150	322.9	100
R14/2208	CLUSTER	150	342.1	100
R15/2208	CLUSTER_LIVING	200	838.1	100
R16/2208	CLUSTER_LIVING	200	845.1	100
R17/2208	CLUSTER	150	170.8	77.1
R18/2208	CLUSTER	150	111	54.2
R19/2208	CLUSTER	150	115.8	58.1
R20/2208	CLUSTER	150	117.4	59.7
R21/2208	CLUSTER	150	110.2	52.9
R22/2208	CLUSTER	150	167.7	81.9
R23/2208	CLUSTER	150	152.7	74.5
R24/2208	CLUSTER	150	212.3	96.4
R25/2208	CLUSTER	150	238.2	98.6
R26/2208	CLUSTER	150	215.4	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R27/2208	CLUSTER	150	237.2	99.3
R28/2208	CLUSTER	150	215	99.3
R29/2208	CLUSTER	150	246	100
R1/2209	CLUSTER_LIVING	200	353.4	100
R2/2209	CLUSTER_LIVING	200	306.9	96.2
R3/2209	CLUSTER	150	279	100
R4/2209	CLUSTER	150	261.9	100
R5/2209	CLUSTER	150	289.4	100
R6/2209	CLUSTER	150	270.4	100
R7/2209	CLUSTER	150	298	100
R8/2209	CLUSTER	150	326.9	99.1
R9/2209	CLUSTER	150	323.1	100
R10/2209	CLUSTER	150	339.1	100
R11/2209	CLUSTER	150	321.5	100
R12/2209	CLUSTER	150	340.4	100
R13/2209	CLUSTER	150	331.2	100
R14/2209	CLUSTER	150	348	100
R15/2209	CLUSTER_LIVING	200	842.7	100
R16/2209	CLUSTER_LIVING	200	854.7	100
R17/2209	CLUSTER	150	178.4	78.4
R18/2209	CLUSTER	150	117.6	57.5
R19/2209	CLUSTER	150	122	60.1
R20/2209	CLUSTER	150	127.5	64.6
R21/2209	CLUSTER	150	114.7	58.8
R22/2209	CLUSTER	150	175.5	84.5
R23/2209	CLUSTER	150	161.3	79.7
R24/2209	CLUSTER	150	238	98.5
R25/2209	CLUSTER	150	259.3	100
R26/2209	CLUSTER	150	242.2	100
R27/2209	CLUSTER	150	261.9	100
R28/2209	CLUSTER	150	249.3	100
R29/2209	CLUSTER	150	278.8	100
R1/2210	CLUSTER_LIVING	200	388.6	100
R2/2210	CLUSTER_LIVING	200	326.5	97.8
R3/2210	CLUSTER	150	285.7	100
R4/2210	CLUSTER	150	272.4	100
R5/2210	CLUSTER	150	305.2	100
R6/2210	CLUSTER	150	286.1	100
R7/2210	CLUSTER	150	309.2	100
R8/2210	CLUSTER	150	337.8	99.9
R9/2210	CLUSTER	150	332.7	100
R10/2210	CLUSTER	150	338.8	100
R11/2210	CLUSTER	150	331.5	100
R12/2210	CLUSTER	150	348.4	100
R13/2210	CLUSTER	150	333	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R14/2210	CLUSTER	150	351.6	100
R15/2210	CLUSTER_LIVING	200	850.4	100
R16/2210	CLUSTER_LIVING	200	864.5	100
R17/2210	CLUSTER	150	187.9	81.6
R18/2210	CLUSTER	150	127	60.1
R19/2210	CLUSTER	150	139	63.3
R20/2210	CLUSTER	150	144.1	69.2
R21/2210	CLUSTER	150	128.1	62.1
R22/2210	CLUSTER	150	186.2	86.8
R23/2210	CLUSTER	150	171.6	83
R24/2210	CLUSTER	150	265.1	100
R25/2210	CLUSTER	150	281.9	100
R26/2210	CLUSTER	150	267.7	100
R27/2210	CLUSTER	150	291.7	100
R28/2210	CLUSTER	150	274.3	100
R29/2210	CLUSTER	150	307.5	100
R1/2211	CLUSTER_LIVING	200	414.2	100
R2/2211	CLUSTER_LIVING	200	341.3	99.4
R3/2211	CLUSTER	150	302.1	100
R4/2211	CLUSTER	150	286.4	100
R5/2211	CLUSTER	150	311.9	100
R6/2211	CLUSTER	150	301.1	100
R7/2211	CLUSTER	150	308.9	100
R8/2211	CLUSTER	150	347.2	100
R9/2211	CLUSTER	150	333.9	100
R10/2211	CLUSTER	150	346.9	100
R11/2211	CLUSTER	150	334.3	100
R12/2211	CLUSTER	150	346.2	100
R13/2211	CLUSTER	150	334.8	100
R14/2211	CLUSTER	150	354.1	100
R15/2211	CLUSTER_LIVING	200	851.6	100
R16/2211	CLUSTER_LIVING	200	893.9	100
R17/2211	CLUSTER	150	202.3	84.3
R18/2211	CLUSTER	150	151.5	66.6
R19/2211	CLUSTER	150	169.4	69.9
R20/2211	CLUSTER	150	168.9	75.7
R21/2211	CLUSTER	150	163.5	68
R22/2211	CLUSTER	150	203.7	88.8
R23/2211	CLUSTER	150	187.7	88.2
R24/2211	CLUSTER	150	288.9	100
R25/2211	CLUSTER	150	298.7	100
R26/2211	CLUSTER	150	292.5	100
R27/2211	CLUSTER	150	313.3	100
R28/2211	CLUSTER	150	299.2	100
R29/2211	CLUSTER	150	329.2	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R1/2212	CLUSTER_LIVING	200	435.7	100
R2/2212	CLUSTER_LIVING	200	359.1	100
R3/2212	CLUSTER	150	311.6	100
R4/2212	CLUSTER	150	296.4	100
R5/2212	CLUSTER	150	320.2	100
R6/2212	CLUSTER	150	306.2	100
R7/2212	CLUSTER	150	323.2	100
R8/2212	CLUSTER	150	356.5	100
R9/2212	CLUSTER	150	337.9	100
R10/2212	CLUSTER	150	345	100
R11/2212	CLUSTER	150	337.7	100
R12/2212	CLUSTER	150	352.9	100
R13/2212	CLUSTER	150	341.2	100
R14/2212	CLUSTER	150	354.9	100
R15/2212	CLUSTER_LIVING	200	856.5	100
R16/2212	CLUSTER_LIVING	200	925.5	100
R17/2212	CLUSTER	150	231.9	90.8
R18/2212	CLUSTER	150	191.6	78.4
R19/2212	CLUSTER	150	204.6	80.4
R20/2212	CLUSTER	150	189.2	83.6
R21/2212	CLUSTER	150	199.5	79.1
R22/2212	CLUSTER	150	220.4	94.1
R23/2212	CLUSTER	150	219.8	93.5
R24/2212	CLUSTER	150	307.8	100
R25/2212	CLUSTER	150	315.2	100
R26/2212	CLUSTER	150	314.9	100
R27/2212	CLUSTER	150	323.4	100
R28/2212	CLUSTER	150	322.4	100
R29/2212	CLUSTER	150	334.1	100
R1/2213	CLUSTER_LIVING	200	459.1	100
R2/2213	CLUSTER_LIVING	200	373.9	100
R3/2213	CLUSTER	150	313.3	100
R4/2213	CLUSTER	150	303.3	100
R5/2213	CLUSTER	150	320	100
R6/2213	CLUSTER	150	316.9	100
R7/2213	CLUSTER	150	326.4	100
R8/2213	CLUSTER	150	365.1	100
R9/2213	CLUSTER	150	337.7	100
R10/2213	CLUSTER	150	346.8	100
R11/2213	CLUSTER	150	339.7	100
R12/2213	CLUSTER	150	352.9	100
R13/2213	CLUSTER	150	337.5	100
R14/2213	CLUSTER	150	354.9	100
R15/2213	CLUSTER_LIVING	200	858.4	100
R16/2213	CLUSTER_LIVING	200	988.1	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R17/2213	CLUSTER	150	254.5	98.7
R18/2213	CLUSTER	150	217.7	96.1
R19/2213	CLUSTER	150	232.3	95.4
R20/2213	CLUSTER	150	222.8	95.4
R21/2213	CLUSTER	150	229.5	98.7
R22/2213	CLUSTER	150	246	98
R23/2213	CLUSTER	150	250.9	99.3
R24/2213	CLUSTER	150	324.8	100
R25/2213	CLUSTER	150	335.2	100
R26/2213	CLUSTER	150	331.5	100
R27/2213	CLUSTER	150	344.8	100
R28/2213	CLUSTER	150	337.4	100
R29/2213	CLUSTER	150	345.8	100
R1/2214	CLUSTER_LIVING	200	474.3	100
R2/2214	CLUSTER_LIVING	200	391.4	100
R3/2214	CLUSTER	150	328.4	100
R4/2214	CLUSTER	150	318.4	100
R5/2214	CLUSTER	150	325.1	100
R6/2214	CLUSTER	150	322.2	100
R7/2214	CLUSTER	150	331.4	100
R8/2214	CLUSTER	150	377	100
R9/2214	CLUSTER	150	341.4	100
R10/2214	CLUSTER	150	349.3	100
R11/2214	CLUSTER	150	343.4	100
R12/2214	CLUSTER	150	353.3	100
R13/2214	CLUSTER	150	345	100
R14/2214	CLUSTER	150	360.7	100
R15/2214	CLUSTER_LIVING	200	864.4	100
R16/2214	CLUSTER_LIVING	200	1094.4	100
R17/2214	CLUSTER	150	291.8	100
R18/2214	CLUSTER	150	262.3	99.3
R19/2214	CLUSTER	150	274.5	99.3
R20/2214	CLUSTER	150	259.7	99.3
R21/2214	CLUSTER	150	276.1	99.3
R22/2214	CLUSTER	150	276.4	99.3
R23/2214	CLUSTER	150	285.5	99.3
R24/2214	CLUSTER	150	348.7	100
R25/2214	CLUSTER	150	344.5	100
R26/2214	CLUSTER	150	346.4	100
R27/2214	CLUSTER	150	354.4	100
R28/2214	CLUSTER	150	345.4	100
R29/2214	CLUSTER	150	359	100
R1/2215	CLUSTER_LIVING	200	489.8	100
R2/2215	CLUSTER_LIVING	200	404.5	100
R3/2215	CLUSTER	150	336.7	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R4/2215	CLUSTER	150	330.3	100
R5/2215	CLUSTER	150	336.9	100
R6/2215	CLUSTER	150	333.4	100
R7/2215	CLUSTER	150	340.4	100
R8/2215	CLUSTER	150	386.5	100
R9/2215	CLUSTER	150	341.5	100
R10/2215	CLUSTER	150	350.7	100
R11/2215	CLUSTER	150	345	100
R12/2215	CLUSTER	150	355.6	100
R13/2215	CLUSTER	150	348.2	100
R14/2215	CLUSTER	150	358.8	100
R15/2215	CLUSTER_LIVING	200	865	100
R16/2215	CLUSTER_LIVING	200	1189.3	100
R17/2215	CLUSTER	150	323.8	100
R18/2215	CLUSTER	150	297.2	100
R19/2215	CLUSTER	150	309.7	100
R20/2215	CLUSTER	150	297.9	100
R21/2215	CLUSTER	150	310.5	100
R22/2215	CLUSTER	150	303.5	100
R23/2215	CLUSTER	150	308.3	100
R24/2215	CLUSTER	150	354.8	100
R25/2215	CLUSTER	150	354.8	100
R26/2215	CLUSTER	150	360.4	100
R27/2215	CLUSTER	150	369	100
R28/2215	CLUSTER	150	363.5	100
R29/2215	CLUSTER	150	372.2	100
R1/2216	CLUSTER_LIVING	200	507.7	100
R2/2216	CLUSTER_LIVING	200	423	100
R3/2216	CLUSTER	150	346.2	100
R4/2216	CLUSTER	150	335.1	100
R5/2216	CLUSTER	150	342	100
R6/2216	CLUSTER	150	338.4	100
R7/2216	CLUSTER	150	344.7	100
R8/2216	CLUSTER	150	388.4	100
R9/2216	CLUSTER	150	343.6	100
R10/2216	CLUSTER	150	354.2	100
R11/2216	CLUSTER	150	342	100
R12/2216	CLUSTER	150	353.6	100
R13/2216	CLUSTER	150	348.1	100
R14/2216	CLUSTER	150	359.2	100
R15/2216	CLUSTER_LIVING	200	869.7	100
R16/2216	CLUSTER_LIVING	200	1229.1	100
R17/2216	CLUSTER	150	341	100
R18/2216	CLUSTER	150	325.4	100
R19/2216	CLUSTER	150	335.8	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R20/2216	CLUSTER	150	318.2	100
R21/2216	CLUSTER	150	329.9	100
R22/2216	CLUSTER	150	315.5	100
R23/2216	CLUSTER	150	331.3	100
R24/2216	CLUSTER	150	370	100
R25/2216	CLUSTER	150	361.4	100
R26/2216	CLUSTER	150	371.5	100
R27/2216	CLUSTER	150	375.6	100
R28/2216	CLUSTER	150	370.6	100
R29/2216	CLUSTER	150	381.9	100
R1/2217	CLUSTER_LIVING	200	520.2	100
R2/2217	CLUSTER_LIVING	200	435.6	100
R3/2217	CLUSTER	150	347.9	100
R4/2217	CLUSTER	150	341.4	100
R5/2217	CLUSTER	150	351.8	100
R6/2217	CLUSTER	150	347.1	100
R7/2217	CLUSTER	150	348	100
R8/2217	CLUSTER	150	398.1	100
R9/2217	CLUSTER	150	342.5	100
R10/2217	CLUSTER	150	353	100
R11/2217	CLUSTER	150	346.2	100
R12/2217	CLUSTER	150	359.4	100
R13/2217	CLUSTER	150	348.9	100
R14/2217	CLUSTER	150	357.8	100
R15/2217	CLUSTER_LIVING	200	867.1	100
R16/2217	CLUSTER_LIVING	200	1247	100
R17/2217	CLUSTER	150	356.6	100
R18/2217	CLUSTER	150	332	100
R19/2217	CLUSTER	150	345.6	100
R20/2217	CLUSTER	150	330	100
R21/2217	CLUSTER	150	335	100
R22/2217	CLUSTER	150	321.6	100
R23/2217	CLUSTER	150	341.4	100
R24/2217	CLUSTER	150	379.1	100
R25/2217	CLUSTER	150	370.6	100
R26/2217	CLUSTER	150	375.1	100
R27/2217	CLUSTER	150	382.8	100
R28/2217	CLUSTER	150	381	100
R29/2217	CLUSTER	150	382.6	100
R1/2218	CLUSTER_LIVING	200	533.7	100
R2/2218	CLUSTER_LIVING	200	443.5	100
R3/2218	CLUSTER	150	351.1	100
R4/2218	CLUSTER	150	348.4	100
R5/2218	CLUSTER	150	355.9	100
R6/2218	CLUSTER	150	351.2	100



Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
 SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R7/2218	CLUSTER	150	353.7	100
R8/2218	CLUSTER	150	397.8	100
R9/2218	CLUSTER	150	347.3	100
R10/2218	CLUSTER	150	355.1	100
R11/2218	CLUSTER	150	344.1	100
R12/2218	CLUSTER	150	361	100
R13/2218	CLUSTER	150	346.7	100
R14/2218	CLUSTER	150	364	100
R15/2218	CLUSTER_LIVING	200	873.7	100
R16/2218	CLUSTER_LIVING	200	1258	100
R17/2218	CLUSTER	150	357.7	100
R18/2218	CLUSTER	150	337.8	100
R19/2218	CLUSTER	150	353.8	100
R20/2218	CLUSTER	150	335.5	100
R21/2218	CLUSTER	150	351.9	100
R22/2218	CLUSTER	150	327.4	100
R23/2218	CLUSTER	150	347.4	100
R24/2218	CLUSTER	150	384.4	100
R25/2218	CLUSTER	150	375.9	100
R26/2218	CLUSTER	150	382.2	100
R27/2218	CLUSTER	150	388.1	100
R28/2218	CLUSTER	150	387.4	100
R29/2218	CLUSTER	150	387.7	100
R1/2219	CLUSTER	150	351.2	100
R2/2219	CLUSTER	150	354.4	100
R3/2219	CLUSTER	150	350.5	100
R4/2219	CLUSTER	150	358.5	100
R5/2219	CLUSTER	150	347.8	100
R6/2219	CLUSTER	150	363.8	100
R7/2219	CLUSTER_LIVING	200	872.1	100
R8/2219	CLUSTER_LIVING	200	1266.8	100
R9/2219	CLUSTER	150	362.4	100
R10/2219	CLUSTER	150	345.4	100
R11/2219	CLUSTER	150	364.3	100
R12/2219	CLUSTER	150	337.2	100
R13/2219	CLUSTER	150	354.8	100
R14/2219	CLUSTER	150	330.3	100
R15/2219	CLUSTER	150	353.7	100
R1/2220	CLUSTER	150	351.3	100
R2/2220	CLUSTER	150	356.9	100
R3/2220	CLUSTER	150	348.9	100
R4/2220	CLUSTER	150	359.8	100
R5/2220	CLUSTER	150	347.7	100
R6/2220	CLUSTER	150	362.9	100
R7/2220	CLUSTER_LIVING	200	871.8	100




Bookers, Vauxhall
INTERNAL CBDM ANALYSIS
SCHEME PR080323

BRE CBDM ANALYSIS

Room Label	Room Use	Room Use Target Illuminance Lux	Median Illuminance Lux	Fraction of Working Plane % Area
R8/2220	CLUSTER_LIVING	200	1255.6	100
R9/2220	CLUSTER	150	364.8	100
R10/2220	CLUSTER	150	342.4	100
R11/2220	CLUSTER	150	363.4	100
R12/2220	CLUSTER	150	342	100
R13/2220	CLUSTER	150	363.9	100
R14/2220	CLUSTER	150	336.6	100
R15/2220	CLUSTER	150	355	100
R1/2221	CLUSTER	150	350.1	100
R2/2221	CLUSTER	150	358.6	100
R3/2221	CLUSTER	150	351	100
R4/2221	CLUSTER	150	362.9	100
R5/2221	CLUSTER	150	348.8	100
R6/2221	CLUSTER	150	364.2	100
R7/2221	CLUSTER_LIVING	200	874.7	100
R8/2221	CLUSTER_LIVING	200	1274.7	100
R9/2221	CLUSTER	150	369.9	100
R10/2221	CLUSTER	150	348.7	100
R11/2221	CLUSTER	150	366.1	100
R12/2221	CLUSTER	150	343.7	100
R13/2221	CLUSTER	150	362.9	100
R14/2221	CLUSTER	150	340.6	100
R15/2221	CLUSTER	150	355.4	100



FIRST FLOOR



SECOND FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

<50 Lux	Median Illuminance (Lux) Levels shown for each room.
>50 Lux	Recommended Targets:
>100 Lux	Bedroom 100 Lux
>150 Lux	Living Room 150 Lux
>200 Lux	Kitchen 200 Lux

Project: Bookers, Vauxhall, London

Title: Block 1
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:250

Date: MARCH 23

Dwg No: P2874/INT 01

Rel: 11





THIRD FLOOR

FOURTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

<50 Lux
>50 Lux
>100 Lux
>150 Lux
>200 Lux

Median Illuminance (Lux) Levels shown for each room.

Recommended Targets:
 Bedroom 100 Lux
 Living Room 150 Lux
 Kitchen 200 Lux

Project: Bookers, Vauxhall, London

Title: Block 1
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:250

Date: MARCH 23

Dwg No: P2874/INT 02

Rel: 11





FIFTH FLOOR



SIXTH FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

Project: Bookers, Vauxhall,
London

Title: Block 1
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
NB

Scale:
1:250

Date:
MARCH 23

Dwg No:
P2874/INT 03

Rel:
11





SEVENTH FLOOR



EIGHTH FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

■	<50 Lux
■	>50 Lux
■	>100 Lux
■	>150 Lux
■	>200 Lux

Median Illuminance (Lux) Levels shown for each room.
Recommended Targets:
Bedroom 100 Lux
Living Room 150 Lux
Kitchen 200 Lux

Project: Bookers, Vauxhall, London

Title: Block 1
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:250

Date: MARCH 23

Dwg No: P2874/INT 04

Rel: 11





NINTH FLOOR



TENTH FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room.
■ >50 Lux	Recommended Targets:
■ >100 Lux	Bedroom 100 Lux
■ >150 Lux	Living Room 150 Lux
■ >200 Lux	Kitchen 200 Lux

Project: Bookers, Vauxhall, London

Title: Block 1
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:250

Date: MARCH 23

Dwg No: P2874/INT 05

Rel: 11





ELEVENTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall,
 London

Title: Block 1
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
 NB


Scale:
 1:250

Date:
 MARCH 23


Dwg No:
P2874/INT 06

Rel:
11





FIRST FLOOR



SECOND FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall,
London

Title: Block 2
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
NB


Scale:
1:250

Date:
MARCH 23


Dwg No:
P2874/INT 08

Rel:
11





THIRD FLOOR



FOURTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall,
 London

Title: Block 2
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
 NB


Scale:
 1:250

Date:
 MARCH 23


Dwg No:
P2874/INT 09

Rel:
11





FIFTH FLOOR



SIXTH FLOOR


Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

- <50 Lux
- >50 Lux
- >100 Lux
- >150 Lux
- >200 Lux

Median Illuminance (Lux) Levels shown for each room.

Recommended Targets:
Bedroom 100 Lux
Living Room 150 Lux
Kitchen 200 Lux



Project: Bookers, Vauxhall,
London

Title: Block 2
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
NB


Scale:
1:250

Date:
MARCH 23


Dwg No:
P2874/INT 10

Rel:
11





SEVENTH FLOOR



EIGHTH FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

Project: Bookers, Vauxhall,
London

Title: Block 2
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
NB


Scale:
1:250

Date:
MARCH 23


Dwg No:
P2874/INT 11

Rel:
11





NINETH FLOOR



TENTH FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

- <50 Lux
- >50 Lux
- >100 Lux
- >150 Lux
- >200 Lux

Median Illuminance (Lux) Levels shown for each room.

Recommended Targets:
Bedroom 100 Lux
Living Room 150 Lux
Kitchen 200 Lux

Project: Bookers, Vauxhall,
London

Title: Block 2
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
NB


Scale:
1:250

Date:
MARCH 23


Dwg No:
P2874/INT 12

Rel:
11










ELEVENTH FLOOR



TWELFTH FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

	<50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
	>50 Lux	
	>100 Lux	
	>150 Lux	
	>200 Lux	

Project: Bookers, Vauxhall,
London

Title: Block 2
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
NB

Scale:
1:250

Date:
MARCH 23

Dwg No:
P2874/INT 13

Rel:
11





THIRTEENTH FLOOR



FOURTEENTH FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

Project: Bookers, Vauxhall,
London

Title: Block 2
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
NB

Scale:
1:250

Date:
MARCH 23

Dwg No:
P2874/INT 14

Rel:
11





FIFTEENTH FLOOR



SIXTEENTH FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

<50 Lux	Median Illuminance (Lux) Levels shown for each room.
>50 Lux	Recommended Targets:
>100 Lux	Bedroom 100 Lux
>150 Lux	Living Room 150 Lux
>200 Lux	Kitchen 200 Lux

Project: Bookers, Vauxhall, London

Title: Block 2
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB


Scale: 1:250

Date: MARCH 23

Dwg No: P2874/INT 15

Rel: 11





FIRST FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	


↑
N

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -	Date: -	Drawn By: NB	Scale: 1:250	Date: MARCH 23	Dwg No: P2874/INT 18	Rel: 11
---------------------	---------	--------------	--------------	----------------	----------------------	---------





SECOND FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall,
 London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
 NB


Scale:
 1:250

Date:
 MARCH 23

Dwg No:
P2874/INT 19

Rel:
11





THIRD FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall,
 London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
 NB


Scale:
 1:250

Date:
 MARCH 23

Dwg No:
P2874/INT 20

Rel:
11





FOURTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)


■ <50 Lux	Median Illuminance (Lux) Levels shown for each room.
■ >50 Lux	Recommended Targets:
■ >100 Lux	Bedroom 100 Lux
■ >150 Lux	Living Room 150 Lux
■ >200 Lux	Kitchen 200 Lux

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -	Date: -	Drawn By: NB	Scale: 1:250	Date: MARCH 23	Dwg No: P2874/INT 21	Rel: 11
---------------------	---------	--------------	--------------	----------------	----------------------	---------





FIFTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	


↑ N

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -	Date: -	Drawn By: NB	Scale: 1:250	Date: MARCH 23	Dwg No: P2874/INT 22	Rel: 11
---------------------	---------	--------------	--------------	----------------	----------------------	---------





SIXTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)


	<50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
	>50 Lux	
	>100 Lux	
	>150 Lux	
	>200 Lux	

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -	Date: -	Drawn By: NB	Scale: 1:250	Date: MARCH 23	Dwg No: P2874/INT 23	Rel: 11
---------------------	---------	--------------	--------------	----------------	-----------------------------	----------------





SEVENTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)


■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -	Date: -	Drawn By: NB	Scale: 1:250	Date: MARCH 23	Dwg No: P2874/INT 24	Rel: 11
---------------------	---------	--------------	--------------	----------------	----------------------	---------





EIGHTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall,
 London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By:
 NB


Scale:
 1:250

Date:
 MARCH 23

Dwg No:
P2874/INT 25

Rel:
11





NINETH FLOOR

Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)


■ <50 Lux	Median Illuminance (Lux) Levels shown for each room.
■ >50 Lux	Recommended Targets:
■ >100 Lux	Bedroom 100 Lux
■ >150 Lux	Living Room 150 Lux
■ >200 Lux	Kitchen 200 Lux

Project: Bookers, Vauxhall, London

Title: Block 3
Proposed Scheme 08/03/23

Scheme Confirmed: -	Date: -	Drawn By: NB	Scale: 1:250	Date: MARCH 23	Dwg No: P2874/INT 26	Rel: 11
---------------------	---------	--------------	--------------	----------------	----------------------	---------





TENTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB


Scale: 1:250

Date: MARCH 23

Dwg No: **P2874/INT 27**

Rel: **11**





ELEVENTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB


Scale: 1:250

Date: MARCH 23

Dwg No: **P2874/INT 28**

Rel: **11**





TWELFTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

	<50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
	>50 Lux	
	>100 Lux	
	>150 Lux	
	>200 Lux	

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB


Scale: 1:250

Date: MARCH 23

Dwg No: **P2874/INT 29**

Rel: **11**





THIRTEENTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑ N

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB



Scale: 1:250

Date: MARCH 23

Dwg No: P2874/INT 30

Rel: 11





FOURTEENTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB



Scale: 1:250

Date: MARCH 23

Dwg No: **P2874/INT 31**

Rel: **11**





FIFTEENTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB


Scale: 1:250

Date: MARCH 23

Dwg No: **P2874/INT 32**

Rel: **11**





SIXTEENTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	



↑
N

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -	Date: -	Drawn By: NB	Scale: 1:250	Date: MARCH 23	Dwg No: P2874/INT 33	Rel: 11
---------------------	---------	--------------	--------------	----------------	----------------------	---------





SEVENTEENTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB



Scale: 1:250

Date: MARCH 23

Dwg No: **P2874/INT 34**

Rel: **11**





EIGHTEENTH FLOOR

Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

↑
N

Project: Bookers, Vauxhall, London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:250

Date: MARCH 23

Dwg No: **P2874/INT 35**

Rel: **11**



NINETEENTH FLOOR



Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
 (achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

Project: Bookers, Vauxhall,
 London

Title: Block 3
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:250

Date: MARCH 23

Dwg No: P2874/INT 36

Rel: 11



TWENTENTH FLOOR



Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

Project: Bookers, Vauxhall,
London

Title: Block 3
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:250

Date: MARCH 23

Dwg No: P2874/INT 37

Rel: 11



TWENTY-FIRST FLOOR



Sources: Point2
Site Photography
Local Planning Authority
Various Surrounding Building Layouts
Glenn Howells Architects Ltd
Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key: Daylight Illuminance
(achieved for 50% of daylight hours)

■ <50 Lux	Median Illuminance (Lux) Levels shown for each room. Recommended Targets: Bedroom 100 Lux Living Room 150 Lux Kitchen 200 Lux
■ >50 Lux	
■ >100 Lux	
■ >150 Lux	
■ >200 Lux	

Project: Bookers, Vauxhall,
London

Title: Block 3
Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:250

Date: MARCH 23

Dwg No: P2874/INT 38

Rel: 11



Average Daylight Factor Results





ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R1/2002	LKD	W1/2002	6.89	0.6	
R1/2002	LKD	W2/2002	30.80	2.3	2.9
R2/2002	BEDROOM	W3/2002	31.12	2.9	2.9
R3/2002	BEDROOM	W4/2002	31.24	2.5	2.5
R4/2002	LKD	W5/2002	31.76	2.1	
R4/2002	LKD	W6/2002	9.15	0.3	
R4/2002	LKD	W7/2002	6.87	0.6	3.0
R5/2002	BEDROOM	W8/2002	17.98	1.4	1.4
R6/2002	BEDROOM	W9/2002	17.69	1.0	1.0
R7/2002	BEDROOM	W10/2002	12.46	0.8	0.8
R8/2002	BEDROOM	W11/2002	8.66	0.5	0.5
R9/2002	BEDROOM	W12/2002	2.37	0.0	0.0
R10/2002	LKD	W13/2002	1.15	0.2	
R10/2002	LKD	W14/2002	21.46	1.1	1.3
R11/2002	BEDROOM	W15/2002	20.79	1.2	1.2
R12/2002	BEDROOM	W16/2002	21.06	1.5	1.5
R13/2002	LKD	W17/2002	5.97	1.7	
R13/2002	LKD	W18/2002	26.76	1.2	2.9
R14/2002	BEDROOM	W19/2002	25.47	1.3	
R14/2002	BEDROOM	W20/2002	24.18	1.2	2.5
R15/2002	BEDROOM	W21/2002	21.85	1.5	1.5
R16/2002	LKD	W22/2002	5.24	0.6	0.6
R17/2002	BEDROOM	W23/2002	20.98	1.8	1.8
R18/2002	BEDROOM	W24/2002	23.13	2.1	2.1
R1/2003	LKD	W1/2003	9.02	0.7	
R1/2003	LKD	W2/2003	32.01	2.6	3.3



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R2/2003	BEDROOM	W3/2003	32.25	2.7	2.7
R3/2003	BEDROOM	W4/2003	32.31	2.5	2.5
R4/2003	LKD	W5/2003	32.77	2.1	
R4/2003	LKD	W6/2003	9.60	0.3	
R4/2003	LKD	W7/2003	7.34	0.6	3.0
R5/2003	BEDROOM	W8/2003	18.78	1.4	1.4
R6/2003	BEDROOM	W9/2003	18.20	1.0	1.0
R7/2003	BEDROOM	W10/2003	13.01	0.8	0.8
R8/2003	BEDROOM	W11/2003	9.85	0.5	0.5
R9/2003	BEDROOM	W12/2003	2.44	0.1	0.1
R10/2003	LKD	W13/2003	1.53	0.2	
R10/2003	LKD	W14/2003	22.85	1.2	1.4
R11/2003	BEDROOM	W15/2003	22.18	1.3	1.3
R12/2003	BEDROOM	W16/2003	22.50	1.5	1.5
R13/2003	LKD	W17/2003	6.39	1.7	
R13/2003	LKD	W18/2003	30.47	1.3	3.0
R14/2003	BEDROOM	W19/2003	29.30	1.4	
R14/2003	BEDROOM	W20/2003	27.64	1.3	2.7
R15/2003	BEDROOM	W21/2003	25.15	1.7	1.7
R16/2003	LKD	W22/2003	8.23	0.8	0.8
R17/2003	BEDROOM	W23/2003	23.80	2.0	2.0
R18/2003	BEDROOM	W24/2003	25.50	2.2	2.2
R1/2004	LKD	W1/2004	11.19	0.8	
R1/2004	LKD	W2/2004	33.08	2.7	3.5
R2/2004	BEDROOM	W3/2004	33.21	2.7	2.7
R3/2004	BEDROOM	W4/2004	33.20	2.6	2.6
R4/2004	LKD	W5/2004	33.60	2.2	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R4/2004	LKD	W6/2004	22.59	0.6	
R4/2004	LKD	W7/2004	21.65	1.3	4.1
R5/2004	BEDROOM	W8/2004	19.67	1.4	1.4
R6/2004	BEDROOM	W9/2004	18.69	1.1	1.1
R7/2004	BEDROOM	W10/2004	13.56	0.8	0.8
R8/2004	BEDROOM	W11/2004	11.78	0.5	0.5
R9/2004	BEDROOM	W12/2004	11.17	0.7	0.7
R10/2004	LKD	W13/2004	11.78	0.8	
R10/2004	LKD	W14/2004	24.41	1.3	2.1
R11/2004	BEDROOM	W15/2004	24.17	1.5	1.5
R12/2004	BEDROOM	W16/2004	24.54	1.7	1.7
R13/2004	LKD	W17/2004	2.41	0.6	
R13/2004	LKD	W18/2004	33.59	1.4	2.0
R14/2004	BEDROOM	W19/2004	32.42	1.5	
R14/2004	BEDROOM	W20/2004	30.67	1.4	2.9
R15/2004	BEDROOM	W21/2004	28.10	1.9	1.9
R16/2004	LKD	W22/2004	11.14	0.9	0.9
R17/2004	BEDROOM	W23/2004	26.50	2.2	2.2
R18/2004	BEDROOM	W24/2004	27.83	2.4	2.4
R1/2005	LKD	W1/2005	13.28	0.9	
R1/2005	LKD	W2/2005	33.88	2.5	3.4
R2/2005	BEDROOM	W3/2005	33.94	3.1	3.1
R3/2005	BEDROOM	W4/2005	33.90	2.5	2.5
R4/2005	LKD	W5/2005	22.21	1.5	
R4/2005	LKD	W22/2005	9.15	1.3	2.8
R5/2005	BEDROOM	W6/2005	20.20	1.5	1.5
R6/2005	BEDROOM	W7/2005	19.19	1.0	1.0



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R7/2005	BEDROOM	W8/2005	12.91	0.5	0.5
R8/2005	BEDROOM	W9/2005	12.44	0.6	0.6
R9/2005	LKD	W10/2005	11.92	0.3	
R9/2005	LKD	W11/2005	12.68	1.0	
R9/2005	LKD	W12/2005	10.84	1.0	2.3
R10/2005	BEDROOM	W13/2005	19.84	1.2	1.2
R11/2005	LKD	W14/2005	11.34	0.9	
R11/2005	LKD	W15/2005	25.25	0.7	1.6
R12/2005	BEDROOM	W16/2005	30.47	1.9	
R12/2005	BEDROOM	W17/2005	32.86	1.9	3.8
R13/2005	LKD	W18/2005	30.34	0.7	
R13/2005	LKD	W19/2005	13.52	0.9	1.6
R14/2005	BEDROOM	W20/2005	28.88	2.6	2.6
R15/2005	BEDROOM	W21/2005	29.45	1.8	1.8
R1/2006	LKD	W1/2006	15.17	1.0	
R1/2006	LKD	W2/2006	34.61	2.6	3.6
R2/2006	BEDROOM	W3/2006	34.61	3.1	3.1
R3/2006	BEDROOM	W4/2006	34.54	2.6	2.6
R4/2006	LKD	W5/2006	22.88	1.5	
R4/2006	LKD	W22/2006	9.59	1.4	2.9
R5/2006	BEDROOM	W6/2006	20.77	1.5	1.5
R6/2006	BEDROOM	W7/2006	19.72	1.0	1.0
R7/2006	BEDROOM	W8/2006	13.60	0.5	0.5
R8/2006	BEDROOM	W9/2006	13.18	0.7	0.7
R9/2006	LKD	W10/2006	12.76	0.3	
R9/2006	LKD	W11/2006	13.67	1.1	
R9/2006	LKD	W12/2006	11.87	1.1	2.5
R10/2006	BEDROOM	W13/2006	20.71	1.2	1.2



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R11/2006	LKD	W14/2006	12.29	0.9	
R11/2006	LKD	W15/2006	26.12	0.7	1.6
R12/2006	BEDROOM	W16/2006	31.38	2.0	
R12/2006	BEDROOM	W17/2006	34.58	2.0	4.0
R13/2006	LKD	W18/2006	32.14	0.8	
R13/2006	LKD	W19/2006	15.50	1.0	1.8
R14/2006	BEDROOM	W20/2006	30.88	2.7	2.7
R15/2006	BEDROOM	W21/2006	31.36	1.9	1.9
R1/2007	LKD	W1/2007	16.70	1.1	
R1/2007	LKD	W2/2007	35.31	2.6	3.7
R2/2007	BEDROOM	W3/2007	35.26	3.1	3.1
R3/2007	BEDROOM	W4/2007	35.16	2.6	2.6
R4/2007	LKD	W5/2007	23.59	1.5	
R4/2007	LKD	W22/2007	10.03	1.4	2.9
R5/2007	BEDROOM	W6/2007	21.39	1.5	1.5
R6/2007	BEDROOM	W7/2007	20.31	1.1	1.1
R7/2007	BEDROOM	W8/2007	14.39	0.6	0.6
R8/2007	BEDROOM	W9/2007	14.05	0.7	0.7
R9/2007	LKD	W10/2007	13.73	0.4	
R9/2007	LKD	W11/2007	14.76	1.1	
R9/2007	LKD	W12/2007	12.75	1.2	2.7
R10/2007	BEDROOM	W13/2007	21.45	1.3	1.3
R11/2007	LKD	W14/2007	13.08	0.9	
R11/2007	LKD	W15/2007	26.83	0.8	1.7
R12/2007	BEDROOM	W16/2007	32.11	2.1	
R12/2007	BEDROOM	W17/2007	35.54	2.1	4.2
R13/2007	LKD	W18/2007	33.22	0.8	
R13/2007	LKD	W19/2007	16.83	1.1	1.9



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R14/2007	BEDROOM	W20/2007	32.22	2.8	2.8
R15/2007	BEDROOM	W21/2007	32.78	1.9	1.9
R1/2008	LKD	W1/2008	17.44	1.1	
R1/2008	LKD	W2/2008	35.91	2.7	3.8
R2/2008	BEDROOM	W3/2008	35.81	3.2	3.2
R3/2008	BEDROOM	W4/2008	35.69	2.6	2.6
R4/2008	LKD	W5/2008	24.35	1.5	
R4/2008	LKD	W22/2008	10.39	1.5	3.0
R5/2008	BEDROOM	W6/2008	22.07	1.6	1.6
R6/2008	BEDROOM	W7/2008	21.00	1.1	1.1
R7/2008	BEDROOM	W8/2008	15.31	0.6	0.6
R8/2008	BEDROOM	W9/2008	15.05	0.8	0.8
R9/2008	LKD	W10/2008	14.85	0.4	
R9/2008	LKD	W11/2008	15.96	1.2	
R9/2008	LKD	W12/2008	13.53	1.2	2.8
R10/2008	BEDROOM	W13/2008	22.11	1.3	1.3
R11/2008	LKD	W14/2008	13.78	1.0	
R11/2008	LKD	W15/2008	27.44	0.8	1.8
R12/2008	BEDROOM	W16/2008	32.72	2.1	
R12/2008	BEDROOM	W17/2008	35.83	2.1	4.2
R13/2008	LKD	W18/2008	33.53	0.8	
R13/2008	LKD	W19/2008	17.27	1.1	1.9
R14/2008	BEDROOM	W20/2008	32.69	2.8	2.8
R15/2008	BEDROOM	W21/2008	33.35	2.0	2.0
R1/2009	LKD	W1/2009	17.86	1.1	
R1/2009	LKD	W2/2009	36.39	2.7	3.8
R2/2009	BEDROOM	W3/2009	36.28	3.2	3.2
R3/2009	BEDROOM	W4/2009	36.16	2.7	2.7



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R4/2009	LKD	W5/2009	25.20	1.6	
R4/2009	LKD	W22/2009	10.72	1.5	3.1
R5/2009	BEDROOM	W6/2009	22.87	1.6	1.6
R6/2009	BEDROOM	W7/2009	21.80	1.1	1.1
R7/2009	BEDROOM	W8/2009	16.42	0.7	0.7
R8/2009	BEDROOM	W9/2009	16.25	0.9	0.9
R9/2009	LKD	W10/2009	16.15	0.4	
R9/2009	LKD	W11/2009	17.31	1.3	
R9/2009	LKD	W12/2009	14.21	1.3	3.0
R10/2009	BEDROOM	W13/2009	22.70	1.3	1.3
R11/2009	LKD	W14/2009	14.39	1.0	
R11/2009	LKD	W15/2009	27.98	0.8	1.8
R12/2009	BEDROOM	W16/2009	33.28	2.1	
R12/2009	BEDROOM	W17/2009	36.10	2.1	4.2
R13/2009	LKD	W18/2009	33.80	0.8	
R13/2009	LKD	W19/2009	17.48	1.1	1.9
R14/2009	BEDROOM	W20/2009	33.01	2.9	2.9
R15/2009	BEDROOM	W21/2009	33.72	2.0	2.0
R1/2010	LKD	W1/2010	18.10	1.1	
R1/2010	LKD	W2/2010	36.81	2.7	3.8
R2/2010	BEDROOM	W3/2010	36.68	3.3	3.3
R3/2010	BEDROOM	W4/2010	36.56	2.7	2.7
R4/2010	LKD	W5/2010	26.17	1.6	
R4/2010	LKD	W22/2010	11.01	1.5	3.1
R5/2010	BEDROOM	W6/2010	23.79	1.7	1.7
R6/2010	BEDROOM	W7/2010	22.75	1.2	1.2
R7/2010	BEDROOM	W8/2010	17.78	0.8	0.8



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R8/2010	BEDROOM	W9/2010	17.71	1.1	1.1
R9/2010	LKD	W10/2010	17.72	0.5	
R9/2010	LKD	W11/2010	18.90	1.4	
R9/2010	LKD	W12/2010	14.82	1.3	3.2
R10/2010	BEDROOM	W13/2010	24.13	1.3	1.3
R11/2010	LKD	W14/2010	14.96	1.1	
R11/2010	LKD	W15/2010	28.88	0.8	1.9
R12/2010	BEDROOM	W16/2010	33.93	2.2	
R12/2010	BEDROOM	W17/2010	36.54	2.1	4.3
R13/2010	LKD	W18/2010	34.82	0.8	
R13/2010	LKD	W19/2010	17.67	1.1	1.9
R14/2010	BEDROOM	W20/2010	34.09	2.9	2.9
R15/2010	BEDROOM	W21/2010	34.78	2.0	2.0
R1/2011	LKD	W1/2011	37.24	2.0	
R1/2011	LKD	W2/2011	37.21	2.8	4.8
R2/2011	BEDROOM	W3/2011	37.07	3.3	3.3
R3/2011	BEDROOM	W4/2011	36.94	2.7	2.7
R4/2011	LKD	W5/2011	27.27	1.7	
R4/2011	LKD	W22/2011	11.28	1.6	3.3
R5/2011	BEDROOM	W6/2011	24.90	1.7	1.7
R6/2011	BEDROOM	W7/2011	23.89	1.2	1.2
R7/2011	BEDROOM	W8/2011	19.46	0.9	0.9
R8/2011	BEDROOM	W9/2011	19.48	1.2	1.2
R9/2011	LKD	W10/2011	19.61	0.6	
R9/2011	LKD	W11/2011	20.79	1.5	
R9/2011	LKD	W12/2011	35.15	2.5	4.6
R10/2011	BEDROOM	W13/2011	34.65	1.7	1.7
R11/2011	LKD	W14/2011	35.51	2.0	
R11/2011	LKD	W15/2011	35.40	0.9	2.9



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R12/2011	BEDROOM	W16/2011	35.45	2.4	
R12/2011	BEDROOM	W17/2011	37.00	2.1	4.5
R13/2011	LKD	W18/2011	37.25	0.8	
R13/2011	LKD	W19/2011	37.41	2.0	2.8
R14/2011	BEDROOM	W20/2011	37.37	3.0	3.0
R15/2011	BEDROOM	W21/2011	37.13	2.0	2.0
R1/2012	LKD	W1/2012	13.85	1.7	
R1/2012	LKD	W2/2012	38.45	2.0	3.7
R2/2012	BEDROOM	W3/2012	37.97	3.5	3.5
R3/2012	LKD	W4/2012	37.99	1.5	
R3/2012	LKD	W5/2012	15.19	1.8	
R3/2012	LKD	W6/2012	29.72	1.7	5.0
R4/2012	BEDROOM	W7/2012	26.86	1.7	1.7
R5/2012	BEDROOM	W8/2012	25.92	1.4	1.4
R6/2012	BEDROOM	W9/2012	22.15	1.3	1.3
R7/2012	LKD	W10/2012	22.26	0.5	
R7/2012	LKD	W11/2012	23.59	0.6	
R7/2012	LKD	W12/2012	12.77	1.3	2.4
R8/2012	BEDROOM	W13/2012	35.39	1.7	1.7
R9/2012	LKD	W14/2012	12.51	1.0	
R9/2012	LKD	W15/2012	36.15	0.9	1.9
R10/2012	LKD	W16/2012	13.37	1.4	
R10/2012	LKD	W17/2012	34.75	0.2	
R10/2012	LKD	W18/2012	38.54	1.8	3.4
R11/2012	BEDROOM	W19/2012	37.79	2.5	2.5
R12/2012	BEDROOM	W20/2012	37.41	2.3	2.3

BUILDING 02

R1/2101	STUDIO	W1/2101	26.88	1.0	
R1/2101	STUDIO	W2/2101	28.62	1.0	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R1/2101	STUDIO	W21/2101	12.25	0.7	
R1/2101	STUDIO	W22/2101	9.97	0.6	3.3
R2/2101	STUDIO	W3/2101	30.89	1.4	
R2/2101	STUDIO	W4/2101	31.54	1.4	
R2/2101	STUDIO	W5/2101	27.49	1.4	4.2
R3/2101	STUDIO	W6/2101	26.93	1.6	1.6
R4/2101	STUDIO	W7/2101	26.30	1.6	1.6
R5/2101	STUDIO	W8/2101	23.32	1.4	1.4
R6/2101	STUDIO	W9/2101	22.55	1.4	1.4
R7/2101	STUDIO	W10/2101	21.84	1.3	1.3
R8/2101	STUDIO	W11/2101	21.24	1.3	1.3
R9/2101	STUDIO	W12/2101	20.87	1.3	1.3
R10/2101	STUDIO	W13/2101	26.19	1.8	1.8
R11/2101	STUDIO	W14/2101	26.09	1.8	1.8
R12/2101	STUDIO	W15/2101	25.67	1.9	1.9
R13/2101	STUDIO	W16/2101	24.94	1.9	1.9
R14/2101	STUDIO	W17/2101	23.63	1.9	1.9
R15/2101	STUDIO	W18/2101	19.84	1.4	1.4
R16/2101	STUDIO	W19/2101	17.36	1.5	1.5
R17/2101	STUDIO	W20/2101	14.69	1.4	1.4
R1/2102	STUDIO	W1/2102	27.56	1.0	
R1/2102	STUDIO	W2/2102	29.34	1.0	
R1/2102	STUDIO	W29/2102	13.03	0.8	
R1/2102	STUDIO	W30/2102	10.64	0.7	3.5
R2/2102	STUDIO	W3/2102	31.57	1.4	
R2/2102	STUDIO	W4/2102	32.25	1.5	
R2/2102	STUDIO	W5/2102	28.26	1.4	4.3
R3/2102	STUDIO	W6/2102	27.71	1.6	1.6



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R4/2102	STUDIO	W7/2102	27.10	1.6	1.6
R5/2102	STUDIO	W8/2102	24.21	1.5	1.5
R6/2102	STUDIO	W9/2102	23.46	1.4	1.4
R7/2102	STUDIO	W10/2102	22.79	1.4	1.4
R8/2102	STUDIO	W11/2102	22.21	1.4	1.4
R9/2102	STUDIO	W12/2102	21.88	1.4	1.4
R10/2102	STUDIO	W13/2102	21.62	1.4	1.4
R11/2102	STUDIO	W14/2102	21.65	1.3	
R11/2102	STUDIO	W15/2102	13.36	0.6	
R11/2102	STUDIO	W16/2102	12.77	0.6	2.5
R12/2102	STUDIO	W17/2102	12.99	0.6	
R12/2102	STUDIO	W18/2102	14.22	0.6	
R12/2102	STUDIO	W19/2102	26.52	1.6	2.8
R13/2102	STUDIO	W20/2102	27.19	1.8	1.8
R14/2102	STUDIO	W21/2102	27.65	1.9	1.9
R15/2102	STUDIO	W22/2102	27.53	1.9	1.9
R16/2102	STUDIO	W23/2102	27.11	1.9	1.9
R17/2102	STUDIO	W24/2102	26.36	1.9	1.9
R18/2102	STUDIO	W25/2102	25.02	1.9	1.9
R19/2102	STUDIO	W26/2102	20.98	1.5	1.5
R20/2102	STUDIO	W27/2102	18.37	1.5	1.5
R21/2102	STUDIO	W28/2102	15.57	1.4	1.4
R1/2103	STUDIO	W1/2103	28.22	1.0	
R1/2103	STUDIO	W2/2103	30.05	1.0	
R1/2103	STUDIO	W29/2103	13.90	0.8	
R1/2103	STUDIO	W30/2103	11.40	0.7	3.5
R2/2103	STUDIO	W3/2103	32.24	1.5	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R2/2103	STUDIO	W4/2103	32.92	1.5	
R2/2103	STUDIO	W5/2103	29.02	1.4	4.4
R3/2103	STUDIO	W6/2103	28.48	1.7	1.7
R4/2103	STUDIO	W7/2103	27.90	1.7	1.7
R5/2103	STUDIO	W8/2103	25.11	1.5	1.5
R6/2103	STUDIO	W9/2103	24.40	1.5	1.5
R7/2103	STUDIO	W10/2103	23.76	1.4	1.4
R8/2103	STUDIO	W11/2103	23.22	1.4	1.4
R9/2103	STUDIO	W12/2103	22.92	1.4	1.4
R10/2103	STUDIO	W13/2103	22.69	1.4	1.4
R11/2103	STUDIO	W14/2103	22.74	1.4	
R11/2103	STUDIO	W15/2103	14.42	0.6	
R11/2103	STUDIO	W16/2103	14.05	0.6	2.6
R12/2103	STUDIO	W17/2103	14.51	0.6	
R12/2103	STUDIO	W18/2103	15.80	0.7	
R12/2103	STUDIO	W19/2103	28.02	1.7	3.0
R13/2103	STUDIO	W20/2103	28.63	1.9	1.9
R14/2103	STUDIO	W21/2103	29.04	1.9	1.9
R15/2103	STUDIO	W22/2103	28.92	1.9	1.9
R16/2103	STUDIO	W23/2103	28.53	2.0	2.0
R17/2103	STUDIO	W24/2103	27.77	2.0	2.0
R18/2103	STUDIO	W25/2103	26.40	2.0	2.0
R19/2103	STUDIO	W26/2103	22.20	1.5	1.5
R20/2103	STUDIO	W27/2103	19.45	1.6	1.6
R21/2103	STUDIO	W28/2103	16.54	1.4	1.4
R1/2104	STUDIO	W1/2104	28.79	1.0	
R1/2104	STUDIO	W2/2104	30.63	1.0	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R1/2104	STUDIO	W29/2104	14.87	0.8	
R1/2104	STUDIO	W30/2104	12.27	0.7	3.5
R2/2104	STUDIO	W3/2104	32.82	1.5	
R2/2104	STUDIO	W4/2104	33.50	1.5	
R2/2104	STUDIO	W5/2104	29.72	1.5	4.5
R3/2104	STUDIO	W6/2104	29.20	1.7	1.7
R4/2104	STUDIO	W7/2104	28.65	1.7	1.7
R5/2104	STUDIO	W8/2104	25.99	1.6	1.6
R6/2104	STUDIO	W9/2104	25.32	1.5	1.5
R7/2104	STUDIO	W10/2104	24.72	1.5	1.5
R8/2104	STUDIO	W11/2104	24.21	1.5	1.5
R9/2104	STUDIO	W12/2104	23.95	1.5	1.5
R10/2104	STUDIO	W13/2104	23.76	1.5	1.5
R11/2104	STUDIO	W14/2104	23.84	1.4	
R11/2104	STUDIO	W15/2104	15.43	0.7	
R11/2104	STUDIO	W16/2104	15.26	0.7	2.8
R12/2104	STUDIO	W17/2104	16.15	0.7	
R12/2104	STUDIO	W18/2104	17.51	0.7	
R12/2104	STUDIO	W19/2104	29.52	1.7	3.1
R13/2104	STUDIO	W20/2104	30.05	1.9	1.9
R14/2104	STUDIO	W21/2104	30.38	2.0	2.0
R15/2104	STUDIO	W22/2104	30.22	2.0	2.0
R16/2104	STUDIO	W23/2104	29.82	2.0	2.0
R17/2104	STUDIO	W24/2104	29.06	2.1	2.1
R18/2104	STUDIO	W25/2104	27.76	2.0	2.0
R19/2104	STUDIO	W26/2104	23.46	1.6	1.6
R20/2104	STUDIO	W27/2104	20.63	1.6	1.6



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R21/2104	STUDIO	W28/2104	17.59	1.5	1.5
R1/2105	STUDIO	W1/2105	29.39	1.0	
R1/2105	STUDIO	W2/2105	31.22	1.1	
R1/2105	STUDIO	W29/2105	15.90	0.9	
R1/2105	STUDIO	W30/2105	13.20	0.8	3.8
R2/2105	STUDIO	W3/2105	33.40	1.5	
R2/2105	STUDIO	W4/2105	34.07	1.5	
R2/2105	STUDIO	W5/2105	30.39	1.5	4.5
R3/2105	STUDIO	W6/2105	29.90	1.8	1.8
R4/2105	STUDIO	W7/2105	29.38	1.7	1.7
R5/2105	STUDIO	W8/2105	26.87	1.6	1.6
R6/2105	STUDIO	W9/2105	26.23	1.6	1.6
R7/2105	STUDIO	W10/2105	25.67	1.5	1.5
R8/2105	STUDIO	W11/2105	25.21	1.5	1.5
R9/2105	STUDIO	W12/2105	24.98	1.5	1.5
R10/2105	STUDIO	W13/2105	24.82	1.5	1.5
R11/2105	STUDIO	W14/2105	24.92	1.5	
R11/2105	STUDIO	W15/2105	16.37	0.7	
R11/2105	STUDIO	W16/2105	16.31	0.7	2.9
R12/2105	STUDIO	W17/2105	17.71	0.7	
R12/2105	STUDIO	W18/2105	19.17	0.8	
R12/2105	STUDIO	W19/2105	30.89	1.8	3.3
R13/2105	STUDIO	W20/2105	31.33	2.0	2.0
R14/2105	STUDIO	W21/2105	31.62	2.0	2.0
R15/2105	STUDIO	W22/2105	31.38	2.0	2.0
R16/2105	STUDIO	W23/2105	30.94	2.1	2.1
R17/2105	STUDIO	W24/2105	30.18	2.1	2.1
R18/2105	STUDIO	W25/2105	28.92	2.1	2.1



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R19/2105	STUDIO	W26/2105	24.62	1.6	1.6
R20/2105	STUDIO	W27/2105	21.77	1.7	1.7
R21/2105	STUDIO	W28/2105	18.70	1.6	1.6
R1/2106	STUDIO	W1/2106	29.66	1.0	
R1/2106	STUDIO	W2/2106	31.50	1.1	
R1/2106	STUDIO	W29/2106	16.78	0.9	
R1/2106	STUDIO	W30/2106	14.02	0.8	3.8
R2/2106	STUDIO	W3/2106	33.61	1.5	
R2/2106	STUDIO	W4/2106	34.25	1.5	
R2/2106	STUDIO	W5/2106	30.67	1.5	4.5
R3/2106	STUDIO	W6/2106	30.20	1.8	1.8
R4/2106	STUDIO	W7/2106	29.72	1.8	1.8
R5/2106	STUDIO	W8/2106	27.37	1.7	1.7
R6/2106	STUDIO	W9/2106	26.79	1.6	1.6
R7/2106	STUDIO	W10/2106	26.29	1.6	1.6
R8/2106	STUDIO	W11/2106	25.83	1.6	1.6
R9/2106	STUDIO	W12/2106	25.66	1.6	1.6
R10/2106	STUDIO	W13/2106	25.56	1.6	1.6
R11/2106	STUDIO	W14/2106	25.70	1.5	
R11/2106	STUDIO	W15/2106	16.87	0.7	
R11/2106	STUDIO	W16/2106	16.88	0.7	2.9
R12/2106	STUDIO	W17/2106	18.69	0.8	
R12/2106	STUDIO	W18/2106	20.26	0.8	
R12/2106	STUDIO	W19/2106	31.73	1.8	3.4
R13/2106	STUDIO	W20/2106	32.08	2.0	2.0
R14/2106	STUDIO	W21/2106	32.22	2.1	2.1
R15/2106	STUDIO	W22/2106	31.99	2.1	2.1
R16/2106	STUDIO	W23/2106	31.59	2.1	2.1



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R17/2106	STUDIO	W24/2106	30.84	2.1	2.1
R18/2106	STUDIO	W25/2106	29.61	2.1	2.1
R19/2106	STUDIO	W26/2106	25.45	1.7	1.7
R20/2106	STUDIO	W27/2106	22.67	1.7	1.7
R21/2106	STUDIO	W28/2106	19.62	1.6	1.6
R1/2107	DINING	W1/2107	30.07	1.2	
R1/2107	DINING	W2/2107	29.64	1.3	
R1/2107	DINING	W3/2107	27.17	2.4	4.9
R2/2107	STUDY	W4/2107	28.14	1.7	
R2/2107	STUDY	W5/2107	34.10	1.0	
R2/2107	STUDY	W6/2107	33.41	0.9	
R2/2107	STUDY	W7/2107	32.39	0.9	4.5
R1/2108	STUDIO	W1/2108	31.26	1.1	
R1/2108	STUDIO	W2/2108	32.79	1.1	
R1/2108	STUDIO	W21/2108	20.99	0.9	
R1/2108	STUDIO	W22/2108	18.02	0.9	4.0
R2/2108	STUDIO	W3/2108	34.68	1.5	
R2/2108	STUDIO	W4/2108	35.07	1.5	
R2/2108	STUDIO	W5/2108	32.75	1.9	4.9
R3/2108	STUDIO	W6/2108	32.59	2.2	2.2
R4/2108	STUDIO	W7/2108	32.07	2.2	2.2
R5/2108	STUDIO	W8/2108	30.27	2.1	2.1
R6/2108	STUDIO	W9/2108	29.82	2.0	2.0
R7/2108	STUDIO	W10/2108	29.44	1.8	
R7/2108	STUDIO	W11/2108	23.80	0.0	
R7/2108	STUDIO	W12/2108	23.13	0.0	1.8
R8/2108	STUDIO	W13/2108	20.91	0.0	
R8/2108	STUDIO	W14/2108	21.24	0.0	
R8/2108	STUDIO	W15/2108	33.59	1.7	1.7
R9/2108	STUDIO	W16/2108	32.99	1.9	1.9
R10/2108	STUDIO	W17/2108	32.05	1.9	1.9



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R11/2108	STUDIO	W18/2108	28.65	1.7	1.7
R12/2108	STUDIO	W19/2108	26.28	1.7	1.7
R13/2108	STUDIO	W20/2108	23.63	1.6	1.6
R1/2109	STUDIO	W1/2109	32.37	1.1	
R1/2109	STUDIO	W2/2109	33.76	1.1	
R1/2109	STUDIO	W21/2109	23.85	1.0	
R1/2109	STUDIO	W22/2109	21.09	0.9	4.1
R2/2109	STUDIO	W3/2109	35.36	1.6	
R2/2109	STUDIO	W4/2109	35.67	1.6	
R2/2109	STUDIO	W5/2109	33.44	1.9	5.1
R3/2109	STUDIO	W6/2109	33.30	2.2	2.2
R4/2109	STUDIO	W7/2109	32.82	2.2	2.2
R5/2109	STUDIO	W8/2109	31.17	2.1	2.1
R6/2109	STUDIO	W9/2109	30.77	2.1	2.1
R7/2109	STUDIO	W10/2109	30.42	1.8	
R7/2109	STUDIO	W11/2109	24.63	0.0	
R7/2109	STUDIO	W12/2109	23.94	0.0	1.8
R8/2109	STUDIO	W13/2109	21.69	0.0	
R8/2109	STUDIO	W14/2109	22.04	0.0	
R8/2109	STUDIO	W15/2109	34.43	1.7	1.7
R9/2109	STUDIO	W16/2109	33.96	1.9	1.9
R10/2109	STUDIO	W17/2109	33.19	1.9	1.9
R11/2109	STUDIO	W18/2109	30.34	1.7	1.7
R12/2109	STUDIO	W19/2109	28.34	1.8	1.8
R13/2109	STUDIO	W20/2109	26.12	1.7	1.7
R1/2110	STUDIO	W1/2110	33.65	1.1	
R1/2110	STUDIO	W2/2110	34.80	1.2	
R1/2110	STUDIO	W21/2110	26.99	1.1	
R1/2110	STUDIO	W22/2110	24.79	1.0	4.4



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R2/2110	STUDIO	W3/2110	36.02	1.6	
R2/2110	STUDIO	W4/2110	36.21	1.6	
R2/2110	STUDIO	W5/2110	34.08	1.9	5.1
R3/2110	STUDIO	W6/2110	33.99	2.3	2.3
R4/2110	STUDIO	W7/2110	33.55	2.2	2.2
R5/2110	STUDIO	W8/2110	32.07	2.2	2.2
R6/2110	STUDIO	W9/2110	31.72	2.1	2.1
R7/2110	STUDIO	W10/2110	31.40	1.9	
R7/2110	STUDIO	W11/2110	25.46	0.0	
R7/2110	STUDIO	W12/2110	24.78	0.0	1.9
R8/2110	STUDIO	W13/2110	22.49	0.0	
R8/2110	STUDIO	W14/2110	22.84	0.0	
R8/2110	STUDIO	W15/2110	35.18	1.7	1.7
R9/2110	STUDIO	W16/2110	34.85	2.0	2.0
R10/2110	STUDIO	W17/2110	34.27	2.0	2.0
R11/2110	STUDIO	W18/2110	32.11	1.7	1.7
R12/2110	STUDIO	W19/2110	30.57	1.8	1.8
R13/2110	STUDIO	W20/2110	28.82	1.8	1.8
R1/2111	STUDIO	W1/2111	35.08	1.2	
R1/2111	STUDIO	W2/2111	35.86	1.2	
R1/2111	STUDIO	W21/2111	30.49	1.1	
R1/2111	STUDIO	W22/2111	28.91	1.1	4.6
R2/2111	STUDIO	W3/2111	36.62	1.6	
R2/2111	STUDIO	W4/2111	36.70	1.6	
R2/2111	STUDIO	W5/2111	34.65	2.0	5.2
R3/2111	STUDIO	W6/2111	34.59	2.3	2.3
R4/2111	STUDIO	W7/2111	34.21	2.3	2.3
R5/2111	STUDIO	W8/2111	32.90	2.2	2.2
R6/2111	STUDIO	W9/2111	32.59	2.2	2.2



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R7/2111	STUDIO	W10/2111	32.30	1.9	
R7/2111	STUDIO	W11/2111	26.33	0.0	
R7/2111	STUDIO	W12/2111	25.67	0.0	1.9
R8/2111	STUDIO	W13/2111	23.30	0.0	
R8/2111	STUDIO	W14/2111	23.64	0.0	
R8/2111	STUDIO	W15/2111	35.89	1.7	1.7
R9/2111	STUDIO	W16/2111	35.71	2.0	2.0
R10/2111	STUDIO	W17/2111	35.34	2.0	2.0
R11/2111	STUDIO	W18/2111	33.94	1.8	1.8
R12/2111	STUDIO	W19/2111	32.91	1.9	1.9
R13/2111	STUDIO	W20/2111	31.74	1.9	1.9
R1/2112	STUDIO	W1/2112	36.44	1.2	
R1/2112	STUDIO	W2/2112	36.81	1.2	
R1/2112	STUDIO	W21/2112	34.02	1.2	
R1/2112	STUDIO	W22/2112	33.20	1.2	4.8
R2/2112	STUDIO	W3/2112	37.11	1.6	
R2/2112	STUDIO	W4/2112	37.07	1.6	
R2/2112	STUDIO	W5/2112	35.15	2.0	5.2
R3/2112	STUDIO	W6/2112	35.13	2.3	2.3
R4/2112	STUDIO	W7/2112	34.81	2.3	2.3
R5/2112	STUDIO	W8/2112	33.71	2.3	2.3
R6/2112	STUDIO	W9/2112	33.45	2.2	2.2
R7/2112	STUDIO	W10/2112	33.20	2.0	
R7/2112	STUDIO	W11/2112	27.28	0.0	
R7/2112	STUDIO	W12/2112	26.63	0.0	2.0
R8/2112	STUDIO	W13/2112	24.15	0.0	
R8/2112	STUDIO	W14/2112	24.49	0.0	
R8/2112	STUDIO	W15/2112	36.57	1.7	1.7
R9/2112	STUDIO	W16/2112	36.51	2.0	2.0
R10/2112	STUDIO	W17/2112	36.34	2.0	2.0



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R11/2112	STUDIO	W18/2112	35.68	1.8	1.8
R12/2112	STUDIO	W19/2112	35.19	1.9	1.9
R13/2112	STUDIO	W20/2112	34.61	1.9	1.9
R1/2113	STUDIO	W6/2113	35.67	2.4	2.4
R2/2113	STUDIO	W7/2113	35.41	2.4	2.4
R3/2113	STUDIO	W8/2113	34.53	2.3	2.3
R4/2113	STUDIO	W9/2113	34.32	2.3	2.3
R5/2113	STUDIO	W10/2113	34.11	2.0	
R5/2113	STUDIO	W11/2113	28.27	0.0	
R5/2113	STUDIO	W12/2113	27.66	0.0	2.0
R6/2113	STUDIO	W13/2113	25.06	0.0	
R6/2113	STUDIO	W14/2113	25.36	0.0	
R6/2113	STUDIO	W15/2113	37.15	1.8	1.8
R7/2113	STUDIO	W16/2113	37.20	2.0	2.0
R8/2113	STUDIO	W17/2113	37.19	2.0	2.0
R9/2113	STUDIO	W18/2113	37.12	1.7	1.7
R10/2113	STUDIO	W19/2113	37.09	2.0	2.0
R11/2113	STUDIO	W20/2113	37.01	2.0	2.0
R12/2113	STUDENT_AMENITY	W1/2113	37.34	0.6	
R12/2113	STUDENT_AMENITY	W2/2113	37.47	0.6	
R12/2113	STUDENT_AMENITY	W3/2113	37.49	0.6	
R12/2113	STUDENT_AMENITY	W4/2113	37.38	0.6	
R12/2113	STUDENT_AMENITY	W5/2113	35.63	0.7	
R12/2113	STUDENT_AMENITY	W21/2113	36.95	0.6	
R12/2113	STUDENT_AMENITY	W22/2113	36.73	0.6	4.3
R1/2114	STUDIO	W6/2114	36.20	2.4	2.4
R2/2114	STUDIO	W7/2114	36.01	2.4	2.4
R3/2114	STUDIO	W8/2114	35.35	2.4	2.4
R4/2114	STUDIO	W9/2114	35.19	2.4	2.4



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R5/2114	STUDIO	W10/2114	35.02	2.1	
R5/2114	STUDIO	W11/2114	29.26	0.0	
R5/2114	STUDIO	W12/2114	28.69	0.0	2.1
R6/2114	STUDIO	W13/2114	25.70	0.0	
R6/2114	STUDIO	W14/2114	25.98	0.0	
R6/2114	STUDIO	W15/2114	37.37	1.8	1.8
R7/2114	STUDIO	W16/2114	37.44	2.0	2.0
R8/2114	STUDIO	W17/2114	37.46	2.0	2.0
R9/2114	STUDIO	W18/2114	37.53	1.7	1.7
R10/2114	STUDIO	W19/2114	37.60	2.0	2.0
R11/2114	STUDIO	W20/2114	37.62	2.0	2.0
R12/2114	STUDENT_AMENITY	W1/2114	37.47	0.6	
R12/2114	STUDENT_AMENITY	W2/2114	37.59	0.6	
R12/2114	STUDENT_AMENITY	W3/2114	37.59	0.6	
R12/2114	STUDENT_AMENITY	W4/2114	37.48	0.6	
R12/2114	STUDENT_AMENITY	W5/2114	36.11	0.8	
R12/2114	STUDENT_AMENITY	W21/2114	37.64	0.6	
R12/2114	STUDENT_AMENITY	W22/2114	37.48	0.6	4.4
R1/2115	STUDIO	W6/2115	36.70	2.4	2.4
R2/2115	STUDIO	W7/2115	36.57	2.4	2.4
R3/2115	STUDIO	W8/2115	36.13	2.4	2.4
R4/2115	STUDIO	W9/2115	36.02	2.4	2.4
R5/2115	STUDIO	W10/2115	35.89	2.1	
R5/2115	STUDIO	W11/2115	30.23	0.0	
R5/2115	STUDIO	W12/2115	29.71	0.0	2.1
R6/2115	STUDIO	W13/2115	26.83	0.0	
R6/2115	STUDIO	W14/2115	27.05	0.0	
R6/2115	STUDIO	W15/2115	37.46	1.8	1.8
R7/2115	STUDIO	W16/2115	37.52	2.0	2.0
R8/2115	STUDIO	W17/2115	37.54	2.0	2.0



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R9/2115	STUDIO	W18/2115	37.59	1.7	1.7
R10/2115	STUDIO	W19/2115	37.66	2.0	2.0
R11/2115	STUDIO	W20/2115	37.68	2.0	2.0
R12/2115	STUDENT_AMENITY	W1/2115	37.49	0.6	
R12/2115	STUDENT_AMENITY	W2/2115	37.61	0.6	
R12/2115	STUDENT_AMENITY	W3/2115	37.61	0.6	
R12/2115	STUDENT_AMENITY	W4/2115	37.49	0.6	
R12/2115	STUDENT_AMENITY	W5/2115	36.56	0.8	
R12/2115	STUDENT_AMENITY	W21/2115	37.70	0.6	
R12/2115	STUDENT_AMENITY	W22/2115	37.53	0.6	4.4
R1/2116	STUDIO	W6/2116	38.18	2.5	2.5
R2/2116	STUDIO	W7/2116	38.11	2.5	2.5
R3/2116	STUDIO	W8/2116	37.87	2.5	2.5
R4/2116	STUDIO	W9/2116	37.82	2.5	2.5
R5/2116	STUDIO	W10/2116	37.71	2.2	
R5/2116	STUDIO	W11/2116	32.16	0.0	
R5/2116	STUDIO	W12/2116	31.91	0.0	2.2
R6/2116	STUDIO	W13/2116	28.28	0.0	
R6/2116	STUDIO	W14/2116	28.46	0.0	
R6/2116	STUDIO	W15/2116	38.38	1.8	1.8
R7/2116	STUDIO	W16/2116	38.45	2.0	2.0
R8/2116	STUDIO	W17/2116	38.53	2.0	2.0
R9/2116	STUDIO	W18/2116	38.57	1.7	1.7
R10/2116	STUDIO	W19/2116	38.57	2.0	2.0
R11/2116	STUDIO	W20/2116	38.58	2.0	2.0
R12/2116	STUDENT_AMENITY	W1/2116	38.36	0.6	
R12/2116	STUDENT_AMENITY	W2/2116	38.51	0.6	
R12/2116	STUDENT_AMENITY	W3/2116	38.52	0.6	
R12/2116	STUDENT_AMENITY	W4/2116	38.37	0.6	
R12/2116	STUDENT_AMENITY	W5/2116	37.94	0.8	
R12/2116	STUDENT_AMENITY	W21/2116	38.60	0.6	
R12/2116	STUDENT_AMENITY	W22/2116	38.40	0.6	4.4



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
BUILDING 03					
R1/2201	CLUSTER_LIVING	W1/2201	1.76	0.3	
R1/2201	CLUSTER_LIVING	W2/2201	0.58	0.1	
R1/2201	CLUSTER_LIVING	W3/2201	0.42	0.1	
R1/2201	CLUSTER_LIVING	W50/2201	6.06	0.4	
R1/2201	CLUSTER_LIVING	W51/2201	11.73	0.7	1.6
R2/2201	CLUSTER	W4/2201	12.56	1.6	1.6
R3/2201	CLUSTER	W5/2201	11.23	1.5	1.5
R4/2201	CLUSTER	W6/2201	11.08	1.0	
R4/2201	CLUSTER	W7/2201	3.08	1.0	2.0
R5/2201	CLUSTER_LIVING	W8/2201	11.99	0.8	
R5/2201	CLUSTER_LIVING	W9/2201	17.33	0.5	1.3
R6/2201	CLUSTER	W10/2201	12.66	1.7	1.7
R7/2201	CLUSTER	W11/2201	11.37	1.4	1.4
R8/2201	CLUSTER	W12/2201	13.55	1.8	1.8
R9/2201	CLUSTER	W13/2201	12.69	1.5	1.5
R10/2201	CLUSTER	W14/2201	13.51	1.7	1.7
R11/2201	CLUSTER_LIVING	W15/2201	13.05	0.9	
R11/2201	CLUSTER_LIVING	W16/2201	12.81	1.0	1.9
R12/2201	CLUSTER	W17/2201	14.39	1.8	1.8
R13/2201	CLUSTER	W18/2201	18.40	2.1	2.1
R14/2201	CLUSTER	W19/2201	14.86	1.8	1.8
R15/2201	CLUSTER	W20/2201	18.84	2.1	2.1
R16/2201	CLUSTER	W21/2201	14.78	1.8	1.8
R17/2201	CLUSTER	W22/2201	19.49	2.2	2.2
R18/2201	CLUSTER_LIVING	W23/2201	30.76	2.9	
R18/2201	CLUSTER_LIVING	W24/2201	6.44	0.9	
R18/2201	CLUSTER_LIVING	W25/2201	9.02	1.0	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R18/2201	CLUSTER_LIVING	W26/2201	31.70	0.5	5.3
R19/2201	CLUSTER_LIVING	W27/2201	31.79	0.5	
R19/2201	CLUSTER_LIVING	W28/2201	6.35	0.8	
R19/2201	CLUSTER_LIVING	W29/2201	8.18	0.8	
R19/2201	CLUSTER_LIVING	W30/2201	19.90	0.9	
R19/2201	CLUSTER_LIVING	W31/2201	19.27	0.9	3.9
R20/2201	CLUSTER	W32/2201	13.58	1.8	1.8
R21/2201	CLUSTER	W33/2201	10.62	1.1	1.1
R22/2201	CLUSTER	W34/2201	11.54	1.4	1.4
R23/2201	CLUSTER	W35/2201	9.33	1.4	1.4
R24/2201	CLUSTER	W36/2201	11.97	1.2	1.2
R25/2201	CLUSTER	W37/2201	11.30	1.8	1.8
R26/2201	CLUSTER	W38/2201	0.05	0.8	0.8
R27/2201	CLUSTER	W39/2201	16.09	0.7	0.7
R28/2201	CLUSTER	W40/2201	8.09	1.3	1.3
R29/2201	CLUSTER	W41/2201	10.23	1.5	1.5
R30/2201	CLUSTER	W42/2201	7.41	1.1	1.1
R31/2201	CLUSTER	W43/2201	11.18	1.6	1.6
R32/2201	CLUSTER	W44/2201	7.47	0.7	
R32/2201	CLUSTER	W45/2201	15.34	0.6	1.3
R33/2201	CLUSTER	W46/2201	8.86	1.2	1.2
R34/2201	CLUSTER	W47/2201	7.81	1.1	1.1
R35/2201	CLUSTER	W48/2201	7.73	1.1	1.1
R36/2201	CLUSTER	W49/2201	6.95	0.9	0.9
R1/2202	CLUSTER_LIVING	W1/2202	0.00	0.4	
R1/2202	CLUSTER_LIVING	W2/2202	11.46	0.6	
R1/2202	CLUSTER_LIVING	W3/2202	10.61	0.7	
R1/2202	CLUSTER_LIVING	W4/2202	19.60	0.6	2.3



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R2/2202	CLUSTER_LIVING	W5/2202	21.49	0.6	
R2/2202	CLUSTER_LIVING	W6/2202	14.44	0.7	
R2/2202	CLUSTER_LIVING	W7/2202	15.10	0.9	
R2/2202	CLUSTER_LIVING	W8/2202	14.14	0.8	3.0
R3/2202	CLUSTER	W9/2202	13.22	1.7	1.7
R4/2202	CLUSTER	W10/2202	13.49	1.8	1.8
R5/2202	CLUSTER	W11/2202	12.54	1.8	1.8
R6/2202	CLUSTER	W12/2202	13.29	1.7	1.7
R7/2202	CLUSTER	W13/2202	12.46	1.6	1.6
R8/2202	CLUSTER	W14/2202	12.00	1.0	
R8/2202	CLUSTER	W15/2202	3.53	1.1	2.1
R9/2202	CLUSTER	W16/2202	13.19	1.2	
R9/2202	CLUSTER	W17/2202	19.06	0.7	1.9
R10/2202	CLUSTER	W18/2202	13.85	1.8	1.8
R11/2202	CLUSTER	W19/2202	12.52	1.5	1.5
R12/2202	CLUSTER	W20/2202	14.74	1.9	1.9
R13/2202	CLUSTER	W21/2202	13.83	1.6	1.6
R14/2202	CLUSTER	W22/2202	14.72	1.8	1.8
R15/2202	CLUSTER_LIVING	W23/2202	14.25	1.0	
R15/2202	CLUSTER_LIVING	W24/2202	14.10	1.0	2.0
R16/2202	CLUSTER	W25/2202	15.68	1.9	1.9
R17/2202	CLUSTER	W26/2202	19.38	2.1	2.1
R18/2202	CLUSTER	W27/2202	16.23	1.9	1.9
R19/2202	CLUSTER	W28/2202	19.76	2.2	2.2
R20/2202	CLUSTER	W29/2202	16.20	1.9	1.9
R21/2202	CLUSTER	W30/2202	20.34	2.2	2.2



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R22/2202	CLUSTER_LIVING	W31/2202	32.38	3.0	
R22/2202	CLUSTER_LIVING	W32/2202	7.23	1.0	
R22/2202	CLUSTER_LIVING	W33/2202	10.01	1.0	
R22/2202	CLUSTER_LIVING	W34/2202	35.12	0.6	5.6
R23/2202	CLUSTER_LIVING	W35/2202	35.24	0.5	
R23/2202	CLUSTER_LIVING	W36/2202	7.23	0.9	
R23/2202	CLUSTER_LIVING	W37/2202	9.22	0.9	
R23/2202	CLUSTER_LIVING	W38/2202	21.50	1.0	
R23/2202	CLUSTER_LIVING	W39/2202	20.73	0.9	4.2
R24/2202	CLUSTER	W40/2202	14.59	1.9	1.9
R25/2202	CLUSTER	W41/2202	11.32	1.2	1.2
R26/2202	CLUSTER	W42/2202	12.35	1.5	1.5
R27/2202	CLUSTER	W43/2202	10.00	1.4	1.4
R28/2202	CLUSTER	W44/2202	12.75	1.3	1.3
R29/2202	CLUSTER	W45/2202	12.02	1.8	1.8
R30/2202	CLUSTER	W46/2202	0.05	0.9	0.9
R31/2202	CLUSTER_LIVING	W47/2202	18.39	0.4	
R31/2202	CLUSTER_LIVING	W48/2202	16.87	0.4	0.8
R32/2202	CLUSTER	W49/2202	8.57	1.4	1.4
R33/2202	CLUSTER	W50/2202	10.82	1.5	1.5
R34/2202	CLUSTER	W51/2202	7.96	1.2	1.2
R35/2202	CLUSTER	W52/2202	11.93	1.7	1.7
R36/2202	CLUSTER	W53/2202	8.04	0.8	
R36/2202	CLUSTER	W54/2202	16.43	0.6	1.4
R37/2202	CLUSTER	W55/2202	9.52	1.2	1.2
R38/2202	CLUSTER	W56/2202	9.02	1.2	1.2
R39/2202	CLUSTER	W57/2202	8.59	1.2	1.2
R40/2202	CLUSTER	W58/2202	8.13	1.1	1.1



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R41/2202	CLUSTER	W59/2202	7.59	1.2	1.2
R42/2202	CLUSTER	W60/2202	9.07	1.3	1.3
R1/2203	CLUSTER_LIVING	W1/2203	0.00	0.5	
R1/2203	CLUSTER_LIVING	W2/2203	12.62	0.7	
R1/2203	CLUSTER_LIVING	W3/2203	11.27	0.7	
R1/2203	CLUSTER_LIVING	W4/2203	20.87	0.6	2.5
R2/2203	CLUSTER_LIVING	W5/2203	22.60	0.7	
R2/2203	CLUSTER_LIVING	W6/2203	15.31	0.7	
R2/2203	CLUSTER_LIVING	W7/2203	15.49	0.9	
R2/2203	CLUSTER_LIVING	W8/2203	14.70	0.8	3.1
R3/2203	CLUSTER	W9/2203	14.32	1.8	1.8
R4/2203	CLUSTER	W10/2203	14.05	1.8	1.8
R5/2203	CLUSTER	W11/2203	13.76	1.9	1.9
R6/2203	CLUSTER	W12/2203	14.10	1.7	1.7
R7/2203	CLUSTER	W13/2203	13.86	1.7	1.7
R8/2203	CLUSTER	W14/2203	13.08	1.1	
R8/2203	CLUSTER	W15/2203	4.06	1.2	2.3
R9/2203	CLUSTER	W16/2203	14.54	1.3	
R9/2203	CLUSTER	W17/2203	20.97	0.7	2.0
R10/2203	CLUSTER	W18/2203	15.16	1.9	1.9
R11/2203	CLUSTER	W19/2203	13.81	1.6	1.6
R12/2203	CLUSTER	W20/2203	16.00	1.9	1.9
R13/2203	CLUSTER	W21/2203	15.06	1.7	1.7
R14/2203	CLUSTER	W22/2203	16.01	1.9	1.9
R15/2203	CLUSTER_LIVING	W23/2203	15.52	1.0	
R15/2203	CLUSTER_LIVING	W24/2203	15.48	1.1	2.1
R16/2203	CLUSTER	W25/2203	17.03	2.0	2.0
R17/2203	CLUSTER	W26/2203	20.36	2.2	2.2



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R18/2203	CLUSTER	W27/2203	17.65	2.0	2.0
R19/2203	CLUSTER	W28/2203	20.67	2.2	2.2
R20/2203	CLUSTER	W29/2203	17.66	2.0	2.0
R21/2203	CLUSTER	W30/2203	21.14	2.3	2.3
R22/2203	CLUSTER_LIVING	W31/2203	33.82	3.1	
R22/2203	CLUSTER_LIVING	W32/2203	7.23	1.0	
R22/2203	CLUSTER_LIVING	W33/2203	10.01	1.0	
R22/2203	CLUSTER_LIVING	W34/2203	35.12	0.6	5.7
R23/2203	CLUSTER_LIVING	W35/2203	35.24	0.5	
R23/2203	CLUSTER_LIVING	W36/2203	7.23	0.9	
R23/2203	CLUSTER_LIVING	W37/2203	9.22	0.9	
R23/2203	CLUSTER_LIVING	W38/2203	21.93	1.0	
R23/2203	CLUSTER_LIVING	W39/2203	21.15	0.9	4.2
R24/2203	CLUSTER	W40/2203	14.86	1.9	1.9
R25/2203	CLUSTER	W41/2203	11.83	1.2	1.2
R26/2203	CLUSTER	W42/2203	12.75	1.5	1.5
R27/2203	CLUSTER	W43/2203	10.66	1.5	1.5
R28/2203	CLUSTER	W44/2203	13.30	1.3	1.3
R29/2203	CLUSTER	W45/2203	12.80	1.9	1.9
R30/2203	CLUSTER	W46/2203	0.06	0.9	0.9
R31/2203	CLUSTER_LIVING	W47/2203	19.00	0.4	
R31/2203	CLUSTER_LIVING	W48/2203	17.42	0.4	0.8
R32/2203	CLUSTER	W49/2203	8.86	1.4	1.4
R33/2203	CLUSTER	W50/2203	11.47	1.6	1.6
R34/2203	CLUSTER	W51/2203	8.40	1.2	1.2
R35/2203	CLUSTER	W52/2203	12.70	1.7	1.7
R36/2203	CLUSTER	W53/2203	8.56	0.8	
R36/2203	CLUSTER	W54/2203	17.48	0.6	1.4



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R37/2203	CLUSTER	W55/2203	10.19	1.3	1.3
R38/2203	CLUSTER	W56/2203	10.54	1.4	1.4
R39/2203	CLUSTER	W57/2203	9.58	1.3	1.3
R40/2203	CLUSTER	W58/2203	9.72	1.2	1.2
R41/2203	CLUSTER	W59/2203	8.85	1.3	1.3
R43/2203	CLUSTER	W60/2203	10.41	1.4	1.4
R1/2204	CLUSTER_LIVING	W1/2204	0.00	0.6	
R1/2204	CLUSTER_LIVING	W2/2204	14.00	0.7	
R1/2204	CLUSTER_LIVING	W3/2204	12.02	0.7	
R1/2204	CLUSTER_LIVING	W4/2204	22.31	0.6	2.6
R2/2204	CLUSTER_LIVING	W5/2204	23.82	0.7	
R2/2204	CLUSTER_LIVING	W6/2204	16.28	0.8	
R2/2204	CLUSTER_LIVING	W7/2204	15.86	0.9	
R2/2204	CLUSTER_LIVING	W8/2204	15.26	0.8	3.2
R3/2204	CLUSTER	W9/2204	15.48	1.9	1.9
R4/2204	CLUSTER	W10/2204	14.62	1.8	1.8
R5/2204	CLUSTER	W11/2204	15.08	2.0	2.0
R6/2204	CLUSTER	W12/2204	14.97	1.8	1.8
R7/2204	CLUSTER	W13/2204	15.43	1.8	1.8
R8/2204	CLUSTER	W14/2204	14.30	1.2	
R8/2204	CLUSTER	W15/2204	4.68	1.2	2.4
R9/2204	CLUSTER	W16/2204	16.02	1.4	
R9/2204	CLUSTER	W17/2204	23.05	0.8	2.2
R10/2204	CLUSTER	W18/2204	16.56	2.0	2.0
R11/2204	CLUSTER	W19/2204	15.20	1.7	1.7
R12/2204	CLUSTER	W20/2204	17.30	2.0	2.0
R13/2204	CLUSTER	W21/2204	16.34	1.8	1.8
R14/2204	CLUSTER	W22/2204	17.34	2.0	2.0



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R15/2204	CLUSTER_LIVING	W23/2204	16.81	1.1	
R15/2204	CLUSTER_LIVING	W24/2204	16.92	1.1	2.2
R16/2204	CLUSTER	W25/2204	18.42	2.1	2.1
R17/2204	CLUSTER	W26/2204	21.33	2.3	2.3
R18/2204	CLUSTER	W27/2204	19.08	2.1	2.1
R19/2204	CLUSTER	W28/2204	21.57	2.3	2.3
R20/2204	CLUSTER	W29/2204	19.11	2.1	2.1
R21/2204	CLUSTER	W30/2204	21.93	2.3	2.3
R22/2204	CLUSTER_LIVING	W31/2204	35.19	3.2	
R22/2204	CLUSTER_LIVING	W32/2204	7.23	1.0	
R22/2204	CLUSTER_LIVING	W33/2204	10.01	1.0	
R22/2204	CLUSTER_LIVING	W34/2204	35.12	0.6	5.8
R23/2204	CLUSTER_LIVING	W35/2204	35.24	0.5	
R23/2204	CLUSTER_LIVING	W36/2204	7.23	0.9	
R23/2204	CLUSTER_LIVING	W37/2204	9.22	0.9	
R23/2204	CLUSTER_LIVING	W38/2204	22.41	1.0	
R23/2204	CLUSTER_LIVING	W39/2204	21.62	0.9	4.2
R24/2204	CLUSTER	W40/2204	15.19	1.9	1.9
R25/2204	CLUSTER	W41/2204	12.41	1.3	1.3
R26/2204	CLUSTER	W42/2204	13.21	1.6	1.6
R27/2204	CLUSTER	W43/2204	11.37	1.6	1.6
R28/2204	CLUSTER	W44/2204	13.93	1.3	1.3
R29/2204	CLUSTER	W45/2204	13.64	2.0	2.0
R30/2204	CLUSTER	W46/2204	0.07	0.9	0.9
R31/2204	CLUSTER_LIVING	W47/2204	19.66	0.4	
R31/2204	CLUSTER_LIVING	W48/2204	18.04	0.4	0.8
R32/2204	CLUSTER	W49/2204	9.21	1.4	1.4
R33/2204	CLUSTER	W50/2204	12.16	1.6	1.6



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R34/2204	CLUSTER	W51/2204	8.91	1.3	1.3
R35/2204	CLUSTER	W52/2204	13.52	1.8	1.8
R36/2204	CLUSTER	W53/2204	9.15	0.9	
R36/2204	CLUSTER	W54/2204	18.55	0.7	1.6
R37/2204	CLUSTER	W55/2204	10.93	1.4	1.4
R38/2204	CLUSTER	W56/2204	12.34	1.5	1.5
R39/2204	CLUSTER	W57/2204	10.73	1.4	1.4
R40/2204	CLUSTER	W58/2204	11.79	1.4	1.4
R41/2204	CLUSTER	W59/2204	10.46	1.4	1.4
R43/2204	CLUSTER	W60/2204	12.30	1.6	1.6
R1/2205	CLUSTER_LIVING	W1/2205	0.00	0.7	
R1/2205	CLUSTER_LIVING	W2/2205	15.48	0.8	
R1/2205	CLUSTER_LIVING	W3/2205	12.86	0.8	
R1/2205	CLUSTER_LIVING	W4/2205	23.74	0.6	2.9
R2/2205	CLUSTER_LIVING	W5/2205	25.00	0.7	
R2/2205	CLUSTER_LIVING	W6/2205	17.21	0.8	
R2/2205	CLUSTER_LIVING	W7/2205	16.24	0.9	
R2/2205	CLUSTER_LIVING	W8/2205	15.85	0.8	3.2
R3/2205	CLUSTER	W9/2205	16.69	2.0	2.0
R4/2205	CLUSTER	W10/2205	15.21	1.9	1.9
R5/2205	CLUSTER	W11/2205	16.48	2.1	2.1
R6/2205	CLUSTER	W12/2205	15.91	1.8	1.8
R7/2205	CLUSTER	W13/2205	17.12	2.0	2.0
R8/2205	CLUSTER	W14/2205	15.67	1.2	
R8/2205	CLUSTER	W15/2205	5.37	1.3	2.5
R9/2205	CLUSTER	W16/2205	17.60	1.5	
R9/2205	CLUSTER	W17/2205	25.26	0.9	2.4
R10/2205	CLUSTER	W18/2205	18.00	2.1	2.1



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R11/2205	CLUSTER	W19/2205	16.68	1.9	1.9
R12/2205	CLUSTER	W20/2205	18.60	2.1	2.1
R13/2205	CLUSTER	W21/2205	17.66	1.9	1.9
R14/2205	CLUSTER	W22/2205	18.66	2.1	2.1
R15/2205	CLUSTER_LIVING	W23/2205	18.11	1.1	
R15/2205	CLUSTER_LIVING	W24/2205	18.37	1.2	2.3
R16/2205	CLUSTER	W25/2205	19.75	2.2	2.2
R17/2205	CLUSTER	W26/2205	22.24	2.3	2.3
R18/2205	CLUSTER	W27/2205	20.44	2.2	2.2
R19/2205	CLUSTER	W28/2205	22.43	2.4	2.4
R20/2205	CLUSTER	W29/2205	20.48	2.2	2.2
R21/2205	CLUSTER	W30/2205	22.68	2.4	2.4
R22/2205	CLUSTER_LIVING	W31/2205	36.48	3.3	
R22/2205	CLUSTER_LIVING	W32/2205	7.23	1.0	
R22/2205	CLUSTER_LIVING	W33/2205	10.00	1.0	
R22/2205	CLUSTER_LIVING	W34/2205	35.11	0.6	5.9
R23/2205	CLUSTER_LIVING	W35/2205	35.23	0.5	
R23/2205	CLUSTER_LIVING	W36/2205	7.22	0.9	
R23/2205	CLUSTER_LIVING	W37/2205	9.22	0.9	
R23/2205	CLUSTER_LIVING	W38/2205	22.94	1.0	
R23/2205	CLUSTER_LIVING	W39/2205	22.14	0.9	4.2
R24/2205	CLUSTER	W40/2205	15.59	2.0	2.0
R25/2205	CLUSTER	W41/2205	13.04	1.4	1.4
R26/2205	CLUSTER	W42/2205	13.76	1.6	1.6
R27/2205	CLUSTER	W43/2205	12.17	1.6	1.6
R28/2205	CLUSTER	W44/2205	14.62	1.4	1.4
R29/2205	CLUSTER	W45/2205	14.53	2.0	2.0



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R30/2205	CLUSTER	W46/2205	0.08	1.0	1.0
R31/2205	CLUSTER_LIVING	W47/2205	20.35	0.4	
R31/2205	CLUSTER_LIVING	W48/2205	18.69	0.4	0.8
R32/2205	CLUSTER	W49/2205	9.61	1.5	1.5
R33/2205	CLUSTER	W50/2205	12.87	1.7	1.7
R34/2205	CLUSTER	W51/2205	9.49	1.3	1.3
R35/2205	CLUSTER	W52/2205	14.38	1.8	1.8
R36/2205	CLUSTER	W53/2205	9.80	0.9	
R36/2205	CLUSTER	W54/2205	19.68	0.7	1.6
R37/2205	CLUSTER	W55/2205	11.72	1.5	1.5
R38/2205	CLUSTER	W56/2205	14.10	1.7	1.7
R39/2205	CLUSTER	W57/2205	11.93	1.5	1.5
R40/2205	CLUSTER	W58/2205	13.89	1.6	1.6
R41/2205	CLUSTER	W59/2205	12.04	1.6	1.6
R43/2205	CLUSTER	W60/2205	14.70	1.8	1.8
R1/2206	CLUSTER_LIVING	W1/2206	0.00	0.9	
R1/2206	CLUSTER_LIVING	W2/2206	16.46	0.8	
R1/2206	CLUSTER_LIVING	W3/2206	13.62	0.8	
R1/2206	CLUSTER_LIVING	W4/2206	24.57	0.7	3.2
R2/2206	CLUSTER_LIVING	W5/2206	25.68	0.7	
R2/2206	CLUSTER_LIVING	W6/2206	17.80	0.8	
R2/2206	CLUSTER_LIVING	W7/2206	16.48	0.9	
R2/2206	CLUSTER_LIVING	W8/2206	16.32	0.8	3.2
R3/2206	CLUSTER	W9/2206	17.77	2.1	2.1
R4/2206	CLUSTER	W10/2206	15.60	1.9	1.9
R5/2206	CLUSTER	W11/2206	17.70	2.2	2.2
R6/2206	CLUSTER	W12/2206	16.77	1.9	1.9
R7/2206	CLUSTER	W13/2206	18.76	2.1	2.1



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R8/2206	CLUSTER	W14/2206	16.99	1.3	
R8/2206	CLUSTER	W15/2206	6.03	1.4	2.7
R9/2206	CLUSTER	W16/2206	18.70	1.5	
R9/2206	CLUSTER	W17/2206	26.76	0.9	2.4
R10/2206	CLUSTER	W18/2206	18.95	2.1	2.1
R11/2206	CLUSTER	W19/2206	17.69	1.9	1.9
R12/2206	CLUSTER	W20/2206	19.36	2.2	2.2
R13/2206	CLUSTER	W21/2206	18.46	2.0	2.0
R14/2206	CLUSTER	W22/2206	19.41	2.1	2.1
R15/2206	CLUSTER_LIVING	W23/2206	18.85	1.2	
R15/2206	CLUSTER_LIVING	W24/2206	19.27	1.2	2.4
R16/2206	CLUSTER	W25/2206	20.83	2.3	2.3
R17/2206	CLUSTER	W26/2206	22.85	2.4	2.4
R18/2206	CLUSTER	W27/2206	21.45	2.3	2.3
R19/2206	CLUSTER	W28/2206	22.93	2.4	2.4
R20/2206	CLUSTER	W29/2206	21.44	2.3	2.3
R21/2206	CLUSTER	W30/2206	23.05	2.4	2.4
R22/2206	CLUSTER_LIVING	W31/2206	37.08	3.4	
R22/2206	CLUSTER_LIVING	W32/2206	7.20	1.0	
R22/2206	CLUSTER_LIVING	W33/2206	9.93	1.0	
R22/2206	CLUSTER_LIVING	W34/2206	34.92	0.6	6.0
R23/2206	CLUSTER_LIVING	W35/2206	35.04	0.5	
R23/2206	CLUSTER_LIVING	W36/2206	7.20	0.9	
R23/2206	CLUSTER_LIVING	W37/2206	9.15	0.9	
R23/2206	CLUSTER_LIVING	W38/2206	23.24	1.1	
R23/2206	CLUSTER_LIVING	W39/2206	22.44	1.0	4.4
R24/2206	CLUSTER	W40/2206	15.91	2.0	2.0
R25/2206	CLUSTER	W41/2206	13.60	1.4	1.4



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R26/2206	CLUSTER	W42/2206	14.21	1.6	1.6
R27/2206	CLUSTER	W43/2206	12.87	1.7	1.7
R28/2206	CLUSTER	W44/2206	15.22	1.5	1.5
R29/2206	CLUSTER	W45/2206	15.32	2.1	2.1
R30/2206	CLUSTER	W46/2206	0.09	1.0	1.0
R31/2206	CLUSTER_LIVING	W47/2206	20.43	0.4	
R31/2206	CLUSTER_LIVING	W48/2206	18.92	0.4	0.8
R32/2206	CLUSTER	W49/2206	9.75	1.4	1.4
R33/2206	CLUSTER	W50/2206	13.16	1.7	1.7
R34/2206	CLUSTER	W51/2206	9.70	1.3	1.3
R35/2206	CLUSTER	W52/2206	14.79	1.8	1.8
R36/2206	CLUSTER	W53/2206	10.09	0.9	
R36/2206	CLUSTER	W54/2206	20.21	0.7	1.6
R37/2206	CLUSTER	W55/2206	12.46	1.5	1.5
R38/2206	CLUSTER	W56/2206	15.82	1.8	1.8
R39/2206	CLUSTER	W57/2206	13.11	1.6	1.6
R40/2206	CLUSTER	W58/2206	15.64	1.8	1.8
R41/2206	CLUSTER	W59/2206	13.28	1.7	1.7
R43/2206	CLUSTER	W60/2206	16.41	1.9	1.9
R1/2207	LOUNGE	W1/2207	26.26	0.3	
R1/2207	LOUNGE	W2/2207	26.42	0.3	
R1/2207	LOUNGE	W3/2207	26.73	0.3	
R1/2207	LOUNGE	W4/2207	26.88	0.3	1.2
R2/2207	STUDY	W5/2207	27.28	0.1	
R2/2207	STUDY	W6/2207	27.93	0.1	
R2/2207	STUDY	W7/2207	28.37	0.1	
R2/2207	STUDY	W8/2207	28.78	0.2	
R2/2207	STUDY	W9/2207	28.20	0.2	
R2/2207	STUDY	W10/2207	28.51	0.2	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R2/2207	STUDY	W11/2207	28.59	0.2	
R2/2207	STUDY	W12/2207	28.78	0.2	
R2/2207	STUDY	W13/2207	28.81	0.2	
R2/2207	STUDY	W14/2207	28.49	0.2	
R2/2207	STUDY	W15/2207	31.08	0.2	
R2/2207	STUDY	W16/2207	31.28	0.2	2.1
R3/2207	STUDY	W17/2207	31.52	0.4	
R3/2207	STUDY	W18/2207	31.72	0.4	
R3/2207	STUDY	W19/2207	31.98	0.4	
R3/2207	STUDY	W20/2207	32.19	0.4	1.6
R4/2207	STUDY	W21/2207	38.16	1.4	
R4/2207	STUDY	W22/2207	38.23	1.4	2.8
R5/2207	DINING	W23/2207	22.46	0.8	
R5/2207	DINING	W24/2207	21.38	0.8	1.6
R6/2207	LOUNGE	W25/2207	20.69	0.5	
R6/2207	LOUNGE	W26/2207	20.78	0.5	
R6/2207	LOUNGE	W27/2207	21.32	0.6	1.6
R1/2208	CLUSTER_LIVING	W1/2208	10.26	0.8	
R1/2208	CLUSTER_LIVING	W2/2208	29.55	0.8	
R1/2208	CLUSTER_LIVING	W3/2208	27.75	0.7	
R1/2208	CLUSTER_LIVING	W4/2208	27.16	0.6	
R1/2208	CLUSTER_LIVING	W5/2208	27.35	0.6	3.5
R2/2208	CLUSTER_LIVING	W6/2208	27.35	0.6	
R2/2208	CLUSTER_LIVING	W7/2208	27.27	0.6	
R2/2208	CLUSTER_LIVING	W8/2208	28.05	0.8	
R2/2208	CLUSTER_LIVING	W9/2208	28.55	1.2	3.2
R3/2208	CLUSTER	W10/2208	23.06	2.3	2.3
R4/2208	CLUSTER	W11/2208	23.31	2.0	2.0
R5/2208	CLUSTER	W12/2208	23.94	2.4	2.4
R6/2208	CLUSTER	W13/2208	23.72	2.1	2.1
R7/2208	CLUSTER	W14/2208	24.98	2.4	2.4
R8/2208	CLUSTER	W15/2208	23.94	1.4	
R8/2208	CLUSTER	W16/2208	24.52	1.5	2.9
R9/2208	CLUSTER	W17/2208	37.61	1.6	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R9/2208	CLUSTER	W18/2208	0.00	0.6	2.2
R10/2208	CLUSTER	W19/2208	0.00	0.6	
R10/2208	CLUSTER	W20/2208	37.74	1.6	2.2
R11/2208	CLUSTER	W21/2208	37.70	1.6	
R11/2208	CLUSTER	W22/2208	0.00	0.6	2.2
R12/2208	CLUSTER	W23/2208	0.00	0.6	
R12/2208	CLUSTER	W24/2208	37.83	1.6	2.2
R13/2208	CLUSTER	W25/2208	37.78	1.6	
R13/2208	CLUSTER	W26/2208	0.00	0.6	2.2
R14/2208	CLUSTER	W27/2208	0.00	0.6	
R14/2208	CLUSTER	W28/2208	38.18	1.6	2.2
R15/2208	CLUSTER_LIVING	W29/2208	38.71	3.7	
R15/2208	CLUSTER_LIVING	W30/2208	39.53	1.0	
R15/2208	CLUSTER_LIVING	W31/2208	39.44	1.1	5.8
R16/2208	CLUSTER_LIVING	W32/2208	39.44	0.9	
R16/2208	CLUSTER_LIVING	W33/2208	39.44	0.9	
R16/2208	CLUSTER_LIVING	W34/2208	39.53	0.9	
R16/2208	CLUSTER_LIVING	W35/2208	25.88	2.3	5.0
R17/2208	CLUSTER	W36/2208	22.91	0.8	
R17/2208	CLUSTER	W37/2208	13.35	0.4	1.2
R18/2208	CLUSTER	W38/2208	12.60	0.4	
R18/2208	CLUSTER	W39/2208	21.23	0.7	1.1
R19/2208	CLUSTER	W40/2208	21.40	0.7	
R19/2208	CLUSTER	W41/2208	12.31	0.3	1.0
R20/2208	CLUSTER	W42/2208	12.45	0.4	
R20/2208	CLUSTER	W43/2208	21.32	0.7	1.1
R21/2208	CLUSTER	W44/2208	22.02	0.7	
R21/2208	CLUSTER	W45/2208	13.58	0.4	1.1
R22/2208	CLUSTER	W46/2208	14.54	0.4	
R22/2208	CLUSTER	W47/2208	23.09	0.8	1.2
R23/2208	CLUSTER	W48/2208	24.29	0.8	
R23/2208	CLUSTER	W49/2208	17.31	0.5	1.3



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R24/2208	CLUSTER	W50/2208	8.36	1.6	1.6
R25/2208	CLUSTER	W51/2208	12.34	1.9	1.9
R26/2208	CLUSTER	W52/2208	9.26	1.7	1.7
R27/2208	CLUSTER	W53/2208	12.57	1.9	1.9
R28/2208	CLUSTER	W54/2208	11.97	1.7	1.7
R29/2208	CLUSTER	W55/2208	12.63	1.9	1.9
R1/2209	CLUSTER_LIVING	W1/2209	10.94	0.8	
R1/2209	CLUSTER_LIVING	W2/2209	31.40	0.8	
R1/2209	CLUSTER_LIVING	W3/2209	28.82	0.7	
R1/2209	CLUSTER_LIVING	W4/2209	28.17	0.6	
R1/2209	CLUSTER_LIVING	W5/2209	28.34	0.6	3.5
R2/2209	CLUSTER_LIVING	W6/2209	28.33	0.6	
R2/2209	CLUSTER_LIVING	W7/2209	28.25	0.6	
R2/2209	CLUSTER_LIVING	W8/2209	29.06	0.8	
R2/2209	CLUSTER_LIVING	W9/2209	29.50	1.3	3.3
R3/2209	CLUSTER	W10/2209	23.89	2.3	2.3
R4/2209	CLUSTER	W11/2209	24.16	2.1	2.1
R5/2209	CLUSTER	W12/2209	24.71	2.4	2.4
R6/2209	CLUSTER	W13/2209	24.58	2.1	2.1
R7/2209	CLUSTER	W14/2209	25.71	2.4	2.4
R8/2209	CLUSTER	W15/2209	24.77	1.5	
R8/2209	CLUSTER	W16/2209	25.34	1.5	3.0
R9/2209	CLUSTER	W17/2209	37.94	1.6	
R9/2209	CLUSTER	W18/2209	0.00	0.6	2.2
R10/2209	CLUSTER	W19/2209	0.00	0.6	
R10/2209	CLUSTER	W20/2209	38.05	1.6	2.2
R11/2209	CLUSTER	W21/2209	38.01	1.6	
R11/2209	CLUSTER	W22/2209	0.00	0.6	2.2
R12/2209	CLUSTER	W23/2209	0.00	0.6	
R12/2209	CLUSTER	W24/2209	38.12	1.6	2.2



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R13/2209	CLUSTER	W25/2209	38.06	1.6	
R13/2209	CLUSTER	W26/2209	0.00	0.6	2.2
R14/2209	CLUSTER	W27/2209	0.00	0.6	
R14/2209	CLUSTER	W28/2209	38.44	1.6	2.2
R15/2209	CLUSTER_LIVING	W29/2209	38.97	3.7	
R15/2209	CLUSTER_LIVING	W30/2209	39.53	1.0	
R15/2209	CLUSTER_LIVING	W31/2209	39.44	1.1	5.8
R16/2209	CLUSTER_LIVING	W32/2209	39.44	0.9	
R16/2209	CLUSTER_LIVING	W33/2209	39.44	0.9	
R16/2209	CLUSTER_LIVING	W34/2209	39.53	0.9	
R16/2209	CLUSTER_LIVING	W35/2209	26.92	2.4	5.1
R17/2209	CLUSTER	W36/2209	24.05	0.8	
R17/2209	CLUSTER	W37/2209	14.43	0.4	1.2
R18/2209	CLUSTER	W38/2209	13.74	0.4	
R18/2209	CLUSTER	W39/2209	22.54	0.8	1.2
R19/2209	CLUSTER	W40/2209	22.70	0.8	
R19/2209	CLUSTER	W41/2209	13.53	0.4	1.2
R20/2209	CLUSTER	W42/2209	13.72	0.4	
R20/2209	CLUSTER	W43/2209	22.73	0.8	1.2
R21/2209	CLUSTER	W44/2209	23.39	0.8	
R21/2209	CLUSTER	W45/2209	14.86	0.4	1.2
R22/2209	CLUSTER	W46/2209	15.77	0.4	
R22/2209	CLUSTER	W47/2209	24.43	0.9	1.3
R23/2209	CLUSTER	W48/2209	25.57	0.8	
R23/2209	CLUSTER	W49/2209	18.42	0.5	1.3
R24/2209	CLUSTER	W50/2209	9.11	1.7	1.7
R25/2209	CLUSTER	W51/2209	13.11	2.0	2.0
R26/2209	CLUSTER	W52/2209	10.01	1.7	1.7
R27/2209	CLUSTER	W53/2209	13.50	2.0	2.0
R28/2209	CLUSTER	W54/2209	12.80	1.8	1.8



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R29/2209	CLUSTER	W55/2209	13.28	2.0	2.0
R1/2210	CLUSTER_LIVING	W1/2210	11.62	0.9	
R1/2210	CLUSTER_LIVING	W2/2210	33.13	0.8	
R1/2210	CLUSTER_LIVING	W3/2210	29.94	0.7	
R1/2210	CLUSTER_LIVING	W4/2210	29.23	0.6	
R1/2210	CLUSTER_LIVING	W5/2210	29.37	0.7	3.7
R2/2210	CLUSTER_LIVING	W6/2210	29.34	0.7	
R2/2210	CLUSTER_LIVING	W7/2210	29.26	0.7	
R2/2210	CLUSTER_LIVING	W8/2210	30.11	0.8	
R2/2210	CLUSTER_LIVING	W9/2210	30.40	1.3	3.5
R3/2210	CLUSTER	W10/2210	24.67	2.4	2.4
R4/2210	CLUSTER	W11/2210	24.98	2.2	2.2
R5/2210	CLUSTER	W12/2210	25.43	2.4	2.4
R6/2210	CLUSTER	W13/2210	25.37	2.2	2.2
R7/2210	CLUSTER	W14/2210	26.37	2.4	2.4
R8/2210	CLUSTER	W15/2210	25.54	1.5	
R8/2210	CLUSTER	W16/2210	26.08	1.5	3.0
R9/2210	CLUSTER	W17/2210	38.24	1.6	
R9/2210	CLUSTER	W18/2210	0.00	0.6	2.2
R10/2210	CLUSTER	W19/2210	0.00	0.6	
R10/2210	CLUSTER	W20/2210	38.32	1.6	2.2
R11/2210	CLUSTER	W21/2210	38.29	1.6	
R11/2210	CLUSTER	W22/2210	0.00	0.6	2.2
R12/2210	CLUSTER	W23/2210	0.00	0.6	
R12/2210	CLUSTER	W24/2210	38.38	1.6	2.2
R13/2210	CLUSTER	W25/2210	38.33	1.6	
R13/2210	CLUSTER	W26/2210	0.00	0.6	2.2
R14/2210	CLUSTER	W27/2210	0.00	0.6	
R14/2210	CLUSTER	W28/2210	38.68	1.7	2.3
R15/2210	CLUSTER_LIVING	W29/2210	39.22	3.7	
R15/2210	CLUSTER_LIVING	W30/2210	39.53	1.0	
R15/2210	CLUSTER_LIVING	W31/2210	39.44	1.1	5.8



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R16/2210	CLUSTER_LIVING	W32/2210	39.44	0.9	
R16/2210	CLUSTER_LIVING	W33/2210	39.44	0.9	
R16/2210	CLUSTER_LIVING	W34/2210	39.53	0.9	
R16/2210	CLUSTER_LIVING	W35/2210	28.16	2.5	5.2
R17/2210	CLUSTER	W36/2210	25.43	0.8	
R17/2210	CLUSTER	W37/2210	15.75	0.4	1.2
R18/2210	CLUSTER	W38/2210	15.14	0.4	
R18/2210	CLUSTER	W39/2210	24.10	0.8	1.2
R19/2210	CLUSTER	W40/2210	24.25	0.8	
R19/2210	CLUSTER	W41/2210	15.01	0.4	1.2
R20/2210	CLUSTER	W42/2210	15.23	0.4	
R20/2210	CLUSTER	W43/2210	24.36	0.8	1.2
R21/2210	CLUSTER	W44/2210	24.95	0.8	
R21/2210	CLUSTER	W45/2210	16.30	0.5	1.3
R22/2210	CLUSTER	W46/2210	17.14	0.5	
R22/2210	CLUSTER	W47/2210	25.91	0.9	1.4
R23/2210	CLUSTER	W48/2210	26.99	0.9	
R23/2210	CLUSTER	W49/2210	19.61	0.5	1.4
R24/2210	CLUSTER	W50/2210	9.89	1.8	1.8
R25/2210	CLUSTER	W51/2210	13.82	2.1	2.1
R26/2210	CLUSTER	W52/2210	10.78	1.8	1.8
R27/2210	CLUSTER	W53/2210	14.37	2.1	2.1
R28/2210	CLUSTER	W54/2210	13.64	1.9	1.9
R29/2210	CLUSTER	W55/2210	13.89	2.1	2.1
R1/2211	CLUSTER_LIVING	W1/2211	12.26	0.9	
R1/2211	CLUSTER_LIVING	W2/2211	34.46	0.9	
R1/2211	CLUSTER_LIVING	W3/2211	31.09	0.7	
R1/2211	CLUSTER_LIVING	W4/2211	30.33	0.7	
R1/2211	CLUSTER_LIVING	W5/2211	30.44	0.7	3.9
R2/2211	CLUSTER_LIVING	W6/2211	30.41	0.7	
R2/2211	CLUSTER_LIVING	W7/2211	30.33	0.7	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R2/2211	CLUSTER_LIVING	W8/2211	31.20	0.8	
R2/2211	CLUSTER_LIVING	W9/2211	31.29	1.3	3.5
R3/2211	CLUSTER	W10/2211	25.47	2.4	2.4
R4/2211	CLUSTER	W11/2211	25.79	2.2	2.2
R5/2211	CLUSTER	W12/2211	26.14	2.5	2.5
R6/2211	CLUSTER	W13/2211	26.16	2.3	2.3
R7/2211	CLUSTER	W14/2211	27.01	2.5	2.5
R8/2211	CLUSTER	W15/2211	26.28	1.6	
R8/2211	CLUSTER	W16/2211	26.79	1.6	3.2
R9/2211	CLUSTER	W17/2211	38.50	1.6	
R9/2211	CLUSTER	W18/2211	0.00	0.6	2.2
R10/2211	CLUSTER	W19/2211	0.00	0.6	
R10/2211	CLUSTER	W20/2211	38.56	1.6	2.2
R11/2211	CLUSTER	W21/2211	38.54	1.6	
R11/2211	CLUSTER	W22/2211	0.00	0.6	2.2
R12/2211	CLUSTER	W23/2211	0.00	0.6	
R12/2211	CLUSTER	W24/2211	38.60	1.6	2.2
R13/2211	CLUSTER	W25/2211	38.56	1.6	
R13/2211	CLUSTER	W26/2211	0.00	0.6	2.2
R14/2211	CLUSTER	W27/2211	0.00	0.6	
R14/2211	CLUSTER	W28/2211	38.89	1.7	2.3
R15/2211	CLUSTER_LIVING	W29/2211	39.43	3.8	
R15/2211	CLUSTER_LIVING	W30/2211	39.53	1.0	
R15/2211	CLUSTER_LIVING	W31/2211	39.44	1.1	5.9
R16/2211	CLUSTER_LIVING	W32/2211	39.44	0.9	
R16/2211	CLUSTER_LIVING	W33/2211	39.44	0.9	
R16/2211	CLUSTER_LIVING	W34/2211	39.53	0.9	
R16/2211	CLUSTER_LIVING	W35/2211	29.61	2.6	5.3
R17/2211	CLUSTER	W36/2211	27.06	0.9	
R17/2211	CLUSTER	W37/2211	17.37	0.5	1.4
R18/2211	CLUSTER	W38/2211	16.84	0.4	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R18/2211	CLUSTER	W39/2211	25.93	0.9	1.3
R19/2211	CLUSTER	W40/2211	26.08	0.9	
R19/2211	CLUSTER	W41/2211	16.78	0.4	1.3
R20/2211	CLUSTER	W42/2211	16.98	0.5	
R20/2211	CLUSTER	W43/2211	26.22	0.9	1.4
R21/2211	CLUSTER	W44/2211	26.76	0.9	
R21/2211	CLUSTER	W45/2211	17.99	0.5	1.4
R22/2211	CLUSTER	W46/2211	18.72	0.5	
R22/2211	CLUSTER	W47/2211	27.60	0.9	1.4
R23/2211	CLUSTER	W48/2211	28.58	0.9	
R23/2211	CLUSTER	W49/2211	20.95	0.5	1.4
R24/2211	CLUSTER	W50/2211	10.65	1.8	1.8
R25/2211	CLUSTER	W51/2211	14.39	2.1	2.1
R26/2211	CLUSTER	W52/2211	11.52	1.9	1.9
R27/2211	CLUSTER	W53/2211	15.07	2.2	2.2
R28/2211	CLUSTER	W54/2211	14.44	1.9	1.9
R29/2211	CLUSTER	W55/2211	14.40	2.1	2.1
R1/2212	CLUSTER_LIVING	W1/2212	12.90	0.9	
R1/2212	CLUSTER_LIVING	W2/2212	35.17	0.9	
R1/2212	CLUSTER_LIVING	W3/2212	32.23	0.7	
R1/2212	CLUSTER_LIVING	W4/2212	31.43	0.7	
R1/2212	CLUSTER_LIVING	W5/2212	31.51	0.7	3.9
R2/2212	CLUSTER_LIVING	W6/2212	31.47	0.7	
R2/2212	CLUSTER_LIVING	W7/2212	31.39	0.7	
R2/2212	CLUSTER_LIVING	W8/2212	32.29	0.9	
R2/2212	CLUSTER_LIVING	W9/2212	32.06	1.3	3.6
R3/2212	CLUSTER	W10/2212	26.16	2.4	2.4
R4/2212	CLUSTER	W11/2212	26.49	2.3	2.3
R5/2212	CLUSTER	W12/2212	26.74	2.5	2.5
R6/2212	CLUSTER	W13/2212	26.82	2.3	2.3



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R7/2212	CLUSTER	W14/2212	27.54	2.5	2.5
R8/2212	CLUSTER	W15/2212	26.87	1.6	
R8/2212	CLUSTER	W16/2212	27.35	1.6	3.2
R9/2212	CLUSTER	W17/2212	38.60	1.6	
R9/2212	CLUSTER	W18/2212	0.00	0.6	2.2
R10/2212	CLUSTER	W19/2212	0.00	0.6	
R10/2212	CLUSTER	W20/2212	38.65	1.6	2.2
R11/2212	CLUSTER	W21/2212	38.62	1.6	
R11/2212	CLUSTER	W22/2212	0.00	0.6	2.2
R12/2212	CLUSTER	W23/2212	0.00	0.6	
R12/2212	CLUSTER	W24/2212	38.67	1.6	2.2
R13/2212	CLUSTER	W25/2212	38.64	1.6	
R13/2212	CLUSTER	W26/2212	0.00	0.6	2.2
R14/2212	CLUSTER	W27/2212	0.00	0.6	
R14/2212	CLUSTER	W28/2212	38.96	1.7	2.3
R15/2212	CLUSTER_LIVING	W29/2212	39.51	3.8	
R15/2212	CLUSTER_LIVING	W30/2212	39.53	1.0	
R15/2212	CLUSTER_LIVING	W31/2212	39.44	1.1	5.9
R16/2212	CLUSTER_LIVING	W32/2212	39.44	0.9	
R16/2212	CLUSTER_LIVING	W33/2212	39.44	0.9	
R16/2212	CLUSTER_LIVING	W34/2212	39.53	0.9	
R16/2212	CLUSTER_LIVING	W35/2212	31.30	2.7	5.4
R17/2212	CLUSTER	W36/2212	28.95	0.9	
R17/2212	CLUSTER	W37/2212	19.24	0.5	1.4
R18/2212	CLUSTER	W38/2212	18.79	0.5	
R18/2212	CLUSTER	W39/2212	27.97	0.9	1.4
R19/2212	CLUSTER	W40/2212	28.12	0.9	
R19/2212	CLUSTER	W41/2212	18.75	0.5	1.4
R20/2212	CLUSTER	W42/2212	18.88	0.5	
R20/2212	CLUSTER	W43/2212	28.21	0.9	1.4
R21/2212	CLUSTER	W44/2212	28.68	0.9	
R21/2212	CLUSTER	W45/2212	19.77	0.5	1.4



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R22/2212	CLUSTER	W46/2212	20.35	0.5	
R22/2212	CLUSTER	W47/2212	29.34	1.0	1.5
R23/2212	CLUSTER	W48/2212	30.18	1.0	
R23/2212	CLUSTER	W49/2212	22.26	0.6	1.6
R24/2212	CLUSTER	W50/2212	11.43	1.9	1.9
R25/2212	CLUSTER	W51/2212	14.39	2.2	2.2
R26/2212	CLUSTER	W52/2212	12.24	2.0	2.0
R27/2212	CLUSTER	W53/2212	15.07	2.2	2.2
R28/2212	CLUSTER	W54/2212	15.23	2.0	2.0
R29/2212	CLUSTER	W55/2212	14.47	2.2	2.2
R1/2213	CLUSTER_LIVING	W1/2213	13.51	1.0	
R1/2213	CLUSTER_LIVING	W2/2213	35.85	0.9	
R1/2213	CLUSTER_LIVING	W3/2213	33.38	0.7	
R1/2213	CLUSTER_LIVING	W4/2213	32.54	0.7	
R1/2213	CLUSTER_LIVING	W5/2213	32.60	0.7	4.0
R2/2213	CLUSTER_LIVING	W6/2213	32.55	0.7	
R2/2213	CLUSTER_LIVING	W7/2213	32.48	0.7	
R2/2213	CLUSTER_LIVING	W8/2213	33.40	0.9	
R2/2213	CLUSTER_LIVING	W9/2213	32.77	1.4	3.7
R3/2213	CLUSTER	W10/2213	26.78	2.4	2.4
R4/2213	CLUSTER	W11/2213	27.10	2.3	2.3
R5/2213	CLUSTER	W12/2213	27.25	2.5	2.5
R6/2213	CLUSTER	W13/2213	27.36	2.4	2.4
R7/2213	CLUSTER	W14/2213	27.95	2.5	2.5
R8/2213	CLUSTER	W15/2213	27.36	1.6	
R8/2213	CLUSTER	W16/2213	27.80	1.6	3.2
R9/2213	CLUSTER	W17/2213	38.63	1.6	
R9/2213	CLUSTER	W18/2213	0.00	0.6	2.2
R10/2213	CLUSTER	W19/2213	0.00	0.6	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R10/2213	CLUSTER	W20/2213	38.67	1.6	2.2
R11/2213	CLUSTER	W21/2213	38.64	1.6	
R11/2213	CLUSTER	W22/2213	0.00	0.6	2.2
R12/2213	CLUSTER	W23/2213	0.00	0.6	
R12/2213	CLUSTER	W24/2213	38.69	1.6	2.2
R13/2213	CLUSTER	W25/2213	38.66	1.6	
R13/2213	CLUSTER	W26/2213	0.00	0.6	2.2
R14/2213	CLUSTER	W27/2213	0.00	0.6	
R14/2213	CLUSTER	W28/2213	38.97	1.7	2.3
R15/2213	CLUSTER_LIVING	W29/2213	39.53	3.8	
R15/2213	CLUSTER_LIVING	W30/2213	39.53	1.0	
R15/2213	CLUSTER_LIVING	W31/2213	39.44	1.1	5.9
R16/2213	CLUSTER_LIVING	W32/2213	39.44	0.9	
R16/2213	CLUSTER_LIVING	W33/2213	39.44	0.9	
R16/2213	CLUSTER_LIVING	W34/2213	39.53	0.9	
R16/2213	CLUSTER_LIVING	W35/2213	33.21	2.8	5.5
R17/2213	CLUSTER	W36/2213	31.10	1.0	
R17/2213	CLUSTER	W37/2213	21.39	0.5	1.5
R18/2213	CLUSTER	W38/2213	21.05	0.5	
R18/2213	CLUSTER	W39/2213	30.31	1.0	1.5
R19/2213	CLUSTER	W40/2213	30.45	1.0	
R19/2213	CLUSTER	W41/2213	21.01	0.5	1.5
R20/2213	CLUSTER	W42/2213	21.07	0.5	
R20/2213	CLUSTER	W43/2213	30.47	1.0	1.5
R21/2213	CLUSTER	W44/2213	30.86	1.0	
R21/2213	CLUSTER	W45/2213	21.81	0.5	1.5
R22/2213	CLUSTER	W46/2213	22.21	0.6	
R22/2213	CLUSTER	W47/2213	31.29	1.0	1.6
R23/2213	CLUSTER	W48/2213	31.97	1.0	
R23/2213	CLUSTER	W49/2213	23.73	0.6	1.6
R24/2213	CLUSTER	W50/2213	12.21	2.0	2.0
R25/2213	CLUSTER	W51/2213	14.40	2.2	2.2



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R26/2213	CLUSTER	W52/2213	12.95	2.0	2.0
R27/2213	CLUSTER	W53/2213	15.07	2.2	2.2
R28/2213	CLUSTER	W54/2213	16.01	2.1	2.1
R29/2213	CLUSTER	W55/2213	14.54	2.2	2.2
R1/2214	CLUSTER_LIVING	W1/2214	14.05	1.0	
R1/2214	CLUSTER_LIVING	W2/2214	36.45	0.9	
R1/2214	CLUSTER_LIVING	W3/2214	34.46	0.8	
R1/2214	CLUSTER_LIVING	W4/2214	33.59	0.7	
R1/2214	CLUSTER_LIVING	W5/2214	33.64	0.7	4.1
R2/2214	CLUSTER_LIVING	W6/2214	33.61	0.7	
R2/2214	CLUSTER_LIVING	W7/2214	33.55	0.7	
R2/2214	CLUSTER_LIVING	W8/2214	34.49	0.9	
R2/2214	CLUSTER_LIVING	W9/2214	33.47	1.4	3.7
R3/2214	CLUSTER	W10/2214	27.37	2.5	2.5
R4/2214	CLUSTER	W11/2214	27.68	2.4	2.4
R5/2214	CLUSTER	W12/2214	27.73	2.5	2.5
R6/2214	CLUSTER	W13/2214	27.89	2.4	2.4
R7/2214	CLUSTER	W14/2214	28.33	2.5	2.5
R8/2214	CLUSTER	W15/2214	27.81	1.6	
R8/2214	CLUSTER	W16/2214	28.22	1.6	3.2
R9/2214	CLUSTER	W17/2214	38.65	1.6	
R9/2214	CLUSTER	W18/2214	0.00	0.6	2.2
R10/2214	CLUSTER	W19/2214	0.00	0.6	
R10/2214	CLUSTER	W20/2214	38.68	1.6	2.2
R11/2214	CLUSTER	W21/2214	38.66	1.6	
R11/2214	CLUSTER	W22/2214	0.00	0.6	2.2
R12/2214	CLUSTER	W23/2214	0.00	0.6	
R12/2214	CLUSTER	W24/2214	38.69	1.6	2.2
R13/2214	CLUSTER	W25/2214	38.67	1.6	
R13/2214	CLUSTER	W26/2214	0.00	0.6	2.2



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R14/2214	CLUSTER	W27/2214	0.00	0.6	
R14/2214	CLUSTER	W28/2214	38.97	1.7	2.3
R15/2214	CLUSTER_LIVING	W29/2214	39.56	3.8	
R15/2214	CLUSTER_LIVING	W30/2214	39.53	1.0	
R15/2214	CLUSTER_LIVING	W31/2214	39.44	1.1	5.9
R16/2214	CLUSTER_LIVING	W32/2214	39.44	0.9	
R16/2214	CLUSTER_LIVING	W33/2214	39.44	0.9	
R16/2214	CLUSTER_LIVING	W34/2214	39.53	0.9	
R16/2214	CLUSTER_LIVING	W35/2214	35.25	3.0	5.7
R17/2214	CLUSTER	W36/2214	33.42	1.0	
R17/2214	CLUSTER	W37/2214	23.72	0.6	1.6
R18/2214	CLUSTER	W38/2214	23.50	0.6	
R18/2214	CLUSTER	W39/2214	32.84	1.0	1.6
R19/2214	CLUSTER	W40/2214	32.97	1.0	
R19/2214	CLUSTER	W41/2214	23.47	0.6	1.6
R20/2214	CLUSTER	W42/2214	23.43	0.6	
R20/2214	CLUSTER	W43/2214	32.91	1.1	1.7
R21/2214	CLUSTER	W44/2214	33.20	1.1	
R21/2214	CLUSTER	W45/2214	24.01	0.6	1.7
R22/2214	CLUSTER	W46/2214	24.20	0.6	
R22/2214	CLUSTER	W47/2214	33.39	1.1	1.7
R23/2214	CLUSTER	W48/2214	33.88	1.1	
R23/2214	CLUSTER	W49/2214	25.30	0.6	1.7
R24/2214	CLUSTER	W50/2214	12.92	2.1	2.1
R25/2214	CLUSTER	W51/2214	14.41	2.2	2.2
R26/2214	CLUSTER	W52/2214	13.58	2.1	2.1
R27/2214	CLUSTER	W53/2214	15.07	2.2	2.2
R28/2214	CLUSTER	W54/2214	16.71	2.1	2.1
R29/2214	CLUSTER	W55/2214	14.58	2.2	2.2
R1/2215	CLUSTER_LIVING	W1/2215	14.45	1.0	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R1/2215	CLUSTER_LIVING	W2/2215	36.83	0.9	
R1/2215	CLUSTER_LIVING	W3/2215	35.48	0.8	
R1/2215	CLUSTER_LIVING	W4/2215	34.59	0.7	
R1/2215	CLUSTER_LIVING	W5/2215	34.63	0.7	4.1
R2/2215	CLUSTER_LIVING	W6/2215	34.61	0.7	
R2/2215	CLUSTER_LIVING	W7/2215	34.57	0.7	
R2/2215	CLUSTER_LIVING	W8/2215	35.53	0.9	
R2/2215	CLUSTER_LIVING	W9/2215	34.15	1.4	3.7
R3/2215	CLUSTER	W10/2215	27.95	2.5	2.5
R4/2215	CLUSTER	W11/2215	28.25	2.4	2.4
R5/2215	CLUSTER	W12/2215	28.20	2.5	2.5
R6/2215	CLUSTER	W13/2215	28.39	2.4	2.4
R7/2215	CLUSTER	W14/2215	28.70	2.5	2.5
R8/2215	CLUSTER	W15/2215	28.25	1.7	
R8/2215	CLUSTER	W16/2215	28.62	1.7	3.4
R9/2215	CLUSTER	W17/2215	38.67	1.6	
R9/2215	CLUSTER	W18/2215	0.00	0.6	2.2
R10/2215	CLUSTER	W19/2215	0.00	0.6	
R10/2215	CLUSTER	W20/2215	38.70	1.6	2.2
R11/2215	CLUSTER	W21/2215	38.68	1.6	
R11/2215	CLUSTER	W22/2215	0.00	0.6	2.2
R12/2215	CLUSTER	W23/2215	0.00	0.6	
R12/2215	CLUSTER	W24/2215	38.70	1.6	2.2
R13/2215	CLUSTER	W25/2215	38.69	1.6	
R13/2215	CLUSTER	W26/2215	0.00	0.6	2.2
R14/2215	CLUSTER	W27/2215	0.00	0.6	
R14/2215	CLUSTER	W28/2215	38.98	1.7	2.3
R15/2215	CLUSTER_LIVING	W29/2215	39.58	3.8	
R15/2215	CLUSTER_LIVING	W30/2215	39.53	1.0	
R15/2215	CLUSTER_LIVING	W31/2215	39.44	1.1	5.9
R16/2215	CLUSTER_LIVING	W32/2215	39.44	0.9	
R16/2215	CLUSTER_LIVING	W33/2215	39.44	0.9	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R16/2215	CLUSTER_LIVING	W34/2215	39.53	0.9	
R16/2215	CLUSTER_LIVING	W35/2215	37.25	3.1	5.8
R17/2215	CLUSTER	W36/2215	35.70	1.1	
R17/2215	CLUSTER	W37/2215	26.02	0.6	1.7
R18/2215	CLUSTER	W38/2215	25.91	0.6	
R18/2215	CLUSTER	W39/2215	35.32	1.1	1.7
R19/2215	CLUSTER	W40/2215	35.44	1.1	
R19/2215	CLUSTER	W41/2215	25.89	0.6	1.7
R20/2215	CLUSTER	W42/2215	25.75	0.6	
R20/2215	CLUSTER	W43/2215	35.30	1.1	1.7
R21/2215	CLUSTER	W44/2215	35.50	1.1	
R21/2215	CLUSTER	W45/2215	26.17	0.6	1.7
R22/2215	CLUSTER	W46/2215	26.14	0.6	
R22/2215	CLUSTER	W47/2215	35.44	1.1	1.7
R23/2215	CLUSTER	W48/2215	35.75	1.1	
R23/2215	CLUSTER	W49/2215	26.83	0.6	1.7
R24/2215	CLUSTER	W50/2215	13.48	2.1	2.1
R25/2215	CLUSTER	W51/2215	14.41	2.2	2.2
R26/2215	CLUSTER	W52/2215	14.04	2.2	2.2
R27/2215	CLUSTER	W53/2215	15.07	2.2	2.2
R28/2215	CLUSTER	W54/2215	17.23	2.2	2.2
R29/2215	CLUSTER	W55/2215	14.58	2.2	2.2
R1/2216	CLUSTER_LIVING	W1/2216	14.82	1.0	
R1/2216	CLUSTER_LIVING	W2/2216	37.19	0.9	
R1/2216	CLUSTER_LIVING	W3/2216	36.45	0.8	
R1/2216	CLUSTER_LIVING	W4/2216	35.55	0.8	
R1/2216	CLUSTER_LIVING	W5/2216	35.57	0.8	4.3
R2/2216	CLUSTER_LIVING	W6/2216	35.56	0.8	
R2/2216	CLUSTER_LIVING	W7/2216	35.53	0.8	
R2/2216	CLUSTER_LIVING	W8/2216	36.51	1.0	
R2/2216	CLUSTER_LIVING	W9/2216	34.79	1.5	4.1



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R3/2216	CLUSTER	W10/2216	28.50	2.5	2.5
R4/2216	CLUSTER	W11/2216	28.79	2.5	2.5
R5/2216	CLUSTER	W12/2216	28.64	2.5	2.5
R6/2216	CLUSTER	W13/2216	28.87	2.5	2.5
R7/2216	CLUSTER	W14/2216	29.04	2.5	2.5
R8/2216	CLUSTER	W15/2216	28.67	1.7	
R8/2216	CLUSTER	W16/2216	29.00	1.7	3.4
R9/2216	CLUSTER	W17/2216	38.69	1.6	
R9/2216	CLUSTER	W18/2216	0.00	0.6	2.2
R10/2216	CLUSTER	W19/2216	0.00	0.6	
R10/2216	CLUSTER	W20/2216	38.71	1.6	2.2
R11/2216	CLUSTER	W21/2216	38.70	1.6	
R11/2216	CLUSTER	W22/2216	0.00	0.6	2.2
R12/2216	CLUSTER	W23/2216	0.00	0.6	
R12/2216	CLUSTER	W24/2216	38.71	1.6	2.2
R13/2216	CLUSTER	W25/2216	38.70	1.6	
R13/2216	CLUSTER	W26/2216	0.00	0.6	2.2
R14/2216	CLUSTER	W27/2216	0.00	0.6	
R14/2216	CLUSTER	W28/2216	38.98	1.7	2.3
R15/2216	CLUSTER_LIVING	W29/2216	39.59	3.8	
R15/2216	CLUSTER_LIVING	W30/2216	39.53	1.0	
R15/2216	CLUSTER_LIVING	W31/2216	39.43	1.1	5.9
R16/2216	CLUSTER_LIVING	W32/2216	39.43	0.9	
R16/2216	CLUSTER_LIVING	W33/2216	39.43	0.9	
R16/2216	CLUSTER_LIVING	W34/2216	39.53	0.9	
R16/2216	CLUSTER_LIVING	W35/2216	38.56	3.2	5.9
R17/2216	CLUSTER	W36/2216	37.25	1.2	
R17/2216	CLUSTER	W37/2216	27.57	0.6	1.8
R18/2216	CLUSTER	W38/2216	27.56	0.6	
R18/2216	CLUSTER	W39/2216	37.07	1.2	1.8
R19/2216	CLUSTER	W40/2216	37.15	1.2	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R19/2216	CLUSTER	W41/2216	27.59	0.6	1.8
R20/2216	CLUSTER	W42/2216	27.36	0.6	
R20/2216	CLUSTER	W43/2216	36.95	1.2	1.8
R21/2216	CLUSTER	W44/2216	37.07	1.2	
R21/2216	CLUSTER	W45/2216	27.60	0.6	1.8
R22/2216	CLUSTER	W46/2216	27.42	0.6	
R22/2216	CLUSTER	W47/2216	36.86	1.2	1.8
R23/2216	CLUSTER	W48/2216	36.99	1.2	
R23/2216	CLUSTER	W49/2216	27.76	0.6	1.8
R24/2216	CLUSTER	W50/2216	13.98	2.2	2.2
R25/2216	CLUSTER	W51/2216	14.41	2.2	2.2
R26/2216	CLUSTER	W52/2216	14.46	2.2	2.2
R27/2216	CLUSTER	W53/2216	15.07	2.2	2.2
R28/2216	CLUSTER	W54/2216	17.72	2.2	2.2
R29/2216	CLUSTER	W55/2216	14.58	2.2	2.2
R1/2217	CLUSTER_LIVING	W1/2217	15.03	1.0	
R1/2217	CLUSTER_LIVING	W2/2217	37.42	0.9	
R1/2217	CLUSTER_LIVING	W3/2217	37.34	0.8	
R1/2217	CLUSTER_LIVING	W4/2217	36.44	0.8	
R1/2217	CLUSTER_LIVING	W5/2217	36.44	0.8	4.3
R2/2217	CLUSTER_LIVING	W6/2217	36.43	0.8	
R2/2217	CLUSTER_LIVING	W7/2217	36.42	0.8	
R2/2217	CLUSTER_LIVING	W8/2217	37.40	1.0	
R2/2217	CLUSTER_LIVING	W9/2217	35.38	1.5	4.1
R3/2217	CLUSTER	W10/2217	29.00	2.5	2.5
R4/2217	CLUSTER	W11/2217	29.28	2.5	2.5
R5/2217	CLUSTER	W12/2217	29.04	2.5	2.5
R6/2217	CLUSTER	W13/2217	29.31	2.5	2.5
R7/2217	CLUSTER	W14/2217	29.36	2.5	2.5



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R8/2217	CLUSTER	W15/2217	29.05	1.7	
R8/2217	CLUSTER	W16/2217	29.34	1.7	3.4
R9/2217	CLUSTER	W17/2217	38.71	1.6	
R9/2217	CLUSTER	W18/2217	0.00	0.6	2.2
R10/2217	CLUSTER	W19/2217	0.00	0.6	
R10/2217	CLUSTER	W20/2217	38.71	1.6	2.2
R11/2217	CLUSTER	W21/2217	38.71	1.6	
R11/2217	CLUSTER	W22/2217	0.00	0.6	2.2
R12/2217	CLUSTER	W23/2217	0.00	0.6	
R12/2217	CLUSTER	W24/2217	38.71	1.6	2.2
R13/2217	CLUSTER	W25/2217	38.71	1.6	
R13/2217	CLUSTER	W26/2217	0.00	0.6	2.2
R14/2217	CLUSTER	W27/2217	0.00	0.6	
R14/2217	CLUSTER	W28/2217	38.98	1.7	2.3
R15/2217	CLUSTER_LIVING	W29/2217	39.60	3.8	
R15/2217	CLUSTER_LIVING	W30/2217	39.53	1.0	
R15/2217	CLUSTER_LIVING	W31/2217	39.43	1.1	5.9
R16/2217	CLUSTER_LIVING	W32/2217	39.43	0.9	
R16/2217	CLUSTER_LIVING	W33/2217	39.43	0.9	
R16/2217	CLUSTER_LIVING	W34/2217	39.53	0.9	
R16/2217	CLUSTER_LIVING	W35/2217	39.01	3.3	6.0
R17/2217	CLUSTER	W36/2217	37.71	1.2	
R17/2217	CLUSTER	W37/2217	28.02	0.6	1.8
R18/2217	CLUSTER	W38/2217	28.03	0.6	
R18/2217	CLUSTER	W39/2217	37.61	1.2	1.8
R19/2217	CLUSTER	W40/2217	37.65	1.2	
R19/2217	CLUSTER	W41/2217	28.05	0.6	1.8
R20/2217	CLUSTER	W42/2217	27.81	0.6	
R20/2217	CLUSTER	W43/2217	37.51	1.2	1.8
R21/2217	CLUSTER	W44/2217	37.58	1.2	
R21/2217	CLUSTER	W45/2217	28.03	0.6	1.8
R22/2217	CLUSTER	W46/2217	27.82	0.6	
R22/2217	CLUSTER	W47/2217	37.42	1.2	1.8



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R23/2217	CLUSTER	W48/2217	37.49	1.2	
R23/2217	CLUSTER	W49/2217	28.09	0.6	1.8
R24/2217	CLUSTER	W50/2217	14.07	2.2	2.2
R25/2217	CLUSTER	W51/2217	14.41	2.2	2.2
R26/2217	CLUSTER	W52/2217	14.58	2.2	2.2
R27/2217	CLUSTER	W53/2217	15.07	2.2	2.2
R28/2217	CLUSTER	W54/2217	17.99	2.2	2.2
R29/2217	CLUSTER	W55/2217	14.58	2.2	2.2
R1/2218	CLUSTER_LIVING	W1/2218	15.42	1.0	
R1/2218	CLUSTER_LIVING	W2/2218	38.21	0.9	
R1/2218	CLUSTER_LIVING	W3/2218	38.47	0.8	
R1/2218	CLUSTER_LIVING	W4/2218	37.49	0.8	
R1/2218	CLUSTER_LIVING	W5/2218	37.49	0.8	4.3
R2/2218	CLUSTER_LIVING	W6/2218	37.49	0.8	
R2/2218	CLUSTER_LIVING	W7/2218	37.49	0.8	
R2/2218	CLUSTER_LIVING	W8/2218	38.52	1.0	
R2/2218	CLUSTER_LIVING	W9/2218	36.09	1.5	4.1
R3/2218	CLUSTER	W10/2218	29.54	2.6	2.6
R4/2218	CLUSTER	W11/2218	29.82	2.6	2.6
R5/2218	CLUSTER	W12/2218	29.54	2.6	2.6
R6/2218	CLUSTER	W13/2218	29.82	2.6	2.6
R7/2218	CLUSTER	W14/2218	29.82	2.6	2.6
R8/2218	CLUSTER	W15/2218	29.54	1.7	
R8/2218	CLUSTER	W16/2218	29.82	1.7	3.4
R9/2218	CLUSTER	W17/2218	38.71	1.6	
R9/2218	CLUSTER	W18/2218	0.00	0.6	2.2
R10/2218	CLUSTER	W19/2218	0.00	0.6	
R10/2218	CLUSTER	W20/2218	38.71	1.6	2.2
R11/2218	CLUSTER	W21/2218	38.71	1.6	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R11/2218	CLUSTER	W22/2218	0.00	0.6	2.2
R12/2218	CLUSTER	W23/2218	0.00	0.6	
R12/2218	CLUSTER	W24/2218	38.71	1.6	2.2
R13/2218	CLUSTER	W25/2218	38.71	1.6	
R13/2218	CLUSTER	W26/2218	0.00	0.6	2.2
R14/2218	CLUSTER	W27/2218	0.00	0.6	
R14/2218	CLUSTER	W28/2218	38.98	1.7	2.3
R15/2218	CLUSTER_LIVING	W29/2218	39.61	3.8	
R15/2218	CLUSTER_LIVING	W30/2218	39.53	1.0	
R15/2218	CLUSTER_LIVING	W31/2218	39.43	1.1	5.9
R16/2218	CLUSTER_LIVING	W32/2218	39.43	0.9	
R16/2218	CLUSTER_LIVING	W33/2218	39.43	0.9	
R16/2218	CLUSTER_LIVING	W34/2218	39.53	0.9	
R16/2218	CLUSTER_LIVING	W35/2218	39.26	3.3	6.0
R17/2218	CLUSTER	W36/2218	37.92	1.2	
R17/2218	CLUSTER	W37/2218	28.22	0.6	1.8
R18/2218	CLUSTER	W38/2218	28.23	0.6	
R18/2218	CLUSTER	W39/2218	37.87	1.2	1.8
R19/2218	CLUSTER	W40/2218	37.89	1.2	
R19/2218	CLUSTER	W41/2218	28.24	0.6	1.8
R20/2218	CLUSTER	W42/2218	28.00	0.6	
R20/2218	CLUSTER	W43/2218	37.82	1.2	1.8
R21/2218	CLUSTER	W44/2218	37.86	1.2	
R21/2218	CLUSTER	W45/2218	28.23	0.6	1.8
R22/2218	CLUSTER	W46/2218	28.00	0.6	
R22/2218	CLUSTER	W47/2218	37.78	1.2	1.8
R23/2218	CLUSTER	W48/2218	37.81	1.2	
R23/2218	CLUSTER	W49/2218	28.26	0.6	1.8
R24/2218	CLUSTER	W50/2218	14.30	2.3	2.3
R25/2218	CLUSTER	W51/2218	14.63	2.3	2.3
R26/2218	CLUSTER	W52/2218	14.86	2.3	2.3



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R27/2218	CLUSTER	W53/2218	15.30	2.3	2.3
R28/2218	CLUSTER	W54/2218	18.45	2.2	2.2
R29/2218	CLUSTER	W55/2218	14.81	2.2	2.2
R1/2219	CLUSTER	W1/2219	38.71	1.6	
R1/2219	CLUSTER	W2/2219	0.00	0.6	2.2
R2/2219	CLUSTER	W3/2219	0.00	0.6	
R2/2219	CLUSTER	W4/2219	38.71	1.6	2.2
R3/2219	CLUSTER	W5/2219	38.71	1.6	
R3/2219	CLUSTER	W6/2219	0.00	0.6	2.2
R4/2219	CLUSTER	W7/2219	0.00	0.6	
R4/2219	CLUSTER	W8/2219	38.71	1.6	2.2
R5/2219	CLUSTER	W9/2219	38.71	1.6	
R5/2219	CLUSTER	W10/2219	0.00	0.6	2.2
R6/2219	CLUSTER	W11/2219	0.00	0.6	
R6/2219	CLUSTER	W12/2219	38.98	1.7	2.3
R7/2219	CLUSTER_LIVING	W13/2219	39.60	3.8	
R7/2219	CLUSTER_LIVING	W14/2219	39.52	1.0	
R7/2219	CLUSTER_LIVING	W15/2219	39.43	1.1	5.9
R8/2219	CLUSTER_LIVING	W16/2219	39.43	0.9	
R8/2219	CLUSTER_LIVING	W17/2219	39.43	0.9	
R8/2219	CLUSTER_LIVING	W18/2219	39.52	0.9	
R8/2219	CLUSTER_LIVING	W19/2219	39.49	3.3	6.0
R9/2219	CLUSTER	W20/2219	38.12	1.2	
R9/2219	CLUSTER	W21/2219	28.41	0.6	1.8
R10/2219	CLUSTER	W22/2219	28.42	0.7	
R10/2219	CLUSTER	W23/2219	38.11	1.2	1.9
R11/2219	CLUSTER	W24/2219	38.11	1.2	
R11/2219	CLUSTER	W25/2219	28.43	0.7	1.9
R12/2219	CLUSTER	W26/2219	28.18	0.6	
R12/2219	CLUSTER	W27/2219	38.10	1.2	1.8
R13/2219	CLUSTER	W28/2219	38.11	1.2	
R13/2219	CLUSTER	W29/2219	28.42	0.7	1.9



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R14/2219	CLUSTER	W30/2219	28.18	0.7	
R14/2219	CLUSTER	W31/2219	38.10	1.2	1.9
R15/2219	CLUSTER	W32/2219	38.10	1.2	
R15/2219	CLUSTER	W33/2219	28.43	0.7	1.9
R1/2220	CLUSTER	W1/2220	38.71	1.6	
R1/2220	CLUSTER	W2/2220	0.00	0.6	2.2
R2/2220	CLUSTER	W3/2220	0.00	0.6	
R2/2220	CLUSTER	W4/2220	38.71	1.6	2.2
R3/2220	CLUSTER	W5/2220	38.71	1.6	
R3/2220	CLUSTER	W6/2220	0.00	0.6	2.2
R4/2220	CLUSTER	W7/2220	0.00	0.6	
R4/2220	CLUSTER	W8/2220	38.71	1.6	2.2
R5/2220	CLUSTER	W9/2220	38.71	1.6	
R5/2220	CLUSTER	W10/2220	0.00	0.6	2.2
R6/2220	CLUSTER	W11/2220	0.00	0.6	
R6/2220	CLUSTER	W12/2220	38.97	1.7	2.3
R7/2220	CLUSTER_LIVING	W13/2220	39.58	3.8	
R7/2220	CLUSTER_LIVING	W14/2220	39.51	1.0	
R7/2220	CLUSTER_LIVING	W15/2220	39.42	1.1	5.9
R8/2220	CLUSTER_LIVING	W16/2220	39.42	0.9	
R8/2220	CLUSTER_LIVING	W17/2220	39.42	0.9	
R8/2220	CLUSTER_LIVING	W18/2220	39.51	0.9	
R8/2220	CLUSTER_LIVING	W19/2220	39.56	3.3	6.0
R9/2220	CLUSTER	W20/2220	38.19	1.2	
R9/2220	CLUSTER	W21/2220	28.49	0.6	1.8
R10/2220	CLUSTER	W22/2220	28.50	0.7	
R10/2220	CLUSTER	W23/2220	38.19	1.2	1.9
R11/2220	CLUSTER	W24/2220	38.19	1.2	
R11/2220	CLUSTER	W25/2220	28.50	0.7	1.9
R12/2220	CLUSTER	W26/2220	28.25	0.6	
R12/2220	CLUSTER	W27/2220	38.19	1.2	1.8
R13/2220	CLUSTER	W28/2220	38.19	1.2	



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R13/2220	CLUSTER	W29/2220	28.50	0.7	1.9
R14/2220	CLUSTER	W30/2220	28.25	0.7	
R14/2220	CLUSTER	W31/2220	38.19	1.2	1.9
R15/2220	CLUSTER	W32/2220	38.19	1.2	
R15/2220	CLUSTER	W33/2220	28.50	0.7	1.9
R1/2221	CLUSTER	W1/2221	38.58	1.6	
R1/2221	CLUSTER	W2/2221	0.00	0.6	2.2
R2/2221	CLUSTER	W3/2221	0.00	0.6	
R2/2221	CLUSTER	W4/2221	38.58	1.6	2.2
R3/2221	CLUSTER	W5/2221	38.58	1.6	
R3/2221	CLUSTER	W6/2221	0.00	0.6	2.2
R4/2221	CLUSTER	W7/2221	0.00	0.6	
R4/2221	CLUSTER	W8/2221	38.58	1.6	2.2
R5/2221	CLUSTER	W9/2221	38.58	1.6	
R5/2221	CLUSTER	W10/2221	0.00	0.6	2.2
R6/2221	CLUSTER	W11/2221	0.00	0.6	
R6/2221	CLUSTER	W12/2221	38.77	1.6	2.2
R7/2221	CLUSTER_LIVING	W13/2221	39.17	3.6	
R7/2221	CLUSTER_LIVING	W14/2221	39.17	1.0	
R7/2221	CLUSTER_LIVING	W15/2221	39.09	1.1	5.7
R8/2221	CLUSTER_LIVING	W16/2221	39.09	0.9	
R8/2221	CLUSTER_LIVING	W17/2221	39.09	0.9	
R8/2221	CLUSTER_LIVING	W18/2221	39.17	0.9	
R8/2221	CLUSTER_LIVING	W19/2221	39.16	3.2	5.9
R9/2221	CLUSTER	W20/2221	38.09	1.2	
R9/2221	CLUSTER	W21/2221	28.46	0.6	1.8
R10/2221	CLUSTER	W22/2221	28.47	0.7	
R10/2221	CLUSTER	W23/2221	38.09	1.2	1.9
R11/2221	CLUSTER	W24/2221	38.09	1.2	
R11/2221	CLUSTER	W25/2221	28.47	0.7	1.9
R12/2221	CLUSTER	W26/2221	28.22	0.6	
R12/2221	CLUSTER	W27/2221	38.09	1.2	1.8



ADF DAYLIGHT ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

INTERNAL DAYLIGHT

Room	Room Use	Window	VSC(%)	ADF(%)	Total ADF(%)
R13/2221	CLUSTER	W28/2221	38.09	1.2	
R13/2221	CLUSTER	W29/2221	28.47	0.7	1.9
R14/2221	CLUSTER	W30/2221	28.22	0.7	
R14/2221	CLUSTER	W31/2221	38.09	1.2	1.9
R15/2221	CLUSTER	W32/2221	38.09	1.2	
R15/2221	CLUSTER	W33/2221	28.47	0.7	1.9

Sunlight Exposure Results

The background of the slide features a dark teal color with two prominent, thick, wavy lines in a lighter teal shade. One line starts from the bottom left and curves upwards towards the top right. The second line starts from the bottom left, curves downwards and then upwards towards the top right, creating a dynamic, abstract pattern.



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
Block 1	R12/2003	BEDROOM	W16/2003	Easterly	21-Mar	3.3		✓	✓
					21-Mar	3.3	✓		✓
	R2/2004	BEDROOM	W3/2004	Northerly	21-Mar	0.0		✗	✗
					21-Mar	0.0	✗		✗
R2/2011	BEDROOM	W3/2011	Northerly	20-Mar	0.1		✗	✗	
				20-Mar	0.1	✗		✗	
R10/2012	LKD				08-Mar	8.0		✓	✓
					08-Mar	4.3	✓		
					08-Mar	4.9	✓		
					08-Mar	2.8	✓		
10TH_01	R3/2011	BEDROOM	W4/2011	Northerly	21-Mar	0.0		✗	✗
21-Mar					0.0	✗			
R4/2011	LKD				21-Mar	0.8		✗	✗
					21-Mar	0.0	✗		
					21-Mar	0.8	✗		
R5/2011	BEDROOM	W6/2011	Easterly	21-Mar	0.0		✗	✗	
				21-Mar	0.0	✗		✗	
R6/2011	BEDROOM	W7/2011	Easterly	20-Mar	0.2		✗	✗	
				20-Mar	0.2	✗		✗	
10TH_02	R7/2011	BEDROOM	W8/2011	Easterly	21-Mar	0.4		✗	✓
21-Mar					0.4	✗		✗	
R8/2011	BEDROOM	W9/2011	Easterly	20-Mar	0.6		✗	✗	
					0.6	✗		✗	
					18-Feb	7.4		✓	✓
					18-Feb	7.3	✓		
R9/2011	LKD				18-Feb	1.4	✗		
					18-Feb	0.2	✗		
					18-Feb	0.2	✗		
10TH_03	R10/2011	BEDROOM	W13/2011	Southerly	16-Feb	5.3		✓	✓
16-Feb					5.3	✓		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R11/2011	LKD			24-Feb	7.3		✓	
			W15/2011	Southerly	24-Feb	5.8	✓		
			W14/2011	Southerly	24-Feb	7.3	✓		
10TH_04									✓
	R12/2011	BEDROOM			21-Mar	9.6		✓	
			W16/2011	Southerly	21-Mar	5.2	✓		
			W17/2011	Westerly	21-Mar	4.4	✓		
	R13/2011	LKD			21-Mar	5.4		✓	
			W19/2011	Westerly	21-Mar	5.4	✓		
			W18/2011	Westerly	21-Mar	4.6	✓		
	R14/2011	BEDROOM			21-Mar	4.8		✓	
			W20/2011	Westerly	21-Mar	4.8	✓		
10TH_05									✓
	R1/2011	LKD			21-Mar	5.3		✓	
			W1/2011	Westerly	21-Mar	5.3	✓		
			W2/2011	Northerly	21-Mar	1.3	✗		
	R15/2011	BEDROOM			21-Mar	4.6		✓	
			W21/2011	Westerly	21-Mar	4.6	✓		
11TH_01									✗
	R3/2012	LKD			21-Mar	1.1		✗	
			W5/2012	Northerly	21-Mar	0.0	✗		
			W4/2012	Northerly	21-Mar	0.0	✗		
			W6/2012	Easterly	21-Mar	1.1	✗		
	R4/2012	BEDROOM			21-Mar	0.1		✗	
			W7/2012	Easterly	21-Mar	0.1	✗		
	R5/2012	BEDROOM			21-Mar	0.2		✗	
			W8/2012	Easterly	21-Mar	0.2	✗		
11TH_02									✓
	R6/2012	BEDROOM			21-Mar	0.5		✗	
			W9/2012	Easterly	21-Mar	0.5	✗		
	R7/2012	LKD			17-Feb	4.5		✓	
			W10/2012	Easterly	17-Feb	0.1	✗		
			W12/2012	Southerly	17-Feb	3.4	✓		
			W11/2012	Easterly	17-Feb	1.1	✗		
11TH_03									✓



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R8/2012	BEDROOM			10-Feb	5.4		✓	
			W13/2012	Southerly	10-Feb	5.4	✓	✓	
	R9/2012	LKD			17-Feb	6.1		✓	
			W14/2012	Southerly	17-Feb	3.3	✓	✓	
			W15/2012	Southerly	17-Feb	6.1	✓		
11TH_04									✓
	R11/2012	BEDROOM			21-Mar	4.7		✓	
			W19/2012	Westerly	21-Mar	4.7	✓	✓	
11TH_05									✓
	R1/2012	LKD			21-Mar	3.6		✓	
			W1/2012	Westerly	21-Mar	3.6	✓	✓	
			W2/2012	Northerly	21-Mar	1.3	✗		
	R2/2012	BEDROOM			21-Mar	0.0		✗	
			W3/2012	Northerly	21-Mar	0.0	✗	✗	
	R12/2012	BEDROOM			21-Mar	4.4		✓	
			W20/2012	Westerly	21-Mar	4.4	✓	✓	
1ST_01									✗
	R3/2002	BEDROOM			21-Mar	0.0		✗	
			W4/2002	Northerly	21-Mar	0.0	✗	✗	
	R4/2002	LKD			21-Mar	0.8		✗	
			W7/2002	Easterly	21-Mar	0.8	✗	✗	
			W6/2002	Easterly	21-Mar	0.0	✗		
			W5/2002	Northerly	21-Mar	0.1	✗		
	R5/2002	BEDROOM			21-Mar	0.0		✗	
			W8/2002	Easterly	21-Mar	0.0	✗	✗	
	R6/2002	BEDROOM			21-Mar	0.0		✗	
			W9/2002	Easterly	21-Mar	0.0	✗	✗	
1ST_02									✓
	R7/2002	BEDROOM			16-Mar	0.3		✗	
			W10/2002	Easterly	16-Mar	0.3	✗	✗	
	R8/2002	BEDROOM			09-Mar	0.1		✗	
			W11/2002	Easterly	09-Mar	0.1	✗	✗	
	R9/2002	BEDROOM			09-Mar	0.2		✗	
			W12/2002	Easterly	09-Mar	0.2	✗	✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R10/2002	LKD			21-Mar	4.7		✓	
			W14/2002	Easterly	21-Mar	4.0	✓		
			W13/2002	Easterly	21-Mar	1.0	✗		
1ST_03									✓
	R11/2002	BEDROOM			21-Mar	2.8		✓	
			W15/2002	Easterly	21-Mar	2.8	✓		
	R12/2002	BEDROOM			21-Mar	2.7		✓	
			W16/2002	Easterly	21-Mar	2.7	✓		
	R13/2002	LKD			21-Mar	5.3		✓	
			W18/2002	Southerly	21-Mar	4.6	✓		
			W17/2002	Easterly	21-Mar	1.1	✗		
	R14/2002	BEDROOM			21-Mar	3.8		✓	
			W20/2002	Westerly	21-Mar	1.9	✓		
			W19/2002	Southerly	21-Mar	3.8	✓		
	R15/2002	BEDROOM			21-Mar	1.8		✓	
			W21/2002	Westerly	21-Mar	1.8	✓		
1ST_04									✓
	R16/2002	LKD			27-Feb	2.3		✓	
			W22/2002	Westerly	27-Feb	2.3	✓		
	R17/2002	BEDROOM			18-Mar	1.4		✗	
			W23/2002	Westerly	18-Mar	1.4	✗		
1ST_05									✓
	R1/2002	LKD			21-Mar	0.0		✗	
			W1/2002	Westerly	21-Mar	0.0	✗		
			W2/2002	Northerly	21-Mar	0.0	✗		
	R2/2002	BEDROOM			21-Mar	0.0		✗	
			W3/2002	Northerly	21-Mar	0.0	✗		
	R18/2002	BEDROOM			21-Mar	1.8		✓	
			W24/2002	Westerly	21-Mar	1.8	✓		
2ND_01									✗
	R3/2003	BEDROOM			21-Mar	0.0		✗	
			W4/2003	Northerly	21-Mar	0.0	✗		
	R4/2003	LKD			21-Mar	0.9		✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W7/2003	Easterly	21-Mar	0.8	✗		
			W6/2003	Easterly	21-Mar	0.0	✗		
			W5/2003	Northerly	21-Mar	0.2	✗		
	R5/2003	BEDROOM			21-Mar	0.0		✗	
			W8/2003	Easterly	21-Mar	0.0	✗		
	R6/2003	BEDROOM			21-Mar	0.0		✗	
			W9/2003	Easterly	21-Mar	0.0	✗		
2ND_02									✓
	R7/2003	BEDROOM			16-Mar	0.3		✗	
			W10/2003	Easterly	16-Mar	0.3	✗		
	R8/2003	BEDROOM			09-Mar	0.1		✗	
			W11/2003	Easterly	09-Mar	0.1	✗		
	R9/2003	BEDROOM			09-Mar	0.2		✗	
			W12/2003	Easterly	09-Mar	0.2	✗		
	R10/2003	LKD			19-Mar	4.8		✓	
			W14/2003	Easterly	19-Mar	4.3	✓		
			W13/2003	Easterly	19-Mar	1.3	✗		
2ND_03									✓
	R11/2003	BEDROOM			21-Mar	3.3		✓	
			W15/2003	Easterly	21-Mar	3.3	✓		
	R13/2003	LKD			19-Mar	5.8		✓	
			W18/2003	Southerly	19-Mar	5.0	✓		
			W17/2003	Easterly	19-Mar	1.2	✗		
	R14/2003	BEDROOM			24-Feb	4.1		✓	
			W20/2003	Westerly	24-Feb	1.8	✓		
			W19/2003	Southerly	24-Feb	4.1	✓		
	R15/2003	BEDROOM			21-Mar	2.3		✓	
			W21/2003	Westerly	21-Mar	2.3	✓		
2ND_04									✓
	R16/2003	LKD			09-Feb	2.5		✓	
			W22/2003	Westerly	09-Feb	2.5	✓		
	R17/2003	BEDROOM			17-Mar	1.5		✓	
			W23/2003	Westerly	17-Mar	1.5	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
2ND_05									
R1/2003	LKD				21-Mar	0.6			✓
			W1/2003	Westerly	21-Mar	0.6	✗	✗	
			W2/2003	Northerly	21-Mar	0.0	✗		
R2/2003	BEDROOM				21-Mar	0.0		✗	
			W3/2003	Northerly	21-Mar	0.0	✗		
R18/2003	BEDROOM				21-Mar	2.6		✓	✓
			W24/2003	Westerly	21-Mar	2.6	✓		
3RD_01									
R3/2004	BEDROOM				21-Mar	0.0		✗	✗
			W4/2004	Northerly	21-Mar	0.0	✗		
R4/2004	LKD				21-Mar	1.0		✗	
			W7/2004	Easterly	21-Mar	0.8	✗		
			W6/2004	Easterly	21-Mar	0.0	✗		
			W5/2004	Northerly	21-Mar	0.3	✗		
R5/2004	BEDROOM				21-Mar	0.0		✗	
			W8/2004	Easterly	21-Mar	0.0	✗		
R6/2004	BEDROOM				21-Mar	0.0		✗	
			W9/2004	Easterly	21-Mar	0.0	✗		
3RD_02									
R7/2004	BEDROOM				21-Mar	0.3		✗	✓
			W10/2004	Easterly	21-Mar	0.3	✗		
R8/2004	BEDROOM				21-Mar	0.1		✗	
			W11/2004	Easterly	21-Mar	0.1	✗		
R9/2004	BEDROOM				21-Mar	0.2		✗	
			W12/2004	Easterly	21-Mar	0.2	✗		
R10/2004	LKD				13-Mar	4.8		✓	✓
			W14/2004	Easterly	13-Mar	4.3	✓		
			W13/2004	Easterly	13-Mar	1.3	✗		
3RD_03									
R11/2004	BEDROOM				20-Mar	3.8		✓	✓
			W15/2004	Easterly	20-Mar	3.8	✓		
R12/2004	BEDROOM				21-Mar	3.8		✓	✓
			W16/2004	Easterly	21-Mar	3.8	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R13/2004	LKD			19-Mar	5.9		✓	
			W18/2004	Southerly	19-Mar	5.3	✓		
			W17/2004	Easterly	19-Mar	0.6	✗		
	R14/2004	BEDROOM			21-Mar	4.5		✓	
			W20/2004	Westerly	21-Mar	2.8	✓		
			W19/2004	Southerly	21-Mar	4.5	✓		
	R15/2004	BEDROOM			21-Mar	2.8		✓	
			W21/2004	Westerly	21-Mar	2.8	✓		
3RD_04									✓
	R16/2004	LKD			05-Mar	3.1		✓	
			W22/2004	Westerly	05-Mar	3.1	✓		
	R17/2004	BEDROOM			21-Mar	2.0		✓	
			W23/2004	Westerly	21-Mar	2.0	✓		
3RD_05									✓
	R1/2004	LKD			15-Mar	1.2		✗	
			W1/2004	Westerly	15-Mar	1.2	✗		
			W2/2004	Northerly	15-Mar	0.0	✗		
	R18/2004	BEDROOM			21-Mar	3.3		✓	
			W24/2004	Westerly	21-Mar	3.3	✓		
4TH_01									✗
	R3/2005	BEDROOM			21-Mar	0.0		✗	
			W4/2005	Northerly	21-Mar	0.0	✗		
	R4/2005	LKD			27-Feb	0.8		✗	
			W22/2005	Northerly	27-Feb	0.0	✗		
			W5/2005	Easterly	27-Feb	0.8	✗		
	R5/2005	BEDROOM			21-Mar	0.0		✗	
			W6/2005	Easterly	21-Mar	0.0	✗		
	R6/2005	BEDROOM			21-Mar	0.0		✗	
			W7/2005	Easterly	21-Mar	0.0	✗		
4TH_02									✓
	R7/2005	BEDROOM			21-Mar	0.2		✗	
			W8/2005	Easterly	21-Mar	0.2	✗		
	R8/2005	BEDROOM			21-Mar	0.2		✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W9/2005	Easterly	21-Mar	0.2	✗		
	R9/2005	LKD			02-Feb	4.8		✓	
			W12/2005	Southerly	02-Feb	4.7	✓		
			W11/2005	Easterly	02-Feb	0.0	✗		
			W10/2005	Easterly	02-Feb	0.1	✗		
4TH_03									✓
	R10/2005	BEDROOM			04-Mar	3.8		✓	
			W13/2005	Southerly	04-Mar	3.8	✓		
	R11/2005	LKD			04-Mar	6.2		✓	
			W15/2005	Southerly	04-Mar	5.3	✓		
			W14/2005	Southerly	04-Mar	2.1	✓		
4TH_04									✓
	R12/2005	BEDROOM			20-Mar	8.3		✓	
			W16/2005	Southerly	20-Mar	5.3	✓		
			W17/2005	Westerly	20-Mar	3.1	✓		
	R13/2005	LKD			12-Mar	3.8		✓	
			W19/2005	Westerly	12-Mar	2.2	✓		
			W18/2005	Westerly	12-Mar	2.9	✓		
	R14/2005	BEDROOM			17-Mar	3.0		✓	
			W20/2005	Westerly	17-Mar	3.0	✓		
4TH_05									✓
	R1/2005	LKD			03-Mar	1.8		✓	
			W1/2005	Westerly	03-Mar	1.8	✓		
			W2/2005	Northerly	03-Mar	0.0	✗		
	R2/2005	BEDROOM			21-Mar	0.0		✗	
			W3/2005	Northerly	21-Mar	0.0	✗		
	R15/2005	BEDROOM			21-Mar	3.2		✓	
			W21/2005	Westerly	21-Mar	3.2	✓		
5TH_01									✗
	R3/2006	BEDROOM			21-Mar	0.0		✗	
			W4/2006	Northerly	21-Mar	0.0	✗		
	R4/2006	LKD			27-Feb	0.8		✗	
			W22/2006	Northerly	27-Feb	0.0	✗		
			W5/2006	Easterly	27-Feb	0.8	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R5/2006	BEDROOM			21-Mar	0.0			
			W6/2006	Easterly	21-Mar	0.0	✗	✗	
	R6/2006	BEDROOM			21-Mar	0.0			
			W7/2006	Easterly	21-Mar	0.0	✗	✗	
5TH_02									✓
	R7/2006	BEDROOM			21-Mar	0.3			
			W8/2006	Easterly	21-Mar	0.3	✗	✗	
	R8/2006	BEDROOM			21-Mar	0.3			
			W9/2006	Easterly	21-Mar	0.3	✗	✗	
	R9/2006	LKD			10-Feb	5.0		✓	
			W12/2006	Southerly	10-Feb	5.0	✓	✓	
			W11/2006	Easterly	10-Feb	0.0	✗		
			W10/2006	Easterly	10-Feb	0.0	✗		
5TH_03									✓
	R10/2006	BEDROOM			26-Feb	4.1		✓	
			W13/2006	Southerly	26-Feb	4.1	✓	✓	
	R11/2006	LKD			24-Feb	6.6		✓	
			W15/2006	Southerly	24-Feb	5.3	✓	✓	
			W14/2006	Southerly	24-Feb	3.4	✓	✓	
5TH_04									✓
	R12/2006	BEDROOM			21-Mar	8.9		✓	
			W16/2006	Southerly	21-Mar	5.2	✓	✓	
			W17/2006	Westerly	21-Mar	3.8	✓	✓	
	R13/2006	LKD			12-Mar	4.3		✓	
			W19/2006	Westerly	12-Mar	3.0	✓	✓	
			W18/2006	Westerly	12-Mar	3.5	✓	✓	
	R14/2006	BEDROOM			17-Mar	3.6		✓	
			W20/2006	Westerly	17-Mar	3.6	✓	✓	
5TH_05									✓
	R1/2006	LKD			19-Feb	2.3		✓	
			W1/2006	Westerly	19-Feb	2.3	✓	✓	
			W2/2006	Northerly	19-Feb	0.0	✗		
	R2/2006	BEDROOM			21-Mar	0.0		✗	
			W3/2006	Northerly	21-Mar	0.0	✗	✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R15/2006	BEDROOM			21-Mar	3.5		✓	
			W21/2006	Westerly	21-Mar	3.5	✓	✓	
6TH_01									✗
	R3/2007	BEDROOM			21-Mar	0.0		✗	
			W4/2007	Northerly	21-Mar	0.0	✗	✗	
	R4/2007	LKD			27-Feb	0.8		✗	
			W22/2007	Northerly	27-Feb	0.0	✗	✗	
			W5/2007	Easterly	27-Feb	0.8	✗	✗	
	R5/2007	BEDROOM			21-Mar	0.0		✗	
			W6/2007	Easterly	21-Mar	0.0	✗	✗	
	R6/2007	BEDROOM			21-Mar	0.0		✗	
			W7/2007	Easterly	21-Mar	0.0	✗	✗	
6TH_02									✓
	R7/2007	BEDROOM			21-Mar	0.3		✗	
			W8/2007	Easterly	21-Mar	0.3	✗	✗	
	R8/2007	BEDROOM			21-Mar	0.3		✗	
			W9/2007	Easterly	21-Mar	0.3	✗	✗	
	R9/2007	LKD			10-Feb	6.3		✓	
			W12/2007	Southerly	10-Feb	6.0	✓	✓	
			W11/2007	Easterly	10-Feb	0.5	✗	✗	
			W10/2007	Easterly	10-Feb	0.1	✗	✗	
6TH_03									✓
	R10/2007	BEDROOM			12-Feb	4.5		✓	
			W13/2007	Southerly	12-Feb	4.5	✓	✓	
	R11/2007	LKD			22-Feb	6.8		✓	
			W15/2007	Southerly	22-Feb	5.4	✓	✓	
			W14/2007	Southerly	22-Feb	3.8	✓	✓	
6TH_04									✓
	R12/2007	BEDROOM			17-Mar	9.5		✓	
			W16/2007	Southerly	17-Mar	5.3	✓	✓	
			W17/2007	Westerly	17-Mar	4.2	✓	✓	
	R13/2007	LKD			11-Mar	5.1		✓	
			W19/2007	Westerly	11-Mar	3.8	✓	✓	
			W18/2007	Westerly	11-Mar	4.2	✓	✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R14/2007	BEDROOM			17-Mar	3.7		✓	
			W20/2007	Westerly	17-Mar	3.7	✓		
6TH_05	R1/2007	LKD			06-Feb	2.9		✓	
			W1/2007	Westerly	06-Feb	2.9	✓		
			W2/2007	Northerly	06-Feb	0.0	✗		
	R2/2007	BEDROOM			21-Mar	0.0		✗	
			W3/2007	Northerly	21-Mar	0.0	✗		
	R15/2007	BEDROOM			21-Mar	3.9		✓	
			W21/2007	Westerly	21-Mar	3.9	✓		
7TH_01	R3/2008	BEDROOM			21-Mar	0.0		✗	
			W4/2008	Northerly	21-Mar	0.0	✗		
	R4/2008	LKD			27-Feb	0.8		✗	
			W22/2008	Northerly	27-Feb	0.0	✗		
			W5/2008	Easterly	27-Feb	0.8	✗		
	R5/2008	BEDROOM			21-Mar	0.0		✗	
			W6/2008	Easterly	21-Mar	0.0	✗		
	R6/2008	BEDROOM			21-Mar	0.0		✗	
			W7/2008	Easterly	21-Mar	0.0	✗		
7TH_02	R7/2008	BEDROOM			21-Mar	0.3		✗	
			W8/2008	Easterly	21-Mar	0.3	✗		
	R8/2008	BEDROOM			21-Mar	0.4		✗	
			W9/2008	Easterly	21-Mar	0.4	✗		
	R9/2008	LKD			10-Feb	6.8		✓	
			W12/2008	Southerly	10-Feb	6.7	✓		
			W11/2008	Easterly	10-Feb	0.6	✗		
			W10/2008	Easterly	10-Feb	0.1	✗		
7TH_03	R10/2008	BEDROOM			12-Feb	5.0		✓	
			W13/2008	Southerly	12-Feb	5.0	✓		
	R11/2008	LKD			12-Feb	6.9		✓	
			W15/2008	Southerly	12-Feb	5.3	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W14/2008	Southerly	12-Feb	6.3	✓		
7TH_04									✓
	R12/2008	BEDROOM			17-Mar	9.5		✓	
			W16/2008	Southerly	17-Mar	5.3	✓		
			W17/2008	Westerly	17-Mar	4.2	✓		
	R13/2008	LKD			11-Mar	5.1		✓	
			W19/2008	Westerly	11-Mar	3.9	✓		
			W18/2008	Westerly	11-Mar	4.2	✓		
	R14/2008	BEDROOM			19-Mar	3.9		✓	
			W20/2008	Westerly	19-Mar	3.9	✓		
7TH_05									✓
	R1/2008	LKD			06-Feb	2.9		✓	
			W1/2008	Westerly	06-Feb	2.9	✓		
			W2/2008	Northerly	06-Feb	0.0	✗		
	R2/2008	BEDROOM			21-Mar	0.0		✗	
			W3/2008	Northerly	21-Mar	0.0	✗		
	R15/2008	BEDROOM			21-Mar	4.3		✓	
			W21/2008	Westerly	21-Mar	4.3	✓		
8TH_01									✗
	R3/2009	BEDROOM			21-Mar	0.0		✗	
			W4/2009	Northerly	21-Mar	0.0	✗		
	R4/2009	LKD			27-Feb	0.8		✗	
			W22/2009	Northerly	27-Feb	0.0	✗		
			W5/2009	Easterly	27-Feb	0.8	✗		
	R5/2009	BEDROOM			21-Mar	0.0		✗	
			W6/2009	Easterly	21-Mar	0.0	✗		
	R6/2009	BEDROOM			21-Mar	0.0		✗	
			W7/2009	Easterly	21-Mar	0.0	✗		
8TH_02									✓
	R7/2009	BEDROOM			21-Mar	0.4		✗	
			W8/2009	Easterly	21-Mar	0.4	✗		
	R8/2009	BEDROOM			21-Mar	0.5		✗	
			W9/2009	Easterly	21-Mar	0.5	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R9/2009	LKD			10-Feb	6.9		✓	
			W12/2009	Southerly	10-Feb	6.8	✓		
			W11/2009	Easterly	10-Feb	0.7	✗		
			W10/2009	Easterly	10-Feb	0.1	✗		
8TH_03								✓	
	R10/2009	BEDROOM			12-Feb	5.1		✓	
			W13/2009	Southerly	12-Feb	5.1	✓		
	R11/2009	LKD			26-Feb	7.0		✓	
			W15/2009	Southerly	26-Feb	5.8	✓		
			W14/2009	Southerly	26-Feb	3.6	✓		
8TH_04								✓	
	R12/2009	BEDROOM			17-Mar	9.5		✓	
			W16/2009	Southerly	17-Mar	5.3	✓		
			W17/2009	Westerly	17-Mar	4.2	✓		
	R13/2009	LKD			11-Mar	5.1		✓	
			W19/2009	Westerly	11-Mar	3.9	✓		
			W18/2009	Westerly	11-Mar	4.2	✓		
	R14/2009	BEDROOM			19-Mar	4.0		✓	
			W20/2009	Westerly	19-Mar	4.0	✓		
8TH_05								✓	
	R1/2009	LKD			03-Mar	2.9		✓	
			W1/2009	Westerly	03-Mar	2.9	✓		
			W2/2009	Northerly	03-Mar	0.5	✗		
	R2/2009	BEDROOM			21-Mar	0.0		✗	
			W3/2009	Northerly	21-Mar	0.0	✗		
	R15/2009	BEDROOM			21-Mar	4.3		✓	
			W21/2009	Westerly	21-Mar	4.3	✓		
9TH_01								✗	
	R3/2010	BEDROOM			21-Mar	0.0		✗	
			W4/2010	Northerly	21-Mar	0.0	✗		
	R4/2010	LKD			27-Feb	0.8		✗	
			W22/2010	Northerly	27-Feb	0.0	✗		
			W5/2010	Easterly	27-Feb	0.8	✗		
	R5/2010	BEDROOM			21-Mar	0.0		✗	
			W6/2010	Easterly	21-Mar	0.0	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R6/2010	BEDROOM			20-Mar	0.2		✗	
			W7/2010	Easterly	20-Mar	0.2	✗		
9TH_02									✓
	R7/2010	BEDROOM			21-Mar	0.4		✗	
			W8/2010	Easterly	21-Mar	0.4	✗		
	R8/2010	BEDROOM			21-Mar	0.5		✗	
			W9/2010	Easterly	21-Mar	0.5	✗		
	R9/2010	LKD			10-Feb	7.0		✓	
			W12/2010	Southerly	10-Feb	6.8	✓		
			W11/2010	Easterly	10-Feb	0.8	✗		
			W10/2010	Easterly	10-Feb	0.1	✗		
9TH_03									✓
	R10/2010	BEDROOM			12-Feb	5.2		✓	
			W13/2010	Southerly	12-Feb	5.2	✓		
	R11/2010	LKD			26-Feb	7.2		✓	
			W15/2010	Southerly	26-Feb	5.8	✓		
			W14/2010	Southerly	26-Feb	3.8	✓		
9TH_04									✓
	R12/2010	BEDROOM			21-Mar	9.5		✓	
			W16/2010	Southerly	21-Mar	5.2	✓		
			W17/2010	Westerly	21-Mar	4.3	✓		
	R13/2010	LKD			11-Mar	5.1		✓	
			W19/2010	Westerly	11-Mar	3.9	✓		
			W18/2010	Westerly	11-Mar	4.2	✓		
	R14/2010	BEDROOM			21-Mar	4.1		✓	
			W20/2010	Westerly	21-Mar	4.1	✓		
9TH_05									✓
	R1/2010	LKD			03-Mar	2.9		✓	
			W1/2010	Westerly	03-Mar	2.9	✓		
			W2/2010	Northerly	03-Mar	0.5	✗		
	R2/2010	BEDROOM			21-Mar	0.0		✗	
			W3/2010	Northerly	21-Mar	0.0	✗		
	R15/2010	BEDROOM			21-Mar	4.5		✓	
			W21/2010	Westerly	21-Mar	4.5	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R1/2101	STUDIO				18-Feb	3.2		✓	
		W22/2101	Southerly	18-Feb	2.6	✓			
		W21/2101	Southerly	18-Feb	3.0	✓			
		W2/2101	Northerly	18-Feb	0.0	✗			
		W1/2101	Northerly	18-Feb	0.0	✗			
R2/2101	STUDIO				21-Mar	0.2		✗	
		W4/2101	Northerly	21-Mar	0.0	✗			
		W3/2101	Northerly	21-Mar	0.0	✗			
		W5/2101	Northerly	21-Mar	0.2	✗			
R3/2101	STUDIO				16-Mar	0.3		✗	
		W6/2101	Northerly	16-Mar	0.3	✗			
R4/2101	STUDIO				17-Mar	0.3		✗	
		W7/2101	Northerly	17-Mar	0.3	✗			
R5/2101	STUDIO				21-Mar	0.5		✗	
		W8/2101	Northerly	21-Mar	0.5	✗			
R6/2101	STUDIO				21-Mar	0.5		✗	
		W9/2101	Northerly	21-Mar	0.5	✗			
R7/2101	STUDIO				20-Mar	0.6		✗	
		W10/2101	Northerly	20-Mar	0.6	✗			
R8/2101	STUDIO				21-Mar	0.7		✗	
		W11/2101	Northerly	21-Mar	0.7	✗			
R9/2101	STUDIO				21-Mar	0.8		✗	
		W12/2101	Northerly	21-Mar	0.8	✗			
R10/2101	STUDIO				21-Mar	5.0		✓	
		W13/2101	Southerly	21-Mar	5.0	✓			
R11/2101	STUDIO				21-Mar	5.3		✓	
		W14/2101	Southerly	21-Mar	5.3	✓			
R12/2101	STUDIO				21-Mar	5.7		✓	
		W15/2101	Southerly	21-Mar	5.7	✓			
R13/2101	STUDIO				20-Mar	5.5		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W16/2101	Southerly	20-Mar	5.5	✓		
R14/2101	STUDIO				18-Mar	5.3		✓	
			W17/2101	Southerly	18-Mar	5.3	✓		
R15/2101	STUDIO				17-Mar	4.5		✓	
			W18/2101	Southerly	17-Mar	4.5	✓		
R16/2101	STUDIO				09-Mar	4.1		✓	
			W19/2101	Southerly	09-Mar	4.1	✓		
R17/2101	STUDIO				01-Mar	3.6		✓	
			W20/2101	Southerly	01-Mar	3.6	✓		
R1/2102	STUDIO				18-Feb	3.2		✓	
			W30/2102	Southerly	18-Feb	2.6	✓		
			W29/2102	Southerly	18-Feb	3.2	✓		
			W2/2102	Northerly	18-Feb	0.0	✗		
			W1/2102	Northerly	18-Feb	0.0	✗		
R2/2102	STUDIO				21-Mar	0.3			✗
			W4/2102	Northerly	21-Mar	0.0	✗		
			W3/2102	Northerly	21-Mar	0.0	✗		
			W5/2102	Northerly	21-Mar	0.3	✗		
R3/2102	STUDIO				21-Mar	0.3			✗
			W6/2102	Northerly	21-Mar	0.3	✗		
R4/2102	STUDIO				21-Mar	0.3			✗
			W7/2102	Northerly	21-Mar	0.3	✗		
R5/2102	STUDIO				21-Mar	0.6			✗
			W8/2102	Northerly	21-Mar	0.6	✗		
R6/2102	STUDIO				21-Mar	0.6			✗
			W9/2102	Northerly	21-Mar	0.6	✗		
R7/2102	STUDIO				21-Mar	0.6			✗
			W10/2102	Northerly	21-Mar	0.6	✗		
R8/2102	STUDIO				21-Mar	0.7			✗
			W11/2102	Northerly	21-Mar	0.7	✗		
R9/2102	STUDIO				17-Mar	0.8			✗
			W12/2102	Northerly	17-Mar	0.8	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R10/2102	STUDIO			18-Mar	0.9			
			W13/2102	Northerly	18-Mar	0.9	✗	✗	
	R11/2102	STUDIO			21-Mar	3.0		✓	
			W16/2102	Easterly	21-Mar	1.8	✓		
			W15/2102	Easterly	21-Mar	2.3	✓		
			W14/2102	Northerly	21-Mar	0.9	✗		
	R12/2102	STUDIO			21-Mar	6.5		✓	
			W18/2102	Easterly	21-Mar	1.3	✗		
			W17/2102	Easterly	21-Mar	1.8	✓		
			W19/2102	Southerly	21-Mar	4.6	✓		
	R13/2102	STUDIO			21-Mar	5.0		✓	
			W20/2102	Southerly	21-Mar	5.0	✓		
	R14/2102	STUDIO			21-Mar	5.5		✓	
			W21/2102	Southerly	21-Mar	5.5	✓		
	R15/2102	STUDIO			21-Mar	5.8		✓	
			W22/2102	Southerly	21-Mar	5.8	✓		
	R16/2102	STUDIO			15-Mar	6.0		✓	
			W23/2102	Southerly	15-Mar	6.0	✓		
	R17/2102	STUDIO			20-Mar	5.8		✓	
			W24/2102	Southerly	20-Mar	5.8	✓		
	R18/2102	STUDIO			18-Mar	5.6		✓	
			W25/2102	Southerly	18-Mar	5.6	✓		
	R19/2102	STUDIO			05-Mar	4.8		✓	
			W26/2102	Southerly	05-Mar	4.8	✓		
	R20/2102	STUDIO			23-Feb	4.3		✓	
			W27/2102	Southerly	23-Feb	4.3	✓		
	R21/2102	STUDIO			18-Feb	3.7		✓	
			W28/2102	Southerly	18-Feb	3.7	✓		
	R1/2103	STUDIO			18-Feb	3.2		✓	
			W30/2103	Southerly	18-Feb	2.6	✓		
			W29/2103	Southerly	18-Feb	3.2	✓		
			W2/2103	Northerly	18-Feb	0.0	✗		
			W1/2103	Northerly	18-Feb	0.0	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R2/2103	STUDIO			21-Mar	0.5		✗	
			W4/2103	Northerly	21-Mar	0.0	✗		
			W3/2103	Northerly	21-Mar	0.0	✗		
			W5/2103	Northerly	21-Mar	0.5	✗		
	R3/2103	STUDIO			21-Mar	0.4		✗	
			W6/2103	Northerly	21-Mar	0.4	✗		
	R4/2103	STUDIO			21-Mar	0.4		✗	
			W7/2103	Northerly	21-Mar	0.4	✗		
	R5/2103	STUDIO			21-Mar	0.6		✗	
			W8/2103	Northerly	21-Mar	0.6	✗		
	R6/2103	STUDIO			21-Mar	0.7		✗	
			W9/2103	Northerly	21-Mar	0.7	✗		
	R7/2103	STUDIO			21-Mar	0.8		✗	
			W10/2103	Northerly	21-Mar	0.8	✗		
	R8/2103	STUDIO			21-Mar	0.8		✗	
			W11/2103	Northerly	21-Mar	0.8	✗		
	R9/2103	STUDIO			17-Mar	0.8		✗	
			W12/2103	Northerly	17-Mar	0.8	✗		
	R10/2103	STUDIO			18-Mar	0.9		✗	
			W13/2103	Northerly	18-Mar	0.9	✗		
	R11/2103	STUDIO			21-Mar	3.3		✓	
			W16/2103	Easterly	21-Mar	2.3	✓		
			W15/2103	Easterly	21-Mar	2.3	✓		
			W14/2103	Northerly	21-Mar	0.9	✗		
	R12/2103	STUDIO			21-Mar	7.5		✓	
			W18/2103	Easterly	21-Mar	2.6	✓		
			W17/2103	Easterly	21-Mar	2.5	✓		
			W19/2103	Southerly	21-Mar	5.0	✓		
	R13/2103	STUDIO			21-Mar	5.5		✓	
			W20/2103	Southerly	21-Mar	5.5	✓		
	R14/2103	STUDIO			21-Mar	5.8		✓	
			W21/2103	Southerly	21-Mar	5.8	✓		
	R15/2103	STUDIO			15-Mar	6.0		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W22/2103	Southerly	15-Mar	6.0	✓		
	R16/2103	STUDIO			08-Mar	6.2		✓	
			W23/2103	Southerly	08-Mar	6.2	✓		
	R17/2103	STUDIO			11-Mar	6.1		✓	
			W24/2103	Southerly	11-Mar	6.1	✓		
	R18/2103	STUDIO			09-Mar	6.0		✓	
			W25/2103	Southerly	09-Mar	6.0	✓		
	R19/2103	STUDIO			18-Feb	5.2		✓	
			W26/2103	Southerly	18-Feb	5.2	✓		
	R20/2103	STUDIO			23-Feb	4.3		✓	
			W27/2103	Southerly	23-Feb	4.3	✓		
	R21/2103	STUDIO			15-Feb	3.8		✓	
			W28/2103	Southerly	15-Feb	3.8	✓		
	R1/2104	STUDIO			18-Feb	3.2		✓	
			W30/2104	Southerly	18-Feb	2.6	✓		
			W29/2104	Southerly	18-Feb	3.2	✓		
			W2/2104	Northerly	18-Feb	0.0	✗		
			W1/2104	Northerly	18-Feb	0.0	✗		
	R2/2104	STUDIO			21-Mar	0.8			✗
			W4/2104	Northerly	21-Mar	0.0	✗		
			W3/2104	Northerly	21-Mar	0.0	✗		
			W5/2104	Northerly	21-Mar	0.8	✗		
	R3/2104	STUDIO			21-Mar	0.8			✗
			W6/2104	Northerly	21-Mar	0.8	✗		
	R4/2104	STUDIO			21-Mar	0.7			✗
			W7/2104	Northerly	21-Mar	0.7	✗		
	R5/2104	STUDIO			21-Mar	0.7			✗
			W8/2104	Northerly	21-Mar	0.7	✗		
	R6/2104	STUDIO			20-Mar	0.8			✗
			W9/2104	Northerly	20-Mar	0.8	✗		
	R7/2104	STUDIO			21-Mar	0.8			✗
			W10/2104	Northerly	21-Mar	0.8	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R8/2104	STUDIO			21-Mar	0.9			
			W11/2104	Northerly	21-Mar	0.9	✗	✗	
	R9/2104	STUDIO			21-Mar	0.9			
			W12/2104	Northerly	21-Mar	0.9	✗	✗	
	R10/2104	STUDIO			21-Mar	0.9			
			W13/2104	Northerly	21-Mar	0.9	✗	✗	
	R11/2104	STUDIO			19-Mar	3.3		✓	
			W16/2104	Easterly	19-Mar	2.3	✓		
			W15/2104	Easterly	19-Mar	2.2	✓		
			W14/2104	Northerly	19-Mar	1.0	✗		
	R12/2104	STUDIO			18-Mar	8.0		✓	
			W18/2104	Easterly	18-Mar	3.2	✓		
			W17/2104	Easterly	18-Mar	3.3	✓		
			W19/2104	Southerly	18-Mar	5.6	✓		
	R13/2104	STUDIO			15-Mar	6.0		✓	
			W20/2104	Southerly	15-Mar	6.0	✓		
	R14/2104	STUDIO			10-Mar	6.2		✓	
			W21/2104	Southerly	10-Mar	6.2	✓		
	R15/2104	STUDIO			04-Mar	6.3		✓	
			W22/2104	Southerly	04-Mar	6.3	✓		
	R16/2104	STUDIO			28-Feb	6.3		✓	
			W23/2104	Southerly	28-Feb	6.3	✓		
	R17/2104	STUDIO			04-Mar	6.3		✓	
			W24/2104	Southerly	04-Mar	6.3	✓		
	R18/2104	STUDIO			27-Feb	6.2		✓	
			W25/2104	Southerly	27-Feb	6.2	✓		
	R19/2104	STUDIO			16-Feb	5.3		✓	
			W26/2104	Southerly	16-Feb	5.3	✓		
	R20/2104	STUDIO			23-Feb	4.3		✓	
			W27/2104	Southerly	23-Feb	4.3	✓		
	R21/2104	STUDIO			15-Feb	3.8		✓	
			W28/2104	Southerly	15-Feb	3.8	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R1/2105	STUDIO				04-Feb	3.3		✓	
		W30/2105	Southerly	04-Feb	2.8	✓			
		W29/2105	Southerly	04-Feb	3.3	✓			
		W2/2105	Northerly	04-Feb	0.0	✗			
		W1/2105	Northerly	04-Feb	0.0	✗			
R2/2105	STUDIO				21-Mar	1.0		✗	
		W4/2105	Northerly	21-Mar	0.0	✗			
		W3/2105	Northerly	21-Mar	0.0	✗			
		W5/2105	Northerly	21-Mar	1.0	✗			
R3/2105	STUDIO				21-Mar	1.0		✗	
		W6/2105	Northerly	21-Mar	1.0	✗			
R4/2105	STUDIO				21-Mar	0.9		✗	
		W7/2105	Northerly	21-Mar	0.9	✗			
R5/2105	STUDIO				21-Mar	0.8		✗	
		W8/2105	Northerly	21-Mar	0.8	✗			
R6/2105	STUDIO				21-Mar	0.8		✗	
		W9/2105	Northerly	21-Mar	0.8	✗			
R7/2105	STUDIO				19-Mar	0.9		✗	
		W10/2105	Northerly	19-Mar	0.9	✗			
R8/2105	STUDIO				21-Mar	1.0		✗	
		W11/2105	Northerly	21-Mar	1.0	✗			
R9/2105	STUDIO				21-Mar	1.1		✗	
		W12/2105	Northerly	21-Mar	1.1	✗			
R10/2105	STUDIO				21-Mar	1.1		✗	
		W13/2105	Northerly	21-Mar	1.1	✗			
R11/2105	STUDIO				16-Mar	3.4		✓	
		W16/2105	Easterly	16-Mar	2.4	✓			
		W15/2105	Easterly	16-Mar	2.3	✓			
		W14/2105	Northerly	16-Mar	1.0	✗			
R12/2105	STUDIO				15-Mar	8.2		✓	
		W18/2105	Easterly	15-Mar	3.8	✓			
		W17/2105	Easterly	15-Mar	3.4	✓			
		W19/2105	Southerly	15-Mar	6.0	✓			
R13/2105	STUDIO				08-Mar	6.2		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W20/2105	Southerly	08-Mar	6.2	✓		
	R14/2105	STUDIO			28-Feb	6.4		✓	
			W21/2105	Southerly	28-Feb	6.4	✓		
	R15/2105	STUDIO			25-Feb	6.4		✓	
			W22/2105	Southerly	25-Feb	6.4	✓		
	R16/2105	STUDIO			25-Feb	6.4		✓	
			W23/2105	Southerly	25-Feb	6.4	✓		
	R17/2105	STUDIO			24-Feb	6.4		✓	
			W24/2105	Southerly	24-Feb	6.4	✓		
	R18/2105	STUDIO			18-Feb	6.3		✓	
			W25/2105	Southerly	18-Feb	6.3	✓		
	R19/2105	STUDIO			16-Feb	5.3		✓	
			W26/2105	Southerly	16-Feb	5.3	✓		
	R20/2105	STUDIO			10-Feb	4.6		✓	
			W27/2105	Southerly	10-Feb	4.6	✓		
	R21/2105	STUDIO			15-Feb	3.8		✓	
			W28/2105	Southerly	15-Feb	3.8	✓		
	R1/2106	STUDIO			04-Feb	3.3		✓	
			W30/2106	Southerly	04-Feb	2.8	✓		
			W29/2106	Southerly	04-Feb	3.3	✓		
			W2/2106	Northerly	04-Feb	0.0	✗		
			W1/2106	Northerly	04-Feb	0.0	✗		
	R2/2106	STUDIO			21-Mar	1.3			✗
			W4/2106	Northerly	21-Mar	0.0	✗		
			W3/2106	Northerly	21-Mar	0.0	✗		
			W5/2106	Northerly	21-Mar	1.3	✗		
	R3/2106	STUDIO			21-Mar	1.3			✗
			W6/2106	Northerly	21-Mar	1.3	✗		
	R4/2106	STUDIO			21-Mar	1.2			✗
			W7/2106	Northerly	21-Mar	1.2	✗		
	R5/2106	STUDIO			21-Mar	1.1			✗
			W8/2106	Northerly	21-Mar	1.1	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R6/2106	STUDIO			21-Mar	1.0			
			W9/2106	Northerly	21-Mar	1.0	✗	✗	
	R7/2106	STUDIO			21-Mar	1.1			
			W10/2106	Northerly	21-Mar	1.1	✗	✗	
	R8/2106	STUDIO			21-Mar	1.1			
			W11/2106	Northerly	21-Mar	1.1	✗	✗	
	R9/2106	STUDIO			21-Mar	1.2			
			W12/2106	Northerly	21-Mar	1.2	✗	✗	
	R10/2106	STUDIO			21-Mar	1.3			
			W13/2106	Northerly	21-Mar	1.3	✗	✗	
	R11/2106	STUDIO			16-Mar	3.4			✓
			W16/2106	Easterly	16-Mar	2.4	✓		
			W15/2106	Easterly	16-Mar	2.3	✓		
			W14/2106	Northerly	16-Mar	1.1	✗		
	R12/2106	STUDIO			10-Mar	8.3			✓
			W18/2106	Easterly	10-Mar	3.8	✓		
			W17/2106	Easterly	10-Mar	3.5	✓		
			W19/2106	Southerly	10-Mar	6.1	✓		
	R13/2106	STUDIO			25-Feb	6.4			✓
			W20/2106	Southerly	25-Feb	6.4	✓		
	R14/2106	STUDIO			24-Feb	6.5			✓
			W21/2106	Southerly	24-Feb	6.5	✓		
	R15/2106	STUDIO			25-Feb	6.4			✓
			W22/2106	Southerly	25-Feb	6.4	✓		
	R16/2106	STUDIO			25-Feb	6.4			✓
			W23/2106	Southerly	25-Feb	6.4	✓		
	R17/2106	STUDIO			25-Feb	6.4			✓
			W24/2106	Southerly	25-Feb	6.4	✓		
	R18/2106	STUDIO			28-Feb	6.3			✓
			W25/2106	Southerly	28-Feb	6.3	✓		
	R19/2106	STUDIO			05-Feb	5.3			✓
			W26/2106	Southerly	05-Feb	5.3	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R20/2106	STUDIO			Southerly	10-Feb	4.6		✓	✓
			W27/2106		10-Feb	4.6	✓		
R21/2106	STUDIO			Southerly	04-Feb	3.9		✓	✓
			W28/2106		04-Feb	3.9	✓		
R1/2107	DINING			Easterly	21-Mar	4.9		✓	✓
			W3/2107		21-Mar	4.8	✓		
			W2/2107		21-Mar	1.7	✓		
			W1/2107		21-Mar	1.5	✓		
R2/2107	STUDY			Southerly	21-Mar	9.2		✓	✓
			W7/2107		21-Mar	5.0	✓		
			W6/2107		21-Mar	5.5	✓		
			W5/2107		21-Mar	5.9	✓		
			W4/2107		21-Mar	5.2	✓		
R1/2108	STUDIO			Southerly	02-Feb	3.4		✓	✓
			W22/2108		02-Feb	2.8	✓		
			W21/2108		02-Feb	3.4	✓		
			W2/2108		02-Feb	0.0	✗		
			W1/2108		02-Feb	0.0	✗		
R2/2108	STUDIO			Northerly	21-Mar	1.7		✓	✓
			W4/2108		21-Mar	0.0	✗		
			W3/2108		21-Mar	0.0	✗		
			W5/2108		21-Mar	1.7	✓		
R3/2108	STUDIO			Northerly	20-Mar	1.9		✓	✓
			W6/2108		20-Mar	1.9	✓		
R4/2108	STUDIO			Northerly	21-Mar	2.0		✓	✓
			W7/2108		21-Mar	2.0	✓		
R5/2108	STUDIO			Northerly	21-Mar	2.0		✓	✓
			W8/2108		21-Mar	2.0	✓		
R6/2108	STUDIO			Northerly	21-Mar	2.0		✓	✓
			W9/2108		21-Mar	2.0	✓		
R7/2108	STUDIO			Northerly	21-Mar	2.0		✓	✓
			W10/2108		21-Mar	2.0	✓		
			W11/2108		21-Mar	0.0	✗		
			W12/2108		21-Mar	0.0	✗		
R8/2108	STUDIO				12-Feb	6.3		✓	✓



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W15/2108	Southerly	12-Feb	6.3	✓		
			W14/2108	Easterly	12-Feb	0.0	✗		
			W13/2108	Easterly	12-Feb	0.0	✗		
	R9/2108	STUDIO			12-Feb	6.3		✓	
			W16/2108	Southerly	12-Feb	6.3	✓		
	R10/2108	STUDIO			12-Feb	6.3		✓	
			W17/2108	Southerly	12-Feb	6.3	✓		
	R11/2108	STUDIO			01-Feb	5.5		✓	
			W18/2108	Southerly	01-Feb	5.5	✓		
	R12/2108	STUDIO			01-Feb	4.8		✓	
			W19/2108	Southerly	01-Feb	4.8	✓		
	R13/2108	STUDIO			01-Feb	4.0		✓	
			W20/2108	Southerly	01-Feb	4.0	✓		
	R1/2109	STUDIO			21-Mar	3.6		✓	
			W22/2109	Southerly	21-Mar	3.3	✓		
			W21/2109	Southerly	21-Mar	3.6	✓		
			W2/2109	Northerly	21-Mar	0.0	✗		
			W1/2109	Northerly	21-Mar	0.0	✗		
	R2/2109	STUDIO			21-Mar	1.7		✓	
			W4/2109	Northerly	21-Mar	0.0	✗		
			W3/2109	Northerly	21-Mar	0.0	✗		
			W5/2109	Northerly	21-Mar	1.7	✓		
	R3/2109	STUDIO			20-Mar	1.9		✓	
			W6/2109	Northerly	20-Mar	1.9	✓		
	R4/2109	STUDIO			21-Mar	2.0		✓	
			W7/2109	Northerly	21-Mar	2.0	✓		
	R5/2109	STUDIO			21-Mar	2.0		✓	
			W8/2109	Northerly	21-Mar	2.0	✓		
	R6/2109	STUDIO			21-Mar	2.0		✓	
			W9/2109	Northerly	21-Mar	2.0	✓		
	R7/2109	STUDIO			21-Mar	2.0		✓	
			W10/2109	Northerly	21-Mar	2.0	✓		
			W11/2109	Easterly	21-Mar	0.0	✗		
			W12/2109	Easterly	21-Mar	0.0	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R8/2109	STUDIO			12-Feb	6.3		✓	
			W15/2109	Southerly	12-Feb	6.3	✓		
			W14/2109	Easterly	12-Feb	0.0	✗		
			W13/2109	Easterly	12-Feb	0.0	✗		
	R9/2109	STUDIO			12-Feb	6.3		✓	
			W16/2109	Southerly	12-Feb	6.3	✓		
	R10/2109	STUDIO			12-Feb	6.3		✓	
			W17/2109	Southerly	12-Feb	6.3	✓		
	R11/2109	STUDIO			01-Feb	5.6		✓	
			W18/2109	Southerly	01-Feb	5.6	✓		
	R12/2109	STUDIO			01-Feb	4.8		✓	
			W19/2109	Southerly	01-Feb	4.8	✓		
	R13/2109	STUDIO			01-Feb	4.1		✓	
			W20/2109	Southerly	01-Feb	4.1	✓		
	R1/2110	STUDIO			21-Mar	4.3		✓	
			W22/2110	Southerly	21-Mar	4.0	✓		
			W21/2110	Southerly	21-Mar	4.3	✓		
			W2/2110	Northerly	21-Mar	0.0	✗		
			W1/2110	Northerly	21-Mar	0.0	✗		
	R2/2110	STUDIO			21-Mar	1.7		✓	
			W4/2110	Northerly	21-Mar	0.0	✗		
			W3/2110	Northerly	21-Mar	0.0	✗		
			W5/2110	Northerly	21-Mar	1.7	✓		
	R3/2110	STUDIO			20-Mar	1.9		✓	
			W6/2110	Northerly	20-Mar	1.9	✓		
	R4/2110	STUDIO			21-Mar	2.0		✓	
			W7/2110	Northerly	21-Mar	2.0	✓		
	R5/2110	STUDIO			21-Mar	2.0		✓	
			W8/2110	Northerly	21-Mar	2.0	✓		
	R6/2110	STUDIO			21-Mar	2.0		✓	
			W9/2110	Northerly	21-Mar	2.0	✓		
	R7/2110	STUDIO			21-Mar	2.0		✓	
			W10/2110	Northerly	21-Mar	2.0	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W11/2110	Easterly	21-Mar	0.0	✗		
			W12/2110	Easterly	21-Mar	0.0	✗		
	R8/2110	STUDIO			12-Feb	6.3		✓	
			W15/2110	Southerly	12-Feb	6.3	✓		
			W14/2110	Easterly	12-Feb	0.0	✗		
			W13/2110	Easterly	12-Feb	0.0	✗		
	R9/2110	STUDIO			12-Feb	6.3		✓	
			W16/2110	Southerly	12-Feb	6.3	✓		
	R10/2110	STUDIO			12-Feb	6.3		✓	
			W17/2110	Southerly	12-Feb	6.3	✓		
	R11/2110	STUDIO			01-Feb	5.6		✓	
			W18/2110	Southerly	01-Feb	5.6	✓		
	R12/2110	STUDIO			01-Feb	4.8		✓	
			W19/2110	Southerly	01-Feb	4.8	✓		
	R13/2110	STUDIO			21-Mar	4.5		✓	
			W20/2110	Southerly	21-Mar	4.5	✓		
	R1/2111	STUDIO			21-Mar	5.0		✓	
			W22/2111	Southerly	21-Mar	4.8	✓		
			W21/2111	Southerly	21-Mar	5.0	✓		
			W2/2111	Northerly	21-Mar	0.0	✗		
			W1/2111	Northerly	21-Mar	0.0	✗		
	R2/2111	STUDIO			21-Mar	1.7		✓	
			W4/2111	Northerly	21-Mar	0.0	✗		
			W3/2111	Northerly	21-Mar	0.0	✗		
			W5/2111	Northerly	21-Mar	1.7	✓		
	R3/2111	STUDIO			20-Mar	1.9		✓	
			W6/2111	Northerly	20-Mar	1.9	✓		
	R4/2111	STUDIO			21-Mar	2.0		✓	
			W7/2111	Northerly	21-Mar	2.0	✓		
	R5/2111	STUDIO			21-Mar	2.0		✓	
			W8/2111	Northerly	21-Mar	2.0	✓		
	R6/2111	STUDIO			21-Mar	2.0		✓	
			W9/2111	Northerly	21-Mar	2.0	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R7/2111	STUDIO				21-Mar	2.0		✓	✓
			W10/2111	Northerly	21-Mar	2.0	✓		
			W11/2111	Easterly	21-Mar	0.0	✗		
			W12/2111	Easterly	21-Mar	0.0	✗		
R8/2111	STUDIO				12-Feb	6.3		✓	✓
			W15/2111	Southerly	12-Feb	6.3	✓		
			W14/2111	Easterly	12-Feb	0.0	✗		
			W13/2111	Easterly	12-Feb	0.0	✗		
R9/2111	STUDIO				12-Feb	6.3		✓	
		W16/2111	Southerly	12-Feb	6.3	✓			
R10/2111	STUDIO				12-Feb	6.3		✓	
		W17/2111	Southerly	12-Feb	6.3	✓			
R11/2111	STUDIO				01-Feb	5.6		✓	
		W18/2111	Southerly	01-Feb	5.6	✓			
R12/2111	STUDIO				21-Mar	5.3		✓	
		W19/2111	Southerly	21-Mar	5.3	✓			
R13/2111	STUDIO				21-Mar	5.3		✓	
		W20/2111	Southerly	21-Mar	5.3	✓			
R1/2112	STUDIO				09-Mar	5.6		✓	✓
			W22/2112	Southerly	09-Mar	5.4	✓		
			W21/2112	Southerly	09-Mar	5.6	✓		
			W2/2112	Northerly	09-Mar	0.0	✗		
			W1/2112	Northerly	09-Mar	0.0	✗		
R2/2112	STUDIO				21-Mar	1.7		✓	✓
			W4/2112	Northerly	21-Mar	0.0	✗		
			W3/2112	Northerly	21-Mar	0.0	✗		
			W5/2112	Northerly	21-Mar	1.7	✓		
R3/2112	STUDIO				20-Mar	1.9		✓	
		W6/2112	Northerly	20-Mar	1.9	✓			
R4/2112	STUDIO				21-Mar	2.0		✓	
		W7/2112	Northerly	21-Mar	2.0	✓			
R5/2112	STUDIO				21-Mar	2.0		✓	
		W8/2112	Northerly	21-Mar	2.0	✓			
R6/2112	STUDIO				21-Mar	2.0		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W9/2112	Northerly	21-Mar	2.0	✓		
	R7/2112	STUDIO			21-Mar	2.0		✓	
			W10/2112	Northerly	21-Mar	2.0	✓		
			W11/2112	Easterly	21-Mar	0.0	✗		
			W12/2112	Easterly	21-Mar	0.0	✗		
	R8/2112	STUDIO			12-Feb	6.3		✓	
			W15/2112	Southerly	12-Feb	6.3	✓		
			W14/2112	Easterly	12-Feb	0.0	✗		
			W13/2112	Easterly	12-Feb	0.0	✗		
	R9/2112	STUDIO			12-Feb	6.3		✓	
			W16/2112	Southerly	12-Feb	6.3	✓		
	R10/2112	STUDIO			12-Feb	6.3		✓	
			W17/2112	Southerly	12-Feb	6.3	✓		
	R11/2112	STUDIO			04-Mar	5.8		✓	
			W18/2112	Southerly	04-Mar	5.8	✓		
	R12/2112	STUDIO			04-Mar	5.8		✓	
			W19/2112	Southerly	04-Mar	5.8	✓		
	R13/2112	STUDIO			06-Mar	5.7		✓	
			W20/2112	Southerly	06-Mar	5.7	✓		
	R1/2113	STUDIO			20-Mar	1.9		✓	
			W6/2113	Northerly	20-Mar	1.9	✓		
	R2/2113	STUDIO			21-Mar	2.0		✓	
			W7/2113	Northerly	21-Mar	2.0	✓		
	R3/2113	STUDIO			21-Mar	2.0		✓	
			W8/2113	Northerly	21-Mar	2.0	✓		
	R4/2113	STUDIO			21-Mar	2.0		✓	
			W9/2113	Northerly	21-Mar	2.0	✓		
	R5/2113	STUDIO			21-Mar	2.0		✓	
			W10/2113	Northerly	21-Mar	2.0	✓		
			W11/2113	Easterly	21-Mar	0.0	✗		
			W12/2113	Easterly	21-Mar	0.0	✗		
	R6/2113	STUDIO			12-Feb	6.3		✓	
			W15/2113	Southerly	12-Feb	6.3	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W14/2113	Easterly	12-Feb	0.0	✗		
			W13/2113	Easterly	12-Feb	0.0	✗		
	R7/2113	STUDIO			12-Feb	6.3		✓	
			W16/2113	Southerly	12-Feb	6.3	✓		
	R8/2113	STUDIO			12-Feb	6.3		✓	
			W17/2113	Southerly	12-Feb	6.3	✓		
	R9/2113	STUDIO			17-Feb	6.1		✓	
			W18/2113	Southerly	17-Feb	6.1	✓		
	R10/2113	STUDIO			18-Feb	6.1		✓	
			W19/2113	Southerly	18-Feb	6.1	✓		
	R11/2113	STUDIO			17-Feb	6.1		✓	
			W20/2113	Southerly	17-Feb	6.1	✓		
	R12/2113	STUDENT_AMENITY			20-Mar	7.3		✓	
			W22/2113	Southerly	20-Mar	5.4	✓		
			W21/2113	Southerly	20-Mar	5.5	✓		
			W2/2113	Northerly	20-Mar	0.2	✗		
			W1/2113	Northerly	20-Mar	0.0	✗		
			W3/2113	Northerly	20-Mar	0.2	✗		
			W5/2113	Northerly	20-Mar	1.7	✓		
			W4/2113	Northerly	20-Mar	0.2	✗		
	R1/2114	STUDIO			20-Mar	1.9		✓	
			W6/2114	Northerly	20-Mar	1.9	✓		
	R2/2114	STUDIO			21-Mar	2.0		✓	
			W7/2114	Northerly	21-Mar	2.0	✓		
	R3/2114	STUDIO			21-Mar	2.0		✓	
			W8/2114	Northerly	21-Mar	2.0	✓		
	R4/2114	STUDIO			21-Mar	2.0		✓	
			W9/2114	Northerly	21-Mar	2.0	✓		
	R5/2114	STUDIO			21-Mar	2.0		✓	
			W10/2114	Northerly	21-Mar	2.0	✓		
			W11/2114	Easterly	21-Mar	0.0	✗		
			W12/2114	Easterly	21-Mar	0.0	✗		
	R6/2114	STUDIO			12-Feb	6.3		✓	
			W15/2114	Southerly	12-Feb	6.3	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W14/2114	Easterly	12-Feb	0.0	✗		
			W13/2114	Easterly	12-Feb	0.0	✗		
	R7/2114	STUDIO			11-Feb	6.3		✓	
			W16/2114	Southerly	11-Feb	6.3	✓		
	R8/2114	STUDIO			13-Feb	6.3		✓	
			W17/2114	Southerly	13-Feb	6.3	✓		
	R9/2114	STUDIO			12-Feb	6.3		✓	
			W18/2114	Southerly	12-Feb	6.3	✓		
	R10/2114	STUDIO			13-Feb	6.3		✓	
			W19/2114	Southerly	13-Feb	6.3	✓		
	R11/2114	STUDIO			12-Feb	6.3		✓	
			W20/2114	Southerly	12-Feb	6.3	✓		
	R12/2114	STUDENT_AMENITY			20-Mar	7.4		✓	
			W22/2114	Southerly	20-Mar	5.3	✓		
			W21/2114	Southerly	20-Mar	5.4	✓		
			W2/2114	Northerly	20-Mar	0.3	✗		
			W1/2114	Northerly	20-Mar	0.0	✗		
			W3/2114	Northerly	20-Mar	0.3	✗		
			W5/2114	Northerly	20-Mar	1.7	✓		
			W4/2114	Northerly	20-Mar	0.3	✗		
	R1/2115	STUDIO			20-Mar	1.9		✓	
			W6/2115	Northerly	20-Mar	1.9	✓		
	R2/2115	STUDIO			21-Mar	2.0		✓	
			W7/2115	Northerly	21-Mar	2.0	✓		
	R3/2115	STUDIO			21-Mar	2.0		✓	
			W8/2115	Northerly	21-Mar	2.0	✓		
	R4/2115	STUDIO			21-Mar	2.0		✓	
			W9/2115	Northerly	21-Mar	2.0	✓		
	R5/2115	STUDIO			21-Mar	2.0		✓	
			W10/2115	Northerly	21-Mar	2.0	✓		
			W11/2115	Easterly	21-Mar	0.0	✗		
			W12/2115	Easterly	21-Mar	0.0	✗		
	R6/2115	STUDIO			12-Feb	6.3		✓	
			W15/2115	Southerly	12-Feb	6.3	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W14/2115	Easterly	12-Feb	0.0	✗		
			W13/2115	Easterly	12-Feb	0.0	✗		
	R7/2115	STUDIO			12-Feb	6.3		✓	
			W16/2115	Southerly	12-Feb	6.3	✓		
	R8/2115	STUDIO			12-Feb	6.3		✓	
			W17/2115	Southerly	12-Feb	6.3	✓		
	R9/2115	STUDIO			12-Feb	6.3		✓	
			W18/2115	Southerly	12-Feb	6.3	✓		
	R10/2115	STUDIO			13-Feb	6.3		✓	
			W19/2115	Southerly	13-Feb	6.3	✓		
	R11/2115	STUDIO			12-Feb	6.3		✓	
			W20/2115	Southerly	12-Feb	6.3	✓		
	R12/2115	STUDENT_AMENITY			20-Mar	7.4		✓	
			W22/2115	Southerly	20-Mar	5.4	✓		
			W21/2115	Southerly	20-Mar	5.5	✓		
			W2/2115	Northerly	20-Mar	0.3	✗		
			W1/2115	Northerly	20-Mar	0.0	✗		
			W3/2115	Northerly	20-Mar	0.3	✗		
			W5/2115	Northerly	20-Mar	1.7	✓		
			W4/2115	Northerly	20-Mar	0.3	✗		
	R1/2116	STUDIO			20-Mar	1.9		✓	
			W6/2116	Northerly	20-Mar	1.9	✓		
	R2/2116	STUDIO			21-Mar	2.0		✓	
			W7/2116	Northerly	21-Mar	2.0	✓		
	R3/2116	STUDIO			21-Mar	2.0		✓	
			W8/2116	Northerly	21-Mar	2.0	✓		
	R4/2116	STUDIO			21-Mar	2.0		✓	
			W9/2116	Northerly	21-Mar	2.0	✓		
	R5/2116	STUDIO			21-Mar	2.0		✓	
			W10/2116	Northerly	21-Mar	2.0	✓		
			W11/2116	Easterly	21-Mar	0.0	✗		
			W12/2116	Easterly	21-Mar	0.0	✗		
	R6/2116	STUDIO			12-Feb	6.3		✓	
			W15/2116	Southerly	12-Feb	6.3	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W14/2116	Easterly	12-Feb	0.0	✗		
			W13/2116	Easterly	12-Feb	0.0	✗		
	R7/2116	STUDIO			12-Feb	6.3		✓	
			W16/2116	Southerly	12-Feb	6.3	✓		
	R8/2116	STUDIO			13-Feb	6.3		✓	
			W17/2116	Southerly	13-Feb	6.3	✓		
	R9/2116	STUDIO			13-Feb	6.3		✓	
			W18/2116	Southerly	13-Feb	6.3	✓		
	R10/2116	STUDIO			14-Feb	6.3		✓	
			W19/2116	Southerly	14-Feb	6.3	✓		
	R11/2116	STUDIO			13-Feb	6.3		✓	
			W20/2116	Southerly	13-Feb	6.3	✓		
	R12/2116	STUDENT_AMENITY			21-Mar	7.4		✓	
			W22/2116	Southerly	21-Mar	5.3	✓		
			W21/2116	Southerly	21-Mar	5.4	✓		
			W2/2116	Northerly	21-Mar	0.3	✗		
			W1/2116	Northerly	21-Mar	0.0	✗		
			W3/2116	Northerly	21-Mar	0.3	✗		
			W5/2116	Northerly	21-Mar	1.7	✓		
			W4/2116	Northerly	21-Mar	0.3	✗		

Block 3

	R1/2201	CLUSTER_LIVING			21-Mar	2.9			✓
			W51/2201	Southerly	21-Mar	1.8	✓		
			W50/2201	Southerly	21-Mar	1.1	✗		
			W3/2201	Westerly	21-Mar	0.0	✗		
			W2/2201	Westerly	21-Mar	0.3	✗		
			W1/2201	Westerly	21-Mar	0.9	✗		
	R2/2201	CLUSTER			21-Mar	0.0			✗
			W4/2201	Northerly	21-Mar	0.0	✗		
	R3/2201	CLUSTER			21-Mar	0.0			✗
			W5/2201	Northerly	21-Mar	0.0	✗		
	R4/2201	CLUSTER			21-Mar	0.0			✗
			W7/2201	Northerly	21-Mar	0.0	✗		
			W6/2201	Northerly	21-Mar	0.0	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R5/2201	CLUSTER_LIVING			21-Mar	0.0		✗	
			W9/2201	Northerly	21-Mar	0.0	✗		
			W8/2201	Northerly	21-Mar	0.0	✗		
	R6/2201	CLUSTER			21-Mar	0.0		✗	
			W10/2201	Northerly	21-Mar	0.0	✗		
	R7/2201	CLUSTER			21-Mar	0.0		✗	
			W11/2201	Northerly	21-Mar	0.0	✗		
	R8/2201	CLUSTER			21-Mar	0.0		✗	
			W12/2201	Northerly	21-Mar	0.0	✗		
	R9/2201	CLUSTER			21-Mar	0.0		✗	
			W13/2201	Northerly	21-Mar	0.0	✗		
	R10/2201	CLUSTER			21-Mar	0.0		✗	
			W14/2201	Northerly	21-Mar	0.0	✗		
	R11/2201	CLUSTER_LIVING			21-Mar	0.0		✗	
			W16/2201	Northerly	21-Mar	0.0	✗		
			W15/2201	Northerly	21-Mar	0.0	✗		
	R12/2201	CLUSTER			21-Mar	0.0		✗	
			W17/2201	Easterly	21-Mar	0.0	✗		
	R13/2201	CLUSTER			21-Mar	1.9		✓	
			W18/2201	Easterly	21-Mar	1.9	✓		✓
	R14/2201	CLUSTER			21-Mar	0.0		✗	
			W19/2201	Easterly	21-Mar	0.0	✗		
	R15/2201	CLUSTER			21-Mar	1.9		✓	
			W20/2201	Easterly	21-Mar	1.9	✓		✓
	R16/2201	CLUSTER			21-Mar	0.0		✗	
			W21/2201	Easterly	21-Mar	0.0	✗		
	R17/2201	CLUSTER			21-Mar	1.9		✓	
			W22/2201	Easterly	21-Mar	1.9	✓		✓
	R18/2201	CLUSTER_LIVING			21-Mar	7.3		✓	
			W25/2201	Southerly	21-Mar	3.6	✓		✓
			W24/2201	Southerly	21-Mar	4.1	✓		
			W23/2201	Easterly	21-Mar	3.0	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W26/2201	Southerly	21-Mar	5.0	✓		
R19/2201	CLUSTER_LIVING				21-Mar	8.3		✓	
			W31/2201	Westerly	21-Mar	3.3	✓		
			W30/2201	Westerly	21-Mar	3.1	✓		
			W29/2201	Southerly	21-Mar	3.5	✓		
			W28/2201	Southerly	21-Mar	3.7	✓		
			W27/2201	Southerly	21-Mar	5.3	✓		
R20/2201	CLUSTER				10-Feb	2.8		✓	
			W32/2201	Westerly	10-Feb	2.8	✓		
R21/2201	CLUSTER				21-Mar	0.0		✗	
			W33/2201	Westerly	21-Mar	0.0	✗		
R22/2201	CLUSTER				10-Feb	1.9		✓	
			W34/2201	Westerly	10-Feb	1.9	✓		
R23/2201	CLUSTER				21-Mar	0.0		✗	
			W35/2201	Westerly	21-Mar	0.0	✗		
R24/2201	CLUSTER				10-Feb	1.3		✗	
			W36/2201	Westerly	10-Feb	1.3	✗		
R25/2201	CLUSTER				21-Mar	0.8		✗	
			W37/2201	Westerly	21-Mar	0.8	✗		
R26/2201	CLUSTER				16-Mar	0.8		✗	
			W38/2201	Westerly	16-Mar	0.8	✗		
R27/2201	CLUSTER				11-Feb	2.0		✓	
			W39/2201	Southerly	11-Feb	2.0	✓		
R28/2201	CLUSTER				11-Feb	1.8		✓	
			W40/2201	Southerly	11-Feb	1.8	✓		
R29/2201	CLUSTER				20-Mar	1.4		✗	
			W41/2201	Southerly	20-Mar	1.4	✗		
R30/2201	CLUSTER				20-Feb	1.2		✗	
			W42/2201	Southerly	20-Feb	1.2	✗		
R31/2201	CLUSTER				19-Mar	1.4		✗	
			W43/2201	Southerly	19-Mar	1.4	✗		
R32/2201	CLUSTER				05-Mar	2.0		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W45/2201	Southerly	05-Mar	1.4	✗		
			W44/2201	Southerly	05-Mar	0.6	✗		
	R33/2201	CLUSTER			21-Mar	0.7			✗
			W46/2201	Southerly	21-Mar	0.7	✗		
	R34/2201	CLUSTER			21-Mar	0.2			✗
			W47/2201	Southerly	21-Mar	0.2	✗		
	R35/2201	CLUSTER			21-Mar	1.1			✗
			W48/2201	Southerly	21-Mar	1.1	✗		
	R36/2201	CLUSTER			21-Mar	0.6			✗
			W49/2201	Southerly	21-Mar	0.6	✗		
	R1/2202	CLUSTER_LIVING			21-Mar	0.8			✗
			W3/2202	Westerly	21-Mar	0.0	✗		
			W2/2202	Westerly	21-Mar	0.8	✗		
			W1/2202	Southerly	21-Mar	0.0	✗		
			W4/2202	Westerly	21-Mar	0.0	✗		
	R2/2202	CLUSTER_LIVING			21-Mar	0.7			✗
			W8/2202	Northerly	21-Mar	0.0	✗		
			W7/2202	Westerly	21-Mar	0.0	✗		
			W6/2202	Westerly	21-Mar	0.6	✗		
			W5/2202	Westerly	21-Mar	0.3	✗		
	R3/2202	CLUSTER			21-Mar	0.0			✗
			W9/2202	Northerly	21-Mar	0.0	✗		
	R4/2202	CLUSTER			21-Mar	0.0			✗
			W10/2202	Northerly	21-Mar	0.0	✗		
	R5/2202	CLUSTER			21-Mar	0.0			✗
			W11/2202	Northerly	21-Mar	0.0	✗		
	R6/2202	CLUSTER			21-Mar	0.0			✗
			W12/2202	Northerly	21-Mar	0.0	✗		
	R7/2202	CLUSTER			21-Mar	0.0			✗
			W13/2202	Northerly	21-Mar	0.0	✗		
	R8/2202	CLUSTER			21-Mar	0.0			✗
			W15/2202	Northerly	21-Mar	0.0	✗		
			W14/2202	Northerly	21-Mar	0.0	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R9/2202	CLUSTER				21-Mar	0.0		✗	
			W17/2202	Northerly	21-Mar	0.0	✗		
			W16/2202	Northerly	21-Mar	0.0	✗		
R10/2202	CLUSTER				21-Mar	0.0		✗	
			W18/2202	Northerly	21-Mar	0.0	✗		
R11/2202	CLUSTER				21-Mar	0.0		✗	
			W19/2202	Northerly	21-Mar	0.0	✗		
R12/2202	CLUSTER				21-Mar	0.0		✗	
			W20/2202	Northerly	21-Mar	0.0	✗		
R13/2202	CLUSTER				21-Mar	0.0		✗	
			W21/2202	Northerly	21-Mar	0.0	✗		
R14/2202	CLUSTER				21-Mar	0.0		✗	
			W22/2202	Northerly	21-Mar	0.0	✗		
R15/2202	CLUSTER_LIVING				21-Mar	0.0		✗	
			W24/2202	Northerly	21-Mar	0.0	✗		
			W23/2202	Northerly	21-Mar	0.0	✗		
R16/2202	CLUSTER				21-Mar	0.0		✗	
			W25/2202	Easterly	21-Mar	0.0	✗		
R17/2202	CLUSTER				21-Mar	1.9		✓	✓
			W26/2202	Easterly	21-Mar	1.9	✓		
R18/2202	CLUSTER				21-Mar	0.0		✗	
			W27/2202	Easterly	21-Mar	0.0	✗		
R19/2202	CLUSTER				21-Mar	1.9		✓	✓
			W28/2202	Easterly	21-Mar	1.9	✓		
R20/2202	CLUSTER				21-Mar	0.0		✗	
			W29/2202	Easterly	21-Mar	0.0	✗		
R21/2202	CLUSTER				21-Mar	1.9		✓	✓
			W30/2202	Easterly	21-Mar	1.9	✓		
R22/2202	CLUSTER_LIVING				21-Mar	7.3		✓	✓
			W33/2202	Southerly	21-Mar	3.6	✓		
			W32/2202	Southerly	21-Mar	4.1	✓		
			W31/2202	Easterly	21-Mar	3.0	✓		
			W34/2202	Southerly	21-Mar	5.0	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R23/2202	CLUSTER_LIVING				21-Mar	8.7		✓	
		W39/2202	Westerly	21-Mar	3.3	✓			
		W38/2202	Westerly	21-Mar	3.0	✓			
		W37/2202	Southerly	21-Mar	3.5	✓			
		W36/2202	Southerly	21-Mar	4.1	✓			
		W35/2202	Southerly	21-Mar	5.3	✓			
R24/2202	CLUSTER				10-Feb	2.8		✓	
		W40/2202	Westerly	10-Feb	2.8	✓			
R25/2202	CLUSTER				21-Mar	0.0		✗	
		W41/2202	Westerly	21-Mar	0.0	✗			
R26/2202	CLUSTER				10-Feb	1.9		✓	
		W42/2202	Westerly	10-Feb	1.9	✓			
R27/2202	CLUSTER				21-Mar	0.0		✗	
		W43/2202	Westerly	21-Mar	0.0	✗			
R28/2202	CLUSTER				20-Mar	1.3		✗	
		W44/2202	Westerly	20-Mar	1.3	✗			
R29/2202	CLUSTER				21-Mar	1.0		✗	
		W45/2202	Westerly	21-Mar	1.0	✗			
R30/2202	CLUSTER				21-Mar	0.8		✗	
		W46/2202	Westerly	21-Mar	0.8	✗			
R31/2202	CLUSTER_LIVING				16-Mar	2.8		✓	
		W48/2202	Southerly	16-Mar	1.8	✓			
		W47/2202	Southerly	16-Mar	2.2	✓			
R32/2202	CLUSTER				11-Feb	1.8		✓	
		W49/2202	Southerly	11-Feb	1.8	✓			
R33/2202	CLUSTER				20-Mar	1.4		✗	
		W50/2202	Southerly	20-Mar	1.4	✗			
R34/2202	CLUSTER				20-Feb	1.2		✗	
		W51/2202	Southerly	20-Feb	1.2	✗			
R35/2202	CLUSTER				19-Mar	1.4		✗	
		W52/2202	Southerly	19-Mar	1.4	✗			
R36/2202	CLUSTER				21-Mar	2.1		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W54/2202	Southerly	21-Mar	1.5	✓		
			W53/2202	Southerly	21-Mar	0.6	✗		
	R37/2202	CLUSTER			21-Mar	1.6		✓	
			W55/2202	Southerly	21-Mar	1.6	✓		
	R38/2202	CLUSTER			21-Mar	0.5		✗	
			W56/2202	Southerly	21-Mar	0.5	✗		
	R39/2202	CLUSTER			21-Mar	1.5		✓	
			W57/2202	Southerly	21-Mar	1.5	✓		
	R40/2202	CLUSTER			17-Mar	0.8		✗	
			W58/2202	Southerly	17-Mar	0.8	✗		
	R41/2202	CLUSTER			21-Mar	1.1		✗	
			W59/2202	Southerly	21-Mar	1.1	✗		
	R42/2202	CLUSTER			16-Mar	1.8		✓	
			W60/2202	Southerly	16-Mar	1.8	✓		
	R1/2203	CLUSTER_LIVING			21-Mar	0.8		✗	
			W1/2203	Southerly	21-Mar	0.0	✗		
			W3/2203	Westerly	21-Mar	0.0	✗		
			W2/2203	Westerly	21-Mar	0.8	✗		
			W4/2203	Westerly	21-Mar	0.0	✗		
	R2/2203	CLUSTER_LIVING			21-Mar	0.8		✗	
			W8/2203	Northerly	21-Mar	0.0	✗		
			W7/2203	Westerly	21-Mar	0.0	✗		
			W5/2203	Westerly	21-Mar	0.3	✗		
			W6/2203	Westerly	21-Mar	0.8	✗		
	R3/2203	CLUSTER			21-Mar	0.0		✗	
			W9/2203	Northerly	21-Mar	0.0	✗		
	R4/2203	CLUSTER			21-Mar	0.0		✗	
			W10/2203	Northerly	21-Mar	0.0	✗		
	R5/2203	CLUSTER			21-Mar	0.0		✗	
			W11/2203	Northerly	21-Mar	0.0	✗		
	R6/2203	CLUSTER			21-Mar	0.0		✗	
			W12/2203	Northerly	21-Mar	0.0	✗		
	R7/2203	CLUSTER			21-Mar	0.0		✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W13/2203	Northerly	21-Mar	0.0	✗		
	R8/2203	CLUSTER			21-Mar	0.0		✗	
			W15/2203	Northerly	21-Mar	0.0	✗		
			W14/2203	Northerly	21-Mar	0.0	✗		
	R9/2203	CLUSTER			21-Mar	0.0		✗	
			W17/2203	Northerly	21-Mar	0.0	✗		
			W16/2203	Northerly	21-Mar	0.0	✗		
	R10/2203	CLUSTER			21-Mar	0.0		✗	
			W18/2203	Northerly	21-Mar	0.0	✗		
	R11/2203	CLUSTER			21-Mar	0.0		✗	
			W19/2203	Northerly	21-Mar	0.0	✗		
	R12/2203	CLUSTER			21-Mar	0.0		✗	
			W20/2203	Northerly	21-Mar	0.0	✗		
	R13/2203	CLUSTER			21-Mar	0.0		✗	
			W21/2203	Northerly	21-Mar	0.0	✗		
	R14/2203	CLUSTER			21-Mar	0.0		✗	
			W22/2203	Northerly	21-Mar	0.0	✗		
	R15/2203	CLUSTER_LIVING			21-Mar	0.0		✗	
			W24/2203	Northerly	21-Mar	0.0	✗		
			W23/2203	Northerly	21-Mar	0.0	✗		
	R16/2203	CLUSTER			21-Mar	0.0		✗	
			W25/2203	Easterly	21-Mar	0.0	✗		
	R17/2203	CLUSTER			21-Mar	1.9		✓	
			W26/2203	Easterly	21-Mar	1.9	✓		✓
	R18/2203	CLUSTER			21-Mar	0.0		✗	
			W27/2203	Easterly	21-Mar	0.0	✗		
	R19/2203	CLUSTER			21-Mar	1.9		✓	
			W28/2203	Easterly	21-Mar	1.9	✓		✓
	R20/2203	CLUSTER			21-Mar	0.0		✗	
			W29/2203	Easterly	21-Mar	0.0	✗		
	R21/2203	CLUSTER			21-Mar	1.9		✓	
			W30/2203	Easterly	21-Mar	1.9	✓		✓



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R22/2203	CLUSTER_LIVING				21-Mar	7.3		✓	
		W33/2203	Southerly	21-Mar	3.6	✓			
		W32/2203	Southerly	21-Mar	4.1	✓			
		W31/2203	Easterly	21-Mar	3.0	✓			
		W34/2203	Southerly	21-Mar	5.0	✓			
R23/2203	CLUSTER_LIVING				21-Mar	8.7		✓	
		W37/2203	Southerly	21-Mar	3.5	✓			
		W38/2203	Westerly	21-Mar	3.0	✓			
		W39/2203	Westerly	21-Mar	3.3	✓			
		W36/2203	Southerly	21-Mar	4.1	✓			
R24/2203	CLUSTER				10-Feb	2.8		✓	
		W40/2203	Westerly	10-Feb	2.8	✓			
R25/2203	CLUSTER				21-Mar	0.0		✗	
		W41/2203	Westerly	21-Mar	0.0	✗			
R26/2203	CLUSTER				10-Feb	1.9		✓	
		W42/2203	Westerly	10-Feb	1.9	✓			
R27/2203	CLUSTER				21-Mar	0.0		✗	
		W43/2203	Westerly	21-Mar	0.0	✗			
R28/2203	CLUSTER				20-Mar	1.3		✗	
		W44/2203	Westerly	20-Mar	1.3	✗			
R29/2203	CLUSTER				20-Mar	1.0		✗	
		W45/2203	Westerly	20-Mar	1.0	✗			
R30/2203	CLUSTER				16-Mar	0.9		✗	
		W46/2203	Westerly	16-Mar	0.9	✗			
R31/2203	CLUSTER_LIVING				16-Mar	2.8		✓	
		W48/2203	Southerly	16-Mar	1.8	✓			
		W47/2203	Southerly	16-Mar	2.2	✓			
R32/2203	CLUSTER				11-Feb	1.8		✓	
		W49/2203	Southerly	11-Feb	1.8	✓			
R33/2203	CLUSTER				09-Mar	1.5		✓	
		W50/2203	Southerly	09-Mar	1.5	✓			
R34/2203	CLUSTER				20-Feb	1.2		✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W51/2203	Southerly	20-Feb	1.2	✗		
R35/2203	CLUSTER				21-Mar	1.5		✓	
			W52/2203	Southerly	21-Mar	1.5	✓		
R36/2203	CLUSTER				21-Mar	2.9		✓	
			W54/2203	Southerly	21-Mar	2.3	✓		
			W53/2203	Southerly	21-Mar	1.0	✗		
R37/2203	CLUSTER				21-Mar	1.8		✓	
			W55/2203	Southerly	21-Mar	1.8	✓		
R38/2203	CLUSTER				21-Mar	0.8		✗	
			W56/2203	Southerly	21-Mar	0.8	✗		
R39/2203	CLUSTER				21-Mar	1.8		✓	
			W57/2203	Southerly	21-Mar	1.8	✓		
R40/2203	CLUSTER				17-Mar	0.8		✗	
			W58/2203	Southerly	17-Mar	0.8	✗		
R41/2203	CLUSTER				21-Mar	1.3		✗	
			W59/2203	Southerly	21-Mar	1.3	✗		
R43/2203	CLUSTER				13-Mar	1.9		✓	
			W60/2203	Southerly	13-Mar	1.9	✓		
R1/2204	CLUSTER_LIVING				21-Mar	0.9		✗	
			W1/2204	Southerly	21-Mar	0.0	✗		
			W3/2204	Westerly	21-Mar	0.0	✗		
			W2/2204	Westerly	21-Mar	0.9	✗		
			W4/2204	Westerly	21-Mar	0.0	✗		
R2/2204	CLUSTER_LIVING				20-Mar	0.8		✗	
			W8/2204	Northerly	20-Mar	0.0	✗		
			W7/2204	Westerly	20-Mar	0.0	✗		
			W5/2204	Westerly	20-Mar	0.4	✗		
			W6/2204	Westerly	20-Mar	0.8	✗		
R3/2204	CLUSTER				21-Mar	0.0		✗	
			W9/2204	Northerly	21-Mar	0.0	✗		
R4/2204	CLUSTER				21-Mar	0.0		✗	
			W10/2204	Northerly	21-Mar	0.0	✗		
R5/2204	CLUSTER				21-Mar	0.0		✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W11/2204	Northerly	21-Mar	0.0	✗		
	R6/2204	CLUSTER			21-Mar	0.0		✗	
			W12/2204	Northerly	21-Mar	0.0	✗		
	R7/2204	CLUSTER			21-Mar	0.0		✗	
			W13/2204	Northerly	21-Mar	0.0	✗		
	R8/2204	CLUSTER			21-Mar	0.0		✗	
			W15/2204	Northerly	21-Mar	0.0	✗		
			W14/2204	Northerly	21-Mar	0.0	✗		
	R9/2204	CLUSTER			21-Mar	0.0		✗	
			W17/2204	Northerly	21-Mar	0.0	✗		
			W16/2204	Northerly	21-Mar	0.0	✗		
	R10/2204	CLUSTER			21-Mar	0.0		✗	
			W18/2204	Northerly	21-Mar	0.0	✗		
	R11/2204	CLUSTER			21-Mar	0.0		✗	
			W19/2204	Northerly	21-Mar	0.0	✗		
	R12/2204	CLUSTER			21-Mar	0.0		✗	
			W20/2204	Northerly	21-Mar	0.0	✗		
	R13/2204	CLUSTER			21-Mar	0.0		✗	
			W21/2204	Northerly	21-Mar	0.0	✗		
	R14/2204	CLUSTER			21-Mar	0.0		✗	
			W22/2204	Northerly	21-Mar	0.0	✗		
	R15/2204	CLUSTER_LIVING			21-Mar	0.0		✗	
			W24/2204	Northerly	21-Mar	0.0	✗		
			W23/2204	Northerly	21-Mar	0.0	✗		
	R16/2204	CLUSTER			21-Mar	0.0		✗	
			W25/2204	Easterly	21-Mar	0.0	✗		
	R17/2204	CLUSTER			21-Mar	1.9		✓	
			W26/2204	Easterly	21-Mar	1.9	✓		✓
	R18/2204	CLUSTER			21-Mar	0.0		✗	
			W27/2204	Easterly	21-Mar	0.0	✗		
	R19/2204	CLUSTER			21-Mar	1.9		✓	
			W28/2204	Easterly	21-Mar	1.9	✓		✓



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R20/2204	CLUSTER			21-Mar	0.0			✗
			W29/2204	Easterly	21-Mar	0.0	✗		
	R21/2204	CLUSTER			21-Mar	1.9		✓	
			W30/2204	Easterly	21-Mar	1.9	✓		
	R22/2204	CLUSTER_LIVING			21-Mar	7.3		✓	
			W33/2204	Southerly	21-Mar	3.6	✓		
			W32/2204	Southerly	21-Mar	4.1	✓		
			W31/2204	Easterly	21-Mar	3.0	✓		
			W34/2204	Southerly	21-Mar	5.0	✓		
	R23/2204	CLUSTER_LIVING			21-Mar	8.7		✓	
			W37/2204	Southerly	21-Mar	3.5	✓		
			W38/2204	Westerly	21-Mar	3.0	✓		
			W39/2204	Westerly	21-Mar	3.3	✓		
			W36/2204	Southerly	21-Mar	4.1	✓		
			W35/2204	Southerly	21-Mar	5.3	✓		
	R24/2204	CLUSTER			08-Feb	2.8		✓	
			W40/2204	Westerly	08-Feb	2.8	✓		
	R25/2204	CLUSTER			21-Mar	0.0			✗
			W41/2204	Westerly	21-Mar	0.0	✗		
	R26/2204	CLUSTER			10-Feb	1.9		✓	
			W42/2204	Westerly	10-Feb	1.9	✓		
	R27/2204	CLUSTER			20-Mar	0.2			✗
			W43/2204	Westerly	20-Mar	0.2	✗		
	R28/2204	CLUSTER			20-Mar	1.3			✗
			W44/2204	Westerly	20-Mar	1.3	✗		
	R29/2204	CLUSTER			16-Mar	0.9			✗
			W45/2204	Westerly	16-Mar	0.9	✗		
	R30/2204	CLUSTER			14-Mar	0.9			✗
			W46/2204	Westerly	14-Mar	0.9	✗		
	R31/2204	CLUSTER_LIVING			16-Mar	2.8		✓	
			W48/2204	Southerly	16-Mar	1.8	✓		
			W47/2204	Southerly	16-Mar	2.2	✓		
	R32/2204	CLUSTER			11-Feb	1.8		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W49/2204	Southerly	11-Feb	1.8	✓		
	R33/2204	CLUSTER			21-Mar	1.7		✓	
			W50/2204	Southerly	21-Mar	1.7	✓		
	R34/2204	CLUSTER			21-Mar	1.3		✗	
			W51/2204	Southerly	21-Mar	1.3	✗		
	R35/2204	CLUSTER			21-Mar	2.2		✓	
			W52/2204	Southerly	21-Mar	2.2	✓		
	R36/2204	CLUSTER			21-Mar	3.4		✓	
			W54/2204	Southerly	21-Mar	2.8	✓		
			W53/2204	Southerly	21-Mar	1.3	✗		
	R37/2204	CLUSTER			19-Mar	2.1		✓	
			W55/2204	Southerly	19-Mar	2.1	✓		
	R38/2204	CLUSTER			21-Mar	1.3		✗	
			W56/2204	Southerly	21-Mar	1.3	✗		
	R39/2204	CLUSTER			18-Mar	2.2		✓	
			W57/2204	Southerly	18-Mar	2.2	✓		
	R40/2204	CLUSTER			21-Mar	1.2		✗	
			W58/2204	Southerly	21-Mar	1.2	✗		
	R41/2204	CLUSTER			21-Mar	1.9		✓	
			W59/2204	Southerly	21-Mar	1.9	✓		
	R43/2204	CLUSTER			16-Mar	2.0		✓	
			W60/2204	Southerly	16-Mar	2.0	✓		
	R1/2205	CLUSTER_LIVING			21-Mar	1.3		✗	
			W1/2205	Southerly	21-Mar	0.3	✗		
			W3/2205	Westerly	21-Mar	0.0	✗		
			W2/2205	Westerly	21-Mar	1.0	✗		
			W4/2205	Westerly	21-Mar	0.0	✗		
	R2/2205	CLUSTER_LIVING			21-Mar	0.8		✗	
			W8/2205	Northerly	21-Mar	0.0	✗		
			W7/2205	Westerly	21-Mar	0.0	✗		
			W5/2205	Westerly	21-Mar	0.4	✗		
			W6/2205	Westerly	21-Mar	0.8	✗		
	R3/2205	CLUSTER			21-Mar	0.0		✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W9/2205	Northerly	21-Mar	0.0	✗		
	R4/2205	CLUSTER			21-Mar	0.0		✗	
			W10/2205	Northerly	21-Mar	0.0	✗		
	R5/2205	CLUSTER			21-Mar	0.0		✗	
			W11/2205	Northerly	21-Mar	0.0	✗		
	R6/2205	CLUSTER			21-Mar	0.0		✗	
			W12/2205	Northerly	21-Mar	0.0	✗		
	R7/2205	CLUSTER			21-Mar	0.0		✗	
			W13/2205	Northerly	21-Mar	0.0	✗		
	R8/2205	CLUSTER			21-Mar	0.0		✗	
			W15/2205	Northerly	21-Mar	0.0	✗		
			W14/2205	Northerly	21-Mar	0.0	✗		
	R9/2205	CLUSTER			21-Mar	0.0		✗	
			W17/2205	Northerly	21-Mar	0.0	✗		
			W16/2205	Northerly	21-Mar	0.0	✗		
	R10/2205	CLUSTER			21-Mar	0.0		✗	
			W18/2205	Northerly	21-Mar	0.0	✗		
	R11/2205	CLUSTER			21-Mar	0.0		✗	
			W19/2205	Northerly	21-Mar	0.0	✗		
	R12/2205	CLUSTER			21-Mar	0.0		✗	
			W20/2205	Northerly	21-Mar	0.0	✗		
	R13/2205	CLUSTER			21-Mar	0.0		✗	
			W21/2205	Northerly	21-Mar	0.0	✗		
	R14/2205	CLUSTER			21-Mar	0.0		✗	
			W22/2205	Northerly	21-Mar	0.0	✗		
	R15/2205	CLUSTER_LIVING			21-Mar	0.0		✗	
			W24/2205	Northerly	21-Mar	0.0	✗		
			W23/2205	Northerly	21-Mar	0.0	✗		
	R16/2205	CLUSTER			21-Mar	0.0		✗	
			W25/2205	Easterly	21-Mar	0.0	✗		
	R17/2205	CLUSTER			21-Mar	1.9		✓	
			W26/2205	Easterly	21-Mar	1.9	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R18/2205	CLUSTER			21-Mar	0.0			✗
			W27/2205	Easterly	21-Mar	0.0	✗		
	R19/2205	CLUSTER			21-Mar	1.9		✓	
			W28/2205	Easterly	21-Mar	1.9	✓		
	R20/2205	CLUSTER			21-Mar	0.0			✗
			W29/2205	Easterly	21-Mar	0.0	✗		
	R21/2205	CLUSTER			21-Mar	1.9		✓	
			W30/2205	Easterly	21-Mar	1.9	✓		
	R22/2205	CLUSTER_LIVING			21-Mar	7.3			✓
			W33/2205	Southerly	21-Mar	3.6	✓		
			W32/2205	Southerly	21-Mar	4.1	✓		
			W31/2205	Easterly	21-Mar	3.0	✓		
			W34/2205	Southerly	21-Mar	5.0	✓		
	R23/2205	CLUSTER_LIVING			21-Mar	8.8			✓
			W37/2205	Southerly	21-Mar	3.5	✓		
			W38/2205	Westerly	21-Mar	3.2	✓		
			W39/2205	Westerly	21-Mar	3.4	✓		
			W36/2205	Southerly	21-Mar	4.1	✓		
			W35/2205	Southerly	21-Mar	5.3	✓		
	R24/2205	CLUSTER			10-Feb	2.8			✓
			W40/2205	Westerly	10-Feb	2.8	✓		
	R25/2205	CLUSTER			21-Mar	0.0			✗
			W41/2205	Westerly	21-Mar	0.0	✗		
	R26/2205	CLUSTER			10-Feb	1.9			✓
			W42/2205	Westerly	10-Feb	1.9	✓		
	R27/2205	CLUSTER			20-Mar	0.2			✗
			W43/2205	Westerly	20-Mar	0.2	✗		
	R28/2205	CLUSTER			20-Mar	1.3			✗
			W44/2205	Westerly	20-Mar	1.3	✗		
	R29/2205	CLUSTER			11-Mar	1.1			✗
			W45/2205	Westerly	11-Mar	1.1	✗		
	R30/2205	CLUSTER			16-Mar	0.9			✗
			W46/2205	Westerly	16-Mar	0.9	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R31/2205	CLUSTER_LIVING				21-Mar	2.9		✓	
		W48/2205	Southerly	21-Mar	1.9	✓			
		W47/2205	Southerly	21-Mar	2.3	✓			
R32/2205	CLUSTER				11-Feb	1.8		✓	
		W49/2205	Southerly	11-Feb	1.8	✓			
R33/2205	CLUSTER				21-Mar	2.1		✓	
		W50/2205	Southerly	21-Mar	2.1	✓			
R34/2205	CLUSTER				19-Mar	1.5		✓	
		W51/2205	Southerly	19-Mar	1.5	✓			
R35/2205	CLUSTER				21-Mar	2.5		✓	
		W52/2205	Southerly	21-Mar	2.5	✓			
R36/2205	CLUSTER				21-Mar	3.6		✓	
		W54/2205	Southerly	21-Mar	3.0	✓			
		W53/2205	Southerly	21-Mar	1.5	✓			
R37/2205	CLUSTER				17-Mar	2.2		✓	
		W55/2205	Southerly	17-Mar	2.2	✓			
R38/2205	CLUSTER				21-Mar	1.9		✓	
		W56/2205	Southerly	21-Mar	1.9	✓			
R39/2205	CLUSTER				19-Mar	2.3		✓	
		W57/2205	Southerly	19-Mar	2.3	✓			
R40/2205	CLUSTER				21-Mar	2.1		✓	
		W58/2205	Southerly	21-Mar	2.1	✓			
R41/2205	CLUSTER				21-Mar	2.5		✓	
		W59/2205	Southerly	21-Mar	2.5	✓			
R43/2205	CLUSTER				19-Mar	2.8		✓	
		W60/2205	Southerly	19-Mar	2.8	✓			
R1/2206	CLUSTER_LIVING				19-Mar	1.8		✓	
		W1/2206	Southerly	19-Mar	0.8	✗			
		W3/2206	Westerly	19-Mar	0.0	✗			
		W2/2206	Westerly	19-Mar	1.0	✗			
R2/2206	CLUSTER_LIVING				19-Mar	0.0	✗		
					21-Mar	1.0		✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W8/2206	Northerly	21-Mar	0.0	✗		
			W7/2206	Westerly	21-Mar	0.0	✗		
			W5/2206	Westerly	21-Mar	0.6	✗		
			W6/2206	Westerly	21-Mar	0.8	✗		
	R3/2206	CLUSTER			21-Mar	0.0			✗
			W9/2206	Northerly	21-Mar	0.0	✗		
	R4/2206	CLUSTER			21-Mar	0.0			✗
			W10/2206	Northerly	21-Mar	0.0	✗		
	R5/2206	CLUSTER			21-Mar	0.0			✗
			W11/2206	Northerly	21-Mar	0.0	✗		
	R6/2206	CLUSTER			21-Mar	0.0			✗
			W12/2206	Northerly	21-Mar	0.0	✗		
	R7/2206	CLUSTER			21-Mar	0.0			✗
			W13/2206	Northerly	21-Mar	0.0	✗		
	R8/2206	CLUSTER			21-Mar	0.0			✗
			W15/2206	Northerly	21-Mar	0.0	✗		
			W14/2206	Northerly	21-Mar	0.0	✗		
	R9/2206	CLUSTER			21-Mar	0.0			✗
			W17/2206	Northerly	21-Mar	0.0	✗		
			W16/2206	Northerly	21-Mar	0.0	✗		
	R10/2206	CLUSTER			21-Mar	0.0			✗
			W18/2206	Northerly	21-Mar	0.0	✗		
	R11/2206	CLUSTER			21-Mar	0.0			✗
			W19/2206	Northerly	21-Mar	0.0	✗		
	R12/2206	CLUSTER			21-Mar	0.0			✗
			W20/2206	Northerly	21-Mar	0.0	✗		
	R13/2206	CLUSTER			21-Mar	0.0			✗
			W21/2206	Northerly	21-Mar	0.0	✗		
	R14/2206	CLUSTER			21-Mar	0.0			✗
			W22/2206	Northerly	21-Mar	0.0	✗		
	R15/2206	CLUSTER_LIVING			21-Mar	0.0			✗
			W24/2206	Northerly	21-Mar	0.0	✗		
			W23/2206	Northerly	21-Mar	0.0	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R16/2206	CLUSTER			21-Mar	0.0			✗
			W25/2206	Easterly	21-Mar	0.0	✗		
	R17/2206	CLUSTER			21-Mar	1.9		✓	
			W26/2206	Easterly	21-Mar	1.9	✓		
	R18/2206	CLUSTER			21-Mar	0.0			✗
			W27/2206	Easterly	21-Mar	0.0	✗		
	R19/2206	CLUSTER			21-Mar	1.9		✓	
			W28/2206	Easterly	21-Mar	1.9	✓		
	R20/2206	CLUSTER			21-Mar	0.0			✗
			W29/2206	Easterly	21-Mar	0.0	✗		
	R21/2206	CLUSTER			21-Mar	1.9		✓	
			W30/2206	Easterly	21-Mar	1.9	✓		
	R22/2206	CLUSTER_LIVING			21-Mar	7.3			✓
			W33/2206	Southerly	21-Mar	3.6	✓		
			W32/2206	Southerly	21-Mar	4.1	✓		
			W31/2206	Easterly	21-Mar	3.0	✓		
			W34/2206	Southerly	21-Mar	5.0	✓		
	R23/2206	CLUSTER_LIVING			21-Mar	8.8			✓
			W37/2206	Southerly	21-Mar	3.5	✓		
			W38/2206	Westerly	21-Mar	3.2	✓		
			W39/2206	Westerly	21-Mar	3.4	✓		
			W36/2206	Southerly	21-Mar	4.1	✓		
			W35/2206	Southerly	21-Mar	5.3	✓		
	R24/2206	CLUSTER			10-Feb	2.8			✓
			W40/2206	Westerly	10-Feb	2.8	✓		
	R25/2206	CLUSTER			21-Mar	0.0			✗
			W41/2206	Westerly	21-Mar	0.0	✗		
	R26/2206	CLUSTER			10-Feb	1.9			✓
			W42/2206	Westerly	10-Feb	1.9	✓		
	R27/2206	CLUSTER			20-Mar	0.2			✗
			W43/2206	Westerly	20-Mar	0.2	✗		
	R28/2206	CLUSTER			06-Mar	1.4			✗
			W44/2206	Westerly	06-Mar	1.4	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R29/2206	CLUSTER			11-Mar	1.1			
			W45/2206	Westerly	11-Mar	1.1	✗	✗	
	R30/2206	CLUSTER			16-Mar	0.9			✗
			W46/2206	Westerly	16-Mar	0.9	✗		
	R31/2206	CLUSTER_LIVING			21-Mar	3.3		✓	
			W48/2206	Southerly	21-Mar	2.1	✓		
			W47/2206	Southerly	21-Mar	2.5	✓		
	R32/2206	CLUSTER			20-Feb	1.8		✓	
			W49/2206	Southerly	20-Feb	1.8	✓		
	R33/2206	CLUSTER			21-Mar	2.4		✓	
			W50/2206	Southerly	21-Mar	2.4	✓		
	R34/2206	CLUSTER			19-Mar	1.5		✓	
			W51/2206	Southerly	19-Mar	1.5	✓		
	R35/2206	CLUSTER			20-Mar	2.8		✓	
			W52/2206	Southerly	20-Mar	2.8	✓		
	R36/2206	CLUSTER			21-Mar	3.9		✓	
			W54/2206	Southerly	21-Mar	3.3	✓		
			W53/2206	Southerly	21-Mar	1.6	✓		
	R37/2206	CLUSTER			14-Mar	2.3		✓	
			W55/2206	Southerly	14-Mar	2.3	✓		
	R38/2206	CLUSTER			21-Mar	2.3		✓	
			W56/2206	Southerly	21-Mar	2.3	✓		
	R39/2206	CLUSTER			21-Mar	2.4		✓	
			W57/2206	Southerly	21-Mar	2.4	✓		
	R40/2206	CLUSTER			21-Mar	2.5		✓	
			W58/2206	Southerly	21-Mar	2.5	✓		
	R41/2206	CLUSTER			21-Mar	3.0		✓	
			W59/2206	Southerly	21-Mar	3.0	✓		
	R43/2206	CLUSTER			19-Mar	3.5		✓	
			W60/2206	Southerly	19-Mar	3.5	✓		
	R1/2207	LOUNGE			21-Mar	4.5		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W4/2207	Southerly	21-Mar	2.7	✓		
			W3/2207	Southerly	21-Mar	1.8	✓		
			W2/2207	Southerly	21-Mar	1.9	✓		
			W1/2207	Southerly	21-Mar	1.8	✓		
	R2/2207	STUDY			21-Mar	6.4		✓	
			W8/2207	Southerly	21-Mar	4.0	✓		
			W7/2207	Southerly	21-Mar	2.1	✓		
			W6/2207	Southerly	21-Mar	2.8	✓		
			W5/2207	Southerly	21-Mar	2.1	✓		
			W14/2207	Westerly	21-Mar	0.0	✗		
			W13/2207	Westerly	21-Mar	0.7	✗		
			W12/2207	Westerly	21-Mar	0.7	✗		
			W11/2207	Westerly	21-Mar	0.7	✗		
			W10/2207	Westerly	21-Mar	0.8	✗		
			W9/2207	Westerly	21-Mar	1.1	✗		
			W16/2207	Northerly	21-Mar	0.0	✗		
			W15/2207	Northerly	21-Mar	0.0	✗		
	R3/2207	STUDY			21-Mar	0.0			✗
			W20/2207	Northerly	21-Mar	0.0	✗		
			W19/2207	Northerly	21-Mar	0.0	✗		
			W18/2207	Northerly	21-Mar	0.0	✗		
			W17/2207	Northerly	21-Mar	0.0	✗		
	R4/2207	STUDY			21-Mar	1.9		✓	
			W22/2207	Easterly	21-Mar	1.9	✓		
			W21/2207	Easterly	21-Mar	1.9	✓		
	R5/2207	DINING			03-Feb	2.8		✓	
			W24/2207	Westerly	03-Feb	2.3	✓		
			W23/2207	Westerly	03-Feb	2.8	✓		
	R6/2207	LOUNGE			12-Mar	2.3		✓	
			W27/2207	Westerly	12-Mar	1.6	✓		
			W26/2207	Westerly	12-Mar	1.4	✗		
			W25/2207	Westerly	12-Mar	1.6	✓		
	R1/2208	CLUSTER_LIVING			21-Mar	7.8		✓	
			W1/2208	Southerly	21-Mar	3.6	✓		
			W4/2208	Westerly	21-Mar	0.8	✗		
			W2/2208	Southerly	21-Mar	7.4	✓		
			W3/2208	Westerly	21-Mar	1.3	✗		
			W5/2208	Westerly	21-Mar	0.7	✗		
	R2/2208	CLUSTER_LIVING			21-Mar	1.0			✗



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W9/2208	Northerly	21-Mar	0.0	✗		
			W8/2208	Westerly	21-Mar	0.9	✗		
			W7/2208	Westerly	21-Mar	0.7	✗		
			W6/2208	Westerly	21-Mar	0.7	✗		
	R3/2208	CLUSTER			21-Mar	0.0			✗
			W10/2208	Northerly	21-Mar	0.0	✗		
	R4/2208	CLUSTER			21-Mar	0.0			✗
			W11/2208	Northerly	21-Mar	0.0	✗		
	R5/2208	CLUSTER			21-Mar	0.0			✗
			W12/2208	Northerly	21-Mar	0.0	✗		
	R6/2208	CLUSTER			21-Mar	0.0			✗
			W13/2208	Northerly	21-Mar	0.0	✗		
	R7/2208	CLUSTER			21-Mar	0.0			✗
			W14/2208	Northerly	21-Mar	0.0	✗		
	R8/2208	CLUSTER			21-Mar	0.0			✗
			W16/2208	Northerly	21-Mar	0.0	✗		
			W15/2208	Northerly	21-Mar	0.0	✗		
	R9/2208	CLUSTER			21-Mar	1.1			✗
			W18/2208	Easterly	21-Mar	0.0	✗		
			W17/2208	Easterly	21-Mar	1.1	✗		
	R10/2208	CLUSTER			21-Mar	1.9			✓
			W19/2208	Easterly	21-Mar	0.0	✗		
			W20/2208	Easterly	21-Mar	1.9	✓		
	R11/2208	CLUSTER			21-Mar	1.1			✗
			W22/2208	Easterly	21-Mar	0.0	✗		
			W21/2208	Easterly	21-Mar	1.1	✗		
	R12/2208	CLUSTER			21-Mar	1.9			✓
			W23/2208	Easterly	21-Mar	0.0	✗		
			W24/2208	Easterly	21-Mar	1.9	✓		
	R13/2208	CLUSTER			21-Mar	1.1			✗
			W26/2208	Easterly	21-Mar	0.0	✗		
			W25/2208	Easterly	21-Mar	1.1	✗		
	R14/2208	CLUSTER			21-Mar	2.2			✓
			W27/2208	Easterly	21-Mar	0.0	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W28/2208	Easterly	21-Mar	2.2	✓		
R15/2208	CLUSTER_LIVING				21-Mar	7.7		✓	
			W31/2208	Southerly	21-Mar	7.7	✓		
			W30/2208	Southerly	21-Mar	7.6	✓		
			W29/2208	Easterly	21-Mar	3.4	✓		
R16/2208	CLUSTER_LIVING				21-Mar	8.8		✓	
			W35/2208	Westerly	21-Mar	4.0	✓		
			W34/2208	Southerly	21-Mar	7.8	✓		
			W33/2208	Southerly	21-Mar	7.7	✓		
			W32/2208	Southerly	21-Mar	7.7	✓		
R17/2208	CLUSTER				06-Feb	2.6		✓	
			W37/2208	Westerly	06-Feb	0.7	✗		
			W36/2208	Westerly	06-Feb	2.6	✓		
R18/2208	CLUSTER				18-Feb	1.1		✗	
			W38/2208	Westerly	18-Feb	0.3	✗		
			W39/2208	Westerly	18-Feb	0.9	✗		
R19/2208	CLUSTER				15-Feb	1.6		✓	
			W41/2208	Westerly	15-Feb	0.2	✗		
			W40/2208	Westerly	15-Feb	1.6	✓		
R20/2208	CLUSTER				21-Mar	0.7		✗	
			W42/2208	Westerly	21-Mar	0.4	✗		
			W43/2208	Westerly	21-Mar	0.7	✗		
R21/2208	CLUSTER				20-Mar	1.6		✓	
			W45/2208	Westerly	20-Mar	0.8	✗		
			W44/2208	Westerly	20-Mar	1.6	✓		
R22/2208	CLUSTER				21-Mar	1.6		✓	
			W46/2208	Westerly	21-Mar	0.8	✗		
			W47/2208	Westerly	21-Mar	1.6	✓		
R23/2208	CLUSTER				21-Mar	2.5		✓	
			W49/2208	Westerly	21-Mar	1.4	✗		
			W48/2208	Westerly	21-Mar	2.3	✓		
R24/2208	CLUSTER				21-Mar	3.3		✓	
			W50/2208	Southerly	21-Mar	3.3	✓		
R25/2208	CLUSTER				21-Mar	4.2		✓	
			W51/2208	Southerly	21-Mar	4.2	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?	
R26/2208	CLUSTER			Southerly	21-Mar	3.7		✓	✓	
			W52/2208		21-Mar	3.7	✓			
R27/2208	CLUSTER			Southerly	20-Mar	4.6		✓	✓	
			W53/2208		20-Mar	4.6	✓			
R28/2208	CLUSTER			Southerly	15-Mar	3.8		✓	✓	
			W54/2208		15-Mar	3.8	✓			
R29/2208	CLUSTER			Southerly	11-Mar	4.7		✓	✓	
			W55/2208		11-Mar	4.7	✓			
R1/2209	CLUSTER_LIVING				21-Mar	7.8		✓	✓	
			W1/2209		Southerly	21-Mar	3.6			✓
			W4/2209		Westerly	21-Mar	0.8			✗
			W2/2209		Southerly	21-Mar	7.4			✓
			W3/2209		Westerly	21-Mar	1.3			✗
			W5/2209		Westerly	21-Mar	0.7			✗
R2/2209	CLUSTER_LIVING				21-Mar	1.0		✗	✗	
			W9/2209		Northerly	21-Mar	0.0			✗
			W8/2209		Westerly	21-Mar	0.9			✗
			W7/2209		Westerly	21-Mar	0.7			✗
			W6/2209		Westerly	21-Mar	0.7			✗
R3/2209	CLUSTER			Northerly	21-Mar	0.0		✗	✗	
			W10/2209		21-Mar	0.0	✗			
R4/2209	CLUSTER			Northerly	21-Mar	0.0		✗	✗	
			W11/2209		21-Mar	0.0	✗			
R5/2209	CLUSTER			Northerly	21-Mar	0.0		✗	✗	
			W12/2209		21-Mar	0.0	✗			
R6/2209	CLUSTER			Northerly	21-Mar	0.0		✗	✗	
			W13/2209		21-Mar	0.0	✗			
R7/2209	CLUSTER			Northerly	21-Mar	0.0		✗	✗	
			W14/2209		21-Mar	0.0	✗			
R8/2209	CLUSTER				21-Mar	0.0		✗	✗	
			W16/2209		Northerly	21-Mar	0.0			✗
			W15/2209		Northerly	21-Mar	0.0			✗
R9/2209	CLUSTER				21-Mar	1.1		✗	✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W18/2209	Easterly	21-Mar	0.0	✗		
			W17/2209	Easterly	21-Mar	1.1	✗		
	R10/2209	CLUSTER			21-Mar	1.9		✓	
			W19/2209	Easterly	21-Mar	0.0	✗		
			W20/2209	Easterly	21-Mar	1.9	✓		
	R11/2209	CLUSTER			21-Mar	1.1		✗	
			W22/2209	Easterly	21-Mar	0.0	✗		
			W21/2209	Easterly	21-Mar	1.1	✗		
	R12/2209	CLUSTER			21-Mar	1.9		✓	
			W23/2209	Easterly	21-Mar	0.0	✗		
			W24/2209	Easterly	21-Mar	1.9	✓		
	R13/2209	CLUSTER			21-Mar	1.1		✗	
			W26/2209	Easterly	21-Mar	0.0	✗		
			W25/2209	Easterly	21-Mar	1.1	✗		
	R14/2209	CLUSTER			21-Mar	2.2		✓	
			W27/2209	Easterly	21-Mar	0.0	✗		
			W28/2209	Easterly	21-Mar	2.2	✓		
	R15/2209	CLUSTER_LIVING			21-Mar	7.7		✓	
			W31/2209	Southerly	21-Mar	7.7	✓		
			W30/2209	Southerly	21-Mar	7.6	✓		
			W29/2209	Easterly	21-Mar	3.4	✓		
	R16/2209	CLUSTER_LIVING			21-Mar	8.8		✓	
			W35/2209	Westerly	21-Mar	4.0	✓		
			W34/2209	Southerly	21-Mar	7.8	✓		
			W33/2209	Southerly	21-Mar	7.7	✓		
			W32/2209	Southerly	21-Mar	7.7	✓		
	R17/2209	CLUSTER			06-Feb	2.6		✓	
			W37/2209	Westerly	06-Feb	0.7	✗		
			W36/2209	Westerly	06-Feb	2.6	✓		
	R18/2209	CLUSTER			18-Feb	1.1		✗	
			W38/2209	Westerly	18-Feb	0.3	✗		
			W39/2209	Westerly	18-Feb	0.9	✗		
	R19/2209	CLUSTER			15-Feb	1.6		✓	
			W41/2209	Westerly	15-Feb	0.2	✗		
			W40/2209	Westerly	15-Feb	1.6	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R20/2209	CLUSTER			21-Mar	1.0			✗
			W42/2209	Westerly	21-Mar	0.5	✗		
			W43/2209	Westerly	21-Mar	0.9	✗		
	R21/2209	CLUSTER			21-Mar	1.8			✓
			W45/2209	Westerly	21-Mar	0.8	✗		
			W44/2209	Westerly	21-Mar	1.8	✓		
	R22/2209	CLUSTER			21-Mar	1.8			✓
			W46/2209	Westerly	21-Mar	0.9	✗		
			W47/2209	Westerly	21-Mar	1.8	✓		
	R23/2209	CLUSTER			21-Mar	3.1			✓
			W49/2209	Westerly	21-Mar	1.6	✓		
			W48/2209	Westerly	21-Mar	2.9	✓		
	R24/2209	CLUSTER			18-Mar	3.8			✓
			W50/2209	Southerly	18-Mar	3.8	✓		
	R25/2209	CLUSTER			20-Mar	4.6			✓
			W51/2209	Southerly	20-Mar	4.6	✓		
	R26/2209	CLUSTER			15-Mar	3.8			✓
			W52/2209	Southerly	15-Mar	3.8	✓		
	R27/2209	CLUSTER			06-Mar	4.8			✓
			W53/2209	Southerly	06-Mar	4.8	✓		
	R28/2209	CLUSTER			07-Mar	4.1			✓
			W54/2209	Southerly	07-Mar	4.1	✓		
	R29/2209	CLUSTER			10-Mar	4.8			✓
			W55/2209	Southerly	10-Mar	4.8	✓		
	R1/2210	CLUSTER_LIVING			21-Mar	7.8			✓
			W1/2210	Southerly	21-Mar	3.6	✓		
			W4/2210	Westerly	21-Mar	0.8	✗		
			W2/2210	Southerly	21-Mar	7.4	✓		
			W3/2210	Westerly	21-Mar	1.3	✗		
			W5/2210	Westerly	21-Mar	0.7	✗		
	R2/2210	CLUSTER_LIVING			21-Mar	1.0			✗
			W9/2210	Northerly	21-Mar	0.0	✗		
			W8/2210	Westerly	21-Mar	1.0	✗		
			W7/2210	Westerly	21-Mar	0.7	✗		
			W6/2210	Westerly	21-Mar	0.7	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R3/2210	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W10/2210		21-Mar	0.0	✗		
R4/2210	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W11/2210		21-Mar	0.0	✗		
R5/2210	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W12/2210		21-Mar	0.0	✗		
R6/2210	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W13/2210		21-Mar	0.0	✗		
R7/2210	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W14/2210		21-Mar	0.0	✗		
R8/2210	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W16/2210		21-Mar	0.0	✗		
			W15/2210		21-Mar	0.0	✗		
R9/2210	CLUSTER			Easterly	21-Mar	1.1		✗	✗
			W18/2210		21-Mar	0.0	✗		
			W17/2210		21-Mar	1.1	✗		
R10/2210	CLUSTER			Easterly	21-Mar	1.9		✓	✓
			W19/2210		21-Mar	0.0	✗		
			W20/2210		21-Mar	1.9	✓		
R11/2210	CLUSTER			Easterly	21-Mar	1.1		✗	✗
			W22/2210		21-Mar	0.0	✗		
			W21/2210		21-Mar	1.1	✗		
R12/2210	CLUSTER			Easterly	21-Mar	1.9		✓	✓
			W23/2210		21-Mar	0.0	✗		
			W24/2210		21-Mar	1.9	✓		
R13/2210	CLUSTER			Easterly	21-Mar	1.1		✗	✗
			W26/2210		21-Mar	0.0	✗		
			W25/2210		21-Mar	1.1	✗		
R14/2210	CLUSTER			Easterly	21-Mar	2.2		✓	✓
			W27/2210		21-Mar	0.0	✗		
			W28/2210		21-Mar	2.2	✓		
R15/2210	CLUSTER_LIVING			Southerly	21-Mar	7.7		✓	✓
			W31/2210		21-Mar	7.7	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W30/2210	Southerly	21-Mar	7.6	✓		
			W29/2210	Easterly	21-Mar	3.4	✓		
R16/2210	CLUSTER_LIVING				21-Mar	8.8		✓	
			W35/2210	Westerly	21-Mar	4.0	✓		
			W34/2210	Southerly	21-Mar	7.8	✓		
			W33/2210	Southerly	21-Mar	7.7	✓		
			W32/2210	Southerly	21-Mar	7.7	✓		
R17/2210	CLUSTER				06-Feb	2.6		✓	
			W37/2210	Westerly	06-Feb	0.7	✗		
			W36/2210	Westerly	06-Feb	2.6	✓		
R18/2210	CLUSTER				18-Feb	1.1		✗	
			W38/2210	Westerly	18-Feb	0.3	✗		
			W39/2210	Westerly	18-Feb	0.9	✗		
R19/2210	CLUSTER				15-Feb	1.6		✓	
			W41/2210	Westerly	15-Feb	0.2	✗		
			W40/2210	Westerly	15-Feb	1.6	✓		
R20/2210	CLUSTER				21-Mar	1.6		✓	
			W42/2210	Westerly	21-Mar	0.5	✗		
			W43/2210	Westerly	21-Mar	1.5	✓		
R21/2210	CLUSTER				21-Mar	2.5		✓	
			W45/2210	Westerly	21-Mar	1.0	✗		
			W44/2210	Westerly	21-Mar	2.5	✓		
R22/2210	CLUSTER				21-Mar	2.6		✓	
			W46/2210	Westerly	21-Mar	1.0	✗		
			W47/2210	Westerly	21-Mar	2.6	✓		
R23/2210	CLUSTER				21-Mar	3.8		✓	
			W49/2210	Westerly	21-Mar	1.8	✓		
			W48/2210	Westerly	21-Mar	3.7	✓		
R24/2210	CLUSTER				09-Mar	4.1		✓	
			W50/2210	Southerly	09-Mar	4.1	✓		
R25/2210	CLUSTER				07-Mar	4.8		✓	
			W51/2210	Southerly	07-Mar	4.8	✓		
R26/2210	CLUSTER				04-Mar	4.1		✓	
			W52/2210	Southerly	04-Mar	4.1	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?	
R27/2210	CLUSTER			Southerly	06-Mar	4.8		✓	✓	
			W53/2210		06-Mar	4.8	✓			
R28/2210	CLUSTER			Southerly	28-Feb	4.2		✓	✓	
			W54/2210		28-Feb	4.2	✓			
R29/2210	CLUSTER			Southerly	10-Mar	4.8		✓	✓	
			W55/2210		10-Mar	4.8	✓			
R1/2211	CLUSTER_LIVING				21-Mar	7.8		✓		
			W1/2211		Southerly	21-Mar	3.6			✓
			W4/2211		Westerly	21-Mar	0.8			✗
			W2/2211		Southerly	21-Mar	7.4			✓
			W3/2211		Westerly	21-Mar	1.3			✗
			W5/2211		Westerly	21-Mar	0.8			✗
R2/2211	CLUSTER_LIVING				21-Mar	1.1		✗		
			W9/2211		Northerly	21-Mar	0.0			✗
			W8/2211		Westerly	21-Mar	1.1			✗
			W7/2211		Westerly	21-Mar	0.8			✗
			W6/2211		Westerly	21-Mar	0.8			✗
R3/2211	CLUSTER			Northerly	21-Mar	0.0		✗		
			W10/2211		21-Mar	0.0	✗			
R4/2211	CLUSTER			Northerly	21-Mar	0.0		✗		
			W11/2211		21-Mar	0.0	✗			
R5/2211	CLUSTER			Northerly	21-Mar	0.0		✗		
			W12/2211		21-Mar	0.0	✗			
R6/2211	CLUSTER			Northerly	21-Mar	0.0		✗		
			W13/2211		21-Mar	0.0	✗			
R7/2211	CLUSTER			Northerly	21-Mar	0.0		✗		
			W14/2211		21-Mar	0.0	✗			
R8/2211	CLUSTER				21-Mar	0.0		✗		
			W16/2211		Northerly	21-Mar	0.0			✗
			W15/2211		Northerly	21-Mar	0.0			✗
R9/2211	CLUSTER				21-Mar	1.1		✗		
			W18/2211		Easterly	21-Mar	0.0			✗
			W17/2211		Easterly	21-Mar	1.1			✗
R10/2211	CLUSTER				21-Mar	1.9		✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W19/2211	Easterly	21-Mar	0.0	✗		
			W20/2211	Easterly	21-Mar	1.9	✓		
	R11/2211	CLUSTER			21-Mar	1.1		✗	
			W22/2211	Easterly	21-Mar	0.0	✗		
			W21/2211	Easterly	21-Mar	1.1	✗		
	R12/2211	CLUSTER			21-Mar	1.9		✓	
			W23/2211	Easterly	21-Mar	0.0	✗		
			W24/2211	Easterly	21-Mar	1.9	✓		
	R13/2211	CLUSTER			21-Mar	1.1		✗	
			W26/2211	Easterly	21-Mar	0.0	✗		
			W25/2211	Easterly	21-Mar	1.1	✗		
	R14/2211	CLUSTER			21-Mar	2.2		✓	
			W27/2211	Easterly	21-Mar	0.0	✗		
			W28/2211	Easterly	21-Mar	2.2	✓		
	R15/2211	CLUSTER_LIVING			21-Mar	7.7		✓	
			W31/2211	Southerly	21-Mar	7.7	✓		
			W30/2211	Southerly	21-Mar	7.6	✓		
			W29/2211	Easterly	21-Mar	3.4	✓		
	R16/2211	CLUSTER_LIVING			21-Mar	8.8		✓	
			W35/2211	Westerly	21-Mar	4.0	✓		
			W34/2211	Southerly	21-Mar	7.8	✓		
			W33/2211	Southerly	21-Mar	7.7	✓		
			W32/2211	Southerly	21-Mar	7.7	✓		
	R17/2211	CLUSTER			06-Feb	2.6		✓	
			W37/2211	Westerly	06-Feb	0.7	✗		
			W36/2211	Westerly	06-Feb	2.6	✓		
	R18/2211	CLUSTER			21-Mar	1.2		✗	
			W38/2211	Westerly	21-Mar	0.3	✗		
			W39/2211	Westerly	21-Mar	1.2	✗		
	R19/2211	CLUSTER			21-Mar	2.3		✓	
			W41/2211	Westerly	21-Mar	0.4	✗		
			W40/2211	Westerly	21-Mar	2.2	✓		
	R20/2211	CLUSTER			21-Mar	2.5		✓	
			W42/2211	Westerly	21-Mar	0.8	✗		
			W43/2211	Westerly	21-Mar	2.4	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R21/2211	CLUSTER				21-Mar	3.3		✓	
			W45/2211	Westerly	21-Mar	1.3	✗		
			W44/2211	Westerly	21-Mar	3.3	✓		
R22/2211	CLUSTER				21-Mar	3.4		✓	
			W46/2211	Westerly	21-Mar	1.3	✗		
			W47/2211	Westerly	21-Mar	3.4	✓		
R23/2211	CLUSTER				21-Mar	4.7		✓	
			W49/2211	Westerly	21-Mar	2.0	✓		
			W48/2211	Westerly	21-Mar	4.5	✓		
R24/2211	CLUSTER				09-Mar	4.1		✓	
			W50/2211	Southerly	09-Mar	4.1	✓		
R25/2211	CLUSTER				07-Mar	4.8		✓	
			W51/2211	Southerly	07-Mar	4.8	✓		
R26/2211	CLUSTER				22-Feb	4.3		✓	
			W52/2211	Southerly	22-Feb	4.3	✓		
R27/2211	CLUSTER				06-Mar	4.8		✓	
			W53/2211	Southerly	06-Mar	4.8	✓		
R28/2211	CLUSTER				18-Feb	4.3		✓	
			W54/2211	Southerly	18-Feb	4.3	✓		
R29/2211	CLUSTER				10-Mar	4.8		✓	
			W55/2211	Southerly	10-Mar	4.8	✓		
R1/2212	CLUSTER_LIVING				21-Mar	7.8		✓	
			W1/2212	Southerly	21-Mar	3.6	✓		
			W4/2212	Westerly	21-Mar	0.8	✗		
			W2/2212	Southerly	21-Mar	7.4	✓		
			W3/2212	Westerly	21-Mar	1.3	✗		
			W5/2212	Westerly	21-Mar	0.8	✗		
R2/2212	CLUSTER_LIVING				21-Mar	1.1		✗	
			W9/2212	Northerly	21-Mar	0.0	✗		
			W8/2212	Westerly	21-Mar	1.1	✗		
			W7/2212	Westerly	21-Mar	0.8	✗		
			W6/2212	Westerly	21-Mar	0.8	✗		
R3/2212	CLUSTER				21-Mar	0.0		✗	
			W10/2212	Northerly	21-Mar	0.0	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R4/2212	CLUSTER			21-Mar	0.0			
			W11/2212	Northerly	21-Mar	0.0	✗		✗
	R5/2212	CLUSTER			21-Mar	0.0			✗
			W12/2212	Northerly	21-Mar	0.0	✗		
	R6/2212	CLUSTER			21-Mar	0.0			✗
			W13/2212	Northerly	21-Mar	0.0	✗		
	R7/2212	CLUSTER			21-Mar	0.0			✗
			W14/2212	Northerly	21-Mar	0.0	✗		
	R8/2212	CLUSTER			21-Mar	0.0			✗
			W16/2212	Northerly	21-Mar	0.0	✗		
			W15/2212	Northerly	21-Mar	0.0	✗		
	R9/2212	CLUSTER			21-Mar	1.1			✗
			W18/2212	Easterly	21-Mar	0.0	✗		
			W17/2212	Easterly	21-Mar	1.1	✗		
	R10/2212	CLUSTER			21-Mar	1.9			✓
			W19/2212	Easterly	21-Mar	0.0	✗		
			W20/2212	Easterly	21-Mar	1.9	✓		
	R11/2212	CLUSTER			21-Mar	1.1			✗
			W22/2212	Easterly	21-Mar	0.0	✗		
			W21/2212	Easterly	21-Mar	1.1	✗		
	R12/2212	CLUSTER			21-Mar	1.9			✓
			W23/2212	Easterly	21-Mar	0.0	✗		
			W24/2212	Easterly	21-Mar	1.9	✓		
	R13/2212	CLUSTER			21-Mar	1.1			✗
			W26/2212	Easterly	21-Mar	0.0	✗		
			W25/2212	Easterly	21-Mar	1.1	✗		
	R14/2212	CLUSTER			21-Mar	2.2			✓
			W27/2212	Easterly	21-Mar	0.0	✗		
			W28/2212	Easterly	21-Mar	2.2	✓		
	R15/2212	CLUSTER_LIVING			21-Mar	7.7			✓
			W31/2212	Southerly	21-Mar	7.7	✓		
			W30/2212	Southerly	21-Mar	7.6	✓		
			W29/2212	Easterly	21-Mar	3.4	✓		
	R16/2212	CLUSTER_LIVING			21-Mar	8.8			✓



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W35/2212	Westerly	21-Mar	4.0	✓		
			W34/2212	Southerly	21-Mar	7.8	✓		
			W33/2212	Southerly	21-Mar	7.7	✓		
			W32/2212	Southerly	21-Mar	7.7	✓		
	R17/2212	CLUSTER			06-Feb	2.6		✓	
			W37/2212	Westerly	06-Feb	0.7	✗		
			W36/2212	Westerly	06-Feb	2.6	✓		
	R18/2212	CLUSTER			21-Mar	1.9		✓	
			W38/2212	Westerly	21-Mar	0.7	✗		
			W39/2212	Westerly	21-Mar	1.9	✓		
	R19/2212	CLUSTER			21-Mar	3.0		✓	
			W41/2212	Westerly	21-Mar	0.8	✗		
			W40/2212	Westerly	21-Mar	3.0	✓		
	R20/2212	CLUSTER			21-Mar	3.2		✓	
			W42/2212	Westerly	21-Mar	1.1	✗		
			W43/2212	Westerly	21-Mar	3.1	✓		
	R21/2212	CLUSTER			21-Mar	4.0		✓	
			W45/2212	Westerly	21-Mar	1.7	✓		
			W44/2212	Westerly	21-Mar	4.0	✓		
	R22/2212	CLUSTER			21-Mar	4.1		✓	
			W46/2212	Westerly	21-Mar	1.6	✓		
			W47/2212	Westerly	21-Mar	4.1	✓		
	R23/2212	CLUSTER			21-Mar	5.3		✓	
			W49/2212	Westerly	21-Mar	2.4	✓		
			W48/2212	Westerly	21-Mar	5.2	✓		
	R24/2212	CLUSTER			16-Feb	4.3		✓	
			W50/2212	Southerly	16-Feb	4.3	✓		
	R25/2212	CLUSTER			07-Mar	4.8		✓	
			W51/2212	Southerly	07-Mar	4.8	✓		
	R26/2212	CLUSTER			16-Feb	4.3		✓	
			W52/2212	Southerly	16-Feb	4.3	✓		
	R27/2212	CLUSTER			06-Mar	4.8		✓	
			W53/2212	Southerly	06-Mar	4.8	✓		
	R28/2212	CLUSTER			11-Feb	4.4		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W54/2212	Southerly	11-Feb	4.4	✓		
R29/2212	CLUSTER				10-Mar	4.8		✓	
			W55/2212	Southerly	10-Mar	4.8	✓		
R1/2213	CLUSTER_LIVING				21-Mar	7.8		✓	
			W1/2213	Southerly	21-Mar	3.6	✓		
			W4/2213	Westerly	21-Mar	0.8	✗		
			W2/2213	Southerly	21-Mar	7.4	✓		
			W3/2213	Westerly	21-Mar	1.3	✗		
			W5/2213	Westerly	21-Mar	0.8	✗		
R2/2213	CLUSTER_LIVING				21-Mar	1.1		✗	
			W9/2213	Northerly	21-Mar	0.0	✗		
			W8/2213	Westerly	21-Mar	1.1	✗		
			W7/2213	Westerly	21-Mar	0.8	✗		
			W6/2213	Westerly	21-Mar	0.8	✗		
R3/2213	CLUSTER				21-Mar	0.0		✗	
			W10/2213	Northerly	21-Mar	0.0	✗		
R4/2213	CLUSTER				21-Mar	0.0		✗	
			W11/2213	Northerly	21-Mar	0.0	✗		
R5/2213	CLUSTER				21-Mar	0.0		✗	
			W12/2213	Northerly	21-Mar	0.0	✗		
R6/2213	CLUSTER				21-Mar	0.0		✗	
			W13/2213	Northerly	21-Mar	0.0	✗		
R7/2213	CLUSTER				21-Mar	0.0		✗	
			W14/2213	Northerly	21-Mar	0.0	✗		
R8/2213	CLUSTER				21-Mar	0.0		✗	
			W16/2213	Northerly	21-Mar	0.0	✗		
			W15/2213	Northerly	21-Mar	0.0	✗		
R9/2213	CLUSTER				21-Mar	1.1		✗	
			W18/2213	Easterly	21-Mar	0.0	✗		
			W17/2213	Easterly	21-Mar	1.1	✗		
R10/2213	CLUSTER				21-Mar	1.9		✓	
			W19/2213	Easterly	21-Mar	0.0	✗		
			W20/2213	Easterly	21-Mar	1.9	✓		
R11/2213	CLUSTER				21-Mar	1.1		✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W22/2213	Easterly	21-Mar	0.0	✗		
			W21/2213	Easterly	21-Mar	1.1	✗		
	R12/2213	CLUSTER			21-Mar	1.9		✓	
			W23/2213	Easterly	21-Mar	0.0	✗		
			W24/2213	Easterly	21-Mar	1.9	✓		
	R13/2213	CLUSTER			21-Mar	1.1		✗	
			W26/2213	Easterly	21-Mar	0.0	✗		
			W25/2213	Easterly	21-Mar	1.1	✗		
	R14/2213	CLUSTER			21-Mar	2.2		✓	
			W27/2213	Easterly	21-Mar	0.0	✗		
			W28/2213	Easterly	21-Mar	2.2	✓		
	R15/2213	CLUSTER_LIVING			21-Mar	7.7		✓	
			W31/2213	Southerly	21-Mar	7.7	✓		
			W30/2213	Southerly	21-Mar	7.6	✓		
			W29/2213	Easterly	21-Mar	3.4	✓		
	R16/2213	CLUSTER_LIVING			21-Mar	9.3		✓	
			W35/2213	Westerly	21-Mar	4.5	✓		
			W34/2213	Southerly	21-Mar	7.8	✓		
			W33/2213	Southerly	21-Mar	7.7	✓		
			W32/2213	Southerly	21-Mar	7.7	✓		
	R17/2213	CLUSTER			21-Mar	3.3		✓	
			W37/2213	Westerly	21-Mar	1.4	✗		
			W36/2213	Westerly	21-Mar	3.3	✓		
	R18/2213	CLUSTER			21-Mar	2.8		✓	
			W38/2213	Westerly	21-Mar	1.3	✗		
			W39/2213	Westerly	21-Mar	2.8	✓		
	R19/2213	CLUSTER			21-Mar	3.8		✓	
			W41/2213	Westerly	21-Mar	1.4	✗		
			W40/2213	Westerly	21-Mar	3.8	✓		
	R20/2213	CLUSTER			21-Mar	4.0		✓	
			W42/2213	Westerly	21-Mar	1.8	✓		
			W43/2213	Westerly	21-Mar	3.9	✓		
	R21/2213	CLUSTER			21-Mar	4.8		✓	
			W45/2213	Westerly	21-Mar	2.3	✓		
			W44/2213	Westerly	21-Mar	4.8	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R22/2213	CLUSTER				21-Mar	4.9		✓	
			W46/2213	Westerly	21-Mar	2.3	✓		
			W47/2213	Westerly	21-Mar	4.9	✓		
R23/2213	CLUSTER				21-Mar	6.0		✓	
			W49/2213	Westerly	21-Mar	2.8	✓		
			W48/2213	Westerly	21-Mar	6.0	✓		
R24/2213	CLUSTER				06-Feb	4.6		✓	
			W50/2213	Southerly	06-Feb	4.6	✓		
R25/2213	CLUSTER				07-Mar	4.8		✓	
			W51/2213	Southerly	07-Mar	4.8	✓		
R26/2213	CLUSTER				05-Feb	4.6		✓	
			W52/2213	Southerly	05-Feb	4.6	✓		
R27/2213	CLUSTER				06-Mar	4.8		✓	
			W53/2213	Southerly	06-Mar	4.8	✓		
R28/2213	CLUSTER				02-Feb	4.7		✓	
			W54/2213	Southerly	02-Feb	4.7	✓		
R29/2213	CLUSTER				10-Mar	4.8		✓	
			W55/2213	Southerly	10-Mar	4.8	✓		
R1/2214	CLUSTER_LIVING				21-Mar	7.8		✓	
			W1/2214	Southerly	21-Mar	3.6	✓		
			W4/2214	Westerly	21-Mar	0.8	✗		
			W2/2214	Southerly	21-Mar	7.4	✓		
			W3/2214	Westerly	21-Mar	1.3	✗		
			W5/2214	Westerly	21-Mar	0.8	✗		
R2/2214	CLUSTER_LIVING				21-Mar	1.1		✗	
			W9/2214	Northerly	21-Mar	0.0	✗		
			W8/2214	Westerly	21-Mar	1.1	✗		
			W7/2214	Westerly	21-Mar	0.8	✗		
			W6/2214	Westerly	21-Mar	0.8	✗		
R3/2214	CLUSTER				21-Mar	0.0		✗	
			W10/2214	Northerly	21-Mar	0.0	✗		
R4/2214	CLUSTER				21-Mar	0.0		✗	
			W11/2214	Northerly	21-Mar	0.0	✗		
R5/2214	CLUSTER				21-Mar	0.0		✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W12/2214	Northerly	21-Mar	0.0	✗		
	R6/2214	CLUSTER			21-Mar	0.0		✗	
			W13/2214	Northerly	21-Mar	0.0	✗		
	R7/2214	CLUSTER			21-Mar	0.0		✗	
			W14/2214	Northerly	21-Mar	0.0	✗		
	R8/2214	CLUSTER			21-Mar	0.0		✗	
			W16/2214	Northerly	21-Mar	0.0	✗		
			W15/2214	Northerly	21-Mar	0.0	✗		
	R9/2214	CLUSTER			21-Mar	1.1		✗	
			W18/2214	Easterly	21-Mar	0.0	✗		
			W17/2214	Easterly	21-Mar	1.1	✗		
	R10/2214	CLUSTER			21-Mar	1.9		✓	
			W19/2214	Easterly	21-Mar	0.0	✗		
			W20/2214	Easterly	21-Mar	1.9	✓		
	R11/2214	CLUSTER			21-Mar	1.1		✗	
			W22/2214	Easterly	21-Mar	0.0	✗		
			W21/2214	Easterly	21-Mar	1.1	✗		
	R12/2214	CLUSTER			21-Mar	1.9		✓	
			W23/2214	Easterly	21-Mar	0.0	✗		
			W24/2214	Easterly	21-Mar	1.9	✓		
	R13/2214	CLUSTER			21-Mar	1.1		✗	
			W26/2214	Easterly	21-Mar	0.0	✗		
			W25/2214	Easterly	21-Mar	1.1	✗		
	R14/2214	CLUSTER			21-Mar	2.2		✓	
			W27/2214	Easterly	21-Mar	0.0	✗		
			W28/2214	Easterly	21-Mar	2.2	✓		
	R15/2214	CLUSTER_LIVING			21-Mar	7.7		✓	
			W31/2214	Southerly	21-Mar	7.7	✓		
			W30/2214	Southerly	21-Mar	7.6	✓		
			W29/2214	Easterly	21-Mar	3.4	✓		
	R16/2214	CLUSTER_LIVING			21-Mar	10.2		✓	
			W35/2214	Westerly	21-Mar	5.4	✓		
			W34/2214	Southerly	21-Mar	7.8	✓		
			W33/2214	Southerly	21-Mar	7.7	✓		
			W32/2214	Southerly	21-Mar	7.7	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R17/2214	CLUSTER			21-Mar	4.2		✓	
			W37/2214	Westerly	21-Mar	2.0	✓		
			W36/2214	Westerly	21-Mar	4.2	✓		
	R18/2214	CLUSTER			21-Mar	3.7		✓	
			W38/2214	Westerly	21-Mar	1.8	✓		
			W39/2214	Westerly	21-Mar	3.7	✓		
	R19/2214	CLUSTER			21-Mar	4.8		✓	
			W41/2214	Westerly	21-Mar	2.0	✓		
			W40/2214	Westerly	21-Mar	4.8	✓		
	R20/2214	CLUSTER			21-Mar	4.9		✓	
			W42/2214	Westerly	21-Mar	2.3	✓		
			W43/2214	Westerly	21-Mar	4.8	✓		
	R21/2214	CLUSTER			21-Mar	5.8		✓	
			W45/2214	Westerly	21-Mar	2.8	✓		
			W44/2214	Westerly	21-Mar	5.8	✓		
	R22/2214	CLUSTER			21-Mar	5.3		✓	
			W46/2214	Westerly	21-Mar	2.8	✓		
			W47/2214	Westerly	21-Mar	5.3	✓		
	R23/2214	CLUSTER			21-Mar	6.0		✓	
			W49/2214	Westerly	21-Mar	2.8	✓		
			W48/2214	Westerly	21-Mar	6.0	✓		
	R24/2214	CLUSTER			06-Feb	4.6		✓	
			W50/2214	Southerly	06-Feb	4.6	✓		
	R25/2214	CLUSTER			07-Mar	4.8		✓	
			W51/2214	Southerly	07-Mar	4.8	✓		
	R26/2214	CLUSTER			05-Feb	4.6		✓	
			W52/2214	Southerly	05-Feb	4.6	✓		
	R27/2214	CLUSTER			06-Mar	4.8		✓	
			W53/2214	Southerly	06-Mar	4.8	✓		
	R28/2214	CLUSTER			02-Feb	4.7		✓	
			W54/2214	Southerly	02-Feb	4.7	✓		
	R29/2214	CLUSTER			10-Mar	4.8		✓	
			W55/2214	Southerly	10-Mar	4.8	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R1/2215	CLUSTER_LIVING				21-Mar	7.8		✓	
		W1/2215	Southerly	21-Mar	3.6	✓			
		W4/2215	Westerly	21-Mar	0.8	✗			
		W2/2215	Southerly	21-Mar	7.4	✓			
		W3/2215	Westerly	21-Mar	1.3	✗			
		W5/2215	Westerly	21-Mar	0.8	✗			
R2/2215	CLUSTER_LIVING				21-Mar	1.1		✗	
		W9/2215	Northerly	21-Mar	0.0	✗			
		W8/2215	Westerly	21-Mar	1.1	✗			
		W7/2215	Westerly	21-Mar	0.8	✗			
		W6/2215	Westerly	21-Mar	0.8	✗			
R3/2215	CLUSTER				21-Mar	0.0		✗	
		W10/2215	Northerly	21-Mar	0.0	✗			
R4/2215	CLUSTER				21-Mar	0.0		✗	
		W11/2215	Northerly	21-Mar	0.0	✗			
R5/2215	CLUSTER				21-Mar	0.0		✗	
		W12/2215	Northerly	21-Mar	0.0	✗			
R6/2215	CLUSTER				21-Mar	0.0		✗	
		W13/2215	Northerly	21-Mar	0.0	✗			
R7/2215	CLUSTER				21-Mar	0.0		✗	
		W14/2215	Northerly	21-Mar	0.0	✗			
R8/2215	CLUSTER				21-Mar	0.0		✗	
		W16/2215	Northerly	21-Mar	0.0	✗			
		W15/2215	Northerly	21-Mar	0.0	✗			
R9/2215	CLUSTER				21-Mar	1.1		✗	
		W18/2215	Easterly	21-Mar	0.0	✗			
		W17/2215	Easterly	21-Mar	1.1	✗			
R10/2215	CLUSTER				21-Mar	1.9		✓	
		W19/2215	Easterly	21-Mar	0.0	✗			
		W20/2215	Easterly	21-Mar	1.9	✓			
R11/2215	CLUSTER				21-Mar	1.1		✗	
		W22/2215	Easterly	21-Mar	0.0	✗			
		W21/2215	Easterly	21-Mar	1.1	✗			
R12/2215	CLUSTER				21-Mar	1.9		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W23/2215	Easterly	21-Mar	0.0	✗		
			W24/2215	Easterly	21-Mar	1.9	✓		
R13/2215	CLUSTER				21-Mar	1.1		✗	
			W26/2215	Easterly	21-Mar	0.0	✗		
			W25/2215	Easterly	21-Mar	1.1	✗		
R14/2215	CLUSTER				21-Mar	2.2		✓	
			W27/2215	Easterly	21-Mar	0.0	✗		
			W28/2215	Easterly	21-Mar	2.2	✓		
R15/2215	CLUSTER_LIVING				21-Mar	7.7		✓	
			W31/2215	Southerly	21-Mar	7.7	✓		
			W30/2215	Southerly	21-Mar	7.6	✓		
			W29/2215	Easterly	21-Mar	3.4	✓		
R16/2215	CLUSTER_LIVING				21-Mar	11.1		✓	
			W35/2215	Westerly	21-Mar	6.3	✓		
			W34/2215	Southerly	21-Mar	7.8	✓		
			W33/2215	Southerly	21-Mar	7.7	✓		
			W32/2215	Southerly	21-Mar	7.7	✓		
R17/2215	CLUSTER				21-Mar	5.1		✓	
			W37/2215	Westerly	21-Mar	2.7	✓		
			W36/2215	Westerly	21-Mar	5.1	✓		
R18/2215	CLUSTER				21-Mar	4.6		✓	
			W38/2215	Westerly	21-Mar	2.6	✓		
			W39/2215	Westerly	21-Mar	4.6	✓		
R19/2215	CLUSTER				21-Mar	5.7		✓	
			W41/2215	Westerly	21-Mar	2.7	✓		
			W40/2215	Westerly	21-Mar	5.7	✓		
R20/2215	CLUSTER				21-Mar	5.3		✓	
			W42/2215	Westerly	21-Mar	2.8	✓		
			W43/2215	Westerly	21-Mar	5.3	✓		
R21/2215	CLUSTER				21-Mar	6.0		✓	
			W45/2215	Westerly	21-Mar	2.8	✓		
			W44/2215	Westerly	21-Mar	6.0	✓		
R22/2215	CLUSTER				21-Mar	5.3		✓	
			W46/2215	Westerly	21-Mar	2.8	✓		
			W47/2215	Westerly	21-Mar	5.3	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R23/2215	CLUSTER				21-Mar	6.0		✓	
			W49/2215	Westerly	21-Mar	2.8	✓		
			W48/2215	Westerly	21-Mar	6.0	✓		
R24/2215	CLUSTER				06-Feb	4.6		✓	
			W50/2215	Southerly	06-Feb	4.6	✓		
R25/2215	CLUSTER				07-Mar	4.8		✓	
			W51/2215	Southerly	07-Mar	4.8	✓		
R26/2215	CLUSTER				05-Feb	4.6		✓	
			W52/2215	Southerly	05-Feb	4.6	✓		
R27/2215	CLUSTER				06-Mar	4.8		✓	
			W53/2215	Southerly	06-Mar	4.8	✓		
R28/2215	CLUSTER				02-Feb	4.7		✓	
			W54/2215	Southerly	02-Feb	4.7	✓		
R29/2215	CLUSTER				10-Mar	4.8		✓	
			W55/2215	Southerly	10-Mar	4.8	✓		
R1/2216	CLUSTER_LIVING				21-Mar	7.8		✓	
			W1/2216	Southerly	21-Mar	3.6	✓		
			W4/2216	Westerly	21-Mar	0.8	✗		
			W2/2216	Southerly	21-Mar	7.4	✓		
			W3/2216	Westerly	21-Mar	1.3	✗		
			W5/2216	Westerly	21-Mar	0.8	✗		
R2/2216	CLUSTER_LIVING				21-Mar	1.1			✗
			W9/2216	Northerly	21-Mar	0.0	✗		
			W8/2216	Westerly	21-Mar	1.1	✗		
			W7/2216	Westerly	21-Mar	0.8	✗		
			W6/2216	Westerly	21-Mar	0.8	✗		
R3/2216	CLUSTER				21-Mar	0.0			✗
			W10/2216	Northerly	21-Mar	0.0	✗		
R4/2216	CLUSTER				21-Mar	0.0			✗
			W11/2216	Northerly	21-Mar	0.0	✗		
R5/2216	CLUSTER				21-Mar	0.0			✗
			W12/2216	Northerly	21-Mar	0.0	✗		
R6/2216	CLUSTER				21-Mar	0.0			✗
			W13/2216	Northerly	21-Mar	0.0	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
	R7/2216	CLUSTER			21-Mar	0.0			✗
			W14/2216	Northerly	21-Mar	0.0	✗		
	R8/2216	CLUSTER			21-Mar	0.0			✗
			W16/2216	Northerly	21-Mar	0.0	✗		
			W15/2216	Northerly	21-Mar	0.0	✗		
	R9/2216	CLUSTER			21-Mar	1.1			✗
			W18/2216	Easterly	21-Mar	0.0	✗		
			W17/2216	Easterly	21-Mar	1.1	✗		
	R10/2216	CLUSTER			21-Mar	1.9			✓
			W19/2216	Easterly	21-Mar	0.0	✗		
			W20/2216	Easterly	21-Mar	1.9	✓		
	R11/2216	CLUSTER			21-Mar	1.1			✗
			W22/2216	Easterly	21-Mar	0.0	✗		
			W21/2216	Easterly	21-Mar	1.1	✗		
	R12/2216	CLUSTER			21-Mar	1.9			✓
			W23/2216	Easterly	21-Mar	0.0	✗		
			W24/2216	Easterly	21-Mar	1.9	✓		
	R13/2216	CLUSTER			21-Mar	1.1			✗
			W26/2216	Easterly	21-Mar	0.0	✗		
			W25/2216	Easterly	21-Mar	1.1	✗		
	R14/2216	CLUSTER			21-Mar	2.2			✓
			W27/2216	Easterly	21-Mar	0.0	✗		
			W28/2216	Easterly	21-Mar	2.2	✓		
	R15/2216	CLUSTER_LIVING			21-Mar	7.7			✓
			W31/2216	Southerly	21-Mar	7.7	✓		
			W30/2216	Southerly	21-Mar	7.6	✓		
			W29/2216	Easterly	21-Mar	3.4	✓		
	R16/2216	CLUSTER_LIVING			21-Mar	11.8			✓
			W35/2216	Westerly	21-Mar	7.1	✓		
			W34/2216	Southerly	21-Mar	7.8	✓		
			W33/2216	Southerly	21-Mar	7.7	✓		
			W32/2216	Southerly	21-Mar	7.7	✓		
	R17/2216	CLUSTER			21-Mar	5.8			✓
			W37/2216	Westerly	21-Mar	2.8	✓		
			W36/2216	Westerly	21-Mar	5.8	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R18/2216	CLUSTER				21-Mar	5.3		✓	
		W38/2216	Westerly	21-Mar	2.8	✓			
		W39/2216	Westerly	21-Mar	5.3	✓			
R19/2216	CLUSTER				21-Mar	6.0		✓	
		W41/2216	Westerly	21-Mar	2.8	✓			
		W40/2216	Westerly	21-Mar	6.0	✓			
R20/2216	CLUSTER				21-Mar	5.3		✓	
		W42/2216	Westerly	21-Mar	2.8	✓			
		W43/2216	Westerly	21-Mar	5.3	✓			
R21/2216	CLUSTER				21-Mar	6.0		✓	
		W45/2216	Westerly	21-Mar	2.8	✓			
		W44/2216	Westerly	21-Mar	6.0	✓			
R22/2216	CLUSTER				21-Mar	5.3		✓	
		W46/2216	Westerly	21-Mar	2.8	✓			
		W47/2216	Westerly	21-Mar	5.3	✓			
R23/2216	CLUSTER				21-Mar	6.0		✓	
		W49/2216	Westerly	21-Mar	2.8	✓			
		W48/2216	Westerly	21-Mar	6.0	✓			
R24/2216	CLUSTER				06-Feb	4.6		✓	
		W50/2216	Southerly	06-Feb	4.6	✓			
R25/2216	CLUSTER				07-Mar	4.8		✓	
		W51/2216	Southerly	07-Mar	4.8	✓			
R26/2216	CLUSTER				05-Feb	4.6		✓	
		W52/2216	Southerly	05-Feb	4.6	✓			
R27/2216	CLUSTER				06-Mar	4.8		✓	
		W53/2216	Southerly	06-Mar	4.8	✓			
R28/2216	CLUSTER				02-Feb	4.7		✓	
		W54/2216	Southerly	02-Feb	4.7	✓			
R29/2216	CLUSTER				10-Mar	4.8		✓	
		W55/2216	Southerly	10-Mar	4.8	✓			
R1/2217	CLUSTER_LIVING				21-Mar	7.8		✓	
		W1/2217	Southerly	21-Mar	3.6	✓			
		W4/2217	Westerly	21-Mar	0.8	✗			



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W2/2217	Southerly	21-Mar	7.4	✓		
			W3/2217	Westerly	21-Mar	1.3	✗		
			W5/2217	Westerly	21-Mar	0.8	✗		
R2/2217	CLUSTER_LIVING				21-Mar	1.1		✗	
			W9/2217	Northerly	21-Mar	0.0	✗		
			W8/2217	Westerly	21-Mar	1.1	✗		
			W7/2217	Westerly	21-Mar	0.8	✗		
			W6/2217	Westerly	21-Mar	0.8	✗		
R3/2217	CLUSTER				21-Mar	0.0		✗	
			W10/2217	Northerly	21-Mar	0.0	✗		
R4/2217	CLUSTER				21-Mar	0.0		✗	
			W11/2217	Northerly	21-Mar	0.0	✗		
R5/2217	CLUSTER				21-Mar	0.0		✗	
			W12/2217	Northerly	21-Mar	0.0	✗		
R6/2217	CLUSTER				21-Mar	0.0		✗	
			W13/2217	Northerly	21-Mar	0.0	✗		
R7/2217	CLUSTER				21-Mar	0.0		✗	
			W14/2217	Northerly	21-Mar	0.0	✗		
R8/2217	CLUSTER				21-Mar	0.0		✗	
			W16/2217	Northerly	21-Mar	0.0	✗		
			W15/2217	Northerly	21-Mar	0.0	✗		
R9/2217	CLUSTER				21-Mar	1.1		✗	
			W18/2217	Easterly	21-Mar	0.0	✗		
			W17/2217	Easterly	21-Mar	1.1	✗		
R10/2217	CLUSTER				21-Mar	1.9		✓	
			W19/2217	Easterly	21-Mar	0.0	✗		
			W20/2217	Easterly	21-Mar	1.9	✓		
R11/2217	CLUSTER				21-Mar	1.1		✗	
			W22/2217	Easterly	21-Mar	0.0	✗		
			W21/2217	Easterly	21-Mar	1.1	✗		
R12/2217	CLUSTER				21-Mar	1.9		✓	
			W23/2217	Easterly	21-Mar	0.0	✗		
			W24/2217	Easterly	21-Mar	1.9	✓		
R13/2217	CLUSTER				21-Mar	1.1		✗	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W26/2217	Easterly	21-Mar	0.0	✗		
			W25/2217	Easterly	21-Mar	1.1	✗		
R14/2217	CLUSTER				21-Mar	2.2		✓	
			W27/2217	Easterly	21-Mar	0.0	✗		
			W28/2217	Easterly	21-Mar	2.2	✓		
R15/2217	CLUSTER_LIVING				21-Mar	7.7		✓	
			W31/2217	Southerly	21-Mar	7.7	✓		
			W30/2217	Southerly	21-Mar	7.6	✓		
			W29/2217	Easterly	21-Mar	3.4	✓		
R16/2217	CLUSTER_LIVING				21-Mar	12.0		✓	
			W35/2217	Westerly	21-Mar	7.3	✓		
			W34/2217	Southerly	21-Mar	7.8	✓		
			W33/2217	Southerly	21-Mar	7.7	✓		
			W32/2217	Southerly	21-Mar	7.7	✓		
R17/2217	CLUSTER				21-Mar	6.0		✓	
			W37/2217	Westerly	21-Mar	2.8	✓		
			W36/2217	Westerly	21-Mar	6.0	✓		
R18/2217	CLUSTER				21-Mar	5.3		✓	
			W38/2217	Westerly	21-Mar	2.8	✓		
			W39/2217	Westerly	21-Mar	5.3	✓		
R19/2217	CLUSTER				21-Mar	6.0		✓	
			W41/2217	Westerly	21-Mar	2.8	✓		
			W40/2217	Westerly	21-Mar	6.0	✓		
R20/2217	CLUSTER				21-Mar	5.3		✓	
			W42/2217	Westerly	21-Mar	2.8	✓		
			W43/2217	Westerly	21-Mar	5.3	✓		
R21/2217	CLUSTER				21-Mar	6.0		✓	
			W45/2217	Westerly	21-Mar	2.8	✓		
			W44/2217	Westerly	21-Mar	6.0	✓		
R22/2217	CLUSTER				21-Mar	5.3		✓	
			W46/2217	Westerly	21-Mar	2.8	✓		
			W47/2217	Westerly	21-Mar	5.3	✓		
R23/2217	CLUSTER				21-Mar	6.0		✓	
			W49/2217	Westerly	21-Mar	2.8	✓		
			W48/2217	Westerly	21-Mar	6.0	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R24/2217	CLUSTER			Southerly	06-Feb	4.6		✓	✓
			W50/2217		06-Feb	4.6	✓		
R25/2217	CLUSTER			Southerly	07-Mar	4.8		✓	✓
			W51/2217		07-Mar	4.8	✓		
R26/2217	CLUSTER			Southerly	05-Feb	4.6		✓	✓
			W52/2217		05-Feb	4.6	✓		
R27/2217	CLUSTER			Southerly	06-Mar	4.8		✓	✓
			W53/2217		06-Mar	4.8	✓		
R28/2217	CLUSTER			Southerly	02-Feb	4.7		✓	✓
			W54/2217		02-Feb	4.7	✓		
R29/2217	CLUSTER			Southerly	10-Mar	4.8		✓	✓
			W55/2217		10-Mar	4.8	✓		
R1/2218	CLUSTER_LIVING			Southerly	21-Mar	7.8		✓	✓
			W1/2218		21-Mar	3.6	✓		
			W4/2218		21-Mar	0.8	✗		
			W2/2218		21-Mar	7.4	✓		
			W3/2218		21-Mar	1.3	✗		
R2/2218	CLUSTER_LIVING			Southerly	21-Mar	1.1		✗	✗
			W9/2218		21-Mar	0.0	✗		
			W8/2218		21-Mar	1.1	✗		
			W7/2218		21-Mar	0.8	✗		
			W6/2218		21-Mar	0.8	✗		
R3/2218	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W10/2218		21-Mar	0.0	✗		
R4/2218	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W11/2218		21-Mar	0.0	✗		
R5/2218	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W12/2218		21-Mar	0.0	✗		
R6/2218	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W13/2218		21-Mar	0.0	✗		
R7/2218	CLUSTER			Northerly	21-Mar	0.0		✗	✗
			W14/2218		21-Mar	0.0	✗		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R8/2218	CLUSTER				21-Mar	0.0		✗	
			W16/2218	Northerly	21-Mar	0.0	✗		
			W15/2218	Northerly	21-Mar	0.0	✗		
R9/2218	CLUSTER				21-Mar	1.1		✗	
			W18/2218	Easterly	21-Mar	0.0	✗		
			W17/2218	Easterly	21-Mar	1.1	✗		
R10/2218	CLUSTER				21-Mar	1.9		✓	
			W19/2218	Easterly	21-Mar	0.0	✗		
			W20/2218	Easterly	21-Mar	1.9	✓		
R11/2218	CLUSTER				21-Mar	1.1		✗	
			W22/2218	Easterly	21-Mar	0.0	✗		
			W21/2218	Easterly	21-Mar	1.1	✗		
R12/2218	CLUSTER				21-Mar	1.9		✓	
			W23/2218	Easterly	21-Mar	0.0	✗		
			W24/2218	Easterly	21-Mar	1.9	✓		
R13/2218	CLUSTER				21-Mar	1.1		✗	
			W26/2218	Easterly	21-Mar	0.0	✗		
			W25/2218	Easterly	21-Mar	1.1	✗		
R14/2218	CLUSTER				21-Mar	2.2		✓	
			W27/2218	Easterly	21-Mar	0.0	✗		
			W28/2218	Easterly	21-Mar	2.2	✓		
R15/2218	CLUSTER_LIVING				21-Mar	7.7		✓	
			W31/2218	Southerly	21-Mar	7.7	✓		
			W30/2218	Southerly	21-Mar	7.6	✓		
			W29/2218	Easterly	21-Mar	3.4	✓		
R16/2218	CLUSTER_LIVING				21-Mar	12.0		✓	
			W35/2218	Westerly	21-Mar	7.3	✓		
			W34/2218	Southerly	21-Mar	7.8	✓		
			W33/2218	Southerly	21-Mar	7.7	✓		
			W32/2218	Southerly	21-Mar	7.7	✓		
R17/2218	CLUSTER				21-Mar	6.0		✓	
			W37/2218	Westerly	21-Mar	2.8	✓		
			W36/2218	Westerly	21-Mar	6.0	✓		
R18/2218	CLUSTER				21-Mar	5.3		✓	
			W38/2218	Westerly	21-Mar	2.8	✓		
			W39/2218	Westerly	21-Mar	5.3	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R19/2218	CLUSTER				21-Mar	6.0		✓	
			W41/2218	Westerly	21-Mar	2.8	✓		
			W40/2218	Westerly	21-Mar	6.0	✓		
R20/2218	CLUSTER				21-Mar	5.3		✓	
			W42/2218	Westerly	21-Mar	2.8	✓		
			W43/2218	Westerly	21-Mar	5.3	✓		
R21/2218	CLUSTER				21-Mar	6.0		✓	
			W45/2218	Westerly	21-Mar	2.8	✓		
			W44/2218	Westerly	21-Mar	6.0	✓		
R22/2218	CLUSTER				21-Mar	5.3		✓	
			W46/2218	Westerly	21-Mar	2.8	✓		
			W47/2218	Westerly	21-Mar	5.3	✓		
R23/2218	CLUSTER				21-Mar	6.0		✓	
			W49/2218	Westerly	21-Mar	2.8	✓		
			W48/2218	Westerly	21-Mar	6.0	✓		
R24/2218	CLUSTER				06-Feb	4.6		✓	
			W50/2218	Southerly	06-Feb	4.6	✓		
R25/2218	CLUSTER				07-Mar	4.8		✓	
			W51/2218	Southerly	07-Mar	4.8	✓		
R26/2218	CLUSTER				05-Feb	4.6		✓	
			W52/2218	Southerly	05-Feb	4.6	✓		
R27/2218	CLUSTER				06-Mar	4.8		✓	
			W53/2218	Southerly	06-Mar	4.8	✓		
R28/2218	CLUSTER				02-Feb	4.7		✓	
			W54/2218	Southerly	02-Feb	4.7	✓		
R29/2218	CLUSTER				10-Mar	4.8		✓	
			W55/2218	Southerly	10-Mar	4.8	✓		
R1/2219	CLUSTER				21-Mar	1.1			✗
			W2/2219	Easterly	21-Mar	0.0	✗		
			W1/2219	Easterly	21-Mar	1.1	✗		
R2/2219	CLUSTER				21-Mar	1.9		✓	
			W3/2219	Easterly	21-Mar	0.0	✗		
			W4/2219	Easterly	21-Mar	1.9	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R3/2219	CLUSTER				21-Mar	1.1		✗	
			W6/2219	Easterly	21-Mar	0.0	✗		
			W5/2219	Easterly	21-Mar	1.1	✗		
R4/2219	CLUSTER				21-Mar	1.9		✓	
			W7/2219	Easterly	21-Mar	0.0	✗		
			W8/2219	Easterly	21-Mar	1.9	✓		
R5/2219	CLUSTER				21-Mar	1.1		✗	
			W10/2219	Easterly	21-Mar	0.0	✗		
			W9/2219	Easterly	21-Mar	1.1	✗		
R6/2219	CLUSTER				21-Mar	2.2		✓	
			W11/2219	Easterly	21-Mar	0.0	✗		
			W12/2219	Easterly	21-Mar	2.2	✓		
R7/2219	CLUSTER_LIVING				21-Mar	7.7		✓	
			W15/2219	Southerly	21-Mar	7.7	✓		
			W14/2219	Southerly	21-Mar	7.6	✓		
			W13/2219	Easterly	21-Mar	3.4	✓		
R8/2219	CLUSTER_LIVING				21-Mar	12.0		✓	
			W19/2219	Westerly	21-Mar	7.3	✓		
			W18/2219	Southerly	21-Mar	7.8	✓		
			W17/2219	Southerly	21-Mar	7.7	✓		
			W16/2219	Southerly	21-Mar	7.7	✓		
R9/2219	CLUSTER				21-Mar	6.0		✓	
			W21/2219	Westerly	21-Mar	2.8	✓		
			W20/2219	Westerly	21-Mar	6.0	✓		
R10/2219	CLUSTER				21-Mar	5.3		✓	
			W22/2219	Westerly	21-Mar	2.8	✓		
			W23/2219	Westerly	21-Mar	5.3	✓		
R11/2219	CLUSTER				21-Mar	6.0		✓	
			W25/2219	Westerly	21-Mar	2.8	✓		
			W24/2219	Westerly	21-Mar	6.0	✓		
R12/2219	CLUSTER				21-Mar	5.3		✓	
			W26/2219	Westerly	21-Mar	2.8	✓		
			W27/2219	Westerly	21-Mar	5.3	✓		
R13/2219	CLUSTER				21-Mar	6.0		✓	
			W29/2219	Westerly	21-Mar	2.8	✓		



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W28/2219	Westerly	21-Mar	6.0	✓		
	R14/2219	CLUSTER			21-Mar	5.3		✓	
			W30/2219	Westerly	21-Mar	2.8	✓		
			W31/2219	Westerly	21-Mar	5.3	✓		
	R15/2219	CLUSTER			21-Mar	6.0		✓	
			W33/2219	Westerly	21-Mar	2.8	✓		
			W32/2219	Westerly	21-Mar	6.0	✓		
	R1/2220	CLUSTER			21-Mar	1.1		✗	
			W2/2220	Easterly	21-Mar	0.0	✗		
			W1/2220	Easterly	21-Mar	1.1	✗		
	R2/2220	CLUSTER			21-Mar	1.9		✓	
			W3/2220	Easterly	21-Mar	0.0	✗		
			W4/2220	Easterly	21-Mar	1.9	✓		
	R3/2220	CLUSTER			21-Mar	1.1		✗	
			W6/2220	Easterly	21-Mar	0.0	✗		
			W5/2220	Easterly	21-Mar	1.1	✗		
	R4/2220	CLUSTER			21-Mar	1.9		✓	
			W7/2220	Easterly	21-Mar	0.0	✗		
			W8/2220	Easterly	21-Mar	1.9	✓		
	R5/2220	CLUSTER			21-Mar	1.1		✗	
			W10/2220	Easterly	21-Mar	0.0	✗		
			W9/2220	Easterly	21-Mar	1.1	✗		
	R6/2220	CLUSTER			21-Mar	2.2		✓	
			W11/2220	Easterly	21-Mar	0.0	✗		
			W12/2220	Easterly	21-Mar	2.2	✓		
	R7/2220	CLUSTER_LIVING			21-Mar	7.7		✓	
			W15/2220	Southerly	21-Mar	7.7	✓		
			W14/2220	Southerly	21-Mar	7.6	✓		
			W13/2220	Easterly	21-Mar	3.4	✓		
	R8/2220	CLUSTER_LIVING			21-Mar	12.0		✓	
			W19/2220	Westerly	21-Mar	7.3	✓		
			W18/2220	Southerly	21-Mar	7.8	✓		
			W17/2220	Southerly	21-Mar	7.7	✓		
			W16/2220	Southerly	21-Mar	7.7	✓		
	R9/2220	CLUSTER			21-Mar	6.0		✓	



SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
			W21/2220	Westerly	21-Mar	2.8	✓		
			W20/2220	Westerly	21-Mar	6.0	✓		
	R10/2220	CLUSTER			21-Mar	5.3		✓	
			W22/2220	Westerly	21-Mar	2.8	✓		
			W23/2220	Westerly	21-Mar	5.3	✓		
	R11/2220	CLUSTER			21-Mar	6.0		✓	
			W25/2220	Westerly	21-Mar	2.8	✓		
			W24/2220	Westerly	21-Mar	6.0	✓		
	R12/2220	CLUSTER			21-Mar	5.3		✓	
			W26/2220	Westerly	21-Mar	2.8	✓		
			W27/2220	Westerly	21-Mar	5.3	✓		
	R13/2220	CLUSTER			21-Mar	6.0		✓	
			W29/2220	Westerly	21-Mar	2.8	✓		
			W28/2220	Westerly	21-Mar	6.0	✓		
	R14/2220	CLUSTER			21-Mar	5.3		✓	
			W30/2220	Westerly	21-Mar	2.8	✓		
			W31/2220	Westerly	21-Mar	5.3	✓		
	R15/2220	CLUSTER			21-Mar	6.0		✓	
			W33/2220	Westerly	21-Mar	2.8	✓		
			W32/2220	Westerly	21-Mar	6.0	✓		
	R1/2221	CLUSTER			21-Mar	1.1		✗	
			W2/2221	Easterly	21-Mar	0.0	✗		
			W1/2221	Easterly	21-Mar	1.1	✗		
	R2/2221	CLUSTER			21-Mar	1.9		✓	
			W3/2221	Easterly	21-Mar	0.0	✗		
			W4/2221	Easterly	21-Mar	1.9	✓		
	R3/2221	CLUSTER			21-Mar	1.1		✗	
			W6/2221	Easterly	21-Mar	0.0	✗		
			W5/2221	Easterly	21-Mar	1.1	✗		
	R4/2221	CLUSTER			21-Mar	1.9		✓	
			W7/2221	Easterly	21-Mar	0.0	✗		
			W8/2221	Easterly	21-Mar	1.9	✓		
	R5/2221	CLUSTER			21-Mar	1.1		✗	
			W10/2221	Easterly	21-Mar	0.0	✗		
			W9/2221	Easterly	21-Mar	1.1	✗		




SUNLIGHT EXPOSURE ANALYSIS

BOOKERS, VAUXHALL
SCHEME PR080323

SUNLIGHT EXPOSURE

Unit	Room	Room Use	Window	Orientation	Date	Sunlight Exposure (Hours)	Window Complies?	Room Complies?	Unit Complies?
R6/2221	CLUSTER				21-Mar	2.2		✓	
			W11/2221	Easterly	21-Mar	0.0	✗		
			W12/2221	Easterly	21-Mar	2.2	✓		
R7/2221	CLUSTER_LIVING				21-Mar	7.7		✓	
			W15/2221	Southerly	21-Mar	7.7	✓		
			W14/2221	Southerly	21-Mar	7.6	✓		
			W13/2221	Easterly	21-Mar	3.3	✓		
R8/2221	CLUSTER_LIVING				21-Mar	12.0		✓	
			W19/2221	Westerly	21-Mar	7.0	✓		
			W18/2221	Southerly	21-Mar	7.8	✓		
			W17/2221	Southerly	21-Mar	7.7	✓		
			W16/2221	Southerly	21-Mar	7.7	✓		
R9/2221	CLUSTER				21-Mar	6.0		✓	
			W21/2221	Westerly	21-Mar	2.8	✓		
			W20/2221	Westerly	21-Mar	6.0	✓		
R10/2221	CLUSTER				21-Mar	5.3		✓	
			W22/2221	Westerly	21-Mar	2.8	✓		
			W23/2221	Westerly	21-Mar	5.3	✓		
R11/2221	CLUSTER				21-Mar	6.0		✓	
			W25/2221	Westerly	21-Mar	2.8	✓		
			W24/2221	Westerly	21-Mar	6.0	✓		
R12/2221	CLUSTER				21-Mar	5.3		✓	
			W26/2221	Westerly	21-Mar	2.8	✓		
			W27/2221	Westerly	21-Mar	5.3	✓		
R13/2221	CLUSTER				21-Mar	6.0		✓	
			W29/2221	Westerly	21-Mar	2.8	✓		
			W28/2221	Westerly	21-Mar	6.0	✓		
R14/2221	CLUSTER				21-Mar	5.3		✓	
			W30/2221	Westerly	21-Mar	2.8	✓		
			W31/2221	Westerly	21-Mar	5.3	✓		
R15/2221	CLUSTER				21-Mar	6.0		✓	
			W33/2221	Westerly	21-Mar	2.8	✓		
			W32/2221	Westerly	21-Mar	6.0	✓		



Appendix 8: Internal Sun on Ground (Overshadowing) Assessment Results



Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight

Project: Bookers, Vauxhall, London

Title: Site Plan
 2 Hour Overshadowing BRE test.
 March 21st
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/SHAD 28**

Rel: **11**






Sources: Point2
 Site Photography
 Local Planning Authority
 Various Surrounding Building Layouts
 Glenn Howells Architects Ltd
 Sent 08/03/23. 2278-GHA-ZZ-ZZ-M3-A-00900.dwg

Key:

- Area analysed
- Area with more than 2 hours of direct sunlight
- Area with less than 2 hours of direct sunlight

50% Percentage of area with more than 2 hours of direct sunlight



Project: Bookers, Vauxhall, London

Title: Site Plan
 2 Hour Overshadowing BRE test.
 June 21st
 Proposed Scheme 08/03/23

Scheme Confirmed: -

Date: -

Drawn By: NB

Scale: 1:1100

Date: MARCH 23

Dwg No: **P2874/SHAD 29**

Rel: **11**



